

Indicators	Assam		Kokrajhar		Dhubri		Goalpara	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Nutritional status below 5 years								
Below -2 SD Wasting (Weight for Height) (%)								
Male	20.9	21.5	13.1	12.8	26.5	25.4	-	-
Female	19.4	19.9	6.0	6.3	22.4	20.6	10.3	9.8
Person	20.2	20.7	9.3	9.2	24.4	23.0	11.3	11.7
Below -3 SD Wasting (Weight for Height) (%)								
Male	10.2	10.5	9.3	8.8	14.0	14.7	-	-
Female	8.2	8.2	3.5	3.7	12.4	10.4	6.2	5.7
Person	9.2	9.4	6.2	6.0	13.2	12.5	6.4	6.5
Below -2 SD Stunting (Height for Age) (%)								
Male	38.4	39.8	35.2	34.0	30.7	32.3	34.4	35.0
Female	36.4	37.9	32.2	30.2	36.7	37.9	27.1	27.6
Person	37.4	38.9	33.5	31.9	33.8	35.2	30.7	31.3
Below -3SD Stunting (Height for Age) (%)								
Male	18.8	19.5	11.7	10.8	21.5	22.6	21.8	21.9
Female	15.8	16.6	11.0	-	20.3	21.0	-	-
Person	17.4	18.1	11.3	9.9	20.9	21.8	14.8	14.9
Below -2 SD Underweight (Weight for Age) (%)								
Male	32.1	34.1	31.0	29.2	35.4	37.1	31.3	31.7
Female	29.3	31.1	18.6	17.9	28.0	28.4	19.5	20.3
Person	30.8	32.6	24.2	23.2	31.6	32.4	25.5	26.1
Below -3 SD Underweight (Weight for Age) (%)								
Male	11.7	12.6	11.8	10.9	-	-	17.6	18.9
Female	10.6	11.5	3.4	3.6	9.2	9.7	12.9	13.6
Person	11.1	12.1	7.2	7.0	9.6	10.3	15.3	16.3
Below -2 SD Undernourished (BMI for Age) (%)								
Male	23.0	23.3	12.9	12.7	31.6	25.5	21.3	23.3
Female	21.7	22.3	10.0	10.6	24.3	20.5	15.0	15.3
Person	22.3	22.9	11.3	11.5	27.9	22.9	18.1	19.4
Below -3 SD Undernourished (BMI for Age) (%)								
Male	14.1	14.2	9.1	9.2	18.7	14.3	18.0	19.7
Female	12.2	12.5	4.5	4.8	15.6	11.4	11.0	11.2
Person	13.2	13.4	6.6	6.8	17.1	12.8	14.5	15.5
Above 2 SD Overnourished (BMI for Age) (%)								
Male	8.6	8.5	-	-	17.5	18.5	12.2	12.3
Female	7.4	7.5	-	-	-	-	12.2	11.1
Person	8.0	8.0	-	-	19.0	20.0	12.2	11.7
Above 3 SD Overnourished (BMI for Age) (%)								
Male	4.9	4.7	-	-	-	-	9.2	9.0
Female	4.5	4.5	-	-	-	-	7.9	7.4
Person	4.7	4.6	-	-	-	-	8.6	8.2
Nutritional status 5-18 years								
Below -2 SD Undernourished (BMI for Age) (%)								
Male	29.9	30.7	20.2	19.4	35.8	32.5	27.6	26.5
Female	25.2	25.7	13.9	13.4	29.2	27.7	23.3	22.9
Person	27.6	28.3	17.4	16.6	32.8	30.4	25.5	24.8
Below -3 SD Undernourished (BMI for Age) (%)								
Male	17.5	17.9	4.4	4.2	23.5	20.5	16.6	15.9
Female	14.3	14.3	2.6	2.5	15.0	14.1	13.1	12.8
Person	16.0	16.1	3.6	3.4	19.6	17.6	14.9	14.4
Above 2 SD Overnourished (BMI for Age) (%)								
Male	2.3	2.2	-	-	6.1	6.5	0.7	-
Female	1.7	1.7	1.4	1.4	5.3	5.6	-	-
Person	2.0	2.0	0.7	0.8	5.7	6.1	0.5	-
Above 3 SD Overnourished (BMI for Age) (%)								
Male	0.8	0.8	-	-	-	-	-	-
Female	0.7	0.8	1.3	1.3	-	-	-	-
Person	0.7	0.8	0.7	0.8	-	-	-	-

Indicators	Assam		Kokrajhar		Dhubri		Goalpara	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Nutritional status 18 years and above								
BMI ≥25.0 for age 18-59 year (%)								
Male	9.4	8.3	13.9	12.3	16.1	16.7	3.7	3.9
Female	10.7	8.9	17.3	16.1	8.6	8.5	3.0	-
Person	10.1	8.6	15.7	14.4	11.9	12.2	3.4	3.3
BMI ≥25.0 for age 60 year and above (%)								
Male	8.3	6.5	10.4	-	11.0	11.2	-	-
Female	9.2	7.3	27.1	23.9	9.9	10.0	-	-
Person	8.7	6.9	19.3	17.1	10.4	10.6	-	-
BMI ≥30.0 for age 18-59 year (%)								
Male	1.0	0.7	-	-	0.7	0.7	0.0	0.0
Female	1.6	1.0	1.0	0.7	-	-	0.7	-
Person	1.3	0.9	0.7	0.5	0.5	0.4	0.4	0.3
BMI ≥30.0 for age 60 year and above (%)								
Male	0.9	0.7	-	-	-	-	-	-
Female	1.9	1.6	6.5	-	-	-	-	-
Person	1.4	1.1	3.7	-	-	-	-	-
BMI <18.5 for age 18-59 year (%)								
Male	17.3	18.1	26.0	26.8	15.6	14.5	9.4	9.0
Female	21.9	23.2	13.5	12.7	19.5	17.2	10.1	10.4
Person	19.8	20.9	19.2	19.1	17.8	16.0	9.8	9.7
BMI <18.5 for age 60 year and above (%)								
Male	27.1	29.9	31.3	32.8	28.3	27.3	-	-
Female	32.1	34.4	-	-	24.5	-	7.4	7.2
Person	29.5	32.1	18.9	20.0	26.3	23.5	6.2	6.3
Anaemia status by Haemoglobin Level								
Anaemia in the age group 6-59 months (%)								
Male	78.0	78.7	71.8	70.5	-	-	-	-
Female	79.8	80.5	71.1	73.1	-	-	-	-
Person	78.9	79.6	71.4	72.1	-	-	-	-
Severe Anemia in the age group 6-59 months (%)								
Male	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-
Person	-	-	-	-	-	-	-	-
Anaemia in the age group 5-9 years (%)								
Male	88.0	88.7	91.2	91.6	93.5	94.7	91.8	91.1
Female	90.4	90.7	88.6	88.2	95.0	94.6	96.4	96.3
Person	89.2	89.7	90.1	90.2	94.1	94.7	94.6	94.3
Severe Anemia in the age group 5-9 years (%)								
Male	5.0	5.2	6.5	6.6	-	-	-	-
Female	5.2	5.3	6.7	6.1	-	-	3.6	3.7
Person	5.1	5.3	6.6	6.4	-	-	3.2	3.3
Anaemia in the age group 10-17 years (%)								
Male	84.4	85.2	90.8	90.6	91.3	92.3	86.6	86.2
Female	89.2	89.1	94.2	95.7	90.7	92.2	93.1	93.0
Person	86.8	87.1	92.4	93.1	91.0	92.3	89.9	89.6
Severe Anemia in the age group 10-17 years (%)								
Male	4.3	4.4	5.6	5.8	7.9	8.7	6.8	7.0
Female	5.5	5.7	4.0	4.3	5.7	5.0	7.8	-
Person	4.9	5.0	4.8	5.0	6.8	6.9	7.3	7.5
Anaemia in the age group 18-59 years (%)								
Male	89.4	89.9	97.1	97.3	94.1	95.3	92.2	92.8
Female	90.0	90.6	93.9	94.0	93.8	94.1	90.5	90.6
Severe Anemia in the age group 18-59 years (%)								
Male	4.2	4.5	6.8	7.4	6.6	6.1	4.8	4.9
Female	6.5	6.8	9.0	9.4	10.0	10.2	9.1	9.4
Anaemia in the age group 60 years and above (%)								
Male	92.4	93.0	96.6	96.2	99.1	99.1	91.5	91.7
Female	90.8	91.7	93.3	94.2	94.7	94.4	91.8	91.8
Severe Anemia in the age group 60 years and above (%)								
Male	5.8	6.2	5.3	5.9	10.1	9.3	-	-
Female	7.5	8.1	11.8	13.2	-	-	9.9	-

Indicators	Assam		Kokrajhar		Dhubri		Goalpara	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Blood Sugar Level (18 years and above)								
Blood Sugar Level ≥ 110 mg/dl (%)								
Male	11.3	10.6	9.9	10.1	17.5	17.6	13.1	13.0
Female	9.1	8.8	9.5	9.1	13.3	12.9	11.1	10.6
Person	10.1	9.6	9.7	9.6	15.3	15.0	12.0	11.6
Blood Sugar Level ≥ 130 mg/dl (%)								
Male	4.6	4.0	-	-	6.6	5.7	4.3	4.2
Female	3.5	3.2	1.1	1.2	5.8	4.6	2.8	2.5
Person	4.0	3.6	1.2	1.3	6.2	5.1	3.5	3.2
Blood Sugar Level ≥ 150 mg/dl (%)								
Male	2.1	1.7	-	-	2.7	-	0.4	-
Female	1.6	1.5	0.5	0.6	2.3	-	-	-
Person	1.9	1.6	0.4	0.4	2.5	-	0.3	-
Hypertension (18 years and above)								
Above Normal Range								
Systolic ≥ 140 mm of Hg & Diastolic ≥ 90 mm of Hg (%)								
Male	11.4	10.4	14.4	14.3	4.8	3.7	7.9	8.2
Female	8.6	8.1	8.6	8.1	4.5	4.4	5.5	5.2
Person	9.9	9.2	11.3	11.0	4.6	4.1	6.6	6.6
Systolic ≥ 140 mm of Hg & Diastolic < 90 mm of Hg (%)								
Male	8.1	7.9	8.2	8.1	6.7	5.8	4.8	5.0
Female	6.0	5.9	4.6	4.6	5.7	5.2	3.0	3.1
Person	7.0	6.8	6.2	6.2	6.1	5.5	3.8	4.0
Systolic < 140 mm of Hg & Diastolic ≥ 90 mm of Hg (%)								
Male	5.8	5.9	8.6	8.6	3.5	3.1	2.0	1.9
Female	4.9	4.8	5.4	5.5	2.6	2.2	1.7	1.6
Person	5.4	5.3	6.9	6.9	3.0	2.6	1.8	1.8
Moderately high								
Systolic ≥ 160 mm of Hg & Diastolic ≥ 100 mm of Hg (%)								
Male	2.1	2.0	-	-	-	-	-	-
Female	2.1	2.1	-	-	0.7	-	-	-
Person	2.1	2.1	-	-	0.6	-	-	-
Systolic ≥ 160 mm of Hg & Diastolic < 100 mm of Hg (%)								
Male	2.3	2.2	1.0	1.0	1.9	1.6	-	-
Female	2.1	2.0	-	-	1.8	1.5	-	-
Person	2.2	2.1	0.8	0.8	1.8	1.5	-	-
Systolic < 160 mm of Hg & Diastolic ≥ 100 mm of Hg								
Male	2.9	2.8	2.1	2.1	-	-	2.5	2.2
Female	2.3	2.3	2.2	2.2	-	-	1.8	1.5
Person	2.6	2.6	2.2	2.2	-	-	2.1	1.9
Very high								
Systolic ≥ 180 mm of Hg & Diastolic ≥ 110 mm of Hg (%)								
Male	0.5	0.5	-	-	-	-	-	-
Female	0.5	0.5	-	-	-	-	-	-
Person	0.5	0.5	-	-	-	-	-	-
Systolic ≥ 180 mm of Hg & Diastolic < 110 mm of Hg (%)								
Male	0.6	0.6	-	-	-	-	0.0	0.0
Female	0.6	0.6	-	-	0.6	-	0.0	0.0
Person	0.6	0.6	-	-	0.5	0.5	0.0	0.0
Systolic < 180 mm of Hg & Diastolic ≥ 110 mm of Hg (%)								
Male	1.3	1.3	0.9	-	-	-	-	-
Female	1.2	1.3	0.5	-	-	-	-	-
Person	1.3	1.3	0.7	-	-	-	-	-
Iodine content in Household Salt (more than 15 ppm) (%)	46.8	43.4	99.6	100.0	73.2	74.3	45.3	44.6

Indicators	Bongaigaon		Barpeta		Kamrup		Nalbari	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Nutritional status below 5 years								
Below -2 SD Wasting (Weight for Height) (%)								
Male	23.5	24.7	23.4	23.9	-	-	10.8	10.9
Female	21.2	21.8	20.7	21.5	10.6	20.5	8.5	8.6
Person	22.4	23.3	22.0	22.7	10.3	16.5	9.5	9.6
Below -3 SD Wasting (Weight for Height) (%)								
Male	9.9	10.4	12.9	13.6	-	-	-	-
Female	7.5	7.5	9.9	10.3	-	-	-	-
Person	8.7	9.0	11.4	11.9	-	-	-	-
Below -2 SD Stunting (Height for Age) (%)								
Male	42.1	43.1	37.3	35.7	26.2	35.4	30.7	30.6
Female	39.2	40.3	33.5	32.0	29.3	39.8	25.7	26.0
Person	40.7	41.6	35.4	33.8	27.6	37.6	27.8	28.0
Below -3SD Stunting (Height for Age) (%)								
Male	17.5	17.8	18.8	18.3	11.3	18.3	15.7	15.8
Female	17.4	18.3	7.7	7.9	13.0	19.4	10.3	10.4
Person	17.5	18.0	13.2	13.0	12.1	18.8	12.6	12.7
Below -2 SD Underweight (Weight for Age) (%)								
Male	35.8	37.5	38.6	39.6	16.3	34.1	14.6	14.9
Female	36.9	37.2	31.8	33.6	8.5	11.7	12.2	12.0
Person	36.4	37.3	35.2	36.6	12.5	23.1	13.2	13.3
Below -3 SD Underweight (Weight for Age) (%)								
Male	10.0	10.5	18.5	19.2	-	-	12.5	12.8
Female	12.9	13.4	12.1	12.6	6.9	10.7	9.0	8.8
Person	11.5	11.9	15.3	15.9	4.3	6.2	10.5	10.5
Below -2 SD Undernourished (BMI for Age) (%)								
Male	21.6	22.8	24.8	25.5	24.6	40.5	29.4	29.8
Female	22.8	23.6	23.5	24.6	22.2	41.5	28.3	28.5
Person	22.3	23.1	24.2	25.0	23.4	41.0	28.8	29.1
Below -3 SD Undernourished (BMI for Age) (%)								
Male	10.8	11.4	15.3	16.8	22.3	37.6	27.6	27.9
Female	11.3	11.7	14.4	15.2	16.3	31.0	25.0	25.1
Person	11.1	11.5	14.9	16.0	19.4	34.4	26.1	26.3
Above 2 SD Overnourished (BMI for Age) (%)								
Male	4.3	3.0	-	-	19.5	25.4	29.2	29.0
Female	5.1	5.0	3.3	3.5	16.8	17.9	27.4	27.2
Person	4.8	4.0	2.4	2.2	18.2	21.7	28.1	28.0
Above 3 SD Overnourished (BMI for Age) (%)								
Male	-	-	-	-	15.3	20.6	13.1	13.1
Female	2.0	2.1	-	-	12.5	-	18.7	18.4
Person	2.0	1.5	-	-	13.9	17.3	16.3	16.2
Nutritional status 5-18 years								
Below -2 SD Undernourished (BMI for Age) (%)								
Male	20.5	20.9	34.1	34.6	26.6	33.1	22.5	22.3
Female	15.7	16.1	27.4	26.5	31.0	36.5	20.3	20.0
Person	18.2	18.5	30.7	30.5	28.7	34.7	21.5	21.2
Below -3 SD Undernourished (BMI for Age) (%)								
Male	8.1	8.2	22.7	23.0	21.7	26.7	17.9	17.7
Female	6.2	6.4	16.8	16.7	28.4	34.7	14.4	14.3
Person	7.2	7.3	19.7	19.8	24.9	30.4	16.3	16.1
Above 2 SD Overnourished (BMI for Age) (%)								
Male	-	-	0.6	0.6	2.1	-	3.5	-
Female	-	-	-	-	-	-	-	-
Person	-	-	0.7	0.8	1.5	-	3.2	-
Above 3 SD Overnourished (BMI for Age) (%)								
Male	-	-	0.3	0.3	-	-	-	-
Female	-	-	-	-	-	-	-	-
Person	-	-	0.4	0.5	-	-	-	-

Indicators	Bongaigaon		Barpeta		Kamrup		Nalbari	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Nutritional status 18 years and above								
BMI ≥25.0 for age 18-59 year (%)								
Male	7.8	6.4	9.0	9.8	4.1	3.4	8.5	7.8
Female	10.6	8.6	2.9	2.6	8.3	11.9	9.5	9.0
Person	9.3	7.6	5.7	6.0	6.1	7.6	9.0	8.4
BMI ≥25.0 for age 60 year and above (%)								
Male	-	-	3.0	3.3	7.4	-	8.4	7.7
Female	7.4	7.6	-	-	10.5	-	8.3	7.4
Person	5.6	5.7	1.9	2.1	8.7	-	8.4	7.5
BMI ≥30.0 for age 18-59 year (%)								
Male	0.6	0.5	-	-	-	-	0.7	-
Female	1.6	-	-	-	-	-	1.4	1.3
Person	1.1	0.8	-	-	-	-	1.1	1.0
BMI ≥30.0 for age 60 year and above (%)								
Male	-	-	0.0	0.0	-	-	-	-
Female	-	-	-	-	-	-	2.6	2.3
Person	-	-	0.0	0.0	-	-	1.9	1.7
BMI <18.5 for age 18-59 year (%)								
Male	16.2	16.0	7.4	6.9	9.7	3.8	11.9	12.0
Female	17.2	17.9	5.4	4.8	10.1	6.2	12.6	12.6
Person	16.7	17.0	6.3	5.8	9.9	5.0	12.3	12.3
BMI <18.5 for age 60 year and above (%)								
Male	28.7	29.5	29.4	28.3	6.3	11.5	23.2	23.9
Female	36.2	36.2	14.6	10.8	11.7	12.8	22.9	23.5
Person	32.5	32.9	21.7	19.5	8.6	12.1	23.0	23.7
Anaemia status by Haemoglobin Level								
Anaemia in the age group 6-59 months (%)								
Male	-	-	-	-	76.3	79.7	74.3	75.0
Female	-	-	-	-	81.6	90.4	84.7	84.8
Person	-	-	-	-	78.7	84.6	80.3	80.7
Severe Anemia in the age group 6-59 months (%)								
Male	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-
Person	-	-	-	-	-	-	-	-
Anaemia in the age group 5-9 years (%)								
Male	81.2	82.3	95.0	94.8	64.4	64.4	93.6	93.6
Female	77.6	77.6	92.7	92.1	89.2	91.1	95.7	95.8
Person	79.2	79.7	93.7	93.2	74.5	76.6	94.7	94.8
Severe Anemia in the age group 5-9 years (%)								
Male	-	-	0.0	0.0	2.7	3.8	6.1	6.3
Female	-	-	0.0	0.0	7.8	-	8.1	8.4
Person	-	-	0.0	0.0	4.8	4.6	7.1	7.4
Anaemia in the age group 10-17 years (%)								
Male	83.3	84.1	90.7	91.5	83.5	83.7	88.6	88.3
Female	88.6	88.3	94.6	94.7	87.1	88.1	90.7	90.5
Person	86.0	86.3	92.7	93.1	85.2	85.8	89.5	89.3
Severe Anemia in the age group 10-17 years (%)								
Male	7.4	7.7	0.5	0.6	4.3	3.4	1.3	1.3
Female	11.4	11.2	2.0	2.3	4.2	3.0	-	-
Person	9.5	9.5	1.3	1.4	4.2	3.2	2.0	2.0
Anaemia in the age group 18-59 years (%)								
Male	89.9	90.4	97.6	97.6	93.0	93.6	92.7	92.6
Female	91.0	90.7	93.1	92.9	84.8	92.6	91.3	91.2
Severe Anemia in the age group 18-59 years (%)								
Male	7.4	7.7	2.2	2.4	4.2	3.7	3.9	3.9
Female	9.7	9.7	2.0	2.1	5.7	5.5	4.7	4.7
Anaemia in the age group 60 years and above (%)								
Male	95.5	95.4	94.9	94.6	90.3	96.6	94.9	94.9
Female	91.4	91.4	88.7	91.7	89.6	94.8	94.5	94.4
Severe Anemia in the age group 60 years and above (%)								
Male	11.2	11.4	-	-	2.1	2.3	5.5	5.6
Female	9.4	9.4	-	-	3.7	-	-	-

Indicators	Bongaigaon		Barpeta		Kamrup		Nalbari	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Blood Sugar Level (18 years and above)								
Blood Sugar Level ≥ 110 mg/dl (%)								
Male	8.8	8.1	10.1	10.4	14.8	9.9	14.2	14.4
Female	7.2	6.4	7.5	7.3	9.1	8.3	11.9	11.8
Person	7.9	7.2	8.8	8.8	11.9	9.0	12.9	13.0
Blood Sugar Level ≥ 130 mg/dl (%)								
Male	2.8	2.4	1.5	1.3	5.9	2.9	6.3	6.4
Female	2.3	2.2	0.8	0.7	2.9	3.0	4.5	4.4
Person	2.5	2.3	1.2	1.0	4.4	2.9	5.3	5.3
Blood Sugar Level ≥ 150 mg/dl (%)								
Male	1.9	1.7	0.5	-	2.0	-	2.3	2.3
Female	1.2	1.1	0.4	0.4	1.4	1.2	1.3	1.2
Person	1.5	1.4	0.5	0.4	1.7	0.8	1.7	1.7
Hypertension (18 years and above)								
Above Normal Range								
Systolic ≥ 140 mm of Hg & Diastolic ≥ 90 mm of Hg (%)								
Male	11.5	10.8	7.7	8.2	7.8	2.9	11.4	11.4
Female	10.5	9.5	6.0	5.8	5.7	2.7	8.9	8.6
Person	10.9	10.1	6.8	6.9	6.8	2.8	10.1	9.9
Systolic ≥ 140 mm of Hg & Diastolic < 90 mm of Hg (%)								
Male	8.5	8.4	4.9	5.2	9.2	9.1	9.4	9.5
Female	5.9	5.7	3.7	3.7	4.4	3.9	8.2	8.1
Person	7.1	6.9	4.3	4.4	6.9	6.5	8.8	8.7
Systolic < 140 mm of Hg & Diastolic ≥ 90 mm of Hg (%)								
Male	3.0	2.6	2.3	2.4	2.7	2.3	6.5	6.4
Female	3.1	2.6	2.1	2.2	3.7	3.2	6.0	5.9
Person	3.0	2.6	2.2	2.3	3.2	2.8	6.2	6.2
Moderately high								
Systolic ≥ 160 mm of Hg & Diastolic ≥ 100 mm of Hg (%)								
Male	2.7	2.3	0.3	-	0.3	0.7	2.9	2.8
Female	2.6	2.4	-	-	-	-	2.0	1.9
Person	2.6	2.3	0.5	-	0.4	0.7	2.4	2.3
Systolic ≥ 160 mm of Hg & Diastolic < 100 mm of Hg (%)								
Male	2.5	2.2	1.0	1.1	1.4	0.6	2.6	2.6
Female	3.5	3.2	0.7	0.5	0.8	0.7	2.4	2.2
Person	3.0	2.8	0.8	0.8	1.1	0.7	2.5	2.4
Systolic < 160 mm of Hg & Diastolic ≥ 100 mm of Hg								
Male	2.1	2.0	-	-	0.5	0.7	2.5	2.5
Female	1.5	1.4	0.5	-	0.3	0.6	2.0	2.0
Person	1.8	1.6	0.4	-	0.4	0.7	2.2	2.2
Very high								
Systolic ≥ 180 mm of Hg & Diastolic ≥ 110 mm of Hg (%)								
Male	-	-	-	-	-	-	-	-
Female	0.6	0.7	-	-	-	-	0.3	0.3
Person	0.7	0.7	-	-	0.1	0.2	0.4	0.4
Systolic ≥ 180 mm of Hg & Diastolic < 110 mm of Hg (%)								
Male	0.9	0.8	-	-	0.2	-	-	-
Female	1.2	1.2	-	-	0.2	-	0.5	0.5
Person	1.1	1.0	-	-	0.2	-	0.4	0.4
Systolic < 180 mm of Hg & Diastolic ≥ 110 mm of Hg (%)								
Male	1.1	-	-	-	0.3	0.4	1.5	-
Female	1.1	-	0.3	0.3	-	-	1.0	1.0
Person	1.1	-	0.3	0.2	0.3	0.4	1.2	1.2
Iodine content in Household Salt (more than 15 ppm) (%)	33.7	33.5	31.7	32.8	87.5	90.7	79.6	79.6

Indicators	Darrang		Marigaon		Nagaon		Sonitpur	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Nutritional status below 5 years								
Below -2 SD Wasting (Weight for Height) (%)								
Male	16.0	15.8	26.3	26.7	20.7	21.4	14.9	14.0
Female	18.1	18.6	30.7	32.0	21.6	22.9	25.5	25.5
Person	16.8	17.0	28.2	29.0	21.1	22.0	19.9	19.4
Below -3 SD Wasting (Weight for Height) (%)								
Male	3.4	3.4	15.4	16.4	10.6	10.7	6.7	-
Female	-	-	16.2	16.9	8.2	9.0	6.6	7.0
Person	5.7	5.9	15.7	16.6	9.6	10.0	6.6	6.2
Below -2 SD Stunting (Height for Age) (%)								
Male	56.3	56.4	42.7	42.0	57.5	58.5	26.0	27.1
Female	50.4	49.8	33.7	34.4	58.3	59.1	29.6	31.5
Person	53.8	53.7	38.7	38.6	57.9	58.8	27.7	29.2
Below -3SD Stunting (Height for Age) (%)								
Male	37.5	37.7	22.3	22.0	30.1	30.7	-	-
Female	33.5	33.1	10.5	10.3	30.4	31.7	-	-
Person	35.8	35.8	17.1	16.8	30.2	31.1	-	-
Below -2 SD Underweight (Weight for Age) (%)								
Male	36.8	37.0	42.1	41.8	43.4	45.5	21.2	20.8
Female	36.2	35.4	31.6	32.3	45.3	47.4	26.9	28.3
Person	36.5	36.3	37.5	37.6	44.2	46.3	23.9	24.3
Below -3 SD Underweight (Weight for Age) (%)								
Male	13.0	12.8	11.3	10.7	13.6	14.4	5.9	6.2
Female	10.6	10.9	16.6	16.7	15.4	16.8	15.2	16.0
Person	12.0	12.0	13.6	13.4	14.3	15.4	10.4	10.8
Below -2 SD Undernourished (BMI for Age) (%)								
Male	12.3	12.6	28.0	28.9	20.4	21.1	16.5	15.9
Female	16.0	16.3	32.6	33.8	21.4	22.7	29.6	31.2
Person	13.8	14.1	30.0	31.1	20.8	21.8	22.8	23.1
Below -3 SD Undernourished (BMI for Age) (%)								
Male	3.0	3.1	16.6	17.2	11.7	11.9	9.5	8.7
Female	-	-	20.1	20.8	11.2	11.6	11.9	12.5
Person	5.7	5.8	18.1	18.8	11.5	11.7	10.7	10.5
Above 2 SD Overnourished (BMI for Age) (%)								
Male	9.0	9.1	4.4	4.2	6.4	6.2	9.6	10.0
Female	8.9	9.0	0.0	0.0	5.4	5.2	12.6	13.2
Person	9.0	9.1	2.5	2.3	6.0	5.8	11.0	11.5
Above 3 SD Overnourished (BMI for Age) (%)								
Male	4.8	4.8	2.5	-	3.8	3.4	8.3	8.6
Female	5.7	5.8	0.0	-	1.9	1.3	9.8	10.3
Person	5.2	5.3	1.4	-	2.9	2.5	9.0	9.4
Nutritional status 5-18 years								
Below -2 SD Undernourished (BMI for Age) (%)								
Male	27.8	27.9	25.2	25.4	29.0	30.3	43.8	43.9
Female	23.0	23.0	29.1	29.6	23.9	25.3	32.4	32.7
Person	25.5	25.5	27.1	27.5	26.5	27.8	37.8	38.0
Below -3 SD Undernourished (BMI for Age) (%)								
Male	16.2	16.2	19.8	19.8	12.8	13.1	33.5	34.4
Female	13.9	14.2	21.8	22.0	10.1	10.3	25.8	26.3
Person	15.1	15.2	20.8	20.9	11.5	11.7	29.5	30.2
Above 2 SD Overnourished (BMI for Age) (%)								
Male	1.3	1.4	-	-	1.4	1.3	1.0	1.1
Female	-	-	-	-	1.4	1.2	1.5	1.6
Person	1.1	1.1	0.5	0.5	1.4	1.2	1.3	1.4
Above 3 SD Overnourished (BMI for Age) (%)								
Male	-	-	-	-	0.7	0.6	-	-
Female	-	-	-	-	-	-	1.1	1.2
Person	-	-	-	-	0.6	0.6	0.9	0.9

Indicators	Darrang		Marigaon		Nagaon		Sonitpur	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Nutritional status 18 years and above								
BMI ≥25.0 for age 18-59 year (%)								
Male	8.6	8.1	-	-	10.7	8.8	2.2	1.5
Female	10.4	8.8	2.8	3.0	13.5	10.1	11.4	11.1
Person	9.7	8.6	2.6	2.8	12.3	9.5	7.2	6.7
BMI ≥25.0 for age 60 year and above (%)								
Male	7.6	6.0	-	-	9.8	6.2	3.5	-
Female	8.1	6.1	-	-	8.7	7.1	4.9	-
Person	7.9	6.1	-	-	9.2	6.7	4.2	2.8
BMI ≥30.0 for age 18-59 year (%)								
Male	1.8	1.7	-	-	1.7	1.5	-	-
Female	1.6	1.2	-	-	2.6	1.7	-	-
Person	1.7	1.5	-	-	2.2	1.6	0.2	-
BMI ≥30.0 for age 60 year and above (%)								
Male	-	-	-	-	-	-	-	-
Female	-	-	-	-	2.5	2.4	-	-
Person	-	-	-	-	1.7	1.7	-	-
BMI <18.5 for age 18-59 year (%)								
Male	15.0	15.3	15.1	15.9	21.1	21.4	12.3	13.5
Female	14.8	14.8	13.7	13.1	29.4	32.3	14.6	14.3
Person	14.9	15.0	14.4	14.4	25.8	27.6	13.5	13.9
BMI <18.5 for age 60 year and above (%)								
Male	30.7	31.9	-	-	32.0	35.5	30.7	32.5
Female	35.0	36.1	-	-	43.9	48.5	14.5	16.0
Person	33.0	34.1	-	-	38.4	42.5	23.1	24.4
Anaemia status by Haemoglobin Level								
Anaemia in the age group 6-59 months (%)								
Male	73.9	73.9	-	-	87.8	87.9	95.7	95.7
Female	57.0	59.8	-	-	88.6	88.0	94.1	94.1
Person	68.0	69.1	-	-	88.2	88.0	95.1	95.1
Severe Anemia in the age group 6-59 months (%)								
Male	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-
Person	-	-	-	-	-	-	-	-
Anaemia in the age group 5-9 years (%)								
Male	90.0	90.0	98.2	98.2	93.6	94.7	97.5	97.5
Female	92.8	92.7	95.3	95.1	93.5	93.0	99.1	99.1
Person	91.2	91.2	97.0	97.0	93.6	93.9	98.4	98.3
Severe Anemia in the age group 5-9 years (%)								
Male	-	-	-	-	11.5	12.5	-	-
Female	-	-	-	-	11.2	11.9	-	-
Person	-	-	-	-	11.4	12.2	-	-
Anaemia in the age group 10-17 years (%)								
Male	82.5	83.6	87.0	87.8	84.3	86.9	95.7	95.6
Female	85.9	86.4	90.0	89.8	94.2	93.6	96.5	96.0
Person	84.2	85.0	88.4	88.7	89.2	90.2	96.1	95.8
Severe Anemia in the age group 10-17 years (%)								
Male	4.1	4.2	0.8	-	6.1	6.9	5.6	5.8
Female	4.0	4.2	3.0	2.8	7.0	7.7	6.3	7.1
Person	4.1	4.2	1.8	1.5	6.5	7.3	6.0	6.5
Anaemia in the age group 18-59 years (%)								
Male	88.1	89.7	96.8	97.1	88.1	88.7	97.8	97.4
Female	90.1	90.7	93.8	93.7	93.1	92.7	93.6	94.3
Severe Anemia in the age group 18-59 years (%)								
Male	4.0	4.2	2.0	2.1	5.8	6.2	4.3	4.9
Female	6.0	6.3	2.4	2.1	9.6	10.3	4.7	5.2
Anaemia in the age group 60 years and above (%)								
Male	92.0	93.2	97.4	97.2	96.5	96.8	98.0	97.7
Female	92.4	92.7	89.5	89.1	95.5	95.7	93.8	94.2
Severe Anemia in the age group 60 years and above (%)								
Male	8.2	7.9	4.9	4.8	10.2	11.2	5.9	6.9
Female	-	-	5.1	-	16.7	18.1	4.1	4.6

Indicators	Darrang		Marigaon		Nagaon		Sonitpur	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Blood Sugar Level (18 years and above)								
Blood Sugar Level ≥ 110 mg/dl (%)								
Male	13.8	13.5	13.0	13.1	13.9	14.0	16.8	15.9
Female	9.8	9.1	13.1	12.8	11.5	11.1	14.0	14.2
Person	11.4	10.8	13.0	12.9	12.5	12.4	15.3	14.9
Blood Sugar Level ≥ 130 mg/dl (%)								
Male	4.5	-	5.0	-	7.9	7.8	5.9	5.2
Female	2.3	2.0	5.3	5.1	6.8	6.3	5.0	4.4
Person	3.2	2.9	5.1	5.1	7.3	7.0	5.4	4.7
Blood Sugar Level ≥ 150 mg/dl (%)								
Male	1.9	-	-	-	3.8	3.8	-	-
Female	0.9	0.7	-	-	3.3	3.5	0.9	0.7
Person	1.3	1.1	-	-	3.5	3.6	0.9	0.5
Hypertension (18 years and above)								
Above Normal Range								
Systolic ≥ 140 mm of Hg & Diastolic ≥ 90 mm of Hg (%)								
Male	11.3	10.8	13.3	13.4	9.0	8.8	6.9	5.7
Female	5.7	4.9	8.4	8.6	10.6	10.4	5.1	5.0
Person	7.8	7.1	10.8	10.9	9.9	9.7	5.9	5.3
Systolic ≥ 140 mm of Hg & Diastolic < 90 mm of Hg (%)								
Male	7.1	6.8	8.4	8.5	7.2	7.0	3.1	3.4
Female	6.0	6.1	6.7	7.1	7.0	7.3	2.7	2.8
Person	6.4	6.3	7.5	7.8	7.1	7.2	2.9	3.0
Systolic < 140 mm of Hg & Diastolic ≥ 90 mm of Hg (%)								
Male	4.9	5.1	4.1	3.9	4.0	3.8	3.4	3.2
Female	3.0	2.8	2.4	2.4	5.7	5.6	3.2	3.3
Person	3.7	3.7	3.2	3.1	4.9	4.8	3.3	3.2
Moderately high								
Systolic ≥ 160 mm of Hg & Diastolic ≥ 100 mm of Hg (%)								
Male	2.6	2.4	2.1	2.0	2.0	2.1	-	-
Female	2.1	1.9	1.4	1.4	3.2	3.1	-	-
Person	2.3	2.1	1.7	1.7	2.7	2.7	-	-
Systolic ≥ 160 mm of Hg & Diastolic < 100 mm of Hg (%)								
Male	3.7	3.3	1.8	1.8	2.6	2.7	-	-
Female	1.5	1.2	1.5	1.6	2.5	2.4	1.2	1.0
Person	2.3	2.0	1.7	1.7	2.6	2.5	1.0	0.9
Systolic < 160 mm of Hg & Diastolic ≥ 100 mm of Hg								
Male	1.8	1.7	1.3	1.3	2.4	2.4	2.6	1.4
Female	1.6	1.5	0.5	0.5	3.2	3.5	2.2	2.1
Person	1.7	1.6	0.9	0.9	2.8	3.0	2.4	1.8
Very high								
Systolic ≥ 180 mm of Hg & Diastolic ≥ 110 mm of Hg (%)								
Male	0.9	-	0.5	-	0.5	0.5	-	-
Female	0.5	0.4	-	-	0.6	0.6	-	-
Person	0.6	0.6	0.5	-	0.6	0.5	-	-
Systolic ≥ 180 mm of Hg & Diastolic < 110 mm of Hg (%)								
Male	0.9	0.8	-	-	1.0	0.8	-	-
Female	0.6	-	-	-	0.9	0.9	0.6	0.5
Person	0.7	0.6	-	-	0.9	0.9	0.6	0.5
Systolic < 180 mm of Hg & Diastolic ≥ 110 mm of Hg (%)								
Male	0.9	-	-	-	1.2	1.3	-	-
Female	0.7	0.7	-	-	2.1	2.1	-	-
Person	0.8	0.7	0.4	0.4	1.7	1.8	-	-
Iodine content in Household Salt (more than 15 ppm) (%)	33.7	34.0	53.9	53.1	39.2	36.9	99.9	99.9

Indicators	Lakhimpur		Dhemaji		Tinsukia		Dibrugarh	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Nutritional status below 5 years								
Below -2 SD Wasting (Weight for Height) (%)								
Male	18.3	19.3	11.7	10.2	18.6	20.5	12.7	13.9
Female	14.7	14.0	9.2	7.9	18.7	19.6	9.5	9.9
Person	16.5	16.7	10.4	9.0	18.7	20.0	11.1	11.9
Below -3 SD Wasting (Weight for Height) (%)								
Male	10.7	11.3	-	-	7.9	9.4	4.4	4.2
Female	-	-	-	-	5.8	6.2	-	-
Person	8.6	8.3	4.8	4.7	6.7	7.6	4.5	4.5
Below -2 SD Stunting (Height for Age) (%)								
Male	55.8	57.7	32.2	31.5	46.5	48.5	37.7	41.2
Female	50.4	52.7	25.4	25.4	46.0	47.5	37.2	42.7
Person	53.1	55.2	28.8	28.4	46.2	48.0	37.4	41.9
Below -3SD Stunting (Height for Age) (%)								
Male	30.4	31.5	-	-	24.2	24.6	15.6	17.6
Female	26.9	28.1	10.1	10.5	15.0	14.8	17.5	19.9
Person	28.6	29.8	10.6	10.9	19.0	19.1	16.5	18.7
Below -2 SD Underweight (Weight for Age) (%)								
Male	40.2	40.8	28.0	27.1	39.3	42.3	28.6	31.6
Female	41.9	43.4	12.8	11.5	40.8	42.3	25.6	29.3
Person	41.1	42.1	20.4	19.3	40.1	42.3	27.1	30.5
Below -3 SD Underweight (Weight for Age) (%)								
Male	21.1	20.3	18.1	18.1	22.0	25.0	9.9	11.3
Female	12.0	11.9	5.4	5.3	13.2	15.0	7.9	9.8
Person	16.7	16.2	11.8	11.7	17.1	19.4	8.9	10.5
Below -2 SD Undernourished (BMI for Age) (%)								
Male	19.5	19.5	26.5	24.9	23.0	25.5	11.7	11.1
Female	14.3	13.7	18.1	16.8	20.1	20.6	10.4	9.3
Person	17.0	16.8	22.1	20.8	21.4	22.8	11.0	10.2
Below -3 SD Undernourished (BMI for Age) (%)								
Male	10.7	10.1	22.3	22.2	14.4	16.2	6.9	5.5
Female	-	-	14.2	13.6	10.6	11.2	6.7	-
Person	9.1	8.3	18.1	17.8	12.3	13.4	6.8	5.6
Above 2 SD Overnourished (BMI for Age) (%)								
Male	11.3	10.8	5.8	5.9	9.2	9.4	9.1	10.7
Female	-	-	6.9	6.4	4.3	5.1	9.3	10.6
Person	9.2	9.1	6.3	6.2	6.5	7.0	9.2	10.6
Above 3 SD Overnourished (BMI for Age) (%)								
Male	8.0	7.2	5.8	5.9	6.8	7.3	5.4	6.3
Female	-	-	6.6	6.4	2.7	3.1	6.3	7.7
Person	5.2	4.8	6.2	6.2	4.5	4.9	5.8	7.0
Nutritional status 5-18 years								
Below -2 SD Undernourished (BMI for Age) (%)								
Male	29.0	29.2	30.4	29.5	35.9	38.7	24.2	26.6
Female	26.9	27.0	31.9	30.9	24.0	26.0	19.8	21.9
Person	28.0	28.0	31.1	30.0	29.9	32.3	22.1	24.4
Below -3 SD Undernourished (BMI for Age) (%)								
Male	15.5	15.6	18.9	18.5	14.9	16.4	13.0	14.3
Female	13.1	13.6	22.4	22.2	8.7	9.6	8.7	9.2
Person	14.3	14.5	20.5	20.1	11.7	13.0	11.0	12.0
Above 2 SD Overnourished (BMI for Age) (%)								
Male	3.5	3.7	-	-	1.7	1.3	4.3	3.1
Female	1.6	1.6	1.0	1.1	1.7	1.9	4.1	3.5
Person	2.5	2.6	0.8	0.8	1.7	1.6	4.2	3.3
Above 3 SD Overnourished (BMI for Age) (%)								
Male	1.5	1.6	-	-	-	-	-	-
Female	-	-	-	-	0.6	-	1.0	1.3
Person	0.9	0.9	-	-	0.7	0.6	1.0	1.1

Indicators	Lakhimpur		Dhemaji		Tinsukia		Dibrugarh	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Nutritional status 18 years and above								
BMI ≥25.0 for age 18-59 year (%)								
Male	14.1	12.4	19.9	20.3	5.8	2.8	19.0	11.6
Female	12.6	9.9	11.2	8.5	8.2	3.4	20.0	12.4
Person	13.2	10.9	15.6	14.5	7.1	3.1	19.5	12.0
BMI ≥25.0 for age 60 year and above (%)								
Male	8.9	5.4	17.3	15.9	6.0	4.7	17.0	13.7
Female	9.9	3.6	12.8	11.5	9.9	8.0	19.5	16.7
Person	9.4	4.6	15.1	13.8	7.5	6.1	18.1	15.0
BMI ≥30.0 for age 18-59 year (%)								
Male	2.3	-	-	-	1.1	-	2.5	0.9
Female	1.8	1.3	1.6	1.1	1.9	0.5	4.4	1.6
Person	2.0	1.6	1.0	0.7	1.6	0.4	3.5	1.3
BMI ≥30.0 for age 60 year and above (%)								
Male	0.9	0.0	-	-	-	-	2.5	2.7
Female	2.0	0.0	-	-	-	-	5.6	5.4
Person	1.4	0.0	1.9	-	-	-	3.9	3.9
BMI <18.5 for age 18-59 year (%)								
Male	13.8	15.1	13.5	13.4	29.0	32.2	22.9	24.9
Female	19.5	21.0	9.3	8.1	37.3	41.3	29.9	34.0
Person	17.1	18.5	11.4	10.8	33.7	37.3	26.5	29.6
BMI <18.5 for age 60 year and above (%)								
Male	24.9	24.5	11.1	10.6	37.7	40.1	31.5	40.0
Female	37.6	44.5	17.3	16.3	52.9	60.3	37.4	36.6
Person	30.7	33.1	14.0	13.3	43.8	48.3	34.1	38.6
Anaemia status by Haemoglobin Level								
Anaemia in the age group 6-59 months (%)								
Male	63.3	62.1	87.1	-	91.2	95.0	74.6	74.2
Female	62.6	65.2	94.6	-	82.8	86.2	82.1	79.0
Person	63.0	63.5	92.4	-	86.5	90.0	78.4	76.5
Severe Anemia in the age group 6-59 months (%)								
Male	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-
Person	-	-	-	-	-	-	-	-
Anaemia in the age group 5-9 years (%)								
Male	85.4	86.3	88.8	88.3	91.4	94.5	90.0	89.9
Female	83.5	82.3	88.0	87.6	92.9	96.4	92.4	90.6
Person	84.5	84.3	88.4	88.0	92.1	95.4	91.2	90.2
Severe Anemia in the age group 5-9 years (%)								
Male	-	-	-	-	3.8	4.8	3.2	1.7
Female	-	-	-	-	2.8	3.0	2.7	3.4
Person	-	-	-	-	3.3	3.9	3.0	2.5
Anaemia in the age group 10-17 years (%)								
Male	81.1	80.6	90.2	89.8	83.5	87.3	83.6	81.8
Female	79.1	77.6	91.3	90.8	92.2	93.0	90.0	87.9
Person	80.1	79.1	90.6	90.2	87.6	90.0	86.5	84.4
Severe Anemia in the age group 10-17 years (%)								
Male	9.4	9.2	5.4	5.5	5.4	6.0	2.6	1.6
Female	5.2	-	-	-	9.1	10.6	5.4	3.3
Person	7.3	6.9	4.5	4.6	7.2	8.1	3.9	2.3
Anaemia in the age group 18-59 years (%)								
Male	86.1	86.3	99.1	99.2	86.5	90.5	85.9	83.6
Female	83.1	82.8	95.0	94.6	92.4	93.5	92.2	90.6
Severe Anemia in the age group 18-59 years (%)								
Male	6.7	7.4	4.2	4.4	6.1	6.9	3.7	3.5
Female	8.5	8.8	6.9	7.4	8.7	9.7	5.9	5.9
Anaemia in the age group 60 years and above (%)								
Male	86.2	87.0	97.7	97.5	91.4	95.0	93.9	93.0
Female	94.6	97.3	95.3	94.9	95.3	96.7	92.6	90.8
Severe Anemia in the age group 60 years and above (%)								
Male	-	-	-	-	12.5	14.9	5.5	5.3
Female	10.9	13.5	10.5	11.4	11.3	13.2	5.1	-

Indicators	Lakhimpur		Dhemaji		Tinsukia		Dibrugarh	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Blood Sugar Level (18 years and above)								
Blood Sugar Level ≥ 110 mg/dl (%)								
Male	15.0	15.5	14.6	13.9	10.5	10.2	8.7	5.9
Female	14.0	14.4	10.6	9.6	7.3	7.7	7.1	5.5
Person	14.6	14.9	12.6	11.8	8.8	8.9	7.9	5.7
Blood Sugar Level ≥ 130 mg/dl (%)								
Male	3.4	2.9	5.3	4.7	6.6	6.2	4.4	2.9
Female	3.2	3.0	3.8	2.7	4.4	4.5	2.7	1.4
Person	3.4	3.0	4.5	3.7	5.5	5.3	3.5	2.1
Blood Sugar Level ≥ 150 mg/dl (%)								
Male	1.9	1.6	1.9	1.5	2.6	2.1	2.5	1.7
Female	1.4	-	1.0	-	2.0	1.6	-	-
Person	1.7	1.4	1.4	1.0	2.3	1.8	2.1	1.3
Hypertension (18 years and above)								
Above Normal Range								
Systolic ≥ 140 mm of Hg & Diastolic ≥ 90 mm of Hg (%)								
Male	13.2	11.5	9.9	9.7	9.6	7.8	17.4	12.5
Female	8.0	7.1	5.1	4.5	8.7	7.8	10.8	8.4
Person	10.3	9.0	7.5	7.1	9.1	7.8	14.0	10.4
Systolic ≥ 140 mm of Hg & Diastolic < 90 mm of Hg (%)								
Male	11.3	11.7	5.1	5.1	13.1	14.0	11.0	9.0
Female	7.2	7.2	3.8	3.5	7.5	7.9	7.6	6.1
Person	9.0	9.2	4.5	4.3	10.1	10.8	9.2	7.5
Systolic < 140 mm of Hg & Diastolic ≥ 90 mm of Hg (%)								
Male	5.7	5.9	7.1	6.9	7.8	8.5	10.6	12.5
Female	5.4	5.1	4.6	4.6	5.5	5.0	6.1	7.1
Person	5.6	5.5	5.8	5.8	6.6	6.7	8.3	9.8
Moderately high								
Systolic ≥ 160 mm of Hg & Diastolic ≥ 100 mm of Hg (%)								
Male	2.8	2.1	1.9	1.9	2.9	2.6	3.1	2.4
Female	1.7	1.3	1.5	1.3	3.5	3.0	2.4	2.1
Person	2.2	1.6	1.7	1.6	3.2	2.8	2.8	2.3
Systolic ≥ 160 mm of Hg & Diastolic < 100 mm of Hg (%)								
Male	3.6	3.3	1.1	0.9	4.4	4.5	3.3	1.8
Female	2.5	2.5	1.0	-	3.1	3.2	2.8	2.0
Person	3.0	2.8	1.0	0.8	3.7	3.8	3.0	1.9
Systolic < 160 mm of Hg & Diastolic ≥ 100 mm of Hg								
Male	2.0	-	2.2	2.0	2.7	1.9	7.5	8.9
Female	1.4	1.3	0.4	-	2.5	2.3	4.1	4.8
Person	1.7	1.4	1.3	1.2	2.6	2.1	5.8	6.8
Very high								
Systolic ≥ 180 mm of Hg & Diastolic ≥ 110 mm of Hg (%)								
Male	1.3	-	0.3	0.3	-	-	0.5	0.3
Female	0.7	-	0.2	-	0.6	-	0.5	-
Person	1.0	-	0.3	0.2	0.6	0.5	0.5	0.3
Systolic ≥ 180 mm of Hg & Diastolic < 110 mm of Hg (%)								
Male	1.4	-	-	-	1.3	1.2	0.7	0.6
Female	0.6	0.6	0.8	0.8	1.0	0.9	0.5	0.6
Person	1.0	1.0	0.8	0.8	1.2	1.0	0.6	0.6
Systolic < 180 mm of Hg & Diastolic ≥ 110 mm of Hg (%)								
Male	1.0	-	0.6	0.5	0.9	0.6	3.1	3.7
Female	0.6	0.5	0.5	0.4	2.0	1.8	1.7	2.2
Person	0.8	0.7	0.5	0.5	1.4	1.2	2.4	2.9
Iodine content in Household Salt (more than 15 ppm) (%)	29.9	31.5	99.7	99.6	20.3	15.4	32.4	26.7

Indicators	Sibsagar		Jorhat		Golaghat		Karbi Anglong	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Nutritional status below 5 years								
Below -2 SD Wasting (Weight for Height) (%)								
Male	23.3	23.8	16.3	19.2	25.8	25.9	14.5	9.8
Female	16.8	17.1	17.7	17.8	21.5	22.3	16.9	18.2
Person	20.0	20.5	16.9	18.6	23.8	24.2	15.6	13.7
Below -3 SD Wasting (Weight for Height) (%)								
Male	10.3	10.8	5.1	7.1	11.8	-	-	-
Female	11.1	11.2	-	-	-	-	-	-
Person	10.7	11.0	5.8	7.7	8.4	8.6	-	-
Below -2 SD Stunting (Height for Age) (%)								
Male	33.7	34.4	30.0	30.1	27.0	28.5	31.1	31.8
Female	35.8	36.7	30.8	32.4	32.7	34.3	32.9	30.3
Person	34.7	35.5	30.4	31.2	29.6	31.2	31.9	31.1
Below -3SD Stunting (Height for Age) (%)								
Male	13.9	14.1	12.7	14.2	8.3	9.0	11.6	9.6
Female	10.8	11.4	13.3	13.3	15.3	16.3	12.6	11.1
Person	12.4	12.8	13.0	13.8	11.5	12.4	12.0	10.3
Below -2 SD Underweight (Weight for Age) (%)								
Male	17.1	16.5	23.4	23.2	28.4	30.4	24.8	21.7
Female	22.4	23.0	23.2	24.8	37.8	40.0	25.9	23.2
Person	19.7	19.7	23.3	24.0	32.7	34.8	25.3	22.4
Below -3 SD Underweight (Weight for Age) (%)								
Male	-	-	6.4	7.5	8.4	9.1	9.4	7.5
Female	6.3	6.7	8.5	10.0	9.0	9.5	9.3	10.3
Person	5.3	5.6	7.4	8.7	8.7	9.3	9.4	8.8
Below -2 SD Undernourished (BMI for Age) (%)								
Male	27.9	28.4	15.8	17.3	25.1	24.2	14.4	8.6
Female	20.1	20.6	18.8	20.0	19.8	20.5	14.7	17.6
Person	24.1	24.6	17.2	18.6	22.7	22.5	14.5	12.7
Below -3 SD Undernourished (BMI for Age) (%)								
Male	15.3	15.1	7.3	8.7	12.8	13.1	8.1	5.6
Female	13.7	13.9	-	-	5.3	5.6	-	-
Person	14.5	14.5	7.8	9.2	9.4	9.6	6.4	5.8
Above 2 SD Overnourished (BMI for Age) (%)								
Male	11.0	11.1	6.2	6.0	4.9	4.5	5.1	-
Female	5.9	6.2	-	-	-	-	5.5	6.3
Person	8.5	8.7	3.7	3.7	3.4	3.0	5.3	5.3
Above 3 SD Overnourished (BMI for Age) (%)								
Male	-	-	1.7	-	-	-	-	-
Female	-	-	-	-	-	-	-	-
Person	1.1	1.2	1.0	-	-	-	-	-
Nutritional status 5-18 years								
Below -2 SD Undernourished (BMI for Age) (%)								
Male	21.5	22.4	24.3	23.7	21.7	21.8	25.7	25.2
Female	17.4	18.1	18.5	18.4	14.3	14.7	22.1	20.7
Person	19.5	20.3	21.3	21.0	18.1	18.4	23.9	23.0
Below -3 SD Undernourished (BMI for Age) (%)								
Male	12.6	13.2	7.5	8.2	7.5	7.6	15.5	15.8
Female	8.0	8.2	5.5	6.0	3.6	3.9	9.3	8.5
Person	10.4	10.8	6.5	7.1	5.6	5.8	12.5	12.3
Above 2 SD Overnourished (BMI for Age) (%)								
Male	5.6	5.8	0.8	1.1	6.2	6.1	1.4	1.2
Female	2.7	2.7	0.8	0.9	3.6	3.6	1.4	1.6
Person	4.2	4.3	0.8	1.0	4.9	4.9	1.4	1.4
Above 3 SD Overnourished (BMI for Age) (%)								
Male	1.2	1.3	-	-	-	-	-	-
Female	0.6	0.7	-	-	-	-	-	-
Person	0.9	1.0	-	-	-	-	0.1	0.1

Indicators	Sibsagar		Jorhat		Golaghat		Karbi Anglong	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Nutritional status 18 years and above								
BMI ≥25.0 for age 18-59 year (%)								
Male	6.9	7.1	10.4	8.9	9.2	9.4	7.1	-
Female	12.5	12.2	12.5	10.5	11.1	11.1	9.4	7.7
Person	9.8	9.7	11.6	9.8	10.2	10.3	8.3	6.8
BMI ≥25.0 for age 60 year and above (%)								
Male	9.1	9.7	8.4	7.4	7.7	8.1	6.8	2.9
Female	8.0	8.6	9.3	7.4	5.9	6.4	8.2	-
Person	8.6	9.2	8.8	7.4	6.9	7.3	7.4	3.6
BMI ≥30.0 for age 18-59 year (%)								
Male	1.0	1.1	1.3	1.1	0.7	0.8	-	-
Female	1.9	1.8	1.9	1.5	1.5	1.5	-	-
Person	1.5	1.4	1.6	1.4	1.1	1.2	-	-
BMI ≥30.0 for age 60 year and above (%)								
Male	-	-	-	-	1.2	-	-	-
Female	1.9	1.8	2.1	1.8	-	-	-	-
Person	1.0	1.0	1.7	1.6	0.9	0.8	-	-
BMI <18.5 for age 18-59 year (%)								
Male	14.0	14.3	26.6	26.6	15.3	15.5	20.7	22.8
Female	23.3	24.7	34.3	36.7	21.4	21.3	25.5	25.9
Person	18.8	19.7	30.9	32.2	18.4	18.4	23.3	24.5
BMI <18.5 for age 60 year and above (%)								
Male	23.9	24.5	42.0	43.4	28.8	28.6	30.9	27.3
Female	38.8	41.2	48.7	51.3	42.3	42.2	35.8	34.4
Person	30.4	31.8	45.2	47.1	35.2	35.1	33.0	30.6
Anaemia status by Haemoglobin Level								
Anaemia in the age group 6-59 months (%)								
Male	57.7	58.8	72.2	69.5	86.0	86.2	82.4	85.8
Female	51.0	52.0	76.1	78.9	90.8	92.1	83.3	80.1
Person	54.2	55.3	74.0	73.9	88.2	88.9	82.8	83.2
Severe Anemia in the age group 6-59 months (%)								
Male	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-
Person	-	-	-	-	-	-	-	-
Anaemia in the age group 5-9 years (%)								
Male	75.3	74.9	85.4	86.3	95.5	96.2	88.9	88.1
Female	77.0	77.9	90.2	92.9	98.0	98.3	94.0	92.0
Person	76.1	76.4	88.0	89.9	96.7	97.2	91.3	89.9
Severe Anemia in the age group 5-9 years (%)								
Male	-	-	3.2	2.8	2.2	2.3	5.2	6.0
Female	4.0	4.1	3.0	3.2	5.0	5.0	-	-
Person	4.3	4.5	3.1	3.0	3.5	3.6	4.6	5.0
Anaemia in the age group 10-17 years (%)								
Male	71.7	71.3	77.2	76.1	91.3	92.8	83.7	82.4
Female	68.6	69.4	87.6	87.7	96.2	96.5	87.7	85.3
Person	70.2	70.4	82.2	81.7	93.7	94.7	85.7	83.8
Severe Anemia in the age group 10-17 years (%)								
Male	4.6	4.8	3.1	2.3	4.6	4.8	2.7	-
Female	5.1	5.2	5.5	5.4	8.6	9.0	5.2	6.0
Person	4.8	5.0	4.2	3.8	6.6	6.9	3.9	3.8
Anaemia in the age group 18-59 years (%)								
Male	81.8	81.2	82.0	83.1	91.5	91.9	86.0	85.6
Female	76.7	77.2	87.6	87.3	96.3	96.8	88.7	88.5
Severe Anemia in the age group 18-59 years (%)								
Male	4.0	4.2	2.2	2.4	4.0	4.3	2.2	2.8
Female	5.2	5.3	4.8	4.7	9.4	10.1	5.6	6.3
Anaemia in the age group 60 years and above (%)								
Male	83.4	83.2	84.0	83.5	93.5	94.3	93.1	92.1
Female	74.1	75.3	88.0	87.7	97.9	97.7	88.0	91.7
Severe Anemia in the age group 60 years and above (%)								
Male	2.8	3.1	2.5	2.6	6.4	6.3	8.3	-
Female	4.1	4.5	4.3	4.8	13.3	14.1	5.6	6.2

Indicators	Sibsagar		Jorhat		Golaghat		Karbi Anglong	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Blood Sugar Level (18 years and above)								
Blood Sugar Level ≥ 110 mg/dl (%)								
Male	8.6	8.8	9.2	8.4	3.4	3.4	6.7	5.0
Female	9.4	9.3	6.8	6.3	3.3	3.0	5.8	5.3
Person	9.0	9.0	7.9	7.3	3.3	3.2	6.2	5.2
Blood Sugar Level ≥ 130 mg/dl (%)								
Male	2.7	2.8	3.9	4.1	1.9	1.9	3.6	2.1
Female	3.5	3.5	3.1	3.7	2.1	2.0	2.2	1.8
Person	3.1	3.2	3.5	3.9	2.0	2.0	2.8	1.9
Blood Sugar Level ≥ 150 mg/dl (%)								
Male	1.2	1.2	2.7	2.7	1.5	1.5	-	-
Female	2.3	2.3	1.9	2.3	1.5	1.4	1.4	1.3
Person	1.7	1.8	2.3	2.5	1.5	1.5	1.8	1.1
Hypertension (18 years and above)								
Above Normal Range								
Systolic ≥ 140 mm of Hg & Diastolic ≥ 90 mm of Hg (%)								
Male	16.8	17.0	18.3	18.6	11.8	11.3	19.4	18.8
Female	12.0	12.0	12.8	13.0	8.9	8.6	12.3	12.4
Person	14.4	14.5	15.3	15.6	10.3	9.9	15.6	15.3
Systolic ≥ 140 mm of Hg & Diastolic < 90 mm of Hg (%)								
Male	7.3	7.5	8.3	8.1	9.7	9.7	8.8	9.1
Female	7.3	7.4	7.8	7.4	6.7	6.7	6.9	6.3
Person	7.3	7.4	8.1	7.8	8.1	8.2	7.8	7.6
Systolic < 140 mm of Hg & Diastolic ≥ 90 mm of Hg (%)								
Male	6.9	7.1	9.9	9.8	5.3	5.3	8.9	9.8
Female	7.3	7.5	7.4	7.2	4.2	4.1	10.4	9.5
Person	7.1	7.3	8.6	8.4	4.7	4.7	9.7	9.6
Moderately high								
Systolic ≥ 160 mm of Hg & Diastolic ≥ 100 mm of Hg (%)								
Male	3.4	3.5	3.7	3.3	1.7	1.6	3.5	3.6
Female	3.3	3.4	3.5	3.7	1.8	1.7	3.1	3.1
Person	3.3	3.5	3.6	3.5	1.7	1.7	3.3	3.3
Systolic ≥ 160 mm of Hg & Diastolic < 100 mm of Hg (%)								
Male	2.7	2.9	3.3	3.6	1.3	1.1	3.1	3.4
Female	2.9	3.0	4.2	4.5	2.1	2.0	2.5	2.4
Person	2.8	2.9	3.8	4.1	1.7	1.6	2.8	2.8
Systolic < 160 mm of Hg & Diastolic ≥ 100 mm of Hg								
Male	3.6	3.9	4.7	4.7	2.4	2.3	7.0	7.2
Female	3.2	3.2	3.8	4.1	2.8	3.0	5.2	5.4
Person	3.4	3.5	4.2	4.4	2.6	2.6	6.0	6.2
Very high								
Systolic ≥ 180 mm of Hg & Diastolic ≥ 110 mm of Hg (%)								
Male	0.6	0.6	1.0	0.8	0.3	-	0.8	-
Female	-	-	0.9	1.2	0.3	0.3	0.5	-
Person	0.4	0.4	0.9	1.0	0.3	0.3	0.6	0.7
Systolic ≥ 180 mm of Hg & Diastolic < 110 mm of Hg (%)								
Male	0.8	0.9	0.6	0.6	0.2	0.2	-	-
Female	0.7	0.8	1.2	1.4	0.9	0.8	-	-
Person	0.8	0.8	0.9	1.1	0.5	0.5	0.7	0.5
Systolic < 180 mm of Hg & Diastolic ≥ 110 mm of Hg (%)								
Male	1.6	1.6	2.3	2.1	1.4	1.4	5.0	5.1
Female	1.6	1.6	2.2	2.2	1.3	1.3	3.1	3.8
Person	1.6	1.6	2.2	2.2	1.3	1.3	4.0	4.4
Iodine content in Household Salt (more than 15 ppm) (%)	11.5	11.8	86.7	84.1	16.2	12.5	48.1	46.7

Indicators	North Cachar Hills		Cachar		Karimganj		Hailakandi	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Nutritional status below 5 years								
Below -2 SD Wasting (Weight for Height) (%)								
Male	30.5	40.5	34.8	33.0	25.4	26.1	32.1	33.2
Female	26.9	33.8	32.8	28.5	28.3	28.9	27.3	28.6
Person	28.8	37.3	33.8	30.9	26.7	27.4	29.8	31.0
Below -3 SD Wasting (Weight for Height) (%)								
Male	14.0	18.9	17.9	16.3	12.8	12.8	17.5	18.9
Female	10.5	13.2	17.5	13.8	10.6	10.8	9.5	10.5
Person	12.3	16.2	17.7	15.1	11.8	11.9	13.7	14.9
Below -2 SD Stunting (Height for Age) (%)								
Male	35.9	28.2	43.5	44.7	25.5	25.0	27.8	28.5
Female	30.8	28.2	30.4	34.4	26.4	26.9	29.7	29.0
Person	33.4	28.2	37.2	40.0	25.9	25.9	28.7	28.7
Below -3SD Stunting (Height for Age) (%)								
Male	25.1	18.3	24.3	23.8	9.4	9.0	14.4	14.6
Female	17.2	12.7	14.2	16.8	9.0	9.1	13.0	12.9
Person	21.3	15.5	19.5	20.6	9.2	9.0	13.8	13.8
Below -2 SD Underweight (Weight for Age) (%)								
Male	31.5	29.3	35.3	35.9	33.9	34.4	37.9	38.3
Female	24.2	21.1	24.2	24.9	39.4	39.5	32.3	34.5
Person	28.1	25.3	30.0	30.8	36.4	36.7	35.2	36.5
Below -3 SD Underweight (Weight for Age) (%)								
Male	15.4	17.3	10.1	11.0	11.2	11.2	14.3	15.3
Female	10.6	11.3	6.8	5.9	14.4	14.7	14.5	15.5
Person	13.1	14.4	8.5	8.6	12.7	12.8	14.4	15.4
Below -2 SD Undernourished (BMI for Age) (%)								
Male	30.8	42.7	33.7	31.8	25.8	26.5	31.4	32.8
Female	24.9	29.6	32.6	28.4	28.3	28.9	27.9	29.3
Person	28.1	36.3	33.2	30.3	26.9	27.6	29.7	31.1
Below -3 SD Undernourished (BMI for Age) (%)								
Male	15.2	22.7	21.3	19.6	12.4	12.4	16.2	17.4
Female	12.1	14.1	20.5	18.5	11.2	11.4	10.1	10.7
Person	13.8	18.5	20.9	19.1	11.9	12.0	13.3	14.2
Above 2 SD Overnourished (BMI for Age) (%)								
Male	6.7	6.7	8.2	8.8	6.0	5.7	4.4	4.9
Female	5.6	-	4.0	5.0	3.9	4.0	-	-
Person	6.2	6.2	6.2	7.1	5.0	5.0	3.5	3.4
Above 3 SD Overnourished (BMI for Age) (%)								
Male	2.4	-	3.3	3.9	2.2	2.1	1.8	2.0
Female	-	-	-	-	1.3	1.4	-	-
Person	2.0	2.1	2.5	3.1	1.8	1.7	1.9	1.7
Nutritional status 5-18 years								
Below -2 SD Undernourished (BMI for Age) (%)								
Male	13.9	14.8	37.0	38.6	41.1	43.0	57.3	57.9
Female	11.3	12.8	29.6	30.7	37.9	39.3	47.2	48.5
Person	12.8	13.9	33.4	34.8	39.6	41.2	52.3	53.3
Below -3 SD Undernourished (BMI for Age) (%)								
Male	6.6	6.8	24.1	25.3	27.5	28.9	40.6	41.6
Female	5.6	5.9	19.9	20.5	22.3	23.2	28.3	29.2
Person	6.1	6.4	22.0	23.0	25.0	26.2	34.5	35.5
Above 2 SD Overnourished (BMI for Age) (%)								
Male	6.4	5.7	2.1	1.9	3.3	2.6	-	-
Female	3.4	1.7	1.6	1.3	0.7	0.7	0.6	0.6
Person	5.1	3.9	1.9	1.6	2.0	1.7	0.5	0.4
Above 3 SD Overnourished (BMI for Age) (%)								
Male	-	-	0.5	0.6	0.8	0.6	-	-
Female	-	-	0.5	-	0.0	0.0	0.2	0.3
Person	0.7	-	0.5	0.5	0.4	0.3	0.2	0.2

Indicators	North Cachar Hills		Cachar		Karimganj		Hailakandi	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Nutritional status 18 years and above								
BMI ≥25.0 for age 18-59 year (%)								
Male	4.5	3.3	13.6	9.7	9.6	6.0	4.8	3.3
Female	6.2	6.1	13.1	10.2	8.7	5.6	5.2	3.3
Person	5.3	4.6	13.3	10.0	9.0	5.7	5.0	3.3
BMI ≥25.0 for age 60 year and above (%)								
Male	2.6	-	11.9	6.9	7.0	4.8	4.4	2.5
Female	-	-	9.3	4.2	9.1	6.2	5.6	4.7
Person	2.2	-	10.7	5.7	8.0	5.4	4.9	3.4
BMI ≥30.0 for age 18-59 year (%)								
Male	-	-	2.5	1.8	2.2	1.1	-	-
Female	0.6	-	2.5	1.6	1.6	0.7	0.8	0.6
Person	0.4	0.3	2.5	1.7	1.8	0.8	0.7	0.5
BMI ≥30.0 for age 60 year and above (%)								
Male	0.0	-	-	-	-	-	0.4	0.0
Female	-	-	2.5	-	2.0	-	1.5	0.7
Person	0.0	-	1.8	-	1.9	-	0.9	0.3
BMI <18.5 for age 18-59 year (%)								
Male	2.1	-	25.9	31.9	28.9	31.3	33.2	36.0
Female	3.7	-	34.2	40.1	40.3	43.1	46.0	49.5
Person	2.9	-	30.7	36.5	35.7	38.4	41.0	44.3
BMI <18.5 for age 60 year and above (%)								
Male	5.5	3.3	27.1	32.9	42.2	46.0	43.8	47.3
Female	11.2	11.6	43.0	56.7	51.6	55.9	56.4	60.8
Person	7.5	6.3	34.7	43.4	46.5	50.4	49.3	53.0
Anaemia status by Haemoglobin Level								
Anaemia in the age group 6-59 months (%)								
Male	63.6	74.2	61.0	61.9	77.6	77.4	75.6	74.1
Female	76.0	84.0	70.3	71.3	81.5	81.4	81.7	81.1
Person	69.5	78.6	65.3	66.1	79.4	79.2	78.4	77.3
Severe Anemia in the age group 6-59 months (%)								
Male	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-
Person	-	-	-	-	-	-	-	-
Anaemia in the age group 5-9 years (%)								
Male	87.8	88.6	79.5	78.9	88.4	88.1	86.3	85.6
Female	85.6	88.6	77.0	77.1	94.6	94.7	87.9	87.4
Person	86.8	88.6	78.4	78.1	91.3	91.2	87.1	86.5
Severe Anemia in the age group 5-9 years (%)								
Male	5.9	6.1	5.4	5.8	2.3	2.4	1.7	1.4
Female	2.6	-	6.4	-	4.7	4.1	3.0	3.2
Person	4.5	3.8	5.9	5.7	3.5	3.2	2.3	2.3
Anaemia in the age group 10-17 years (%)								
Male	85.2	84.8	71.5	71.9	88.2	87.7	85.8	84.8
Female	84.4	85.0	80.7	78.5	90.4	90.0	88.2	87.4
Person	84.8	84.9	76.4	75.4	89.3	88.8	87.0	86.1
Severe Anemia in the age group 10-17 years (%)								
Male	4.7	5.6	2.2	-	3.1	3.3	2.4	-
Female	3.1	5.0	3.9	3.5	4.0	4.1	4.2	4.2
Person	4.0	5.3	3.1	2.9	3.5	3.7	3.3	3.3
Anaemia in the age group 18-59 years (%)								
Male	92.2	91.4	72.4	71.6	89.9	89.4	93.3	93.4
Female	85.2	85.8	83.3	81.1	92.0	91.5	89.5	88.2
Severe Anemia in the age group 18-59 years (%)								
Male	3.8	4.7	1.5	1.8	3.3	3.3	2.6	2.6
Female	3.4	3.8	4.5	4.0	7.0	7.0	3.2	3.0
Anaemia in the age group 60 years and above (%)								
Male	91.5	89.0	86.4	84.3	96.7	96.4	94.7	94.6
Female	79.7	79.4	82.4	84.9	92.1	91.8	91.3	88.5
Severe Anemia in the age group 60 years and above (%)								
Male	3.2	-	5.4	5.0	5.9	5.7	4.4	4.9
Female	4.0	-	2.9	-	-	-	3.9	3.2

Indicators	North Cachar Hills		Cachar		Karimganj		Hailakandi	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Blood Sugar Level (18 years and above)								
Blood Sugar Level ≥ 110 mg/dl (%)								
Male	8.9	9.0	8.8	7.9	9.1	8.1	15.0	14.1
Female	9.0	9.0	7.5	7.8	6.2	5.3	8.9	9.2
Person	9.0	9.0	8.0	7.9	7.4	6.5	11.5	11.2
Blood Sugar Level ≥ 130 mg/dl (%)								
Male	2.8	2.4	4.3	3.6	4.9	3.9	-	-
Female	2.3	2.0	3.5	3.9	2.3	1.6	-	-
Person	2.6	2.2	3.8	3.8	3.4	2.6	-	-
Blood Sugar Level ≥ 150 mg/dl (%)								
Male	0.7	-	2.7	1.8	3.7	3.1	-	-
Female	0.8	0.8	2.0	2.1	1.6	1.1	-	-
Person	0.7	0.4	2.3	2.0	2.5	1.9	-	-
Hypertension (18 years and above)								
Above Normal Range								
Systolic ≥ 140 mm of Hg & Diastolic ≥ 90 mm of Hg (%)								
Male	26.2	30.9	8.2	7.8	11.3	10.8	9.3	7.9
Female	14.4	17.5	8.4	8.4	9.6	9.2	9.7	9.2
Person	20.7	24.6	8.3	8.1	10.3	9.9	9.5	8.6
Systolic ≥ 140 mm of Hg & Diastolic < 90 mm of Hg (%)								
Male	4.1	3.7	6.7	6.8	9.8	10.1	8.2	7.4
Female	3.2	3.3	5.1	5.5	6.3	6.0	6.9	6.5
Person	3.7	3.5	5.8	6.1	7.7	7.7	7.4	6.9
Systolic < 140 mm of Hg & Diastolic ≥ 90 mm of Hg (%)								
Male	21.5	21.4	7.5	7.3	5.9	5.1	3.9	3.5
Female	11.4	12.2	5.4	5.2	6.3	6.2	4.9	4.9
Person	16.8	17.1	6.3	6.1	6.1	5.7	4.5	4.3
Moderately high								
Systolic ≥ 160 mm of Hg & Diastolic ≥ 100 mm of Hg (%)								
Male	4.2	5.9	1.9	2.0	2.6	2.6	2.6	2.0
Female	2.5	2.9	2.2	2.4	3.1	3.2	3.2	2.9
Person	3.4	4.5	2.1	2.2	2.9	2.9	2.9	2.5
Systolic ≥ 160 mm of Hg & Diastolic < 100 mm of Hg (%)								
Male	0.9	0.7	2.7	2.9	2.8	3.0	1.5	-
Female	0.8	-	2.7	2.3	2.1	2.1	-	-
Person	0.9	0.8	2.7	2.6	2.4	2.5	1.7	1.6
Systolic < 160 mm of Hg & Diastolic ≥ 100 mm of Hg								
Male	22.3	24.2	2.4	2.7	3.7	3.4	3.8	3.0
Female	11.4	12.0	2.2	2.3	3.1	3.0	3.0	3.0
Person	17.2	18.4	2.3	2.5	3.3	3.2	3.3	3.0
Very high								
Systolic ≥ 180 mm of Hg & Diastolic ≥ 110 mm of Hg (%)								
Male	0.8	1.4	-	-	-	-	0.4	-
Female	0.6	0.9	0.3	0.4	0.7	0.7	0.6	0.6
Person	0.8	1.1	0.2	0.3	0.5	0.5	0.5	0.5
Systolic ≥ 180 mm of Hg & Diastolic < 110 mm of Hg (%)								
Male	-	-	0.7	0.9	0.4	0.5	-	-
Female	-	-	0.4	0.5	0.6	0.6	-	-
Person	0.1	-	0.5	0.6	0.5	0.5	-	-
Systolic < 180 mm of Hg & Diastolic ≥ 110 mm of Hg (%)								
Male	11.8	15.5	1.4	1.3	1.5	1.4	-	-
Female	5.3	7.1	1.2	1.3	2.1	2.1	1.7	1.9
Person	8.8	11.5	1.3	1.3	1.8	1.8	1.9	1.8
Iodine content in Household Salt (more than 15 ppm) (%)	26.4	25.2	20.4	18.0	38.7	39.8	44.6	45.1

Note: "-" Indicate Inadequate Sample Size.

Anemia Cut-off.

Children (6-59 months) - Anemia Hb < 11 g/dL and Severe Anemia Hb < 5 g/dL

Male and Female aged 5-17 years- Anemia Hb < 12 g/dL and Severe Anemia Hb < 7 g/dL

Men (18 years and above)- Anemia Hb < 13 g/dL and Severe Anemia Hb < 7 g/dL

Non-Pregnant Women (18 years and above)- Anemia Hb < 12 g/dL and Severe Anemia Hb < 7 g/dL