

Indicators	Assam									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	8318	1.0	4.7	18.4	22.1	7374	0.9	4.4	19.0	22.6
Below -2 SD Stunting (Height for Age) (%)										
Person	8667	1.6	4.2	34.4	40.6	7688	1.7	4.3	35.7	42.2
Below -2 SD Underweight (Weight for Age) (%)										
Person	8971	1.3	4.4	28.2	33.5	7938	1.4	4.2	30.0	35.4
Below -2 SD Undernourished (BMI for Age) (%)										
Person	8957	1.1	4.7	20.3	24.5	7936	1.1	4.6	20.8	25.0
Above 2 SD Overnourished (BMI for Age) (%)										
Person	8957	0.6	7.0	7.0	9.2	7936	0.6	7.6	6.9	9.3
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	32395	1.1	4.2	25.4	29.9	28449	1.3	4.6	25.8	30.9
Above 2 SD Overnourished (BMI for Age) (%)										
Person	32395	0.2	8.7	1.7	2.4	28449	0.2	9.6	1.6	2.4
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	68275	0.7	6.8	8.6	11.7	56742	0.5	6.1	7.5	9.9
BMI ≥25.0 for age 60 year and above (%)										
Person	9143	0.6	6.9	7.4	10.1	7667	0.5	7.2	5.8	8.1
BMI <18.5 for age 18-59 year (%)										
Person	68275	1.2	5.8	17.4	22.6	56742	1.2	5.8	18.4	23.8
BMI <18.5 for age 60 year and above (%)										
Person	9143	1.5	4.9	26.4	33.1	7667	1.5	4.5	29.0	35.6
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	3740	1.5	1.9	75.7	81.7	3339	1.6	2.1	76.2	82.6
Anaemia in the age group 5-9 years (%)										
Person	7087	0.9	1.0	87.2	90.9	6290	1.0	1.1	87.6	91.5
Anaemia in the age group 10-17 years (%)										
Person	14658	0.8	0.9	85.2	88.2	12874	0.8	0.9	85.5	88.6
Anaemia in the age group 18-59 years (%)										
Male	26371	0.7	0.8	88.0	90.7	21992	0.7	0.8	88.4	91.3
Female	31101	0.7	0.7	88.7	91.3	26117	0.7	0.7	89.2	91.8
Anaemia in the age group 60 years and above (%)										
Male	4147	0.8	0.9	90.6	93.9	3479	0.8	0.8	91.3	94.3
Female	3734	0.8	0.9	89.2	92.3	3157	0.8	0.9	90.0	93.2
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	72036	0.4	4.3	9.3	11.0	60468	0.5	5.1	8.7	10.7
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	76925	0.4	4.4	9.0	10.8	64267	0.4	4.4	8.4	10.0
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	76925	0.3	3.6	6.5	7.5	64267	0.3	3.8	6.3	7.4
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	76925	0.3	4.7	4.9	5.9	64267	0.3	5.3	4.8	5.9
Iodine content in Household Salt (more than 15 ppm) (%)	32100	2.9	6.1	41.2	52.4	26839	2.7	6.1	38.2	48.7

Indicators	Kokrajhar									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	294	2.9	31.9	4.4	18.4	271	3.1	33.4	4.3	19.0
Below -2 SD Stunting (Height for Age) (%)										
Person	298	8.2	24.3	18.0	53.6	275	8.4	26.2	16.4	52.8
Below -2 SD Underweight (Weight for Age) (%)										
Person	300	4.9	20.1	15.0	36.9	277	4.9	21.2	13.9	35.9
Below -2 SD Undernourished (BMI for Age) (%)										
Person	306	2.9	25.2	6.3	19.6	281	3.0	26.2	6.2	20.3
Above 2 SD Overnourished (BMI for Age) (%)										
Person	-	-	-	-	-	-	-	-	-	-
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1004	2.0	11.4	13.3	22.3	917	2.1	12.8	12.3	22.0
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1004	0.2	23.9	0.5	1.3	917	0.2	23.9	0.5	1.4
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2330	2.5	16.2	10.7	22.2	2049	2.7	18.6	9.2	21.4
BMI ≥25.0 for age 60 year and above (%)										
Person	336	3.7	19.4	12.1	29.0	296	4.0	23.3	9.8	27.9
BMI <18.5 for age 18-59 year (%)										
Person	2330	2.5	12.7	14.3	25.5	2049	2.6	13.5	14.0	25.8
BMI <18.5 for age 60 year and above (%)										
Person	336	4.4	22.8	11.2	31.1	296	4.6	22.7	11.8	32.9
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	32	10.2	14.3	44.5	88.6	30	10.7	14.8	43.8	89.6
Anaemia in the age group 5-9 years (%)										
Person	182	2.4	2.7	83.2	94.4	174	2.4	2.7	83.2	94.4
Anaemia in the age group 10-17 years (%)										
Person	414	2.4	2.6	84.8	96.4	368	2.4	2.6	85.0	96.9
Anaemia in the age group 18-59 years (%)										
Male	834	0.8	0.8	94.5	98.5	719	0.8	0.9	94.5	98.7
Female	974	1.8	2.0	88.1	96.9	852	2.0	2.1	87.7	97.2
Anaemia in the age group 60 years and above (%)										
Male	127	2.2	2.2	86.6	99.2	110	2.4	2.5	84.8	99.2
Female	130	2.5	2.7	84.9	97.1	110	2.6	2.7	84.9	97.9
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2515	2.0	20.9	6.0	15.4	2212	2.2	23.0	5.6	15.8
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2670	1.9	17.1	7.6	16.4	2351	2.0	18.5	7.2	16.5
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2670	1.3	21.0	3.9	10.0	2351	1.4	23.0	3.7	10.3
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2670	0.6	8.6	5.6	8.3	2351	0.6	9.0	5.6	8.5
Iodine content in Household Salt (more than 15 ppm) (%)	1238	0.3	0.3	98.2	99.9	1128	0.0	0.0	99.6	100.0

Indicators	Dhubri									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	254	5.9	24.1	13.6	40.0	248	5.9	25.5	12.3	38.6
Below -2 SD Stunting (Height for Age) (%)										
Person	245	10.5	31.2	14.9	59.6	238	11.0	31.2	15.4	61.7
Below -2 SD Underweight (Weight for Age) (%)										
Person	291	7.3	23.1	17.7	49.7	276	7.9	24.2	17.6	52.0
Below -2 SD Undernourished (BMI for Age) (%)										
Person	292	7.7	27.6	14.0	47.9	276	6.6	29.0	11.2	41.0
Above 2 SD Overnourished (BMI for Age) (%)										
Person	292	8.4	44.2	6.4	44.6	276	9.2	45.9	6.4	47.9
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1310	5.8	17.6	21.2	46.8	1254	5.9	19.6	18.7	45.1
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1310	2.0	35.4	2.5	12.3	1254	2.2	35.9	2.6	13.3
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2446	2.7	22.6	7.0	19.3	2260	2.8	23.0	7.1	20.0
BMI ≥25.0 for age 60 year and above (%)										
Person	301	2.1	20.2	6.6	16.3	279	2.4	22.3	6.3	17.3
BMI <18.5 for age 18-59 year (%)										
Person	2446	5.7	32.2	8.2	34.5	2260	6.2	38.4	6.4	34.9
BMI <18.5 for age 60 year and above (%)										
Person	301	8.6	32.8	11.5	49.4	279	9.6	40.9	8.4	50.7
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	-	-	-	-	-	-	-	-	-	-
Anaemia in the age group 5-9 years (%)										
Person	112	3.8	4.1	76.9	98.7	102	4.3	4.5	72.1	99.2
Anaemia in the age group 10-17 years (%)										
Person	301	2.0	2.2	85.2	94.7	284	2.0	2.2	86.2	95.8
Anaemia in the age group 18-59 years (%)										
Male	751	1.8	1.9	88.5	97.1	709	1.7	1.8	89.5	98.0
Female	890	2.3	2.4	86.3	97.4	834	2.5	2.6	85.4	97.8
Anaemia in the age group 60 years and above (%)										
Male	102	0.8	0.8	94.0	99.9	97	0.8	0.8	93.7	99.9
Female	103	3.5	3.7	78.3	98.9	98	3.8	4.0	76.8	98.9
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2339	3.2	21.3	9.2	24.1	2196	3.6	23.8	8.6	25.0
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2637	0.4	9.4	3.7	5.7	2434	0.5	11.1	3.2	5.3
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2637	1.0	16.2	4.2	8.8	2434	0.9	15.7	3.8	7.8
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2637	0.6	19.0	2.0	4.7	2434	0.6	23.2	1.5	4.4
Iodine content in Household Salt (more than 15 ppm) (%)	1361	9.9	13.6	46.5	89.6	1258	11.1	14.9	43.8	91.5

Indicators	Goalpara									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	396	4.9	43.1	4.1	27.7	342	5.5	46.3	3.9	30.4
Below -2 SD Stunting (Height for Age) (%)										
Person	433	5.0	16.4	20.6	43.1	378	5.4	17.3	20.5	44.6
Below -2 SD Underweight (Weight for Age) (%)										
Person	476	8.7	34.2	10.8	49.1	418	9.6	36.6	10.4	52.0
Below -2 SD Undernourished (BMI for Age) (%)										
Person	480	5.9	32.4	8.3	35.3	421	6.5	33.5	8.6	38.1
Above 2 SD Overnourished (BMI for Age) (%)										
Person	480	2.1	17.0	8.2	17.8	421	2.2	18.9	7.6	17.7
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1124	5.0	19.5	15.9	38.3	1035	5.1	20.5	15.1	37.9
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1124	0.2	49.5	0.1	1.4	-	-	-	-	-
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2658	1.3	40.1	1.3	8.2	2321	1.5	44.3	1.2	8.7
BMI ≥25.0 for age 60 year and above (%)										
Person	-	-	-	-	-	-	-	-	-	-
BMI <18.5 for age 18-59 year (%)										
Person	2658	1.6	16.0	6.8	14.1	2321	1.8	17.8	6.5	14.6
BMI <18.5 for age 60 year and above (%)										
Person	290	2.0	32.7	2.9	12.7	252	2.2	35.8	2.8	13.7
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	-	-	-	-	-	-	-	-	-	-
Anaemia in the age group 5-9 years (%)										
Person	94	1.5	1.6	89.8	97.2	88	1.7	1.8	89.0	97.2
Anaemia in the age group 10-17 years (%)										
Person	455	4.0	4.5	76.6	96.0	412	4.3	4.8	75.1	96.1
Anaemia in the age group 18-59 years (%)										
Male	814	3.7	4.0	78.8	97.4	719	3.8	4.1	78.0	97.9
Female	918	2.5	2.8	83.1	95.0	827	2.6	2.9	82.9	95.2
Anaemia in the age group 60 years and above (%)										
Male	85	3.5	3.8	79.8	96.7	75	3.7	4.0	78.6	97.1
Female	102	4.0	4.4	76.8	97.4	90	4.4	4.8	74.9	97.7
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2562	1.9	16.0	8.3	17.1	2238	1.9	16.6	8.0	16.9
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2965	1.2	17.5	4.4	9.7	2592	1.3	19.2	4.3	10.1
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2965	1.0	26.5	2.1	6.9	2592	1.1	27.8	2.1	7.4
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2965	0.6	34.5	0.8	3.9	2592	0.7	37.4	0.8	4.1
Iodine content in Household Salt (more than 15 ppm) (%)	1413	17.8	39.3	14.0	80.9	1243	19.0	42.5	12.4	82.1

Indicators	Bongaigaon									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	459	3.5	15.6	15.5	31.3	435	3.6	15.6	16.1	32.5
Below -2 SD Stunting (Height for Age) (%)										
Person	485	4.6	11.2	30.9	51.3	461	4.9	11.7	31.3	52.9
Below -2 SD Underweight (Weight for Age) (%)										
Person	480	2.1	5.7	31.7	41.2	456	2.1	5.7	32.6	42.2
Below -2 SD Undernourished (BMI for Age) (%)										
Person	480	3.1	14.1	16.0	30.1	456	3.2	14.0	16.6	31.3
Above 2 SD Overnourished (BMI for Age) (%)										
Person	480	1.2	26.2	2.6	8.5	456	0.8	21.1	2.5	6.4
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1868	5.6	31.0	8.6	34.2	1820	5.8	31.4	8.6	35.0
Above 2 SD Overnourished (BMI for Age) (%)										
Person	-	-	-	-	-	-	-	-	-	-
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	3144	2.0	21.7	5.7	15.1	2974	2.0	26.1	4.2	13.5
BMI ≥25.0 for age 60 year and above (%)										
Person	380	1.9	33.7	2.6	11.6	373	1.9	33.8	2.6	11.9
BMI <18.5 for age 18-59 year (%)										
Person	3144	4.0	23.5	9.6	27.8	2974	4.3	24.8	9.5	29.0
BMI <18.5 for age 60 year and above (%)										
Person	380	2.2	6.7	28.1	38.0	373	2.1	6.2	28.8	38.1
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	-	-	-	-	-	-	-	-	-	-
Anaemia in the age group 5-9 years (%)										
Person	102	5.7	7.1	63.8	89.3	99	5.9	7.4	63.4	90.0
Anaemia in the age group 10-17 years (%)										
Person	492	2.9	3.4	77.9	91.4	480	3.0	3.5	78.0	91.8
Anaemia in the age group 18-59 years (%)										
Male	985	3.1	3.4	80.5	95.1	924	3.2	3.6	80.2	95.6
Female	1137	1.2	1.4	87.3	93.0	1088	1.3	1.5	86.8	92.7
Anaemia in the age group 60 years and above (%)										
Male	131	2.3	2.4	86.2	98.6	129	2.4	2.5	85.9	98.6
Female	143	2.8	3.0	82.7	95.9	143	2.8	3.0	82.7	95.9
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2545	1.5	18.4	5.2	12.0	2421	1.4	19.6	4.6	11.1
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3338	2.5	23.3	6.4	18.2	3162	2.6	26.3	5.5	17.8
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3338	1.0	13.5	5.2	9.5	3162	1.0	14.5	4.9	9.5
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3338	0.7	24.4	1.7	5.3	3162	0.8	28.8	1.4	5.0
Iodine content in Household Salt (more than 15 ppm) (%)	1517	2.2	6.5	28.9	38.8	1437	2.3	7.0	28.4	39.0

Indicators	Barpeta									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	411	6.6	30.1	10.6	40.4	379	7.2	31.9	10.3	42.7
Below -2 SD Stunting (Height for Age) (%)										
Person	433	6.6	18.8	22.1	51.4	400	6.9	20.5	20.2	50.7
Below -2 SD Underweight (Weight for Age) (%)										
Person	432	8.2	23.2	19.5	55.0	399	8.8	24.2	19.6	57.7
Below -2 SD Undernourished (BMI for Age) (%)										
Person	435	7.1	29.3	11.7	43.3	402	7.7	30.8	11.7	45.8
Above 2 SD Overnourished (BMI for Age) (%)										
Person	435	0.7	31.7	1.1	4.7	402	0.8	35.3	1.0	5.0
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1721	6.4	21.0	18.3	46.8	1597	7.0	22.9	17.3	48.1
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1721	0.4	48.6	0.2	2.2	1597	0.4	47.5	0.3	2.3
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	3162	1.7	30.4	2.9	11.2	2928	1.9	31.5	2.9	12.0
BMI ≥25.0 for age 60 year and above (%)										
Person	380	0.7	38.2	0.8	4.4	343	0.8	37.1	0.9	4.9
BMI <18.5 for age 18-59 year (%)										
Person	3162	1.4	21.8	3.9	10.4	2928	1.3	22.1	3.5	9.6
BMI <18.5 for age 60 year and above (%)										
Person	380	4.7	21.5	13.0	34.1	343	5.2	26.9	10.2	34.0
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	-	-	-	-	-	-	-	-	-	-
Anaemia in the age group 5-9 years (%)										
Person	158	3.2	3.5	81.1	98.1	150	3.4	3.6	80.3	97.9
Anaemia in the age group 10-17 years (%)										
Person	691	1.9	2.1	87.0	96.0	639	2.1	2.2	86.6	96.6
Anaemia in the age group 18-59 years (%)										
Male	1104	1.3	1.3	92.1	99.3	1036	1.4	1.4	91.6	99.3
Female	1224	2.0	2.1	87.0	96.4	1142	2.1	2.3	86.2	96.5
Anaemia in the age group 60 years and above (%)										
Male	140	3.3	3.4	80.1	98.9	133	3.5	3.7	79.0	98.8
Female	147	1.9	2.1	83.7	92.4	133	2.2	2.4	85.2	95.5
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2790	1.5	17.3	5.9	12.8	2590	1.6	18.8	5.7	13.2
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3534	1.6	23.8	3.9	11.5	3263	1.8	25.7	3.8	12.2
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3534	0.4	8.8	3.5	5.2	3263	0.4	9.0	3.6	5.4
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3534	0.6	26.8	1.2	4.0	3263	0.6	27.9	1.2	4.3
Iodine content in Household Salt (more than 15 ppm) (%)	1569	5.4	17.0	20.9	44.8	1457	5.8	17.7	21.2	47.0

Indicators	Kamrup									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	187	4.4	42.4	3.8	25.0	105	4.8	28.7	8.3	30.2
Below -2 SD Stunting (Height for Age) (%)										
Person	211	6.1	22.1	16.1	43.3	127	7.9	20.9	22.1	56.3
Below -2 SD Underweight (Weight for Age) (%)										
Person	251	3.0	23.8	7.2	20.9	149	1.7	7.2	19.6	27.1
Below -2 SD Undernourished (BMI for Age) (%)										
Person	241	4.7	20.1	14.5	35.7	145	3.8	9.3	32.8	49.8
Above 2 SD Overnourished (BMI for Age) (%)										
Person	241	3.2	17.6	12.0	26.6	145	5.9	27.2	11.2	37.8
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1257	1.5	5.1	25.5	32.1	793	2.4	6.9	29.5	40.2
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1257	0.6	41.2	0.6	3.8	-	-	-	-	-
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	3952	1.7	28.8	3.1	11.4	2269	2.0	26.8	4.1	13.6
BMI ≥25.0 for age 60 year and above (%)										
Person	481	3.0	34.8	3.9	18.5	-	-	-	-	-
BMI <18.5 for age 18-59 year (%)										
Person	3952	2.8	28.3	5.2	18.4	2269	0.5	9.5	4.1	6.2
BMI <18.5 for age 60 year and above (%)										
Person	481	2.8	31.9	4.1	17.2	315	2.3	19.4	7.7	18.5
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	78	6.2	7.9	61.5	89.5	68	6.6	7.8	63.5	94.5
Anaemia in the age group 5-9 years (%)										
Person	176	2.5	3.3	68.6	79.7	158	2.8	3.6	69.8	82.3
Anaemia in the age group 10-17 years (%)										
Person	428	2.2	2.6	79.4	89.6	374	2.8	3.3	78.2	91.0
Anaemia in the age group 18-59 years (%)										
Male	1383	1.4	1.5	89.2	95.5	1023	2.4	2.6	85.4	97.3
Female	1464	3.2	3.8	76.3	91.0	1014	1.2	1.3	89.5	94.9
Anaemia in the age group 60 years and above (%)										
Male	208	5.6	6.2	68.4	97.6	155	2.4	2.5	84.2	99.4
Female	155	2.3	2.6	83.1	93.8	111	1.5	1.6	90.0	97.3
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3462	1.1	9.4	9.5	14.6	2521	1.2	12.9	6.7	12.0
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4050	2.0	28.9	3.5	12.8	2552	0.9	30.7	1.4	5.6
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	4050	1.2	17.3	4.6	10.1	2552	1.2	17.7	4.4	9.7
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4050	0.8	24.1	1.8	5.4	2552	0.6	22.1	1.7	4.5
Iodine content in Household Salt (more than 15 ppm) (%)	1611	3.7	4.2	76.6	93.7	801	1.4	1.6	86.9	93.4

Indicators	Nalbari									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	177	3.8	39.7	3.7	22.0	166	3.8	39.9	3.8	22.4
Below -2 SD Stunting (Height for Age) (%)										
Person	251	2.9	10.3	21.8	34.8	235	2.9	10.4	21.9	35.0
Below -2 SD Underweight (Weight for Age) (%)										
Person	237	3.4	26.0	7.2	23.1	217	3.5	26.4	7.1	23.4
Below -2 SD Undernourished (BMI for Age) (%)										
Person	272	5.5	18.9	18.2	42.5	254	5.6	19.1	18.2	43.0
Above 2 SD Overnourished (BMI for Age) (%)										
Person	272	3.3	11.9	21.2	36.3	254	3.4	12.1	21.0	36.2
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1163	5.1	23.5	12.2	35.0	1020	5.2	24.3	11.8	35.1
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1163	1.6	49.7	1.0	9.5	-	-	-	-	-
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2824	2.4	27.1	4.8	16.1	2427	2.4	29.3	4.2	15.8
BMI ≥25.0 for age 60 year and above (%)										
Person	511	2.3	27.0	4.5	15.1	427	2.3	30.3	3.7	14.6
BMI <18.5 for age 18-59 year (%)										
Person	2824	1.4	11.2	9.6	16.0	2427	1.4	11.5	9.6	16.2
BMI <18.5 for age 60 year and above (%)										
Person	511	2.6	11.4	17.6	29.4	427	2.7	11.4	18.1	30.3
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	67	6.5	8.1	61.7	91.1	57	6.7	8.3	61.3	91.7
Anaemia in the age group 5-9 years (%)										
Person	161	1.6	1.7	89.8	97.3	135	1.6	1.7	89.7	97.5
Anaemia in the age group 10-17 years (%)										
Person	451	3.3	3.7	79.3	95.0	392	3.5	3.9	78.6	95.0
Anaemia in the age group 18-59 years (%)										
Male	970	3.1	3.4	81.7	97.3	842	3.2	3.5	81.2	97.3
Female	1225	3.1	3.4	81.2	96.3	1081	3.2	3.5	80.7	96.3
Anaemia in the age group 60 years and above (%)										
Male	192	3.6	3.8	77.6	99.0	160	3.7	3.9	76.3	99.1
Female	208	2.0	2.1	87.8	97.6	179	2.1	2.2	87.4	97.6
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2817	1.7	13.3	9.5	17.3	2415	1.8	13.8	9.4	17.5
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3332	1.9	18.7	6.5	15.2	2851	1.9	19.7	6.3	15.2
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3332	0.8	9.4	7.1	10.8	2851	0.8	9.7	7.0	10.8
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3332	1.2	20.1	3.9	9.7	2851	1.3	20.9	3.8	9.8
Iodine content in Household Salt (more than 15 ppm) (%)	1219	10.4	13.0	47.9	94.3	1055	10.7	13.4	46.9	94.5

Indicators	Darrang									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	272	4.7	27.5	8.8	30.1	264	4.8	27.9	8.7	30.5
Below -2 SD Stunting (Height for Age) (%)										
Person	267	8.0	14.8	36.1	70.6	259	8.1	15.1	35.6	70.8
Below -2 SD Underweight (Weight for Age) (%)										
Person	283	6.2	16.9	24.0	51.4	275	6.3	17.4	23.6	51.5
Below -2 SD Undernourished (BMI for Age) (%)										
Person	279	4.9	34.8	6.2	29.1	271	5.0	35.0	6.2	29.7
Above 2 SD Overnourished (BMI for Age) (%)										
Person	279	2.2	24.6	5.1	15.3	271	2.2	24.4	5.2	15.5
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1130	2.8	11.0	19.6	32.3	1101	2.9	11.2	19.6	32.5
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1130	0.3	25.5	0.6	2.1	1101	0.3	25.4	0.7	2.1
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	1905	2.4	24.1	5.6	16.6	1790	2.4	27.5	4.6	15.7
BMI ≥25.0 for age 60 year and above (%)										
Person	224	1.2	14.9	5.6	10.9	207	1.2	19.7	3.8	9.3
BMI <18.5 for age 18-59 year (%)										
Person	1905	2.4	16.3	10.1	21.0	1790	2.5	16.7	10.1	21.4
BMI <18.5 for age 60 year and above (%)										
Person	224	4.8	14.4	23.4	44.7	207	5.1	14.8	23.9	46.6
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	36	8.4	12.3	47.1	83.6	35	8.5	12.3	47.6	84.7
Anaemia in the age group 5-9 years (%)										
Person	152	4.3	4.7	75.6	97.2	150	4.3	4.7	75.4	97.2
Anaemia in the age group 10-17 years (%)										
Person	436	5.4	6.4	68.1	93.1	418	5.6	6.6	67.8	93.9
Anaemia in the age group 18-59 years (%)										
Male	586	4.0	4.5	75.8	94.6	544	4.1	4.6	76.1	96.0
Female	998	2.8	3.1	82.0	95.1	933	2.9	3.2	81.9	95.7
Anaemia in the age group 60 years and above (%)										
Male	86	3.6	4.0	78.9	97.3	78	3.7	4.0	78.3	98.1
Female	94	2.9	3.2	82.5	96.9	86	3.1	3.3	82.0	97.3
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	1938	2.6	23.4	6.6	18.8	1809	2.7	24.9	6.0	18.4
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2106	1.3	16.7	5.3	11.3	1973	1.3	18.9	4.6	10.8
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2106	1.1	17.5	4.3	9.5	1973	1.2	18.4	4.2	9.5
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2106	0.7	20.0	2.4	5.9	1973	0.8	21.0	2.3	5.9
Iodine content in Household Salt (more than 15 ppm) (%)	1145	3.7	10.9	25.9	42.4	1080	3.8	11.2	26.0	43.0

Indicators	Marigaon									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	228	3.8	13.6	20.4	37.7	207	4.0	13.9	20.8	38.9
Below -2 SD Stunting (Height for Age) (%)										
Person	241	7.9	20.4	22.9	57.4	219	8.3	21.6	22.1	58.2
Below -2 SD Underweight (Weight for Age) (%)										
Person	242	6.9	18.5	23.5	54.0	220	7.3	19.4	22.9	54.9
Below -2 SD Undernourished (BMI for Age) (%)										
Person	244	4.8	16.0	20.4	41.8	222	4.9	15.9	21.1	43.2
Above 2 SD Overnourished (BMI for Age) (%)										
Person	244	0.9	35.6	1.1	5.5	222	0.9	38.0	1.0	5.5
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1236	3.8	13.9	19.5	36.5	1125	3.9	14.3	19.5	37.2
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1236	0.2	34.5	0.2	1.2	1125	0.2	34.8	0.3	1.2
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2257	1.2	46.9	0.9	7.2	1958	1.3	46.9	0.9	7.8
BMI ≥25.0 for age 60 year and above (%)										
Person	-	-	-	-	-	-	-	-	-	-
BMI <18.5 for age 18-59 year (%)										
Person	2257	3.5	24.5	8.1	24.3	1958	3.8	26.4	7.8	25.4
BMI <18.5 for age 60 year and above (%)										
Person	-	-	-	-	-	-	-	-	-	-
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	-	-	-	-	-	-	-	-	-	-
Anaemia in the age group 5-9 years (%)										
Person	68	1.7	1.8	89.5	99.2	65	1.7	1.8	89.3	99.2
Anaemia in the age group 10-17 years (%)										
Person	412	3.6	4.1	77.4	94.4	374	3.8	4.3	76.8	94.9
Anaemia in the age group 18-59 years (%)										
Male	967	1.1	1.1	93.3	98.5	816	1.1	1.1	93.4	98.8
Female	1069	1.7	1.8	88.5	96.7	928	1.9	2.0	87.9	96.8
Anaemia in the age group 60 years and above (%)										
Male	159	1.0	1.0	94.1	98.8	143	1.0	1.0	93.7	98.8
Female	136	4.3	4.8	75.4	96.1	126	4.5	5.0	74.3	95.9
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2413	2.5	19.2	8.3	19.8	2090	2.6	20.2	8.1	20.1
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2568	1.2	11.2	8.3	13.8	2246	1.3	12.0	8.3	14.2
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2568	1.1	14.4	5.4	10.3	2246	1.1	14.6	5.6	10.7
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2568	0.5	16.7	2.2	4.7	2246	0.6	18.4	2.0	4.7
Iodine content in Household Salt (more than 15 ppm) (%)	1035	5.7	10.6	40.9	66.3	909	5.6	10.6	40.5	65.3

Indicators	Nagaon									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	555	2.7	12.9	15.6	27.9	532	2.9	13.1	16.2	29.3
Below -2 SD Stunting (Height for Age) (%)										
Person	553	3.7	6.4	49.3	66.0	531	3.9	6.7	49.6	67.3
Below -2 SD Underweight (Weight for Age) (%)										
Person	594	3.9	8.8	35.7	53.2	570	4.1	8.8	37.3	55.6
Below -2 SD Undernourished (BMI for Age) (%)										
Person	580	3.1	15.0	14.6	28.8	556	3.3	15.2	15.2	30.2
Above 2 SD Overnourished (BMI for Age) (%)										
Person	580	1.3	21.0	3.7	9.5	556	1.3	23.0	3.4	9.6
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	2092	4.0	15.1	18.5	36.5	1951	4.3	15.6	19.1	38.6
Above 2 SD Overnourished (BMI for Age) (%)										
Person	2092	0.3	20.8	0.9	2.3	1951	0.2	20.1	0.8	1.9
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	3490	2.9	23.8	7.0	20.5	3110	2.8	29.3	4.8	17.9
BMI ≥25.0 for age 60 year and above (%)										
Person	523	1.1	12.2	7.0	12.1	466	1.4	20.5	4.2	10.5
BMI <18.5 for age 18-59 year (%)										
Person	3490	2.7	10.4	20.3	32.5	3110	2.9	10.6	21.5	34.7
BMI <18.5 for age 60 year and above (%)										
Person	523	3.2	8.3	31.6	46.0	466	3.4	7.9	35.3	50.3
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	430	2.8	3.2	80.3	93.2	418	2.9	3.3	79.7	93.2
Anaemia in the age group 5-9 years (%)										
Person	655	1.3	1.3	90.1	95.9	628	1.0	1.0	91.3	95.8
Anaemia in the age group 10-17 years (%)										
Person	974	1.4	1.5	85.7	91.9	912	1.5	1.6	86.4	93.1
Anaemia in the age group 18-59 years (%)										
Male	1224	2.6	2.9	80.9	92.8	1114	3.0	3.4	79.9	94.0
Female	1598	1.6	1.7	88.3	95.8	1440	1.9	2.1	87.0	96.0
Anaemia in the age group 60 years and above (%)										
Male	186	1.2	1.3	92.4	98.4	166	1.3	1.4	91.9	98.8
Female	225	2.0	2.1	87.8	98.4	209	2.1	2.2	87.7	98.6
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3873	1.1	9.0	10.2	15.3	3451	1.3	10.2	9.8	15.6
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4039	1.0	10.2	7.9	12.5	3604	0.7	7.3	8.2	11.4
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	4039	0.7	9.2	5.8	8.7	3604	0.7	10.1	5.7	9.0
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4039	0.4	8.8	4.0	6.0	3604	0.5	10.5	3.8	6.1
Iodine content in Household Salt (more than 15 ppm) (%)	1663	6.7	17.2	25.4	55.0	1487	7.8	21.2	21.5	55.6

Indicators	Sonitpur									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	168	3.4	17.2	13.3	28.8	161	3.6	18.3	12.6	28.8
Below -2 SD Stunting (Height for Age) (%)										
Person	173	7.7	27.6	13.9	47.7	166	7.9	27.1	14.8	49.4
Below -2 SD Underweight (Weight for Age) (%)										
Person	192	5.1	21.4	14.3	37.2	185	5.3	22.0	14.3	38.3
Below -2 SD Undernourished (BMI for Age) (%)										
Person	197	1.8	8.1	18.8	27.2	190	1.9	8.3	19.1	27.8
Above 2 SD Overnourished (BMI for Age) (%)										
Person	197	2.7	24.6	6.2	18.8	190	2.8	24.5	6.5	19.5
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	654	7.0	18.5	23.7	54.3	614	7.5	19.7	23.0	55.7
Above 2 SD Overnourished (BMI for Age) (%)										
Person	654	0.4	29.0	0.7	2.4	614	0.4	28.1	0.7	2.6
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2134	1.6	22.6	4.3	11.9	1861	1.9	28.6	3.5	12.7
BMI ≥25.0 for age 60 year and above (%)										
Person	254	1.0	24.9	2.4	7.3	225	1.0	37.4	1.2	6.4
BMI <18.5 for age 18-59 year (%)										
Person	2134	2.3	16.4	9.3	19.6	1861	2.4	17.4	9.4	20.6
BMI <18.5 for age 60 year and above (%)										
Person	254	2.4	10.2	18.2	28.8	225	2.7	11.0	18.9	31.1
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	59	2.1	2.2	87.5	98.1	59	2.1	2.2	87.5	98.1
Anaemia in the age group 5-9 years (%)										
Person	125	1.3	1.4	90.2	99.7	124	1.3	1.4	90.1	99.7
Anaemia in the age group 10-17 years (%)										
Person	311	1.5	1.6	90.7	98.4	292	1.6	1.7	90.0	98.3
Anaemia in the age group 18-59 years (%)										
Male	914	0.9	0.9	94.5	99.1	799	1.0	1.0	93.8	99.0
Female	1091	1.5	1.6	89.3	96.2	944	1.6	1.7	89.6	97.0
Anaemia in the age group 60 years and above (%)										
Male	118	1.1	1.1	93.1	99.4	101	1.3	1.3	92.3	99.3
Female	123	2.6	2.8	84.5	97.7	113	2.5	2.6	85.3	97.9
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2330	1.8	11.7	11.7	19.8	2032	2.0	13.3	11.0	20.0
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2359	1.1	18.2	3.9	8.9	2057	1.3	23.7	3.1	9.0
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2359	0.7	24.8	1.6	5.0	2057	0.8	25.1	1.7	5.3
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2359	0.4	13.2	2.4	4.4	2057	0.5	15.7	2.3	4.6
Iodine content in Household Salt (more than 15 ppm) (%)	1051	0.1	0.1	98.7	100.0	934	0.1	0.1	98.6	100.0

Indicators	Lakhimpur									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	247	3.7	22.4	9.7	26.6	223	3.8	22.9	9.7	27.2
Below -2 SD Stunting (Height for Age) (%)										
Person	253	5.3	9.9	41.2	64.7	226	5.3	9.7	43.1	66.8
Below -2 SD Underweight (Weight for Age) (%)										
Person	266	4.8	11.7	30.8	52.2	236	4.7	11.1	32.1	52.8
Below -2 SD Undernourished (BMI for Age) (%)										
Person	262	4.1	24.4	9.5	28.5	233	4.1	24.8	9.3	28.3
Above 2 SD Overnourished (BMI for Age) (%)										
Person	262	3.3	35.6	4.0	19.8	233	3.5	38.5	3.7	20.7
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	983	5.0	17.8	18.2	40.4	805	5.6	20.0	17.2	42.1
Above 2 SD Overnourished (BMI for Age) (%)										
Person	983	0.6	23.1	1.5	4.2	805	0.6	23.4	1.5	4.4
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2324	1.6	12.1	10.0	17.2	1747	1.4	13.0	8.1	14.6
BMI ≥25.0 for age 60 year and above (%)										
Person	283	1.2	13.1	6.9	12.5	206	1.3	28.8	2.4	8.7
BMI <18.5 for age 18-59 year (%)										
Person	2324	4.4	25.5	9.3	29.2	1747	5.3	28.6	9.3	33.4
BMI <18.5 for age 60 year and above (%)										
Person	283	6.7	21.7	18.1	47.8	206	8.3	24.8	17.9	54.0
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	64	7.9	12.5	44.2	78.5	57	8.5	13.4	43.1	80.0
Anaemia in the age group 5-9 years (%)										
Person	161	4.6	5.4	71.2	92.3	133	5.3	6.3	68.5	93.0
Anaemia in the age group 10-17 years (%)										
Person	366	5.3	6.6	65.5	89.5	297	5.9	7.4	62.9	89.4
Anaemia in the age group 18-59 years (%)										
Male	862	3.5	4.0	76.3	92.2	631	4.1	4.8	74.2	93.3
Female	1078	4.2	5.0	71.8	91.1	818	4.8	5.7	69.7	91.6
Anaemia in the age group 60 years and above (%)										
Male	126	4.3	5.0	73.4	93.3	92	5.3	6.0	70.0	95.0
Female	107	2.3	2.4	86.5	98.0	70	1.9	2.0	87.5	99.5
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2307	2.6	18.0	9.5	21.5	1718	2.5	17.0	10.0	21.5
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2600	0.8	7.6	8.6	12.2	1928	0.7	8.2	7.5	10.8
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2600	0.9	9.7	7.2	11.2	1928	1.0	10.6	7.2	11.6
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2600	0.5	8.6	4.6	6.8	1928	0.6	10.5	4.3	6.9
Iodine content in Household Salt (more than 15 ppm) (%)	1144	10.4	34.8	12.2	56.7	893	12.1	38.5	11.4	62.1

Indicators	Dhemaji									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	268	3.3	31.5	5.0	20.5	239	3.3	36.3	3.9	19.7
Below -2 SD Stunting (Height for Age) (%)										
Person	312	8.4	29.3	13.7	50.6	275	8.9	31.3	12.9	51.6
Below -2 SD Underweight (Weight for Age) (%)										
Person	311	4.4	21.4	12.3	32.0	274	4.5	23.5	11.0	31.6
Below -2 SD Undernourished (BMI for Age) (%)										
Person	338	2.6	11.8	16.8	28.6	298	2.6	12.5	15.5	27.2
Above 2 SD Overnourished (BMI for Age) (%)										
Person	338	1.3	20.3	4.0	10.0	298	1.3	21.8	3.7	10.0
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1427	2.9	9.2	25.0	37.9	1282	2.9	9.6	24.0	37.0
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1427	0.3	38.6	0.3	1.9	1282	0.3	40.0	0.3	2.0
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2484	1.2	7.9	12.8	18.2	2145	1.2	8.4	11.7	17.1
BMI ≥25.0 for age 60 year and above (%)										
Person	268	3.2	21.0	9.1	23.6	223	3.6	26.4	7.3	24.0
BMI <18.5 for age 18-59 year (%)										
Person	2484	1.8	15.7	7.9	16.1	2145	1.9	17.7	7.2	16.0
BMI <18.5 for age 60 year and above (%)										
Person	268	3.7	24.9	8.3	25.3	223	3.8	26.8	7.6	25.3
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	35	5.9	6.4	64.6	98.8	-	-	-	-	-
Anaemia in the age group 5-9 years (%)										
Person	295	3.5	4.0	77.7	94.3	271	3.7	4.2	77.0	94.1
Anaemia in the age group 10-17 years (%)										
Person	764	2.7	3.0	82.6	95.2	693	2.8	3.1	82.0	94.9
Anaemia in the age group 18-59 years (%)										
Male	1070	0.6	0.6	95.7	99.8	948	0.7	0.7	95.0	99.9
Female	1146	1.4	1.5	89.9	96.4	950	1.5	1.6	89.0	96.2
Anaemia in the age group 60 years and above (%)										
Male	120	2.1	2.2	83.6	99.7	97	2.3	2.3	82.4	99.7
Female	123	1.9	2.0	88.4	98.2	102	2.1	2.2	87.4	98.1
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2714	1.9	14.9	9.0	17.6	2333	2.0	17.2	7.9	17.1
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2726	0.9	11.6	5.7	9.7	2342	0.9	13.0	5.3	9.5
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2726	0.7	16.2	3.1	6.4	2342	0.8	17.8	2.9	6.4
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2726	0.4	6.6	5.0	6.8	2342	0.4	6.8	4.9	6.7
Iodine content in Household Salt (more than 15 ppm) (%)	1250	0.2	0.2	98.5	99.9	1092	0.2	0.2	98.4	99.9

Indicators	Tinsukia									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	403	1.4	7.7	15.6	22.2	351	1.6	8.2	16.5	23.9
Below -2 SD Stunting (Height for Age) (%)										
Person	433	3.9	8.4	37.7	55.0	380	4.5	9.3	38.1	58.0
Below -2 SD Underweight (Weight for Age) (%)										
Person	432	2.9	7.3	33.8	46.9	378	3.3	7.7	35.2	49.8
Below -2 SD Undernourished (BMI for Age) (%)										
Person	437	1.5	7.1	18.1	25.0	383	1.8	8.1	18.9	27.2
Above 2 SD Overnourished (BMI for Age) (%)										
Person	437	2.1	32.3	3.1	13.1	383	2.3	33.6	3.2	14.5
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1536	2.2	7.4	25.1	35.1	1305	2.5	7.9	26.8	38.2
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1536	0.5	27.2	0.9	3.2	1305	0.5	30.8	0.8	3.2
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2835	1.0	13.7	5.2	9.6	2380	0.8	24.9	1.8	5.4
BMI ≥25.0 for age 60 year and above (%)										
Person	285	1.8	24.0	4.3	12.8	244	1.6	25.9	3.3	10.8
BMI <18.5 for age 18-59 year (%)										
Person	2835	1.6	4.6	30.3	37.3	2380	1.8	4.8	33.4	41.5
BMI <18.5 for age 60 year and above (%)										
Person	285	3.0	6.7	37.2	50.5	244	3.3	6.9	40.8	55.8
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	287	3.0	3.4	78.3	91.9	246	2.0	2.2	84.6	93.7
Anaemia in the age group 5-9 years (%)										
Person	480	2.6	2.8	84.1	96.3	395	1.2	1.3	91.7	97.5
Anaemia in the age group 10-17 years (%)										
Person	887	1.9	2.1	82.7	91.3	774	1.1	1.2	87.2	92.2
Anaemia in the age group 18-59 years (%)										
Male	1269	1.5	1.7	82.7	89.5	1093	1.8	2.0	85.6	93.8
Female	1437	1.3	1.4	89.0	95.0	1210	1.2	1.2	90.7	96.1
Anaemia in the age group 60 years and above (%)										
Male	184	2.4	2.7	84.1	95.6	158	1.1	1.1	92.0	97.0
Female	128	1.0	1.0	92.5	97.1	112	0.6	0.7	94.9	97.9
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3412	1.0	11.7	6.7	11.4	2914	1.2	13.8	6.5	12.1
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3427	1.6	17.6	6.1	13.5	2925	1.8	23.0	4.6	13.0
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3427	1.0	10.1	8.0	12.7	2925	1.2	10.8	8.4	13.7
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3427	0.6	9.8	5.3	8.2	2925	0.8	11.2	5.2	8.6
Iodine content in Household Salt (more than 15 ppm) (%)	1282	3.9	18.9	13.0	30.4	1075	4.1	26.7	8.2	27.2

Indicators	Dibrugarh									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	318	1.3	11.4	8.6	14.3	275	1.5	12.4	9.0	15.7
Below -2 SD Stunting (Height for Age) (%)										
Person	349	7.8	20.8	22.0	55.9	299	8.2	19.5	25.3	60.7
Below -2 SD Underweight (Weight for Age) (%)										
Person	360	6.5	23.9	15.0	43.8	304	7.2	23.8	16.8	48.7
Below -2 SD Undernourished (BMI for Age) (%)										
Person	338	2.1	18.8	7.1	16.7	291	2.1	20.8	6.3	16.1
Above 2 SD Overnourished (BMI for Age) (%)										
Person	338	2.3	25.5	5.1	16.1	291	2.6	24.7	6.0	18.2
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1277	2.4	10.7	17.2	27.9	1053	2.3	9.5	19.5	30.0
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1277	0.8	19.8	2.7	6.5	1053	0.9	27.4	1.8	6.1
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	3481	3.6	18.7	12.4	28.9	2589	2.3	19.2	7.6	18.1
BMI ≥25.0 for age 60 year and above (%)										
Person	362	2.3	12.5	13.5	23.7	259	1.6	11.0	11.6	19.0
BMI <18.5 for age 18-59 year (%)										
Person	3481	3.3	12.3	19.9	34.7	2589	2.5	8.3	24.5	35.6
BMI <18.5 for age 60 year and above (%)										
Person	362	4.2	12.3	25.3	44.0	259	6.0	15.5	26.1	52.4
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	197	3.8	4.8	68.7	85.7	171	4.2	5.5	65.7	84.7
Anaemia in the age group 5-9 years (%)										
Person	380	2.4	2.6	84.2	95.2	319	3.0	3.3	81.2	95.2
Anaemia in the age group 10-17 years (%)										
Person	683	2.6	3.0	79.5	91.4	552	3.6	4.3	74.3	91.0
Anaemia in the age group 18-59 years (%)										
Male	1506	2.7	3.2	78.5	91.0	1107	4.2	5.0	72.0	91.0
Female	1607	1.3	1.4	89.2	95.1	1178	1.9	2.1	85.9	94.6
Anaemia in the age group 60 years and above (%)										
Male	181	1.9	2.1	87.8	97.1	131	2.8	3.0	83.4	97.2
Female	146	1.9	2.0	87.0	95.9	99	2.8	3.1	82.3	95.5
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3777	1.5	18.8	5.1	11.9	2800	1.5	25.7	3.1	10.0
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3801	1.9	13.6	10.2	18.9	2827	1.7	16.8	7.1	15.1
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3801	1.3	13.8	6.7	12.5	2827	1.7	22.7	4.4	12.3
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3801	1.9	22.7	4.9	13.7	2827	2.5	25.5	5.4	17.0
Iodine content in Household Salt (more than 15 ppm) (%)	1351	5.0	15.5	22.2	44.5	1003	5.8	21.9	15.7	41.8

Indicators	Sibsagar									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	397	3.3	16.2	13.7	28.4	378	3.4	16.7	13.8	29.3
Below -2 SD Stunting (Height for Age) (%)										
Person	405	4.4	12.6	25.6	45.2	385	4.6	12.9	25.9	46.4
Below -2 SD Underweight (Weight for Age) (%)										
Person	423	3.4	17.5	13.1	28.7	403	3.6	18.2	12.8	29.0
Below -2 SD Undernourished (BMI for Age) (%)										
Person	421	4.0	16.6	16.2	34.2	400	4.2	17.1	16.4	35.3
Above 2 SD Overnourished (BMI for Age) (%)										
Person	421	1.4	17.0	5.7	12.4	400	1.4	16.5	5.9	12.5
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1377	2.7	13.8	14.1	26.3	1288	2.9	14.2	14.5	27.6
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1377	1.2	29.4	2.1	8.1	1288	1.3	30.5	2.2	8.5
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	3897	2.1	21.3	6.0	15.6	3635	2.2	22.6	5.7	15.9
BMI ≥25.0 for age 60 year and above (%)										
Person	590	1.6	19.1	5.5	13.1	527	1.7	18.1	6.1	13.8
BMI <18.5 for age 18-59 year (%)										
Person	3897	2.1	11.1	14.6	24.0	3635	2.2	11.2	15.2	25.2
BMI <18.5 for age 60 year and above (%)										
Person	590	2.1	6.8	26.2	35.6	527	2.3	7.1	27.1	37.4
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	226	4.9	9.0	43.1	65.0	220	4.9	8.9	44.0	66.0
Anaemia in the age group 5-9 years (%)										
Person	383	2.8	3.7	69.2	81.9	370	2.9	3.8	69.2	82.3
Anaemia in the age group 10-17 years (%)										
Person	691	3.0	4.3	62.9	76.5	649	3.1	4.5	62.8	77.0
Anaemia in the age group 18-59 years (%)										
Male	1657	2.8	3.5	74.5	87.3	1546	3.0	3.7	73.4	87.1
Female	1783	3.0	3.9	69.6	83.1	1665	3.2	4.1	69.4	83.8
Anaemia in the age group 60 years and above (%)										
Male	283	3.2	3.9	74.7	89.5	256	3.5	4.2	73.9	89.7
Female	240	4.6	6.3	62.3	83.1	216	5.2	6.9	61.8	85.2
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	4440	0.8	9.0	7.3	11.0	4117	0.9	9.5	7.3	11.2
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4486	1.5	10.3	11.3	18.0	4159	1.6	11.0	11.2	18.4
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	4486	1.0	13.2	5.4	9.8	4159	1.0	13.5	5.5	10.1
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4486	0.7	9.4	5.7	8.8	4159	0.7	9.8	5.8	9.1
Iodine content in Household Salt (more than 15 ppm) (%)	1552	1.5	12.9	8.5	15.3	1413	1.4	12.0	8.9	15.4

Indicators	Jorhat									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	468	2.7	15.8	11.7	23.9	364	3.6	19.2	11.8	28.0
Below -2 SD Stunting (Height for Age) (%)										
Person	478	3.5	11.5	23.1	38.8	375	4.3	13.9	22.3	41.7
Below -2 SD Underweight (Weight for Age) (%)										
Person	490	5.1	21.8	13.8	36.7	383	6.7	27.9	12.1	42.0
Below -2 SD Undernourished (BMI for Age) (%)										
Person	480	3.8	22.2	10.2	27.5	375	5.2	27.9	9.5	33.1
Above 2 SD Overnourished (BMI for Age) (%)										
Person	480	0.7	18.7	2.4	5.7	375	0.7	17.6	2.5	5.5
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1669	2.7	12.8	15.8	28.1	1316	3.4	16.1	14.3	29.6
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1669	0.4	46.2	0.3	2.3	1316	0.5	46.6	0.3	2.8
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	4352	1.5	13.4	8.4	15.4	3393	1.7	17.5	6.5	14.2
BMI ≥25.0 for age 60 year and above (%)										
Person	678	1.9	21.3	5.3	14.0	568	2.1	28.0	3.9	13.7
BMI <18.5 for age 18-59 year (%)										
Person	4352	3.4	10.9	23.8	39.0	3393	4.3	13.4	23.3	42.6
BMI <18.5 for age 60 year and above (%)										
Person	678	3.5	7.8	37.6	53.4	568	3.6	7.7	39.1	55.5
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	330	3.9	5.2	64.4	81.8	264	4.2	5.7	63.3	82.3
Anaemia in the age group 5-9 years (%)										
Person	472	1.8	2.1	83.2	91.5	377	2.2	2.5	83.6	93.9
Anaemia in the age group 10-17 years (%)										
Person	831	3.9	4.8	71.7	89.4	652	3.6	4.5	72.0	88.6
Anaemia in the age group 18-59 years (%)										
Male	1767	3.3	4.0	73.3	88.2	1382	2.4	2.9	76.9	87.9
Female	2162	2.0	2.3	82.7	92.0	1701	1.7	2.0	83.1	91.1
Anaemia in the age group 60 years and above (%)										
Male	330	2.5	3.0	77.4	89.0	284	2.8	3.3	76.2	88.8
Female	303	2.2	2.5	82.2	92.1	256	2.6	2.9	80.5	92.4
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	4988	0.6	7.7	6.6	9.4	3927	0.8	10.5	5.7	9.2
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	5044	0.7	4.8	13.7	17.0	3981	0.9	5.9	13.6	17.8
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	5044	0.6	7.3	6.8	9.5	3981	0.7	9.6	6.2	9.6
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	5044	0.7	7.7	7.2	10.2	3981	0.9	10.1	6.7	10.6
Iodine content in Household Salt (more than 15 ppm) (%)	1878	6.4	7.4	65.1	95.8	1473	8.4	10.0	56.1	95.6

Indicators	Golaghat									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	384	3.9	16.4	16.1	33.7	352	4.1	17.1	16.1	34.7
Below -2 SD Stunting (Height for Age) (%)										
Person	390	3.7	12.6	21.9	38.7	358	4.0	12.8	23.0	40.9
Below -2 SD Underweight (Weight for Age) (%)										
Person	421	1.9	5.9	28.5	37.2	389	1.6	4.7	31.2	38.6
Below -2 SD Undernourished (BMI for Age) (%)										
Person	390	3.7	16.5	15.3	32.2	358	4.0	17.9	14.7	32.9
Above 2 SD Overnourished (BMI for Age) (%)										
Person	390	1.4	41.5	1.3	8.6	358	1.3	45.3	1.1	8.1
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1650	1.7	9.4	14.5	22.3	1509	1.8	9.8	14.6	22.8
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1650	1.3	26.2	2.7	8.8	1509	1.4	28.4	2.6	9.2
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	4324	1.3	13.0	7.6	13.6	3902	1.3	12.8	7.6	13.6
BMI ≥25.0 for age 60 year and above (%)										
Person	610	1.6	24.1	3.9	11.5	554	1.7	24.0	4.1	12.2
BMI <18.5 for age 18-59 year (%)										
Person	4324	1.2	6.7	15.9	21.6	3902	1.3	7.1	15.8	21.8
BMI <18.5 for age 60 year and above (%)										
Person	610	2.3	6.6	30.4	40.9	554	2.5	7.2	30.0	41.4
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	264	2.1	2.4	82.5	92.2	255	2.1	2.4	83.2	92.9
Anaemia in the age group 5-9 years (%)										
Person	512	0.5	0.6	95.3	97.7	474	0.5	0.5	95.8	98.2
Anaemia in the age group 10-17 years (%)										
Person	946	1.5	1.6	89.2	96.4	872	1.4	1.5	90.4	97.1
Anaemia in the age group 18-59 years (%)										
Male	2007	2.5	2.7	83.8	95.7	1818	2.3	2.5	84.8	95.9
Female	2117	0.8	0.8	94.3	97.8	1909	0.8	0.8	94.6	98.2
Anaemia in the age group 60 years and above (%)										
Male	319	1.1	1.2	90.4	95.7	281	1.2	1.3	91.0	96.5
Female	278	0.7	0.7	95.7	99.0	253	0.7	0.8	95.3	98.9
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	4950	0.5	13.8	2.4	4.6	4467	0.5	16.2	2.2	4.6
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4951	0.7	6.5	8.9	11.9	4466	0.4	4.3	9.0	10.9
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	4951	0.7	9.0	6.6	9.9	4466	0.7	8.8	6.7	10.0
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4951	0.6	11.8	3.6	6.2	4466	0.6	13.1	3.5	6.2
Iodine content in Household Salt (more than 15 ppm) (%)	1755	2.8	17.2	10.8	23.5	1577	1.5	11.8	9.5	16.2

Indicators	Karbi Anglong									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	461	4.1	26.3	8.4	27.2	387	3.4	24.7	7.6	23.2
Below -2 SD Stunting (Height for Age) (%)										
Person	462	4.0	12.7	23.5	41.7	388	5.4	17.4	20.4	44.5
Below -2 SD Underweight (Weight for Age) (%)										
Person	464	3.9	15.4	17.5	35.1	390	3.3	14.8	15.8	30.8
Below -2 SD Undernourished (BMI for Age) (%)										
Person	463	3.8	26.0	7.9	25.3	389	3.3	25.6	7.0	22.1
Above 2 SD Overnourished (BMI for Age) (%)										
Person	463	2.0	37.8	2.2	12.1	389	2.3	44.1	1.9	13.7
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1468	2.6	10.7	18.6	30.2	1263	3.3	14.4	16.4	31.4
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1468	0.4	25.1	0.8	2.5	1263	0.3	22.4	0.8	2.3
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2756	2.2	27.1	4.4	14.9	2237	2.3	34.9	3.0	14.1
BMI ≥25.0 for age 60 year and above (%)										
Person	327	1.7	22.5	4.4	12.1	266	1.7	47.8	1.2	10.1
BMI <18.5 for age 18-59 year (%)										
Person	2756	1.7	7.3	19.8	27.5	2237	2.1	8.6	20.2	29.8
BMI <18.5 for age 60 year and above (%)										
Person	327	3.6	10.7	26.0	42.2	266	5.2	16.5	21.1	44.3
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	303	3.5	4.2	73.5	89.4	253	4.5	5.4	70.5	91.1
Anaemia in the age group 5-9 years (%)										
Person	442	2.6	2.9	83.2	95.7	379	3.3	3.7	79.7	95.3
Anaemia in the age group 10-17 years (%)										
Person	813	2.5	2.9	79.1	90.4	694	3.4	4.1	74.5	90.2
Anaemia in the age group 18-59 years (%)										
Male	1187	2.0	2.4	80.7	90.0	942	1.9	2.2	80.8	89.4
Female	1344	1.6	1.7	85.9	93.0	1083	2.0	2.2	84.0	93.1
Anaemia in the age group 60 years and above (%)										
Male	177	3.2	3.4	81.6	97.6	139	3.6	3.9	79.1	97.3
Female	138	4.4	5.0	74.2	95.0	114	3.0	3.3	81.8	96.4
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3106	1.6	25.7	3.4	11.0	2524	0.7	13.8	3.8	7.1
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3098	0.9	5.8	13.7	17.8	2516	1.0	6.4	13.2	17.7
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3098	0.5	6.9	6.7	9.1	2516	0.7	8.7	6.2	9.2
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3098	1.3	13.3	7.2	13.1	2516	1.9	19.3	6.2	14.7
Iodine content in Household Salt (more than 15 ppm) (%)	1305	3.9	8.1	39.4	56.8	1061	4.6	9.8	36.6	57.0

Indicators	North Cachar Hills									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	292	3.7	12.8	21.3	37.7	142	5.5	14.8	26.0	50.2
Below -2 SD Stunting (Height for Age) (%)										
Person	298	6.4	19.1	20.9	48.8	142	4.5	15.9	19.3	39.1
Below -2 SD Underweight (Weight for Age) (%)										
Person	307	4.8	17.1	18.7	39.9	146	7.0	27.8	12.9	43.7
Below -2 SD Undernourished (BMI for Age) (%)										
Person	307	4.0	14.4	20.0	37.8	146	5.2	14.4	25.6	48.5
Above 2 SD Overnourished (BMI for Age) (%)										
Person	307	1.0	16.3	4.3	8.9	146	1.6	25.5	3.5	10.7
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1241	3.3	25.9	7.0	22.1	641	5.6	40.2	5.4	31.3
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1241	0.9	18.4	3.3	7.6	641	1.2	31.4	1.9	7.7
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	3139	0.8	14.6	3.8	7.3	1489	0.8	17.6	3.1	6.9
BMI ≥25.0 for age 60 year and above (%)										
Person	353	0.7	33.0	1.0	4.6	-	-	-	-	-
BMI <18.5 for age 18-59 year (%)										
Person	3139	1.1	37.9	1.2	6.8	-	-	-	-	-
BMI <18.5 for age 60 year and above (%)										
Person	353	2.0	26.6	4.1	13.5	192	1.8	29.2	3.2	11.9
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	128	6.1	8.8	54.6	81.2	56	4.9	6.2	65.8	87.5
Anaemia in the age group 5-9 years (%)										
Person	420	3.7	4.2	76.3	93.1	237	3.9	4.5	76.5	94.9
Anaemia in the age group 10-17 years (%)										
Person	672	3.5	4.1	75.4	91.1	338	4.3	5.1	72.7	92.2
Anaemia in the age group 18-59 years (%)										
Male	1601	2.0	2.2	86.4	95.7	741	2.5	2.7	83.9	95.6
Female	1440	3.0	3.6	76.9	90.6	684	4.3	5.1	72.5	92.2
Anaemia in the age group 60 years and above (%)										
Male	219	3.3	3.6	80.6	96.6	118	5.5	6.1	70.0	96.5
Female	123	4.5	5.7	67.8	87.9	68	4.7	5.9	67.0	88.0
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3480	0.9	10.3	7.1	11.2	1677	1.3	14.6	6.5	12.4
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3483	1.4	6.7	17.8	24.0	1676	2.2	8.8	20.1	29.7
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3483	0.7	19.8	2.4	5.7	1676	1.0	27.1	1.9	6.4
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3483	1.1	6.3	14.6	19.3	1676	1.0	6.1	14.9	19.5
Iodine content in Household Salt (more than 15 ppm) (%)	1626	1.7	6.5	22.8	30.4	822	1.5	5.8	22.1	28.6

Indicators	Cachar									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	591	5.1	15.0	23.4	46.1	541	5.2	16.7	20.5	43.6
Below -2 SD Stunting (Height for Age) (%)										
Person	597	6.0	16.2	24.9	51.5	547	6.6	16.4	26.4	55.3
Below -2 SD Underweight (Weight for Age) (%)										
Person	610	2.2	7.3	25.3	35.2	560	2.4	7.7	25.7	36.5
Below -2 SD Undernourished (BMI for Age) (%)										
Person	609	5.8	17.4	21.6	47.2	559	6.0	20.0	18.5	45.3
Above 2 SD Overnourished (BMI for Age) (%)										
Person	609	1.4	22.0	3.8	10.2	559	1.4	20.1	4.5	11.1
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1863	6.3	18.8	21.0	48.7	1670	7.9	22.7	19.5	54.0
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1863	0.5	24.2	1.1	3.2	1670	0.5	29.4	0.8	3.0
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	3021	1.7	13.1	9.9	17.8	2649	1.5	15.0	7.0	13.9
BMI ≥25.0 for age 60 year and above (%)										
Person	461	2.6	24.4	6.0	18.1	377	1.0	17.2	3.8	8.3
BMI <18.5 for age 18-59 year (%)										
Person	3021	6.9	22.4	17.6	48.0	2649	7.6	20.9	21.4	54.7
BMI <18.5 for age 60 year and above (%)										
Person	461	6.6	18.9	21.6	50.6	377	6.2	14.3	30.2	57.6
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	368	3.7	5.7	56.5	73.2	334	4.5	6.9	55.2	75.5
Anaemia in the age group 5-9 years (%)										
Person	500	2.6	3.3	72.0	83.7	455	3.1	3.9	70.3	84.3
Anaemia in the age group 10-17 years (%)										
Person	828	1.8	2.4	71.9	80.3	722	2.3	3.1	69.8	80.3
Anaemia in the age group 18-59 years (%)										
Male	1017	2.1	2.9	67.4	77.0	885	2.5	3.5	65.6	77.0
Female	1371	2.5	3.0	76.5	87.8	1168	2.2	2.8	74.8	84.8
Anaemia in the age group 60 years and above (%)										
Male	191	2.7	3.1	79.1	91.4	158	3.4	4.0	75.0	90.6
Female	175	2.5	3.0	76.1	87.4	132	3.1	3.6	76.6	90.6
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3188	0.5	5.7	7.1	9.2	2766	0.6	7.6	6.6	9.3
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3445	0.6	7.8	7.0	9.9	2991	0.9	10.5	6.4	10.3
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3445	0.6	10.4	4.6	7.4	2991	0.8	13.4	4.5	8.2
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3445	0.6	9.0	5.1	7.7	2991	0.8	12.5	4.6	8.1
Iodine content in Household Salt (more than 15 ppm) (%)	1360	2.6	12.8	15.1	27.0	1188	2.1	11.4	13.8	23.1

Indicators	Karimganj									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	578	2.6	9.6	21.4	32.9	548	2.7	9.8	21.8	33.9
Below -2 SD Stunting (Height for Age) (%)										
Person	584	3.9	15.2	18.0	35.7	554	4.1	16.0	17.6	36.2
Below -2 SD Underweight (Weight for Age) (%)										
Person	589	2.3	6.3	31.4	41.8	559	2.3	6.2	31.8	42.0
Below -2 SD Undernourished (BMI for Age) (%)										
Person	588	2.3	8.6	22.0	32.5	558	2.4	8.8	22.4	33.4
Above 2 SD Overnourished (BMI for Age) (%)										
Person	588	1.1	21.5	3.1	8.1	558	1.1	21.7	3.0	8.0
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1565	3.0	7.5	33.1	46.5	1470	3.1	7.5	34.5	48.3
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1565	0.3	16.6	1.4	3.0	1470	0.4	21.4	1.0	2.7
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2607	1.8	20.3	5.5	13.9	2338	1.7	29.8	2.8	10.8
BMI ≥25.0 for age 60 year and above (%)										
Person	475	1.7	21.2	4.9	12.7	418	1.6	28.5	2.8	10.2
BMI <18.5 for age 18-59 year (%)										
Person	2607	5.1	14.2	25.2	47.9	2338	5.5	14.2	27.1	51.3
BMI <18.5 for age 60 year and above (%)										
Person	475	5.4	11.7	34.6	58.7	418	5.4	10.7	38.4	62.4
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	412	5.5	6.9	64.4	89.2	398	5.6	7.1	63.8	89.2
Anaemia in the age group 5-9 years (%)										
Person	493	4.1	4.5	76.6	97.1	475	4.2	4.6	75.9	97.2
Anaemia in the age group 10-17 years (%)										
Person	817	3.5	4.0	78.3	95.1	777	3.7	4.2	77.4	94.8
Anaemia in the age group 18-59 years (%)										
Male	888	3.2	3.5	80.2	95.1	810	3.4	3.8	78.9	95.0
Female	1446	2.6	2.8	84.5	96.9	1328	2.8	3.0	83.3	96.8
Anaemia in the age group 60 years and above (%)										
Male	236	1.5	1.5	91.1	98.8	213	1.6	1.7	90.4	98.7
Female	201	2.2	2.4	85.5	95.8	181	2.4	2.7	84.3	95.9
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2981	1.8	24.0	4.3	12.6	2666	1.9	28.6	3.4	12.2
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3076	1.2	11.3	7.9	13.2	2747	1.2	12.4	7.4	13.0
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3076	0.3	4.3	7.0	8.5	2747	0.3	4.4	6.9	8.5
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3076	0.7	11.3	4.7	7.9	2747	0.7	12.7	4.3	7.6
Iodine content in Household Salt (more than 15 ppm) (%)	1373	2.9	7.6	32.3	45.5	1247	3.1	7.7	33.2	46.9

Indicators	Hailakandi									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	510	1.2	4.1	16.7	47.3	464	1.7	5.5	14.0	55.4
Below -2 SD Stunting (Height for Age) (%)										
Person	516	0.2	0.6	26.7	30.8	470	0.8	2.6	20.1	39.2
Below -2 SD Underweight (Weight for Age) (%)										
Person	520	2.3	6.5	13.1	66.2	474	3.6	9.8	7.5	80.3
Below -2 SD Undernourished (BMI for Age) (%)										
Person	518	0.4	1.5	24.5	35.6	472	0.7	2.1	23.3	40.2
Above 2 SD Overnourished (BMI for Age) (%)										
Person	518	1.2	35.3	0.0	78.9	472	1.1	31.0	0.1	67.6
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1780	9.8	18.7	16.9	85.6	1620	10.1	19.0	16.6	86.7
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1780	0.2	35.4	0.1	2.3	1620	0.1	26.8	0.1	1.4
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2753	0.8	16.6	3.4	7.3	2291	0.6	17.1	2.2	4.8
BMI ≥25.0 for age 60 year and above (%)										
Person	447	0.1	2.3	4.7	5.2	352	0.1	3.1	3.2	3.7
BMI <18.5 for age 18-59 year (%)										
Person	2753	2.5	6.1	35.6	46.9	2291	1.7	3.9	40.4	48.3
BMI <18.5 for age 60 year and above (%)										
Person	447	0.3	0.6	48.7	50.2	352	0.4	0.8	52.2	54.1
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	333	3.5	4.5	20.7	98.1	313	3.2	4.1	25.5	97.1
Anaemia in the age group 5-9 years (%)										
Person	564	2.3	2.6	73.6	94.2	532	2.0	2.4	75.2	93.1
Anaemia in the age group 10-17 years (%)										
Person	995	1.2	1.4	82.6	90.5	909	1.3	1.5	81.6	89.7
Anaemia in the age group 18-59 years (%)										
Male	1008	0.5	0.6	91.9	94.4	844	0.7	0.7	91.6	94.9
Female	1582	1.2	1.4	86.3	92.2	1340	1.2	1.3	85.1	90.8
Anaemia in the age group 60 years and above (%)										
Male	247	0.2	0.2	94.4	95.1	205	0.2	0.2	94.2	95.0
Female	206	0.2	0.2	90.7	91.8	156	0.3	0.3	87.7	89.1
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3109	3.3	29.2	5.3	23.2	2584	3.1	27.9	5.3	22.1
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3190	2.3	24.5	5.0	17.5	2624	2.4	27.5	4.2	17.0
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3190	1.8	23.7	4.0	13.4	2624	1.3	19.6	4.1	11.2
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3190	0.4	9.8	3.5	5.7	2624	0.5	11.6	3.2	5.8
Iodine content in Household Salt (more than 15 ppm) (%)	1402	5.8	13.0	31.6	58.4	1206	5.9	13.0	32.0	59.0

Note: Confidence Intervals are computed by logit transformation method using SPSS application.