

Indicators	Bihar		Paschim Champaran		Purba Champaram		Sheohar	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Nutritional status below 5 years								
Below -2 SD Wasting (Weight for Height) (%)								
Male	20.5	20.8	25.6	24.4	18.9	18.7	20.6	21.1
Female	17.8	17.6	23.5	22.3	19.6	18.6	14.4	15.1
Person	19.2	19.3	24.6	23.4	19.2	18.7	17.6	18.2
Below -3 SD Wasting (Weight for Height) (%)								
Male	8.3	8.3	12.8	11.4	9.0	9.1	9.9	10.1
Female	7.8	7.7	15.0	14.6	10.7	10.5	7.1	7.5
Person	8.1	8.0	13.8	13.0	9.8	9.7	8.5	8.8
Below -2 SD Stunting (Height for Age) (%)								
Male	57.8	58.3	58.0	57.1	58.7	59.9	35.3	34.6
Female	45.7	46.4	41.4	39.0	44.7	45.5	35.1	34.3
Person	52.0	52.6	50.1	48.5	52.2	53.1	35.2	34.5
Below -3SD Stunting (Height for Age) (%)								
Male	28.8	29.1	27.8	25.5	23.6	24.1	19.9	19.6
Female	21.5	22.2	16.1	16.5	15.5	16.0	20.7	20.5
Person	25.3	25.8	22.2	21.2	19.9	20.3	20.3	20.0
Below -2 SD Underweight (Weight for Age) (%)								
Male	44.9	45.3	52.1	51.4	42.2	42.3	39.4	39.5
Female	35.4	35.9	45.0	44.7	33.5	33.4	24.3	24.4
Person	40.3	40.8	48.6	48.1	38.1	38.1	32.1	32.3
Below -3 SD Underweight (Weight for Age) (%)								
Male	20.2	20.7	26.0	25.7	17.9	18.9	14.8	14.5
Female	10.9	11.1	18.3	16.7	14.2	14.3	6.7	6.9
Person	15.8	16.1	22.2	21.3	16.1	16.7	10.9	10.9
Below -2 SD Undernourished (BMI for Age) (%)								
Male	23.4	23.6	30.8	29.6	23.0	23.2	25.0	25.5
Female	17.7	17.6	26.7	27.5	22.8	22.3	18.9	19.9
Person	20.7	20.8	28.8	28.6	22.9	22.7	22.0	22.8
Below -3 SD Undernourished (BMI for Age) (%)								
Male	13.7	13.7	21.1	21.1	13.1	13.2	15.6	16.1
Female	11.8	11.7	20.2	20.9	15.5	15.4	11.1	11.7
Person	12.8	12.8	20.7	21.0	14.2	14.2	13.4	14.0
Above 2 SD Overnourished (BMI for Age) (%)								
Male	3.1	3.1	0.9	1.1	3.0	3.1	7.6	7.5
Female	3.0	2.9	-	-	2.7	2.6	9.9	9.5
Person	3.1	3.0	0.7	0.6	2.8	2.9	8.7	8.4
Above 3 SD Overnourished (BMI for Age) (%)								
Male	1.9	1.9	0.9	1.1	3.0	3.1	5.5	5.3
Female	1.8	1.7	-	-	2.7	2.6	6.0	5.6
Person	1.9	1.8	0.7	0.6	2.8	2.9	5.7	5.4
Nutritional status 5-18 years								
Below -2 SD Undernourished (BMI for Age) (%)								
Male	35.3	36.0	48.6	48.6	41.2	41.6	48.5	48.3
Female	30.5	31.2	44.5	45.7	34.2	34.6	42.9	42.2
Person	33.0	33.7	46.7	47.2	37.8	38.2	45.9	45.4
Below -3 SD Undernourished (BMI for Age) (%)								
Male	24.0	24.5	28.2	28.5	28.9	29.1	32.9	32.0
Female	19.1	19.4	24.1	24.4	23.7	24.0	30.5	29.4
Person	21.7	22.1	26.3	26.6	26.4	26.6	31.8	30.8
Above 2 SD Overnourished (BMI for Age) (%)								
Male	2.8	2.9	1.1	1.2	5.2	5.5	2.9	3.0
Female	1.8	1.8	1.1	1.2	4.3	4.4	1.8	1.9
Person	2.3	2.4	1.1	1.2	4.8	5.0	2.4	2.5
Above 3 SD Overnourished (BMI for Age) (%)								
Male	0.9	0.9	0.5	0.5	1.7	1.8	-	-
Female	0.4	0.5	0.5	0.6	1.4	1.4	0.8	0.8
Person	0.7	0.7	0.5	0.6	1.6	1.6	0.9	0.9

Indicators	Bihar		Paschim Champaran		Purba Champaram		Sheohar	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Nutritional status 18 years and above								
BMI ≥25.0 for age 18-59 year (%)								
Male	5.6	5.4	1.7	1.9	7.5	7.2	7.5	7.8
Female	8.0	7.7	5.5	5.4	8.0	8.4	11.3	11.9
Person	6.9	6.6	3.6	3.7	7.8	7.9	9.5	9.9
BMI ≥25.0 for age 60 year and above (%)								
Male	3.6	2.9	0.0	0.0	-	-	-	-
Female	5.4	4.8	0.0	0.0	7.1	7.7	9.3	9.6
Person	4.5	3.9	0.0	0.0	4.0	4.3	5.5	5.7
BMI ≥30.0 for age 18-59 year (%)								
Male	0.5	0.5	0.0	0.0	1.1	1.2	-	-
Female	0.8	0.7	0.0	0.0	0.9	0.9	0.7	0.7
Person	0.6	0.6	0.0	0.0	1.0	1.1	0.5	0.5
BMI ≥30.0 for age 60 year and above (%)								
Male	0.5	0.4	0.0	0.0	-	-	-	-
Female	0.5	0.5	0.0	0.0	-	-	1.4	1.4
Person	0.5	0.4	0.0	0.0	-	-	0.9	0.9
BMI <18.5 for age 18-59 year (%)								
Male	20.8	20.4	43.8	40.5	34.0	38.8	23.0	22.8
Female	19.8	20.6	40.4	43.5	24.6	26.3	24.4	24.4
Person	20.3	20.5	42.1	42.1	28.4	31.1	23.7	23.7
BMI <18.5 for age 60 year and above (%)								
Male	39.1	39.7	72.9	71.2	55.1	57.4	41.0	41.2
Female	33.7	35.1	62.1	61.7	41.1	42.1	42.7	42.9
Person	36.4	37.4	67.6	66.4	48.0	49.7	41.8	42.0
Anaemia status by Haemoglobin Level								
Anaemia in the age group 6-59 months (%)								
Male	79.4	79.1	74.7	70.5	79.4	80.0	70.4	71.4
Female	82.1	82.0	78.0	73.9	82.7	84.0	79.9	81.3
Person	80.7	80.5	76.3	72.2	80.9	81.9	75.0	76.2
Severe Anemia in the age group 6-59 months (%)								
Male	1.4	1.4	-	-	0.0	0.0	4.5	4.7
Female	1.6	1.6	-	-	0.0	0.0	5.2	5.5
Person	1.5	1.5	2.7	2.1	0.0	0.0	4.8	5.1
Anaemia in the age group 5-9 years (%)								
Male	86.7	86.1	76.3	73.9	87.7	87.5	83.1	84.0
Female	89.0	88.9	80.3	77.0	86.9	88.0	82.5	84.2
Person	87.8	87.4	78.1	75.3	87.3	87.7	82.8	84.1
Severe Anemia in the age group 5-9 years (%)								
Male	14.0	13.9	6.3	4.8	3.6	3.4	18.8	19.4
Female	15.1	15.1	7.5	6.5	7.5	8.0	17.9	18.9
Person	14.5	14.5	6.8	5.5	5.6	5.6	18.4	19.1
Anaemia in the age group 10-17 years (%)								
Male	82.7	82.1	65.4	61.7	79.8	79.4	82.9	83.5
Female	88.1	87.4	75.1	71.9	88.4	88.7	80.8	81.4
Person	85.3	84.6	70.1	66.6	83.9	83.8	81.9	82.5
Severe Anemia in the age group 10-17 years (%)								
Male	12.5	12.5	6.4	5.2	6.1	5.8	14.2	14.7
Female	14.1	13.9	8.8	7.1	4.5	4.8	17.5	18.1
Person	13.3	13.2	7.6	6.1	5.3	5.3	15.7	16.3
Anaemia in the age group 18-59 years (%)								
Male	85.1	84.3	71.0	66.4	80.6	79.3	84.6	84.8
Female	87.2	86.5	74.7	70.5	83.5	83.0	77.0	77.1
Severe Anemia in the age group 18-59 years (%)								
Male	9.6	9.6	4.2	-	4.9	4.6	13.3	13.5
Female	13.8	13.8	8.7	6.5	6.7	6.9	15.1	15.7
Anaemia in the age group 60 years and above (%)								
Male	89.6	89.2	82.5	79.7	89.9	89.1	88.0	87.9
Female	88.0	87.6	79.3	77.4	88.1	87.1	83.6	83.5
Severe Anemia in the age group 60 years and above (%)								
Male	12.7	13.0	9.0	9.1	9.2	9.9	18.4	19.0
Female	16.7	16.8	8.0	7.2	9.5	10.2	21.9	22.2

Indicators	Bihar		Paschim Champaran		Purba Champaram		Sheohar	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Blood Sugar Level (18 years and above)								
Blood Sugar Level ≥ 110 mg/dl (%)								
Male	9.2	8.6	5.9	6.9	-	-	9.8	10.0
Female	7.9	7.3	4.1	4.8	-	-	10.0	9.7
Person	8.5	7.9	4.9	5.8	-	-	9.9	9.8
Blood Sugar Level ≥ 130 mg/dl (%)								
Male	2.7	2.4	-	-	-	-	1.4	1.5
Female	2.3	2.1	-	-	-	-	1.4	1.3
Person	2.5	2.3	-	-	-	-	1.4	1.3
Blood Sugar Level ≥ 150 mg/dl (%)								
Male	1.3	1.1	-	-	-	-	-	-
Female	1.0	0.9	-	-	-	-	0.3	0.3
Person	1.1	1.0	-	-	-	-	0.3	0.3
Hypertension (18 years and above)								
Above Normal Range								
Systolic ≥ 140 mm of Hg & Diastolic ≥ 90 mm of Hg (%)								
Male	8.2	7.7	6.8	6.8	5.4	5.9	6.3	6.4
Female	10.6	9.8	6.3	6.4	4.4	4.8	3.8	3.7
Person	9.5	8.8	6.5	6.6	4.8	5.2	4.9	4.9
Systolic ≥ 140 mm of Hg & Diastolic < 90 mm of Hg (%)								
Male	5.5	5.5	5.7	5.1	7.5	8.4	6.4	6.0
Female	4.9	4.9	4.9	4.7	5.8	6.2	4.9	4.5
Person	5.2	5.1	5.3	4.9	6.5	7.1	5.6	5.2
Systolic < 140 mm of Hg & Diastolic ≥ 90 mm of Hg (%)								
Male	6.8	6.7	13.4	13.8	5.3	5.2	19.6	20.0
Female	5.6	5.6	11.3	11.1	5.3	4.9	17.3	17.4
Person	6.2	6.2	12.3	12.3	5.3	5.0	18.4	18.6
Moderately high								
Systolic ≥ 160 mm of Hg & Diastolic ≥ 100 mm of Hg (%)								
Male	1.9	1.7	1.2	1.3	0.8	0.9	0.6	0.6
Female	2.7	2.4	1.5	1.3	0.9	1.0	0.4	0.4
Person	2.3	2.1	1.4	1.3	0.9	1.0	0.5	0.5
Systolic ≥ 160 mm of Hg & Diastolic < 100 mm of Hg (%)								
Male	2.1	2.1	2.6	2.3	2.2	2.7	1.7	1.4
Female	1.9	1.9	1.8	2.1	1.6	1.7	1.7	1.4
Person	2.0	2.0	2.2	2.2	1.8	2.0	1.7	1.4
Systolic < 160 mm of Hg & Diastolic ≥ 100 mm of Hg								
Male	1.4	1.3	2.0	2.0	1.1	1.3	10.1	10.4
Female	1.1	1.1	2.5	2.4	1.2	1.3	8.0	8.1
Person	1.2	1.2	2.3	2.2	1.2	1.3	9.0	9.2
Very high								
Systolic ≥ 180 mm of Hg & Diastolic ≥ 110 mm of Hg (%)								
Male	0.5	0.5	-	-	0.0	0.0	-	-
Female	1.1	1.0	-	-	0.4	0.4	-	-
Person	0.8	0.7	-	-	0.2	0.3	-	-
Systolic ≥ 180 mm of Hg & Diastolic < 110 mm of Hg (%)								
Male	0.5	0.5	0.7	0.6	-	-	0.4	-
Female	0.5	0.5	0.5	0.4	0.4	0.4	0.7	0.5
Person	0.5	0.5	0.6	0.5	0.4	0.5	0.6	0.5
Systolic < 180 mm of Hg & Diastolic ≥ 110 mm of Hg (%)								
Male	0.6	0.5	0.8	1.0	0.4	0.5	3.6	3.7
Female	0.5	0.5	1.0	1.0	0.4	0.4	2.9	3.0
Person	0.5	0.5	0.9	1.0	0.4	0.4	3.2	3.3
Iodine content in Household Salt (more than 15 ppm) (%)	79.5	79.1	74.8	76.6	82.3	87.2	68.3	68.0

Indicators	Sitamarhi		Madhubani		Supaul		Araria	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Nutritional status below 5 years								
Below -2 SD Wasting (Weight for Height) (%)								
Male	14.9	15.4	20.6	20.9	26.0	26.0	23.4	22.9
Female	16.0	17.2	13.8	14.0	15.6	15.6	20.1	20.1
Person	15.5	16.3	17.4	17.7	21.1	21.1	21.8	21.5
Below -3 SD Wasting (Weight for Height) (%)								
Male	6.8	7.3	8.8	9.0	10.7	11.0	11.2	11.2
Female	5.6	6.0	6.9	7.1	5.4	5.7	10.7	10.9
Person	6.2	6.7	7.9	8.1	8.2	8.5	10.9	11.0
Below -2 SD Stunting (Height for Age) (%)								
Male	61.3	62.6	46.1	45.9	56.0	56.8	62.7	63.5
Female	42.8	42.0	32.3	32.2	46.2	46.6	52.1	53.7
Person	52.4	52.8	39.7	39.6	51.4	52.0	57.4	58.6
Below -3SD Stunting (Height for Age) (%)								
Male	26.3	26.5	17.4	17.5	27.1	27.5	31.1	31.9
Female	15.8	15.8	10.1	10.2	16.0	16.7	19.6	20.5
Person	21.3	21.4	14.0	14.1	21.9	22.4	25.4	26.2
Below -2 SD Underweight (Weight for Age) (%)								
Male	45.6	45.9	41.9	42.2	51.2	52.1	49.0	49.2
Female	33.3	33.5	24.2	24.4	30.9	30.8	37.6	37.6
Person	39.7	39.9	33.7	34.0	41.6	42.1	43.2	43.3
Below -3 SD Underweight (Weight for Age) (%)								
Male	19.5	19.9	16.5	16.7	21.5	22.1	19.5	19.8
Female	12.4	12.4	7.6	7.7	8.7	8.6	17.5	17.6
Person	16.1	16.3	12.4	12.5	15.4	15.8	18.5	18.7
Below -2 SD Undernourished (BMI for Age) (%)								
Male	18.9	19.6	23.3	23.6	26.1	25.8	27.3	26.5
Female	19.1	19.7	16.5	16.7	17.6	17.5	23.6	23.4
Person	19.0	19.6	20.1	20.4	22.1	21.9	25.5	24.9
Below -3 SD Undernourished (BMI for Age) (%)								
Male	13.6	13.9	14.6	14.8	14.7	14.8	18.1	17.9
Female	11.0	11.2	9.9	10.2	9.3	9.5	16.2	16.2
Person	12.3	12.6	12.5	12.7	12.2	12.3	17.2	17.1
Above 2 SD Overnourished (BMI for Age) (%)								
Male	-	-	1.2	1.2	-	-	-	-
Female	-	-	2.0	2.1	-	-	-	-
Person	-	-	1.5	1.6	-	-	-	-
Above 3 SD Overnourished (BMI for Age) (%)								
Male	-	-	0.9	0.9	-	-	-	-
Female	-	-	2.0	2.1	-	-	-	-
Person	-	-	1.4	1.4	-	-	-	-
Nutritional status 5-18 years								
Below -2 SD Undernourished (BMI for Age) (%)								
Male	53.6	52.6	32.5	32.3	56.1	56.9	60.7	60.6
Female	39.3	39.1	27.8	27.6	50.6	51.7	54.5	54.8
Person	47.1	46.5	30.3	30.1	53.4	54.3	57.8	57.9
Below -3 SD Undernourished (BMI for Age) (%)								
Male	35.2	34.8	21.5	21.3	40.0	41.2	46.6	46.1
Female	23.2	23.0	16.3	16.3	30.7	31.3	39.0	39.0
Person	29.8	29.5	19.1	19.0	35.6	36.3	43.0	42.8
Above 2 SD Overnourished (BMI for Age) (%)								
Male	3.2	3.1	3.1	3.1	0.4	0.4	-	-
Female	1.7	1.8	2.2	2.2	0.3	0.3	-	-
Person	2.5	2.5	2.7	2.7	0.3	0.4	-	-
Above 3 SD Overnourished (BMI for Age) (%)								
Male	0.4	0.4	0.8	0.8	-	-	-	-
Female	-	-	0.9	0.9	-	-	-	-
Person	0.3	0.2	0.9	0.9	-	-	-	-

Indicators	Sitamarhi		Madhubani		Supaul		Araria	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Nutritional status 18 years and above								
BMI ≥25.0 for age 18-59 year (%)								
Male	11.3	10.5	4.1	4.1	-	-	14.1	14.9
Female	8.1	8.2	4.5	4.5	-	-	9.6	9.5
Person	9.7	9.3	4.3	4.4	-	-	11.5	11.8
BMI ≥25.0 for age 60 year and above (%)								
Male	-	-	2.7	2.7	0.0	0.0	1.2	1.3
Female	-	-	4.1	4.2	0.0	0.0	10.8	10.0
Person	-	-	3.4	3.4	0.0	0.0	5.8	5.5
BMI ≥30.0 for age 18-59 year (%)								
Male	0.3	0.3	-	-	-	-	0.9	1.0
Female	0.4	0.5	-	-	-	-	0.2	-
Person	0.4	0.4	-	-	-	-	0.5	0.5
BMI ≥30.0 for age 60 year and above (%)								
Male	-	-	-	-	0.0	0.0	-	-
Female	-	-	-	-	0.0	0.0	-	-
Person	-	-	-	-	0.0	0.0	-	-
BMI <18.5 for age 18-59 year (%)								
Male	16.1	16.8	11.3	11.3	51.4	51.2	13.5	14.0
Female	26.5	28.0	17.8	18.0	30.9	31.0	16.4	17.0
Person	21.5	22.6	14.8	14.9	39.7	39.4	15.2	15.8
BMI <18.5 for age 60 year and above (%)								
Male	50.4	48.8	25.2	25.4	38.6	37.3	37.9	39.0
Female	46.7	49.5	24.8	25.0	38.3	38.2	34.0	34.9
Person	48.6	49.1	25.0	25.2	38.5	37.8	36.0	37.0
Anaemia status by Haemoglobin Level								
Anaemia in the age group 6-59 months (%)								
Male	80.5	79.1	58.6	58.7	79.4	78.9	86.6	87.8
Female	76.9	78.1	67.3	68.1	84.1	83.9	87.8	88.0
Person	78.7	78.6	62.6	62.9	81.4	81.1	87.2	87.9
Severe Anemia in the age group 6-59 months (%)								
Male	7.8	7.7	0.0	0.0	0.0	0.0	-	-
Female	6.1	-	0.0	0.0	0.0	0.0	-	-
Person	7.0	6.9	0.0	0.0	0.0	0.0	-	-
Anaemia in the age group 5-9 years (%)								
Male	91.9	91.2	74.1	73.4	86.5	85.8	91.5	93.0
Female	92.1	91.2	80.4	80.8	91.2	90.8	90.3	92.5
Person	92.0	91.2	77.0	76.8	88.7	88.1	90.9	92.8
Severe Anemia in the age group 5-9 years (%)								
Male	29.9	27.3	3.4	3.5	0.0	0.0	24.0	25.9
Female	34.5	31.9	4.0	4.1	0.0	0.0	26.5	27.8
Person	32.1	29.6	3.7	3.8	0.0	0.0	25.2	26.8
Anaemia in the age group 10-17 years (%)								
Male	86.4	85.7	68.2	68.0	86.5	85.4	84.8	86.3
Female	88.8	87.6	76.9	76.7	91.0	90.5	90.5	90.9
Person	87.5	86.5	72.2	72.0	88.8	88.0	87.4	88.4
Severe Anemia in the age group 10-17 years (%)								
Male	28.9	25.1	2.7	2.7	-	-	18.6	19.3
Female	26.4	23.9	6.5	6.6	-	-	21.1	22.0
Person	27.8	24.6	4.4	4.5	-	-	19.8	20.5
Anaemia in the age group 18-59 years (%)								
Male	85.2	83.8	79.3	79.0	87.2	86.1	83.9	83.7
Female	86.5	85.8	76.6	76.5	89.2	88.5	92.0	92.5
Severe Anemia in the age group 18-59 years (%)								
Male	22.5	21.5	2.2	2.2	5.2	4.8	12.4	12.8
Female	23.4	21.3	7.4	7.4	5.0	4.2	24.2	25.5
Anaemia in the age group 60 years and above (%)								
Male	89.5	88.7	79.5	79.3	94.0	93.2	86.6	87.0
Female	89.0	87.6	78.4	78.4	88.2	87.1	92.2	92.7
Severe Anemia in the age group 60 years and above (%)								
Male	27.2	25.1	-	-	20.4	16.5	18.0	18.7
Female	29.4	26.3	5.8	5.6	29.5	26.0	29.0	30.7

Indicators	Sitamarhi		Madhubani		Supaul		Araria	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Blood Sugar Level (18 years and above)								
Blood Sugar Level ≥ 110 mg/dl (%)								
Male	6.0	5.2	6.2	6.4	14.1	13.3	13.2	13.4
Female	5.5	5.1	4.6	4.5	11.8	11.1	9.3	9.2
Person	5.7	5.1	5.2	5.2	12.8	12.0	11.0	11.1
Blood Sugar Level ≥ 130 mg/dl (%)								
Male	2.2	1.7	3.0	3.1	2.0	1.9	1.6	1.7
Female	1.6	1.3	2.1	2.0	1.5	1.5	1.5	1.5
Person	1.8	1.5	2.5	2.4	1.7	1.7	1.5	1.6
Blood Sugar Level ≥ 150 mg/dl (%)								
Male	0.7	0.6	1.7	1.7	-	-	0.0	0.0
Female	-	-	0.9	0.9	-	-	0.0	0.0
Person	0.4	0.3	1.2	1.2	-	-	0.0	0.0
Hypertension (18 years and above)								
Above Normal Range								
Systolic ≥ 140 mm of Hg & Diastolic ≥ 90 mm of Hg (%)								
Male	6.1	6.3	5.2	5.2	4.3	4.5	7.9	8.2
Female	5.7	5.5	3.7	3.7	3.4	3.6	6.1	6.3
Person	5.9	5.9	4.4	4.4	3.8	4.0	6.9	7.1
Systolic ≥ 140 mm of Hg & Diastolic < 90 mm of Hg (%)								
Male	5.0	4.9	6.8	6.9	4.8	5.1	0.9	1.0
Female	6.1	6.2	4.3	4.4	3.7	3.9	0.9	1.0
Person	5.6	5.6	5.5	5.6	4.2	4.4	0.9	1.0
Systolic < 140 mm of Hg & Diastolic ≥ 90 mm of Hg (%)								
Male	16.5	16.4	8.3	8.0	4.3	4.5	6.8	6.9
Female	12.8	12.8	6.9	6.5	4.1	4.3	4.2	4.3
Person	14.5	14.5	7.6	7.2	4.2	4.4	5.3	5.4
Moderately high								
Systolic ≥ 160 mm of Hg & Diastolic ≥ 100 mm of Hg (%)								
Male	0.9	1.0	0.7	0.7	0.6	0.5	2.2	2.4
Female	1.3	1.2	0.5	0.5	-	-	2.3	2.4
Person	1.1	1.1	0.6	0.6	0.5	0.5	2.3	2.4
Systolic ≥ 160 mm of Hg & Diastolic < 100 mm of Hg (%)								
Male	1.9	2.0	-	-	1.5	1.6	0.3	0.3
Female	2.4	2.5	1.0	1.0	1.3	1.4	0.2	0.2
Person	2.2	2.3	1.0	1.0	1.4	1.5	0.2	0.3
Systolic < 160 mm of Hg & Diastolic ≥ 100 mm of Hg								
Male	2.8	2.9	-	-	1.0	1.0	2.4	2.5
Female	3.0	3.1	-	-	0.7	0.7	1.4	1.4
Person	2.9	3.0	-	-	0.8	0.8	1.8	1.9
Very high								
Systolic ≥ 180 mm of Hg & Diastolic ≥ 110 mm of Hg (%)								
Male	0.1	0.1	0.3	0.3	-	-	0.5	0.6
Female	0.4	0.5	-	-	-	-	0.7	0.7
Person	0.3	0.3	0.2	0.2	-	-	0.6	0.6
Systolic ≥ 180 mm of Hg & Diastolic < 110 mm of Hg (%)								
Male	0.6	0.7	-	-	0.5	0.5	0.0	0.0
Female	0.8	0.8	-	-	0.6	0.6	0.0	0.0
Person	0.7	0.7	-	-	0.5	0.6	0.0	0.0
Systolic < 180 mm of Hg & Diastolic ≥ 110 mm of Hg (%)								
Male	0.8	0.8	0.6	0.6	-	-	1.5	1.6
Female	1.0	1.0	0.2	0.2	0.3	0.3	1.3	1.4
Person	0.9	0.9	0.4	0.4	0.3	0.3	1.4	1.5
Iodine content in Household Salt (more than 15 ppm) (%)	32.5	32.5	54.2	54.6	96.5	96.4	92.2	91.5

Indicators	Kishanganj		Purnia		Katihar		Madhepura	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Nutritional status below 5 years								
Below -2 SD Wasting (Weight for Height) (%)								
Male	16.1	16.5	13.7	14.4	15.7	16.4	24.1	23.6
Female	9.9	9.3	10.7	10.9	10.6	11.1	15.5	15.3
Person	13.0	12.9	12.2	12.6	13.4	14.0	20.0	19.7
Below -3 SD Wasting (Weight for Height) (%)								
Male	5.2	5.5	5.3	5.6	4.8	5.0	10.0	9.4
Female	4.2	3.8	6.0	6.6	4.3	4.5	6.3	6.3
Person	4.7	4.7	5.7	6.1	4.6	4.8	8.2	7.9
Below -2 SD Stunting (Height for Age) (%)								
Male	56.9	54.6	49.6	48.5	58.3	58.2	57.8	58.1
Female	44.7	44.0	37.7	37.7	37.1	37.0	45.7	46.1
Person	50.9	49.4	43.7	43.1	48.7	48.5	52.1	52.4
Below -3SD Stunting (Height for Age) (%)								
Male	21.3	20.9	20.5	22.4	21.1	21.4	26.4	26.6
Female	15.1	14.2	10.1	11.4	12.1	12.6	16.5	16.2
Person	18.2	17.6	15.4	16.9	17.0	17.4	21.8	21.7
Below -2 SD Underweight (Weight for Age) (%)								
Male	43.8	43.2	38.0	37.9	45.6	45.5	49.2	48.8
Female	26.5	26.4	20.7	21.0	25.8	26.4	30.2	29.8
Person	35.2	34.9	29.4	29.3	36.5	36.8	40.1	39.7
Below -3 SD Underweight (Weight for Age) (%)								
Male	11.6	11.6	12.8	13.7	15.7	15.7	19.8	19.5
Female	9.0	8.3	8.0	8.8	9.3	9.7	10.8	10.6
Person	10.3	10.0	10.4	11.2	12.8	13.0	15.5	15.2
Below -2 SD Undernourished (BMI for Age) (%)								
Male	17.3	17.8	16.9	18.1	15.0	15.3	28.6	27.7
Female	11.5	11.4	12.9	13.2	13.2	13.7	17.9	17.8
Person	14.4	14.7	14.9	15.6	14.2	14.6	23.6	23.1
Below -3 SD Undernourished (BMI for Age) (%)								
Male	8.6	8.8	9.7	10.3	8.7	8.7	17.7	16.9
Female	7.9	7.5	8.5	9.0	8.5	8.9	10.4	10.3
Person	8.2	8.2	9.1	9.6	8.6	8.8	14.3	13.8
Above 2 SD Overnourished (BMI for Age) (%)								
Male	0.0	0.0	2.5	2.1	-	-	-	-
Female	0.0	0.0	-	-	-	-	-	-
Person	0.0	0.0	1.6	1.5	-	-	-	-
Above 3 SD Overnourished (BMI for Age) (%)								
Male	0.0	0.0	0.8	-	-	-	-	-
Female	0.0	0.0	-	-	-	-	-	-
Person	0.0	0.0	0.5	-	-	-	-	-
Nutritional status 5-18 years								
Below -2 SD Undernourished (BMI for Age) (%)								
Male	37.8	36.9	50.8	50.1	37.1	37.8	46.5	46.6
Female	32.7	31.8	45.7	45.4	37.7	37.4	40.4	40.6
Person	35.3	34.5	48.4	47.9	37.4	37.6	43.6	43.7
Below -3 SD Undernourished (BMI for Age) (%)								
Male	24.7	23.9	41.2	40.2	31.4	32.1	37.8	38.0
Female	22.7	21.7	35.4	33.6	29.0	28.8	30.8	31.1
Person	23.7	22.8	38.4	37.1	30.3	30.5	34.5	34.7
Above 2 SD Overnourished (BMI for Age) (%)								
Male	-	-	11.4	10.8	9.4	9.9	1.1	1.1
Female	-	-	5.1	5.4	6.2	6.6	0.9	0.9
Person	-	-	8.4	8.3	7.9	8.3	1.0	1.0
Above 3 SD Overnourished (BMI for Age) (%)								
Male	-	-	0.9	1.1	5.4	5.7	0.4	0.4
Female	-	-	-	-	2.0	2.1	-	-
Person	-	-	0.5	0.7	3.8	3.9	0.3	0.3

Indicators	Kishanganj		Purnia		Katihar		Madhepura	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Nutritional status 18 years and above								
BMI ≥25.0 for age 18-59 year (%)								
Male	2.8	2.8	2.7	2.1	8.8	7.8	5.7	5.5
Female	7.3	7.1	-	-	7.7	7.4	11.0	11.1
Person	5.4	5.3	2.3	1.7	8.2	7.6	8.5	8.5
BMI ≥25.0 for age 60 year and above (%)								
Male	0.0	0.0	0.0	0.0	-	-	-	-
Female	0.0	0.0	0.0	0.0	-	-	-	-
Person	0.0	0.0	0.0	0.0	-	-	-	-
BMI ≥30.0 for age 18-59 year (%)								
Male	0.0	0.0	0.0	0.0	1.6	1.4	0.8	0.8
Female	0.4	0.5	-	-	0.9	0.9	1.5	1.5
Person	0.2	0.3	0.0	0.0	1.2	1.1	1.2	1.2
BMI ≥30.0 for age 60 year and above (%)								
Male	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Female	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Person	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BMI <18.5 for age 18-59 year (%)								
Male	16.7	16.7	22.0	23.3	9.9	10.0	26.6	26.3
Female	8.4	8.4	33.4	38.8	8.8	8.8	22.7	22.4
Person	12.0	11.9	28.1	31.3	9.3	9.3	24.5	24.2
BMI <18.5 for age 60 year and above (%)								
Male	52.3	49.6	75.1	76.9	55.5	56.5	65.5	64.9
Female	41.1	43.6	46.3	49.6	40.8	42.1	49.7	49.4
Person	46.6	46.7	61.4	63.9	48.7	49.9	58.0	57.6
Anaemia status by Haemoglobin Level								
Anaemia in the age group 6-59 months (%)								
Male	68.6	69.7	73.2	75.8	67.0	67.5	88.9	88.6
Female	69.3	69.8	72.9	73.2	72.2	71.9	90.3	89.9
Person	68.9	69.8	73.0	74.5	69.6	69.6	89.6	89.3
Severe Anemia in the age group 6-59 months (%)								
Male	-	-	-	-	-	-	4.0	3.3
Female	1.8	-	-	-	-	-	4.5	3.5
Person	3.0	3.0	-	-	-	-	4.3	3.4
Anaemia in the age group 5-9 years (%)								
Male	84.1	84.1	83.2	83.4	82.0	81.7	90.2	90.0
Female	82.9	83.2	85.0	84.0	83.8	83.9	92.4	92.1
Person	83.5	83.7	84.0	83.6	82.8	82.8	91.2	91.0
Severe Anemia in the age group 5-9 years (%)								
Male	19.2	20.4	14.2	14.6	10.0	10.2	24.5	24.2
Female	21.3	21.8	12.3	12.9	12.2	12.4	24.5	23.5
Person	20.2	21.0	13.4	13.9	11.1	11.2	24.5	23.9
Anaemia in the age group 10-17 years (%)								
Male	83.3	83.2	81.9	82.0	81.6	81.8	88.2	87.8
Female	84.4	83.9	84.8	84.8	84.6	84.3	91.0	90.9
Person	83.9	83.6	83.3	83.3	83.1	83.0	89.5	89.3
Severe Anemia in the age group 10-17 years (%)								
Male	16.0	17.7	9.2	10.0	8.3	8.2	19.9	19.2
Female	20.0	19.7	10.2	9.4	8.8	9.1	20.1	19.7
Person	18.0	18.7	9.7	9.7	8.5	8.6	20.0	19.4
Anaemia in the age group 18-59 years (%)								
Male	86.4	86.0	84.0	85.4	87.7	87.2	92.0	91.5
Female	82.1	81.7	80.0	82.7	83.2	82.9	91.4	90.1
Severe Anemia in the age group 18-59 years (%)								
Male	12.3	12.4	6.6	6.5	7.5	7.2	1.3	1.2
Female	19.2	20.6	7.7	7.4	9.3	9.6	19.7	19.1
Anaemia in the age group 60 years and above (%)								
Male	86.6	85.8	87.0	89.8	91.1	90.8	94.8	94.5
Female	82.6	84.8	83.7	85.5	89.3	89.1	91.5	91.2
Severe Anemia in the age group 60 years and above (%)								
Male	17.1	18.3	9.2	9.5	10.2	10.5	0.0	0.0
Female	19.6	22.2	7.3	7.4	17.6	18.0	22.2	20.9

Indicators	Kishanganj		Purnia		Katihar		Madhepura	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Blood Sugar Level (18 years and above)								
Blood Sugar Level ≥ 110 mg/dl (%)								
Male	2.4	2.3	7.1	7.5	-	-	3.4	3.6
Female	1.6	1.8	5.1	5.9	-	-	1.5	1.6
Person	1.9	2.0	6.0	6.6	-	-	2.4	2.5
Blood Sugar Level ≥ 130 mg/dl (%)								
Male	0.7	-	1.7	1.6	-	-	0.7	0.7
Female	-	-	1.3	1.6	-	-	-	-
Person	0.4	-	1.5	1.6	-	-	0.4	0.4
Blood Sugar Level ≥ 150 mg/dl (%)								
Male	-	-	-	-	-	-	0.3	0.3
Female	-	-	-	-	-	-	-	-
Person	-	-	-	-	-	-	0.2	0.2
Hypertension (18 years and above)								
Above Normal Range								
Systolic ≥ 140 mm of Hg & Diastolic ≥ 90 mm of Hg (%)								
Male	0.9	0.7	5.6	5.6	2.9	2.8	5.5	5.1
Female	0.7	0.8	4.0	4.0	2.2	2.3	3.6	3.5
Person	0.8	0.8	4.7	4.7	2.5	2.5	4.5	4.2
Systolic ≥ 140 mm of Hg & Diastolic < 90 mm of Hg (%)								
Male	2.5	2.4	6.3	6.5	8.0	8.1	5.4	5.5
Female	2.2	1.9	5.1	5.4	6.7	7.0	4.2	4.2
Person	2.3	2.1	5.6	5.9	7.3	7.4	4.7	4.8
Systolic < 140 mm of Hg & Diastolic ≥ 90 mm of Hg (%)								
Male	5.4	4.4	13.3	13.1	10.8	10.9	9.6	9.5
Female	3.1	3.2	11.1	11.9	8.5	8.6	7.5	7.4
Person	4.1	3.7	12.1	12.4	9.5	9.6	8.5	8.3
Moderately high								
Systolic ≥ 160 mm of Hg & Diastolic ≥ 100 mm of Hg (%)								
Male	-	-	0.5	0.6	0.0	0.0	0.9	0.6
Female	-	-	0.2	0.2	0.0	0.0	0.6	0.6
Person	-	-	0.3	0.4	0.0	0.0	0.7	0.6
Systolic ≥ 160 mm of Hg & Diastolic < 100 mm of Hg (%)								
Male	0.9	0.8	2.8	2.8	-	-	2.1	2.1
Female	0.8	-	2.1	2.4	1.3	1.4	1.0	1.0
Person	0.8	0.6	2.4	2.6	1.0	1.1	1.5	1.5
Systolic < 160 mm of Hg & Diastolic ≥ 100 mm of Hg								
Male	-	-	1.2	1.4	-	-	1.7	1.5
Female	0.2	0.2	1.1	1.4	0.1	0.2	1.9	1.9
Person	0.2	0.2	1.2	1.4	0.2	0.2	1.8	1.7
Very high								
Systolic ≥ 180 mm of Hg & Diastolic ≥ 110 mm of Hg (%)								
Male	-	-	-	-	0.0	0.0	0.3	0.3
Female	-	-	-	-	0.0	0.0	-	-
Person	-	-	-	-	0.0	0.0	0.1	0.1
Systolic ≥ 180 mm of Hg & Diastolic < 110 mm of Hg (%)								
Male	-	-	0.6	0.6	-	-	0.3	0.3
Female	-	-	0.6	0.6	-	-	0.3	0.3
Person	-	-	0.6	0.6	-	-	0.3	0.3
Systolic < 180 mm of Hg & Diastolic ≥ 110 mm of Hg (%)								
Male	-	-	-	-	-	-	0.8	0.8
Female	-	-	0.4	0.4	-	-	0.9	0.8
Person	-	-	0.4	0.5	-	-	0.8	0.8
Iodine content in Household Salt (more than 15 ppm) (%)	68.2	69.2	100.0	100.0	86.5	85.6	62.6	62.1

Indicators	Saharsa		Darbhanga		Muzaffarpur		Gopalganj	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Nutritional status below 5 years								
Below -2 SD Wasting (Weight for Height) (%)								
Male	27.4	27.7	25.7	26.1	15.1	15.2	29.6	29.9
Female	22.6	23.0	18.6	19.1	12.8	12.8	29.2	30.3
Person	25.1	25.4	22.4	22.7	14.0	14.1	29.4	30.1
Below -3 SD Wasting (Weight for Height) (%)								
Male	11.1	11.8	10.7	10.7	9.3	9.2	15.5	14.6
Female	12.1	12.3	6.5	6.7	7.3	7.3	22.1	22.9
Person	11.6	12.0	8.8	8.8	8.4	8.3	18.7	18.5
Below -2 SD Stunting (Height for Age) (%)								
Male	63.0	62.4	61.7	61.1	62.3	61.7	44.2	41.6
Female	46.2	45.7	50.3	51.1	48.2	48.2	34.3	33.6
Person	55.2	54.5	56.5	56.4	55.8	55.4	39.6	38.0
Below -3SD Stunting (Height for Age) (%)								
Male	28.8	29.6	29.4	29.6	23.9	23.3	21.2	19.2
Female	17.4	17.6	22.1	22.2	13.9	13.9	10.8	10.0
Person	23.5	23.9	26.1	26.1	19.3	18.9	16.4	15.0
Below -2 SD Underweight (Weight for Age) (%)								
Male	51.9	52.8	50.2	50.6	39.2	39.3	48.8	46.7
Female	38.9	39.5	42.8	43.4	26.0	26.0	42.4	41.8
Person	45.8	46.3	46.7	47.1	33.1	33.0	45.7	44.4
Below -3 SD Underweight (Weight for Age) (%)								
Male	22.4	23.1	25.0	26.1	14.5	14.6	22.8	21.2
Female	15.0	15.2	18.0	18.5	11.4	11.4	22.6	21.7
Person	18.9	19.3	21.7	22.4	13.1	13.1	22.7	21.4
Below -2 SD Undernourished (BMI for Age) (%)								
Male	26.9	27.8	32.6	33.7	21.8	22.1	35.0	34.5
Female	23.8	24.1	23.4	23.9	17.5	17.5	34.8	34.4
Person	25.4	26.0	28.4	29.1	19.8	20.0	34.9	34.4
Below -3 SD Undernourished (BMI for Age) (%)								
Male	17.0	18.0	20.9	21.4	17.2	17.4	24.8	24.1
Female	15.8	16.1	14.3	14.7	13.6	13.6	27.4	28.0
Person	16.4	17.1	17.9	18.2	15.6	15.7	26.0	25.9
Above 2 SD Overnourished (BMI for Age) (%)								
Male	-	-	0.0	0.0	6.9	6.2	-	-
Female	-	-	0.0	0.0	4.6	4.6	-	-
Person	1.0	1.0	0.0	0.0	5.9	5.5	-	-
Above 3 SD Overnourished (BMI for Age) (%)								
Male	-	-	0.0	0.0	5.2	4.4	-	-
Female	-	-	0.0	0.0	2.3	2.3	-	-
Person	0.5	0.5	0.0	0.0	3.9	3.5	-	-
Nutritional status 5-18 years								
Below -2 SD Undernourished (BMI for Age) (%)								
Male	55.0	54.3	55.1	55.0	49.7	49.5	35.0	33.8
Female	54.9	55.0	58.9	59.6	46.5	46.4	24.4	23.4
Person	55.0	54.6	57.1	57.4	48.1	48.0	29.9	28.9
Below -3 SD Undernourished (BMI for Age) (%)								
Male	49.5	48.7	43.9	43.7	36.5	36.1	27.5	26.4
Female	46.9	47.1	37.1	37.2	32.0	31.6	18.8	17.7
Person	48.4	48.0	40.4	40.4	34.3	33.9	23.4	22.3
Above 2 SD Overnourished (BMI for Age) (%)								
Male	10.6	10.7	-	-	2.1	2.0	-	-
Female	5.2	5.3	-	-	-	-	-	-
Person	8.2	8.3	-	-	1.2	1.2	-	-
Above 3 SD Overnourished (BMI for Age) (%)								
Male	-	-	-	-	1.2	1.1	-	-
Female	-	-	-	-	-	-	-	-
Person	-	-	-	-	0.6	0.6	-	-

Indicators	Saharsa		Darbhanga		Muzaffarpur		Gopalganj	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Nutritional status 18 years and above								
BMI ≥25.0 for age 18-59 year (%)								
Male	2.9	3.1	10.6	10.4	9.7	9.4	6.0	5.4
Female	6.4	6.7	10.7	9.8	12.1	10.8	11.7	11.3
Person	4.8	5.0	10.6	10.1	11.0	10.1	9.0	8.5
BMI ≥25.0 for age 60 year and above (%)								
Male	-	-	-	-	0.0	0.0	-	-
Female	8.0	8.2	3.0	2.8	0.0	0.0	7.5	6.9
Person	5.1	5.3	1.9	1.8	0.0	0.0	4.3	4.1
BMI ≥30.0 for age 18-59 year (%)								
Male	0.0	0.0	0.7	0.8	1.0	1.1	-	-
Female	0.0	0.0	0.8	0.8	2.3	2.2	-	-
Person	0.0	0.0	0.8	0.8	1.7	1.7	-	-
BMI ≥30.0 for age 60 year and above (%)								
Male	-	-	-	-	0.0	0.0	-	-
Female	-	-	0.0	0.0	0.0	0.0	0.0	0.0
Person	-	-	0.0	0.0	0.0	0.0	0.0	0.0
BMI <18.5 for age 18-59 year (%)								
Male	25.1	25.3	30.2	31.1	11.4	11.5	15.4	16.0
Female	15.2	15.1	34.9	34.8	25.2	25.8	17.7	18.5
Person	19.8	19.8	32.9	33.2	18.4	18.8	16.6	17.3
BMI <18.5 for age 60 year and above (%)								
Male	48.4	52.0	64.9	65.1	38.0	36.0	44.4	45.7
Female	34.4	34.5	43.3	44.4	60.6	62.3	43.0	42.7
Person	40.9	42.7	53.3	54.0	49.7	49.5	43.7	44.3
Anaemia status by Haemoglobin Level								
Anaemia in the age group 6-59 months (%)								
Male	65.6	66.5	81.3	81.3	57.1	57.1	61.6	62.1
Female	85.1	85.4	76.8	77.0	57.1	57.1	74.3	74.6
Person	74.8	75.6	79.2	79.3	57.1	57.1	67.6	68.0
Severe Anemia in the age group 6-59 months (%)								
Male	-	-	-	-	0.0	0.0	-	-
Female	-	-	-	-	0.0	0.0	-	-
Person	0.5	0.5	-	-	0.0	0.0	-	-
Anaemia in the age group 5-9 years (%)								
Male	79.5	79.6	74.3	73.2	80.9	80.9	79.4	80.3
Female	88.2	88.6	78.3	78.4	89.0	89.0	83.6	84.6
Person	83.7	83.9	76.4	75.9	84.6	84.6	81.3	82.2
Severe Anemia in the age group 5-9 years (%)								
Male	6.5	6.5	4.9	4.6	7.9	7.9	4.1	4.3
Female	8.3	8.5	3.5	3.6	11.0	11.0	11.1	12.1
Person	7.4	7.4	4.2	4.1	9.3	9.3	7.2	7.7
Anaemia in the age group 10-17 years (%)								
Male	78.2	78.7	69.2	68.9	80.9	80.5	66.8	66.6
Female	93.1	92.7	76.2	75.9	85.6	85.6	80.2	80.2
Person	85.0	85.2	73.0	72.7	83.3	83.0	73.1	73.0
Severe Anemia in the age group 10-17 years (%)								
Male	8.2	8.4	2.1	1.9	7.0	7.2	2.0	-
Female	9.4	9.9	3.3	2.9	8.0	8.1	12.8	13.3
Person	8.7	9.1	2.7	2.5	7.5	7.6	7.1	7.2
Anaemia in the age group 18-59 years (%)								
Male	77.9	78.4	62.6	60.5	76.9	75.0	68.9	68.9
Female	88.5	88.8	74.7	73.7	82.5	81.4	77.4	77.6
Severe Anemia in the age group 18-59 years (%)								
Male	-	-	0.9	0.8	5.0	5.1	1.1	1.2
Female	13.1	13.9	2.7	2.2	6.8	5.4	10.7	11.4
Anaemia in the age group 60 years and above (%)								
Male	85.2	85.3	75.8	74.7	84.5	83.6	78.7	77.6
Female	87.2	88.4	73.0	71.4	84.8	84.0	80.8	80.6
Severe Anemia in the age group 60 years and above (%)								
Male	-	-	-	-	4.6	4.8	0.0	0.0
Female	13.6	14.9	4.3	3.7	7.7	5.6	16.2	17.1

Indicators	Saharsa		Darbhanga		Muzaffarpur		Gopalganj	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Blood Sugar Level (18 years and above)								
Blood Sugar Level ≥ 110 mg/dl (%)								
Male	7.1	6.4	6.0	5.8	3.3	3.0	3.4	3.2
Female	6.1	6.1	3.0	2.9	3.9	3.9	4.4	4.3
Person	6.5	6.2	4.0	3.9	3.7	3.5	3.9	3.8
Blood Sugar Level ≥ 130 mg/dl (%)								
Male	-	-	4.0	3.8	3.3	3.0	2.1	1.9
Female	-	-	2.0	2.0	3.8	3.8	1.8	1.7
Person	-	-	2.7	2.6	3.6	3.5	1.9	1.8
Blood Sugar Level ≥ 150 mg/dl (%)								
Male	-	-	2.3	2.2	2.1	1.9	-	-
Female	-	-	1.2	1.3	3.0	3.0	-	-
Person	-	-	1.6	1.6	2.6	2.5	-	-
Hypertension (18 years and above)								
Above Normal Range								
Systolic ≥ 140 mm of Hg & Diastolic ≥ 90 mm of Hg (%)								
Male	2.8	2.6	7.8	7.6	7.0	6.2	2.9	3.0
Female	1.4	1.6	8.1	8.1	7.0	6.5	2.7	2.6
Person	2.1	2.1	8.0	7.9	7.0	6.4	2.8	2.8
Systolic ≥ 140 mm of Hg & Diastolic < 90 mm of Hg (%)								
Male	2.9	2.9	6.3	6.2	6.7	6.2	9.2	8.8
Female	3.0	3.2	6.7	6.9	5.8	5.7	9.5	9.2
Person	3.0	3.0	6.5	6.6	6.2	6.0	9.4	9.0
Systolic < 140 mm of Hg & Diastolic ≥ 90 mm of Hg (%)								
Male	9.7	10.1	7.7	8.1	6.9	6.4	6.9	6.5
Female	7.1	7.5	5.3	5.4	6.0	5.9	9.1	8.8
Person	8.2	8.6	6.3	6.5	6.4	6.1	8.0	7.7
Moderately high								
Systolic ≥ 160 mm of Hg & Diastolic ≥ 100 mm of Hg (%)								
Male	-	-	1.7	1.7	2.6	1.9	-	-
Female	-	-	2.7	2.8	2.0	1.8	-	-
Person	-	-	2.3	2.3	2.3	1.8	-	-
Systolic ≥ 160 mm of Hg & Diastolic < 100 mm of Hg (%)								
Male	0.7	0.7	2.2	2.3	2.2	2.2	2.2	2.3
Female	0.3	0.3	2.3	2.5	2.7	2.6	3.5	3.6
Person	0.5	0.5	2.3	2.4	2.5	2.4	2.8	2.9
Systolic < 160 mm of Hg & Diastolic ≥ 100 mm of Hg								
Male	0.5	0.5	2.4	2.5	1.5	1.3	0.2	-
Female	0.4	0.4	3.1	2.9	1.6	1.5	0.5	0.5
Person	0.5	0.4	2.8	2.7	1.6	1.4	0.3	0.3
Very high								
Systolic ≥ 180 mm of Hg & Diastolic ≥ 110 mm of Hg (%)								
Male	-	-	0.7	0.6	0.7	0.6	-	-
Female	-	-	0.4	-	0.5	0.5	-	-
Person	-	-	0.5	0.5	0.6	0.6	-	-
Systolic ≥ 180 mm of Hg & Diastolic < 110 mm of Hg (%)								
Male	-	-	0.8	0.9	1.2	0.6	0.9	1.0
Female	-	-	0.7	0.7	1.0	0.8	1.7	1.7
Person	0.1	0.1	0.7	0.8	1.1	0.7	1.3	1.4
Systolic < 180 mm of Hg & Diastolic ≥ 110 mm of Hg (%)								
Male	-	-	1.0	1.0	0.5	0.4	-	-
Female	-	-	1.7	1.5	0.5	0.6	-	-
Person	-	-	1.4	1.3	0.5	0.5	-	-
Iodine content in Household Salt (more than 15 ppm) (%)	90.2	89.4	90.3	89.7	74.4	80.1	71.8	70.8

Indicators	Siwan		Saran		Vaishali		Samastipur	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Nutritional status below 5 years								
Below -2 SD Wasting (Weight for Height) (%)								
Male	19.0	17.4	22.8	25.0	17.9	17.3	14.0	14.0
Female	16.9	14.8	18.8	18.9	15.2	15.1	11.8	10.4
Person	18.1	16.4	20.8	21.9	16.7	16.3	13.0	12.3
Below -3 SD Wasting (Weight for Height) (%)								
Male	9.5	9.0	9.2	10.5	5.6	5.1	9.1	8.9
Female	11.4	10.3	7.4	7.2	7.5	7.2	6.1	6.1
Person	10.3	9.5	8.3	8.8	6.5	6.1	7.7	7.6
Below -2 SD Stunting (Height for Age) (%)								
Male	54.7	54.8	44.9	44.6	60.1	60.1	59.7	59.3
Female	42.3	44.4	40.7	43.3	44.3	44.6	40.9	41.6
Person	49.3	50.6	42.8	43.9	52.9	52.9	51.0	51.2
Below -3SD Stunting (Height for Age) (%)								
Male	23.7	23.2	23.7	22.8	22.6	22.9	20.5	19.7
Female	20.8	23.6	18.9	20.1	16.2	16.2	11.7	12.3
Person	22.5	23.4	21.3	21.4	19.7	19.8	16.4	16.3
Below -2 SD Underweight (Weight for Age) (%)								
Male	42.7	40.1	40.3	42.6	41.5	40.6	31.6	31.4
Female	38.1	39.0	29.2	29.7	31.3	30.8	18.6	18.5
Person	40.7	39.6	34.6	35.9	36.8	36.0	25.6	25.5
Below -3 SD Underweight (Weight for Age) (%)								
Male	15.7	15.9	19.5	20.6	14.8	14.8	13.1	13.1
Female	18.3	20.4	16.8	16.8	10.6	10.1	5.4	5.6
Person	16.8	17.8	18.1	18.6	12.9	12.6	9.5	9.6
Below -2 SD Undernourished (BMI for Age) (%)								
Male	23.4	21.3	31.4	32.6	21.4	21.1	20.3	20.4
Female	25.9	24.7	25.1	25.1	17.7	17.3	14.1	13.2
Person	24.5	22.7	28.2	28.8	19.7	19.4	17.4	17.1
Below -3 SD Undernourished (BMI for Age) (%)								
Male	15.0	14.0	21.4	22.0	14.4	14.4	17.2	17.2
Female	18.5	18.1	19.1	19.4	11.9	11.4	8.3	8.5
Person	16.5	15.7	20.3	20.6	13.3	13.0	13.1	13.2
Above 2 SD Overnourished (BMI for Age) (%)								
Male	0.0	0.0	-	-	-	-	2.6	2.7
Female	0.0	0.0	-	-	-	-	2.2	2.1
Person	0.0	0.0	-	-	-	-	2.4	2.4
Above 3 SD Overnourished (BMI for Age) (%)								
Male	0.0	0.0	-	-	-	-	2.6	2.7
Female	0.0	0.0	-	-	-	-	1.8	1.7
Person	0.0	0.0	-	-	-	-	2.2	2.2
Nutritional status 5-18 years								
Below -2 SD Undernourished (BMI for Age) (%)								
Male	34.5	35.1	28.1	27.8	34.4	33.5	45.2	45.2
Female	31.3	31.7	24.4	25.3	30.3	30.5	36.5	36.1
Person	33.0	33.5	26.4	26.7	32.4	32.0	41.1	40.9
Below -3 SD Undernourished (BMI for Age) (%)								
Male	24.5	24.8	14.0	14.7	22.8	22.3	31.5	31.5
Female	20.3	20.9	5.5	5.8	18.6	18.8	14.9	15.0
Person	22.6	23.0	10.2	10.8	20.8	20.6	23.7	23.8
Above 2 SD Overnourished (BMI for Age) (%)								
Male	3.2	3.1	1.9	2.2	1.9	-	8.0	7.5
Female	2.0	1.9	-	-	1.9	1.8	5.7	5.6
Person	2.6	2.5	1.6	1.7	1.9	1.8	6.9	6.6
Above 3 SD Overnourished (BMI for Age) (%)								
Male	0.9	0.9	-	-	-	-	2.2	2.3
Female	0.3	0.4	-	-	0.6	0.7	0.7	-
Person	0.6	0.7	-	-	0.5	0.5	1.5	1.5

Indicators	Siwan		Saran		Vaishali		Samastipur	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Nutritional status 18 years and above								
BMI ≥25.0 for age 18-59 year (%)								
Male	2.9	2.9	3.7	3.9	8.7	9.1	7.7	7.3
Female	13.7	14.5	19.2	19.7	15.6	15.0	7.8	7.7
Person	8.8	9.1	12.3	12.7	12.3	12.2	7.8	7.5
BMI ≥25.0 for age 60 year and above (%)								
Male	0.0	0.0	-	-	-	-	7.9	7.5
Female	6.3	6.3	-	-	13.8	12.7	5.9	5.5
Person	3.2	3.1	-	-	7.7	7.2	6.8	6.4
BMI ≥30.0 for age 18-59 year (%)								
Male	0.0	0.0	-	-	-	-	-	-
Female	0.0	0.0	0.6	0.6	1.4	1.3	-	-
Person	0.0	0.0	0.4	0.4	1.2	1.1	0.3	-
BMI ≥30.0 for age 60 year and above (%)								
Male	0.0	0.0	-	-	-	-	0.0	0.0
Female	0.0	0.0	-	-	2.9	1.9	0.0	0.0
Person	0.0	0.0	-	-	1.5	1.0	0.0	0.0
BMI <18.5 for age 18-59 year (%)								
Male	20.7	18.6	23.5	22.8	18.5	18.0	12.5	12.3
Female	14.6	12.6	9.5	9.1	22.3	22.6	15.0	15.4
Person	17.4	15.4	15.7	15.1	20.5	20.4	13.8	14.0
BMI <18.5 for age 60 year and above (%)								
Male	41.9	40.1	48.3	48.5	52.1	51.6	31.2	32.3
Female	27.8	28.2	56.6	56.6	32.0	32.0	37.3	37.5
Person	34.8	34.2	52.6	52.7	41.6	41.2	34.6	35.2
Anaemia status by Haemoglobin Level								
Anaemia in the age group 6-59 months (%)								
Male	68.6	69.5	74.5	75.1	71.0	69.4	74.0	72.7
Female	70.8	71.7	82.8	82.6	75.4	75.0	76.4	74.4
Person	69.6	70.4	78.7	78.9	73.0	72.0	75.2	73.5
Severe Anemia in the age group 6-59 months (%)								
Male	-	-	-	-	-	-	-	-
Female	2.7	3.1	-	-	-	-	-	-
Person	1.9	2.1	-	-	-	-	-	-
Anaemia in the age group 5-9 years (%)								
Male	88.4	87.9	82.6	82.5	80.0	79.5	88.3	88.0
Female	89.9	90.2	85.7	84.3	83.9	83.1	88.6	88.1
Person	89.2	89.1	83.9	83.2	81.9	81.2	88.4	88.1
Severe Anemia in the age group 5-9 years (%)								
Male	12.1	12.7	15.2	14.7	11.6	11.2	12.5	12.8
Female	12.1	12.8	14.9	15.7	-	-	11.7	11.2
Person	12.1	12.8	15.1	15.1	10.0	9.5	12.2	12.1
Anaemia in the age group 10-17 years (%)								
Male	84.4	85.2	85.9	86.1	75.2	73.8	78.9	78.5
Female	84.7	84.8	84.8	83.9	82.2	81.0	85.2	84.4
Person	84.5	85.0	85.4	85.2	78.4	77.1	81.9	81.3
Severe Anemia in the age group 10-17 years (%)								
Male	8.1	8.5	13.5	13.9	9.9	10.0	10.8	10.7
Female	11.5	11.1	11.9	12.5	10.1	8.7	12.2	12.5
Person	9.7	9.7	12.8	13.3	10.0	9.4	11.4	11.5
Anaemia in the age group 18-59 years (%)								
Male	88.4	88.5	87.2	87.2	76.6	75.7	82.8	82.0
Female	86.8	87.2	87.4	87.1	83.4	83.1	85.6	85.3
Severe Anemia in the age group 18-59 years (%)								
Male	7.8	8.2	9.8	10.5	7.5	7.5	7.7	8.0
Female	9.7	10.6	15.3	15.9	8.7	8.4	12.8	13.0
Anaemia in the age group 60 years and above (%)								
Male	92.0	91.3	90.5	90.3	85.6	85.1	88.8	87.9
Female	89.6	89.1	90.0	89.4	82.9	82.6	82.5	81.8
Severe Anemia in the age group 60 years and above (%)								
Male	11.8	12.5	13.6	15.3	11.2	11.1	7.1	6.5
Female	11.4	12.0	14.1	13.7	13.0	12.7	12.1	12.2

Indicators	Siwan		Saran		Vaishali		Samastipur	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Blood Sugar Level (18 years and above)								
Blood Sugar Level ≥ 110 mg/dl (%)								
Male	7.2	7.0	9.8	8.4	6.4	6.9	10.5	11.0
Female	4.4	3.9	8.9	9.6	6.6	6.9	11.8	11.9
Person	5.6	5.3	9.3	9.1	6.5	6.9	11.3	11.6
Blood Sugar Level ≥ 130 mg/dl (%)								
Male	-	-	-	-	1.8	1.9	0.0	0.0
Female	-	-	-	-	2.1	2.2	0.0	0.0
Person	-	-	0.3	0.3	1.9	2.1	0.0	0.0
Blood Sugar Level ≥ 150 mg/dl (%)								
Male	-	-	-	-	0.9	1.0	0.0	0.0
Female	-	-	-	-	1.2	1.3	0.0	0.0
Person	-	-	0.0	0.0	1.1	1.2	0.0	0.0
Hypertension (18 years and above)								
Above Normal Range								
Systolic ≥ 140 mm of Hg & Diastolic ≥ 90 mm of Hg (%)								
Male	1.8	1.3	2.4	2.1	6.9	6.9	5.0	5.1
Female	2.5	1.9	1.9	1.7	5.5	5.4	3.6	3.7
Person	2.2	1.6	2.1	1.9	6.1	6.1	4.3	4.3
Systolic ≥ 140 mm of Hg & Diastolic < 90 mm of Hg (%)								
Male	3.5	3.3	4.7	4.1	4.8	5.0	5.9	5.8
Female	3.0	2.8	3.4	3.0	5.1	5.1	5.2	5.2
Person	3.2	3.0	4.0	3.5	5.0	5.0	5.5	5.5
Systolic < 140 mm of Hg & Diastolic ≥ 90 mm of Hg (%)								
Male	9.4	9.1	10.4	9.3	8.2	7.2	11.7	11.6
Female	10.2	9.8	8.9	8.0	4.8	4.6	6.9	7.1
Person	9.8	9.5	9.5	8.6	6.4	5.8	9.0	9.1
Moderately high								
Systolic ≥ 160 mm of Hg & Diastolic ≥ 100 mm of Hg (%)								
Male	-	-	0.0	0.0	1.3	1.2	-	-
Female	0.3	0.3	0.0	0.0	1.2	1.2	-	-
Person	0.2	0.2	0.0	0.0	1.2	1.2	-	-
Systolic ≥ 160 mm of Hg & Diastolic < 100 mm of Hg (%)								
Male	0.4	-	0.6	0.7	2.2	2.3	3.1	2.9
Female	-	-	0.4	0.5	2.4	2.5	1.8	1.8
Person	0.4	-	0.5	0.6	2.3	2.4	2.4	2.3
Systolic < 160 mm of Hg & Diastolic ≥ 100 mm of Hg								
Male	-	-	0.6	0.6	1.8	1.0	-	-
Female	0.9	0.7	0.3	0.2	1.2	1.0	0.4	0.4
Person	0.8	0.6	0.4	0.4	1.5	1.0	0.4	0.4
Very high								
Systolic ≥ 180 mm of Hg & Diastolic ≥ 110 mm of Hg (%)								
Male	-	-	0.0	0.0	0.5	0.4	-	-
Female	-	-	0.0	0.0	0.4	0.4	-	-
Person	-	-	0.0	0.0	0.4	0.4	-	-
Systolic ≥ 180 mm of Hg & Diastolic < 110 mm of Hg (%)								
Male	-	-	-	-	0.7	0.7	1.0	0.8
Female	-	-	-	-	0.8	0.8	0.5	0.5
Person	0.2	-	0.2	0.3	0.7	0.8	0.7	0.6
Systolic < 180 mm of Hg & Diastolic ≥ 110 mm of Hg (%)								
Male	-	-	-	-	-	-	-	-
Female	0.4	0.4	0.3	0.2	0.3	0.4	0.2	0.2
Person	0.4	0.3	0.3	0.2	0.4	0.3	0.2	0.2
Iodine content in Household Salt (more than 15 ppm) (%)	91.6	90.3	72.8	71.6	66.2	69.5	86.0	85.2

Indicators	Begusarai		Khagaria		Bhagalpur		Banka	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Nutritional status below 5 years								
Below -2 SD Wasting (Weight for Height) (%)								
Male	17.4	18.0	17.8	18.0	29.0	30.5	36.7	36.3
Female	13.4	13.4	12.7	12.8	25.3	27.1	33.1	32.5
Person	15.4	15.7	15.4	15.6	27.1	28.8	35.0	34.5
Below -3 SD Wasting (Weight for Height) (%)								
Male	4.3	4.5	8.7	8.6	11.4	11.4	7.3	6.9
Female	3.5	3.6	4.6	4.9	9.4	9.9	-	-
Person	3.9	4.1	6.8	6.9	10.4	10.6	8.1	7.6
Below -2 SD Stunting (Height for Age) (%)								
Male	59.0	58.9	63.4	63.2	53.4	53.4	57.9	58.3
Female	56.5	56.1	51.7	51.0	44.6	47.4	36.5	36.9
Person	57.8	57.5	58.0	57.5	48.9	50.4	47.2	47.7
Below -3SD Stunting (Height for Age) (%)								
Male	33.4	33.0	27.4	27.1	28.9	28.1	28.9	29.1
Female	24.5	24.3	15.5	15.3	33.0	35.1	21.7	22.3
Person	29.1	28.8	21.9	21.6	31.0	31.6	25.3	25.8
Below -2 SD Underweight (Weight for Age) (%)								
Male	43.1	43.0	41.7	42.0	42.4	43.2	51.5	51.5
Female	41.3	41.1	28.8	28.8	43.9	48.0	49.9	50.2
Person	42.2	42.1	35.6	35.8	43.2	45.7	50.7	50.9
Below -3 SD Underweight (Weight for Age) (%)								
Male	15.3	15.6	12.4	12.6	20.4	22.2	28.9	29.4
Female	11.7	11.7	7.8	8.2	5.5	6.2	10.0	9.8
Person	13.6	13.7	10.3	10.5	12.9	14.1	19.6	19.7
Below -2 SD Undernourished (BMI for Age) (%)								
Male	15.8	16.3	21.0	21.1	29.7	31.9	37.4	37.3
Female	10.3	10.3	15.6	15.8	16.9	16.9	23.8	22.8
Person	13.2	13.4	18.5	18.6	23.2	24.3	30.8	30.3
Below -3 SD Undernourished (BMI for Age) (%)								
Male	4.9	5.1	13.6	13.6	17.0	17.6	11.3	11.1
Female	4.4	4.5	9.1	9.5	13.3	14.3	16.6	16.1
Person	4.7	4.8	11.5	11.7	15.1	15.9	13.9	13.5
Above 2 SD Overnourished (BMI for Age) (%)								
Male	7.5	7.8	-	-	10.0	10.5	-	-
Female	7.5	7.2	-	-	4.9	3.5	-	-
Person	7.5	7.5	-	-	7.4	7.0	-	-
Above 3 SD Overnourished (BMI for Age) (%)								
Male	3.8	3.9	-	-	-	-	-	-
Female	2.2	2.0	-	-	-	-	-	-
Person	3.0	3.0	-	-	4.7	3.8	-	-
Nutritional status 5-18 years								
Below -2 SD Undernourished (BMI for Age) (%)								
Male	18.4	18.7	39.5	40.0	27.3	28.8	29.7	29.3
Female	12.7	13.3	36.4	36.3	26.7	27.2	31.3	31.4
Person	15.6	16.1	38.0	38.3	27.0	28.1	30.5	30.4
Below -3 SD Undernourished (BMI for Age) (%)								
Male	3.9	4.1	26.4	26.7	18.4	19.4	10.8	10.5
Female	2.2	2.3	26.0	26.0	17.6	18.2	15.7	15.5
Person	3.1	3.2	26.3	26.4	18.0	18.8	13.3	13.1
Above 2 SD Overnourished (BMI for Age) (%)								
Male	1.0	0.9	2.3	2.5	1.2	1.3	-	-
Female	-	-	1.7	1.6	-	-	-	-
Person	0.7	0.7	2.0	2.1	0.7	0.9	-	-
Above 3 SD Overnourished (BMI for Age) (%)								
Male	-	-	1.3	1.4	-	-	-	-
Female	-	-	0.9	0.9	-	-	-	-
Person	-	-	1.1	1.2	-	-	-	-

Indicators	Begusarai		Khagaria		Bhagalpur		Banka	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Nutritional status 18 years and above								
BMI ≥25.0 for age 18-59 year (%)								
Male	2.6	2.2	8.5	8.2	4.2	3.8	2.8	2.8
Female	3.8	4.0	8.2	7.9	4.4	4.9	3.7	3.7
Person	3.2	2.8	8.3	8.1	4.3	4.1	3.3	3.2
BMI ≥25.0 for age 60 year and above (%)								
Male	5.7	5.2	6.6	6.3	6.6	6.0	5.9	5.9
Female	6.9	5.9	8.6	7.3	4.3	3.7	5.1	4.8
Person	6.3	5.5	7.6	6.8	5.4	4.9	5.5	5.4
BMI ≥30.0 for age 18-59 year (%)								
Male	-	-	1.5	1.4	0.3	-	-	-
Female	0.2	-	1.9	2.0	-	-	0.4	0.4
Person	0.3	0.2	1.7	1.7	0.3	-	0.3	0.3
BMI ≥30.0 for age 60 year and above (%)								
Male	0.0	0.0	1.6	1.4	-	-	-	-
Female	0.0	0.0	3.7	2.8	-	-	-	-
Person	0.0	0.0	2.7	2.1	-	-	-	-
BMI <18.5 for age 18-59 year (%)								
Male	19.5	19.4	10.5	10.3	14.6	15.5	22.0	22.1
Female	16.6	16.7	17.1	17.5	10.5	11.0	23.5	23.4
Person	18.1	18.4	13.8	14.0	12.6	13.4	22.7	23.0
BMI <18.5 for age 60 year and above (%)								
Male	29.5	29.8	22.6	23.9	22.8	24.0	24.0	24.3
Female	21.8	22.9	29.2	30.5	16.6	17.8	26.7	26.6
Person	25.6	26.2	25.8	27.1	19.7	21.0	25.2	25.3
Anaemia status by Haemoglobin Level								
Anaemia in the age group 6-59 months (%)								
Male	95.1	95.3	70.8	70.4	94.6	93.9	87.9	87.5
Female	98.0	98.0	69.2	68.2	94.0	93.5	78.4	79.5
Person	96.5	96.6	70.1	69.4	94.3	93.7	83.6	83.9
Severe Anemia in the age group 6-59 months (%)								
Male	0.0	0.0	-	-	0.0	0.0	0.0	0.0
Female	0.0	0.0	-	-	0.0	0.0	0.0	0.0
Person	0.0	0.0	0.8	0.8	0.0	0.0	0.0	0.0
Anaemia in the age group 5-9 years (%)								
Male	96.8	96.7	83.9	83.9	96.1	96.2	93.0	92.7
Female	98.0	97.9	81.8	81.4	99.0	98.9	95.3	95.5
Person	97.4	97.3	82.9	82.8	97.4	97.4	94.2	94.1
Severe Anemia in the age group 5-9 years (%)								
Male	15.9	15.6	9.8	9.9	25.8	21.6	21.6	21.5
Female	17.1	17.6	8.8	8.7	24.5	23.6	19.0	19.8
Person	16.5	16.6	9.3	9.4	25.2	22.5	20.2	20.7
Anaemia in the age group 10-17 years (%)								
Male	93.5	93.6	79.6	78.8	95.7	96.1	90.9	91.7
Female	95.9	95.7	84.3	83.4	97.8	97.9	93.6	94.3
Person	94.7	94.6	81.8	81.1	96.7	96.9	92.2	92.9
Severe Anemia in the age group 10-17 years (%)								
Male	12.5	12.9	9.9	9.3	24.5	24.3	13.6	13.7
Female	18.7	19.2	10.9	10.4	24.0	18.2	15.6	15.5
Person	15.6	16.0	10.3	9.9	24.2	21.5	14.6	14.6
Anaemia in the age group 18-59 years (%)								
Male	94.1	93.8	87.9	87.0	97.5	97.0	97.1	97.3
Female	97.2	97.0	83.9	84.0	96.9	97.2	93.8	93.7
Severe Anemia in the age group 18-59 years (%)								
Male	8.0	8.1	7.2	6.8	23.8	20.2	11.5	11.6
Female	16.8	16.8	9.0	8.7	24.0	19.5	12.5	12.6
Anaemia in the age group 60 years and above (%)								
Male	98.4	98.2	89.4	89.0	96.0	96.3	95.5	95.5
Female	96.3	96.0	82.6	82.2	96.6	96.8	91.9	91.9
Severe Anemia in the age group 60 years and above (%)								
Male	12.7	13.0	12.7	12.8	24.9	22.2	14.4	14.7
Female	17.3	18.2	12.3	12.3	27.3	26.9	16.9	17.7

Indicators	Begusarai		Khagaria		Bhagalpur		Banka	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Blood Sugar Level (18 years and above)								
Blood Sugar Level ≥ 110 mg/dl (%)								
Male	11.3	10.9	11.3	10.9	14.1	13.4	11.3	11.8
Female	8.7	8.1	8.1	8.1	9.3	8.6	10.9	11.5
Person	10.0	9.5	9.5	9.3	11.7	11.0	11.1	11.7
Blood Sugar Level ≥ 130 mg/dl (%)								
Male	4.2	3.1	2.9	2.7	5.3	4.7	5.8	6.0
Female	4.5	3.4	2.1	2.1	5.0	4.0	3.6	3.8
Person	4.3	3.2	2.5	2.4	5.1	4.4	4.7	5.0
Blood Sugar Level ≥ 150 mg/dl (%)								
Male	1.8	1.3	1.4	1.1	2.2	2.1	2.5	2.6
Female	2.1	1.5	0.7	0.6	2.0	1.6	1.5	1.6
Person	2.0	1.4	1.0	0.8	2.1	1.8	2.0	2.1
Hypertension (18 years and above)								
Above Normal Range								
Systolic ≥ 140 mm of Hg & Diastolic ≥ 90 mm of Hg (%)								
Male	10.3	9.8	4.9	4.8	8.6	8.9	12.4	12.2
Female	22.5	21.8	4.9	5.0	19.6	17.8	19.2	18.4
Person	16.5	15.8	4.9	4.9	14.0	13.3	15.7	15.2
Systolic ≥ 140 mm of Hg & Diastolic < 90 mm of Hg (%)								
Male	3.4	3.1	3.6	2.9	6.1	6.7	9.3	9.3
Female	3.9	3.9	3.6	3.2	4.7	5.2	4.6	4.7
Person	3.7	3.5	3.6	3.1	5.4	6.0	7.1	7.1
Systolic < 140 mm of Hg & Diastolic ≥ 90 mm of Hg (%)								
Male	2.3	1.9	7.3	7.2	5.1	4.4	2.1	2.2
Female	2.0	1.6	5.6	5.7	2.5	2.4	1.4	1.5
Person	2.1	1.8	6.4	6.4	3.8	3.4	1.8	1.8
Moderately high								
Systolic ≥ 160 mm of Hg & Diastolic ≥ 100 mm of Hg (%)								
Male	3.6	3.6	-	-	2.9	3.1	3.8	3.9
Female	4.5	4.3	-	-	4.4	4.4	5.1	5.3
Person	4.0	4.0	-	-	3.6	3.7	4.4	4.6
Systolic ≥ 160 mm of Hg & Diastolic < 100 mm of Hg (%)								
Male	0.9	0.9	0.9	1.0	4.9	5.4	4.1	4.1
Female	1.8	1.8	0.8	0.8	3.3	3.8	1.7	1.8
Person	1.3	1.3	0.8	0.9	4.1	4.6	3.0	3.0
Systolic < 160 mm of Hg & Diastolic ≥ 100 mm of Hg								
Male	0.8	0.9	0.7	0.7	1.5	1.4	0.6	0.6
Female	0.5	0.5	0.5	0.6	-	-	-	-
Person	0.7	0.7	0.6	0.6	1.0	1.1	0.4	0.4
Very high								
Systolic ≥ 180 mm of Hg & Diastolic ≥ 110 mm of Hg (%)								
Male	0.6	0.6	-	-	1.1	1.2	0.7	0.7
Female	1.9	1.8	-	-	2.7	2.7	3.5	3.7
Person	1.3	1.2	-	-	1.9	1.9	2.0	2.1
Systolic ≥ 180 mm of Hg & Diastolic < 110 mm of Hg (%)								
Male	-	-	-	-	-	-	-	-
Female	0.5	0.5	0.1	0.2	0.2	0.2	-	-
Person	0.3	0.3	0.1	0.1	0.1	0.1	-	-
Systolic < 180 mm of Hg & Diastolic ≥ 110 mm of Hg (%)								
Male	0.5	0.5	0.3	0.2	-	-	-	-
Female	0.3	0.3	-	-	-	-	-	-
Person	0.4	0.4	0.2	0.2	-	-	-	-
Iodine content in Household Salt (more than 15 ppm) (%)	55.7	54.9	100.0	100.0	88.7	86.8	70.7	70.7

Indicators	Munger		Lakhisarai		Sheikhpura		Nalanda	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Nutritional status below 5 years								
Below -2 SD Wasting (Weight for Height) (%)								
Male	35.8	34.8	19.8	17.6	29.7	30.8	28.4	23.6
Female	35.0	32.3	16.8	15.8	33.0	35.2	24.4	13.1
Person	35.4	33.6	18.3	16.7	31.2	32.9	26.3	18.5
Below -3 SD Wasting (Weight for Height) (%)								
Male	14.7	12.2	6.8	6.5	12.5	11.8	11.3	10.8
Female	19.7	15.7	7.4	6.9	13.9	15.1	7.3	4.6
Person	17.1	13.9	7.1	6.7	13.1	13.3	9.2	7.8
Below -2 SD Stunting (Height for Age) (%)								
Male	69.9	72.0	53.9	55.0	57.4	54.5	58.9	62.8
Female	52.1	53.7	51.7	53.0	42.2	39.4	46.4	60.8
Person	61.4	63.2	52.8	54.0	50.5	47.5	52.4	61.9
Below -3SD Stunting (Height for Age) (%)								
Male	38.8	39.4	36.3	38.9	39.1	35.1	40.5	45.5
Female	36.5	38.6	28.3	29.9	25.6	24.0	28.8	38.2
Person	37.7	39.0	32.4	34.3	33.0	30.0	34.4	42.0
Below -2 SD Underweight (Weight for Age) (%)								
Male	63.0	62.1	54.3	53.4	44.1	45.8	54.8	53.4
Female	55.8	54.9	39.4	38.9	38.8	39.5	44.9	40.6
Person	59.6	58.7	46.9	46.1	41.7	42.9	49.7	47.3
Below -3 SD Underweight (Weight for Age) (%)								
Male	47.1	45.5	21.9	20.1	31.7	32.5	26.5	26.3
Female	14.3	10.9	11.1	10.1	10.4	10.0	12.2	13.5
Person	31.5	29.0	16.5	15.0	22.1	22.1	19.1	20.3
Below -2 SD Undernourished (BMI for Age) (%)								
Male	38.6	35.8	21.2	19.4	35.4	36.7	30.6	26.1
Female	24.3	20.8	19.0	16.7	24.2	25.6	19.0	13.8
Person	31.8	28.6	20.1	18.0	30.3	31.5	24.7	20.4
Below -3 SD Undernourished (BMI for Age) (%)								
Male	19.0	14.2	12.9	10.7	21.8	21.9	19.2	16.9
Female	20.8	17.0	10.3	8.4	19.5	21.1	13.5	7.4
Person	19.8	15.6	11.6	9.5	20.8	21.5	16.3	12.4
Above 2 SD Overnourished (BMI for Age) (%)								
Male	4.4	4.9	3.9	4.4	2.5	2.3	6.3	7.9
Female	5.5	5.9	3.4	3.7	3.4	3.7	5.0	5.6
Person	4.9	5.4	3.7	4.0	2.9	2.9	5.6	6.8
Above 3 SD Overnourished (BMI for Age) (%)								
Male	2.7	2.9	2.9	3.2	-	-	2.4	3.0
Female	-	-	2.1	2.2	2.4	2.6	-	-
Person	3.1	3.3	2.5	2.7	1.8	1.7	3.1	3.4
Nutritional status 5-18 years								
Below -2 SD Undernourished (BMI for Age) (%)								
Male	31.6	29.7	22.6	24.1	24.1	24.2	26.0	28.1
Female	28.1	22.7	15.4	16.4	22.5	21.6	20.1	22.2
Person	29.9	26.3	19.3	20.4	23.3	22.9	23.1	25.0
Below -3 SD Undernourished (BMI for Age) (%)								
Male	25.0	23.9	12.8	13.2	14.0	13.6	9.9	11.1
Female	20.9	16.2	6.4	6.5	11.9	10.8	5.6	6.3
Person	23.0	20.2	9.8	10.0	13.0	12.2	7.7	8.6
Above 2 SD Overnourished (BMI for Age) (%)								
Male	2.6	2.9	-	-	1.1	1.0	1.2	1.0
Female	1.4	1.1	-	-	1.5	1.4	-	-
Person	2.0	2.0	-	-	1.3	1.2	0.7	0.7
Above 3 SD Overnourished (BMI for Age) (%)								
Male	1.3	1.3	-	-	-	-	-	-
Female	0.9	-	-	-	-	-	-	-
Person	1.1	0.9	-	-	0.2	0.2	0.4	0.4

Indicators	Munger		Lakhisarai		Sheikhpura		Nalanda	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Nutritional status 18 years and above								
BMI ≥25.0 for age 18-59 year (%)								
Male	4.1	5.3	3.4	3.4	2.3	2.2	4.1	4.6
Female	4.7	5.6	6.2	7.7	3.2	3.1	5.2	5.8
Person	4.4	5.4	4.8	5.1	2.8	2.6	4.6	5.1
BMI ≥25.0 for age 60 year and above (%)								
Male	5.8	9.1	3.6	4.1	3.3	3.5	4.8	5.2
Female	7.7	6.7	6.1	7.1	2.4	-	5.6	4.6
Person	6.7	7.9	4.9	5.6	2.9	2.6	5.2	4.9
BMI ≥30.0 for age 18-59 year (%)								
Male	-	-	-	-	-	-	-	-
Female	-	-	-	-	0.6	0.4	-	-
Person	-	-	0.3	0.3	0.5	0.4	0.2	0.2
BMI ≥30.0 for age 60 year and above (%)								
Male	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-
Person	-	-	-	-	1.0	1.1	-	-
BMI <18.5 for age 18-59 year (%)								
Male	22.7	24.7	17.8	18.9	18.5	16.2	15.9	17.3
Female	15.6	18.1	15.5	14.0	24.8	23.8	18.7	19.3
Person	19.4	21.8	16.7	17.6	21.6	19.7	17.3	18.3
BMI <18.5 for age 60 year and above (%)								
Male	28.3	30.1	26.4	28.1	29.9	28.0	25.8	25.8
Female	21.6	25.2	21.7	22.3	26.1	25.8	22.0	21.7
Person	25.0	27.5	24.1	25.3	28.0	26.9	23.9	23.8
Anaemia status by Haemoglobin Level								
Anaemia in the age group 6-59 months (%)								
Male	95.1	99.3	98.3	98.2	94.3	96.9	96.2	95.6
Female	93.5	95.3	98.1	98.7	92.9	95.6	96.8	97.6
Person	94.3	97.3	98.2	98.5	93.6	96.2	96.5	96.6
Severe Anemia in the age group 6-59 months (%)								
Male	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Female	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Person	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Anaemia in the age group 5-9 years (%)								
Male	96.5	97.6	99.2	99.7	94.3	97.0	97.9	97.7
Female	96.4	97.6	98.6	99.1	96.8	97.6	98.6	99.5
Person	96.4	97.6	98.9	99.4	95.6	97.3	98.2	98.6
Severe Anemia in the age group 5-9 years (%)								
Male	29.3	31.9	39.6	41.4	41.5	46.0	38.5	39.3
Female	34.7	38.5	38.2	39.4	43.7	43.4	39.1	39.5
Person	31.9	35.3	38.9	40.5	42.6	44.6	38.7	39.4
Anaemia in the age group 10-17 years (%)								
Male	94.4	96.7	97.7	98.6	96.6	97.2	94.1	93.2
Female	94.9	96.4	98.9	98.8	97.7	98.4	98.3	97.9
Person	94.6	96.6	98.3	98.7	97.1	97.8	96.3	95.7
Severe Anemia in the age group 10-17 years (%)								
Male	31.6	31.6	26.5	27.9	36.5	37.4	31.2	29.7
Female	35.1	35.8	31.8	33.2	54.6	55.7	35.3	34.5
Person	33.2	33.5	29.0	30.5	45.3	46.5	33.4	32.3
Anaemia in the age group 18-59 years (%)								
Male	93.9	98.4	98.5	98.8	95.8	96.6	98.5	98.4
Female	92.8	98.1	98.4	98.9	95.0	96.7	97.3	97.5
Severe Anemia in the age group 18-59 years (%)								
Male	26.8	30.0	23.7	23.4	39.2	41.2	23.9	21.9
Female	28.6	36.5	28.9	30.9	37.0	39.9	32.9	32.4
Anaemia in the age group 60 years and above (%)								
Male	92.9	99.4	99.5	100.0	97.2	97.1	96.9	97.4
Female	93.5	97.2	97.0	97.9	93.3	93.0	95.5	96.3
Severe Anemia in the age group 60 years and above (%)								
Male	27.6	34.8	28.2	29.8	36.6	37.9	34.0	33.8
Female	37.4	43.7	27.5	27.5	46.5	47.0	39.7	40.1

Indicators	Munger		Lakhisarai		Sheikhpura		Nalanda	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Blood Sugar Level (18 years and above)								
Blood Sugar Level ≥ 110 mg/dl (%)								
Male	7.1	8.4	9.1	9.3	13.0	13.9	11.9	11.4
Female	7.3	9.3	9.6	10.7	12.7	13.7	11.4	10.3
Person	7.2	8.9	9.4	10.0	12.8	13.8	11.7	10.8
Blood Sugar Level ≥ 130 mg/dl (%)								
Male	1.2	1.8	2.0	2.1	7.3	7.9	5.1	5.2
Female	1.2	1.7	1.9	2.1	8.9	9.7	5.1	4.3
Person	1.2	1.8	1.9	2.1	8.1	8.7	5.1	4.7
Blood Sugar Level ≥ 150 mg/dl (%)								
Male	0.7	1.0	0.8	0.9	1.8	2.0	2.4	2.5
Female	0.4	0.6	1.1	1.2	1.8	1.9	2.2	2.1
Person	0.6	0.8	1.0	1.0	1.8	1.9	2.3	2.3
Hypertension (18 years and above)								
Above Normal Range								
Systolic ≥ 140 mm of Hg & Diastolic ≥ 90 mm of Hg (%)								
Male	12.3	13.4	7.1	6.7	12.1	12.2	13.6	14.4
Female	24.2	22.5	27.1	26.3	17.6	17.1	22.9	23.6
Person	18.1	17.9	17.0	16.2	14.9	14.6	18.5	19.3
Systolic ≥ 140 mm of Hg & Diastolic < 90 mm of Hg (%)								
Male	6.3	4.8	5.0	4.3	10.5	7.3	1.6	1.7
Female	7.0	5.7	3.0	2.7	4.8	3.5	3.2	3.4
Person	6.6	5.2	4.0	3.5	7.6	5.4	2.4	2.6
Systolic < 140 mm of Hg & Diastolic ≥ 90 mm of Hg (%)								
Male	5.5	3.6	2.6	2.6	1.7	1.7	4.4	4.8
Female	4.2	3.6	1.1	1.0	4.9	4.2	2.8	3.1
Person	4.9	3.6	1.9	1.8	3.3	2.9	3.5	3.9
Moderately high								
Systolic ≥ 160 mm of Hg & Diastolic ≥ 100 mm of Hg (%)								
Male	-	-	1.3	1.2	1.7	1.6	5.0	5.0
Female	-	-	8.6	8.6	6.7	6.9	6.4	6.1
Person	-	-	4.9	4.8	4.2	4.2	5.7	5.6
Systolic ≥ 160 mm of Hg & Diastolic < 100 mm of Hg (%)								
Male	6.6	5.4	1.3	1.3	10.1	7.2	0.9	1.0
Female	6.6	5.2	1.3	1.2	4.3	3.2	1.5	1.7
Person	6.6	5.3	1.3	1.2	7.2	5.2	1.2	1.4
Systolic < 160 mm of Hg & Diastolic ≥ 100 mm of Hg								
Male	1.2	-	0.6	0.6	1.1	1.2	1.2	1.4
Female	0.8	-	0.4	0.5	2.5	2.0	0.9	1.0
Person	1.0	-	0.5	0.5	1.8	1.6	1.0	1.2
Very high								
Systolic ≥ 180 mm of Hg & Diastolic ≥ 110 mm of Hg (%)								
Male	-	-	0.8	0.7	0.4	0.3	1.8	1.9
Female	-	-	3.0	3.0	2.5	2.8	3.7	3.7
Person	-	-	1.9	1.8	1.5	1.5	2.8	2.8
Systolic ≥ 180 mm of Hg & Diastolic < 110 mm of Hg (%)								
Male	0.3	0.5	0.5	0.4	0.3	0.3	0.4	-
Female	0.4	0.5	0.5	0.4	-	-	0.7	0.7
Person	0.3	0.5	0.5	0.4	0.2	0.2	0.6	0.5
Systolic < 180 mm of Hg & Diastolic ≥ 110 mm of Hg (%)								
Male	-	-	-	-	-	-	0.5	0.6
Female	0.5	-	0.3	0.3	0.5	0.3	0.7	0.8
Person	0.8	-	0.2	0.2	0.4	0.4	0.6	0.7
Iodine content in Household Salt (more than 15 ppm) (%)	64.8	54.0	58.0	56.5	74.2	79.8	68.1	65.4

Indicators	Patna		Bhojpur		Buxar		Kaimur (Bhabhua)	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Nutritional status below 5 years								
Below -2 SD Wasting (Weight for Height) (%)								
Male	5.9	7.2	21.9	23.2	23.6	24.3	8.3	8.2
Female	5.0	6.1	16.5	16.0	21.2	22.5	6.3	6.1
Person	5.5	6.7	19.4	19.8	22.4	23.4	7.4	7.3
Below -3 SD Wasting (Weight for Height) (%)								
Male	1.1	1.3	10.9	11.5	6.7	6.0	2.9	2.9
Female	2.2	2.7	5.0	5.2	6.1	6.4	3.4	3.4
Person	1.6	1.9	8.2	8.5	6.4	6.2	3.1	3.1
Below -2 SD Stunting (Height for Age) (%)								
Male	60.9	64.4	46.9	47.8	63.6	64.4	56.9	57.3
Female	57.8	60.3	50.9	51.7	54.9	49.6	49.6	50.3
Person	59.4	62.5	48.7	49.6	59.2	57.1	53.8	54.3
Below -3SD Stunting (Height for Age) (%)								
Male	38.1	41.8	34.8	36.9	40.6	39.6	35.3	35.5
Female	33.3	36.6	38.0	38.7	37.7	31.8	23.4	23.8
Person	35.8	39.4	36.3	37.8	39.1	35.7	30.3	30.5
Below -2 SD Underweight (Weight for Age) (%)								
Male	37.5	40.9	40.3	42.3	46.7	48.5	28.6	28.5
Female	27.1	32.6	44.7	45.1	35.2	38.5	26.5	26.8
Person	32.7	37.1	42.3	43.6	40.9	43.5	27.7	27.8
Below -3 SD Underweight (Weight for Age) (%)								
Male	10.7	10.6	19.7	21.2	25.9	27.3	6.9	6.8
Female	3.3	4.1	9.9	10.5	4.6	4.6	-	-
Person	7.3	7.6	15.2	16.1	15.0	16.1	7.1	7.1
Below -2 SD Undernourished (BMI for Age) (%)								
Male	4.9	6.1	22.2	24.0	25.8	26.5	7.3	7.1
Female	4.6	4.9	15.3	15.4	12.5	12.5	6.9	6.8
Person	4.8	5.5	19.0	20.0	19.1	19.7	7.2	7.0
Below -3 SD Undernourished (BMI for Age) (%)								
Male	1.5	1.9	13.6	14.5	10.7	10.3	2.7	2.5
Female	2.1	2.6	8.0	8.4	6.7	7.1	4.2	4.0
Person	1.8	2.2	11.0	11.6	8.7	8.7	3.3	3.2
Above 2 SD Overnourished (BMI for Age) (%)								
Male	5.3	5.2	6.0	6.7	7.0	7.5	14.2	14.4
Female	10.2	10.4	8.2	8.0	4.9	5.0	2.6	2.4
Person	7.6	7.6	7.0	7.3	5.9	6.3	9.3	9.3
Above 3 SD Overnourished (BMI for Age) (%)								
Male	2.6	2.6	2.7	3.0	3.3	3.6	7.5	7.4
Female	5.3	5.1	5.4	5.7	3.4	-	-	-
Person	3.9	3.8	3.9	4.3	3.4	3.4	4.9	4.9
Nutritional status 5-18 years								
Below -2 SD Undernourished (BMI for Age) (%)								
Male	13.5	15.2	26.9	30.1	24.3	25.0	17.6	17.9
Female	9.3	10.7	21.3	22.4	13.0	13.4	7.2	7.1
Person	11.4	13.0	24.2	26.1	19.3	19.7	12.4	12.5
Below -3 SD Undernourished (BMI for Age) (%)								
Male	2.0	2.6	8.1	9.5	16.7	17.3	4.2	4.3
Female	2.6	3.3	4.8	5.4	8.1	8.2	1.9	1.9
Person	2.3	2.9	6.5	7.4	12.9	13.2	3.1	3.1
Above 2 SD Overnourished (BMI for Age) (%)								
Male	-	-	-	-	1.8	1.5	1.1	1.1
Female	-	-	1.9	1.9	0.8	-	-	-
Person	-	-	1.2	1.3	1.4	1.0	0.8	0.8
Above 3 SD Overnourished (BMI for Age) (%)								
Male	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-
Person	-	-	0.4	0.5	-	-	-	-

Indicators	Patna		Bhojpur		Buxar		Kaimur (Bhabhua)	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Nutritional status 18 years and above								
BMI ≥25.0 for age 18-59 year (%)								
Male	4.8	2.9	6.0	5.8	2.7	2.4	3.5	3.6
Female	8.8	5.7	9.3	9.5	4.6	5.3	7.4	8.4
Person	6.8	4.2	7.6	7.3	3.7	3.5	5.4	5.5
BMI ≥25.0 for age 60 year and above (%)								
Male	9.7	4.5	13.0	11.9	5.6	4.8	4.8	4.6
Female	9.9	4.8	13.4	11.8	6.9	6.7	8.5	8.8
Person	9.8	4.7	13.2	11.8	6.2	5.7	6.7	6.7
BMI ≥30.0 for age 18-59 year (%)								
Male	0.5	-	1.0	1.0	0.4	-	-	-
Female	1.6	0.7	1.4	1.4	0.6	0.8	-	-
Person	1.1	0.5	1.2	1.1	0.5	0.5	-	-
BMI ≥30.0 for age 60 year and above (%)								
Male	-	-	1.9	1.8	-	-	-	-
Female	-	-	-	-	-	-	-	-
Person	-	-	1.6	1.7	-	-	-	-
BMI <18.5 for age 18-59 year (%)								
Male	25.3	23.1	24.3	20.9	18.5	18.9	21.8	22.3
Female	17.5	18.6	15.7	15.5	11.5	10.2	16.0	14.5
Person	21.4	21.1	20.0	18.7	14.8	15.0	19.0	19.2
BMI <18.5 for age 60 year and above (%)								
Male	22.3	22.3	29.6	31.7	19.7	19.5	28.7	28.0
Female	15.8	16.6	20.6	26.0	12.3	12.3	19.2	19.7
Person	19.1	19.6	25.3	28.9	16.1	16.0	23.9	23.8
Anaemia status by Haemoglobin Level								
Anaemia in the age group 6-59 months (%)								
Male	92.3	90.5	90.1	88.6	78.4	83.1	89.4	89.7
Female	92.8	91.9	93.5	93.0	86.0	85.3	88.7	89.9
Person	92.5	91.1	91.5	90.5	82.5	84.3	89.1	89.8
Severe Anemia in the age group 6-59 months (%)								
Male	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Female	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Person	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Anaemia in the age group 5-9 years (%)								
Male	86.7	82.1	97.0	96.4	85.1	88.7	92.6	93.2
Female	93.6	91.7	97.9	97.5	88.2	94.9	92.1	92.4
Person	89.9	86.7	97.4	97.0	86.5	91.5	92.3	92.8
Severe Anemia in the age group 5-9 years (%)								
Male	1.4	1.9	12.4	13.7	11.9	13.1	11.3	11.6
Female	3.1	2.0	12.9	13.5	11.6	13.1	8.4	8.7
Person	2.2	1.9	12.6	13.6	11.8	13.1	9.9	10.1
Anaemia in the age group 10-17 years (%)								
Male	77.2	69.7	94.3	94.1	88.9	93.0	80.5	80.2
Female	90.7	86.5	95.4	94.3	90.9	91.6	90.6	90.7
Person	83.8	78.0	94.8	94.2	89.8	92.3	85.7	85.7
Severe Anemia in the age group 10-17 years (%)								
Male	2.3	1.4	10.9	11.5	13.0	13.8	7.9	8.3
Female	5.6	4.6	10.4	11.2	12.8	11.8	7.5	7.5
Person	3.9	3.0	10.6	11.3	12.9	12.8	7.7	7.9
Anaemia in the age group 18-59 years (%)								
Male	80.2	69.7	96.6	95.7	92.7	94.9	86.1	85.5
Female	91.4	85.2	98.1	96.8	89.3	91.8	89.8	89.7
Severe Anemia in the age group 18-59 years (%)								
Male	2.5	2.4	9.6	10.4	11.1	10.8	3.6	3.7
Female	4.8	2.8	15.2	14.1	13.9	14.3	9.2	9.4
Anaemia in the age group 60 years and above (%)								
Male	87.0	84.6	99.4	99.0	95.6	96.1	92.4	92.6
Female	92.9	91.5	97.6	96.4	88.6	91.0	91.7	91.4
Severe Anemia in the age group 60 years and above (%)								
Male	4.7	7.6	13.8	12.9	11.4	11.8	10.6	11.1
Female	7.9	9.7	17.5	16.5	10.6	9.4	8.6	9.1

Indicators	Patna		Bhojpur		Buxar		Kaimur (Bhabhua)	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Blood Sugar Level (18 years and above)								
Blood Sugar Level ≥ 110 mg/dl (%)								
Male	13.8	9.7	11.3	9.6	10.7	10.9	9.9	9.6
Female	18.2	11.9	9.9	8.8	9.4	9.8	11.0	10.8
Person	15.9	10.8	10.6	9.2	10.0	10.3	10.4	10.2
Blood Sugar Level ≥ 130 mg/dl (%)								
Male	3.8	2.1	6.7	6.0	5.8	6.1	2.5	2.4
Female	3.8	2.0	6.6	6.2	5.3	5.5	2.8	2.6
Person	3.8	2.1	6.7	6.1	5.5	5.8	2.6	2.5
Blood Sugar Level ≥ 150 mg/dl (%)								
Male	2.3	1.1	3.4	2.7	3.2	3.3	1.1	1.0
Female	1.4	1.2	3.1	2.9	1.9	2.0	1.1	1.0
Person	1.8	1.2	3.2	2.8	2.5	2.6	1.1	1.0
Hypertension (18 years and above)								
Above Normal Range								
Systolic ≥ 140 mm of Hg & Diastolic ≥ 90 mm of Hg (%)								
Male	15.0	12.0	17.7	16.2	13.8	13.3	9.2	9.4
Female	22.5	21.1	17.6	17.2	15.6	14.6	19.5	19.7
Person	18.8	16.6	17.7	16.7	14.7	14.0	14.5	14.7
Systolic ≥ 140 mm of Hg & Diastolic < 90 mm of Hg (%)								
Male	5.1	5.4	4.5	4.3	8.7	8.0	5.2	5.4
Female	6.0	5.6	5.9	5.7	4.4	4.4	4.4	4.4
Person	5.6	5.5	5.3	5.0	6.5	6.1	4.8	4.9
Systolic < 140 mm of Hg & Diastolic ≥ 90 mm of Hg (%)								
Male	3.6	3.6	2.9	2.6	2.5	2.5	5.5	5.6
Female	2.4	2.4	2.0	1.9	2.4	2.4	2.5	2.4
Person	3.0	3.0	2.4	2.3	2.4	2.4	4.0	4.0
Moderately high								
Systolic ≥ 160 mm of Hg & Diastolic ≥ 100 mm of Hg (%)								
Male	3.1	2.5	3.6	3.7	1.7	1.3	2.0	1.9
Female	6.3	4.8	6.2	6.0	6.4	6.2	3.9	3.9
Person	4.7	3.7	5.0	4.9	4.1	3.8	3.0	2.9
Systolic ≥ 160 mm of Hg & Diastolic < 100 mm of Hg (%)								
Male	2.2	2.0	1.7	1.5	5.1	4.5	2.4	2.5
Female	2.2	1.7	2.5	2.8	3.2	3.1	1.9	1.9
Person	2.2	1.9	2.1	2.2	4.1	3.8	2.2	2.2
Systolic < 160 mm of Hg & Diastolic ≥ 100 mm of Hg								
Male	2.1	2.2	1.0	1.0	0.9	0.9	2.4	2.5
Female	0.8	0.9	1.3	0.9	0.7	0.7	0.7	0.7
Person	1.5	1.5	1.2	1.0	0.8	0.8	1.5	1.5
Very high								
Systolic ≥ 180 mm of Hg & Diastolic ≥ 110 mm of Hg (%)								
Male	-	-	0.9	1.2	0.8	-	0.0	0.0
Female	3.3	2.3	1.2	1.4	1.0	0.9	1.0	0.9
Person	1.8	1.3	1.1	1.3	0.9	0.8	0.5	0.5
Systolic ≥ 180 mm of Hg & Diastolic < 110 mm of Hg (%)								
Male	0.8	0.6	-	-	0.3	0.3	0.8	0.9
Female	0.8	1.0	1.3	1.3	0.4	0.5	1.3	1.3
Person	0.8	0.8	0.8	0.8	0.4	0.4	1.1	1.1
Systolic < 180 mm of Hg & Diastolic ≥ 110 mm of Hg (%)								
Male	0.8	0.9	0.7	0.6	0.4	0.5	0.9	0.9
Female	0.4	0.5	0.7	0.7	0.5	0.6	0.8	0.8
Person	0.6	0.7	0.7	0.6	0.5	0.5	0.9	0.8
Iodine content in Household Salt (more than 15 ppm) (%)	88.7	88.1	78.8	73.9	65.8	67.1	91.5	91.1

Indicators	Rohtas		Jehanabad		Aurangabad	
	Total	Rural	Total	Rural	Total	Rural
Nutritional status below 5 years						
Below -2 SD Wasting (Weight for Height) (%)						
Male	34.2	35.5	18.1	17.6	31.2	31.7
Female	32.8	33.1	10.4	10.1	43.2	43.3
Person	33.5	34.3	14.2	13.8	37.2	37.5
Below -3 SD Wasting (Weight for Height) (%)						
Male	-	-	7.7	7.7	13.1	13.0
Female	-	-	5.9	5.4	20.0	20.0
Person	-	-	6.8	6.5	16.5	16.5
Below -2 SD Stunting (Height for Age) (%)						
Male	65.2	64.9	68.6	68.8	64.9	65.8
Female	49.9	49.9	60.4	59.9	38.7	39.1
Person	57.3	57.0	64.6	64.4	52.1	52.8
Below -3SD Stunting (Height for Age) (%)						
Male	36.8	35.4	40.5	39.9	45.0	45.7
Female	41.8	41.6	32.3	32.4	24.7	25.2
Person	39.4	38.7	36.5	36.2	35.1	35.7
Below -2 SD Underweight (Weight for Age) (%)						
Male	52.8	54.8	43.7	43.1	61.4	62.8
Female	59.9	60.1	32.7	32.4	58.4	57.2
Person	56.5	57.6	38.3	37.8	60.0	60.1
Below -3 SD Underweight (Weight for Age) (%)						
Male	-	-	17.8	16.5	47.9	49.9
Female	6.8	7.0	9.3	9.2	23.8	23.5
Person	24.7	25.3	13.6	12.9	36.3	37.2
Below -2 SD Undernourished (BMI for Age) (%)						
Male	35.7	37.1	16.0	15.8	35.6	36.5
Female	18.1	17.6	8.5	8.1	32.2	31.1
Person	26.6	26.9	12.4	12.0	34.0	33.9
Below -3 SD Undernourished (BMI for Age) (%)						
Male	11.3	11.7	8.6	8.9	19.5	19.7
Female	-	-	5.8	5.5	23.9	23.1
Person	12.2	12.1	7.2	7.2	21.7	21.4
Above 2 SD Overnourished (BMI for Age) (%)						
Male	-	-	7.3	7.8	2.0	1.5
Female	-	-	4.3	4.2	-	-
Person	-	-	5.8	6.0	2.4	2.2
Above 3 SD Overnourished (BMI for Age) (%)						
Male	-	-	-	-	1.4	0.9
Female	-	-	-	-	-	-
Person	-	-	-	-	1.3	1.1
Nutritional status 5-18 years						
Below -2 SD Undernourished (BMI for Age) (%)						
Male	31.3	29.1	16.9	16.9	27.0	26.5
Female	15.4	15.3	12.9	12.8	26.1	25.0
Person	24.5	23.1	15.0	14.9	26.5	25.7
Below -3 SD Undernourished (BMI for Age) (%)						
Male	20.2	17.3	9.9	9.7	14.4	14.0
Female	10.9	10.8	6.5	-	16.9	16.4
Person	16.2	14.5	8.3	8.0	15.7	15.3
Above 2 SD Overnourished (BMI for Age) (%)						
Male	2.3	2.2	2.5	2.6	0.6	0.6
Female	2.0	-	0.2	0.2	-	-
Person	2.1	1.8	1.4	1.5	0.4	0.4
Above 3 SD Overnourished (BMI for Age) (%)						
Male	-	-	0.7	0.8	-	-
Female	-	-	0.0	0.0	-	-
Person	-	-	0.4	0.4	-	-

Indicators	Rohtas		Jehanabad		Aurangabad	
	Total	Rural	Total	Rural	Total	Rural
Nutritional status 18 years and above						
BMI ≥25.0 for age 18-59 year (%)						
Male	7.9	6.7	3.2	3.4	2.4	2.6
Female	6.1	5.9	4.6	5.2	4.1	4.6
Person	7.0	6.0	3.9	4.1	3.3	3.4
BMI ≥25.0 for age 60 year and above (%)						
Male	12.8	7.5	4.9	4.7	6.9	6.8
Female	12.0	10.0	7.6	7.9	8.0	8.2
Person	12.4	8.7	6.2	6.3	7.4	7.4
BMI ≥30.0 for age 18-59 year (%)						
Male	2.0	-	-	-	-	-
Female	2.6	-	-	-	-	-
Person	2.3	-	0.3	-	0.2	0.2
BMI ≥30.0 for age 60 year and above (%)						
Male	5.0	2.5	-	-	3.0	2.6
Female	-	-	-	-	2.8	3.1
Person	4.6	2.2	-	-	2.9	2.8
BMI <18.5 for age 18-59 year (%)						
Male	8.2	7.9	34.6	35.5	19.3	18.3
Female	10.8	10.3	23.4	23.1	9.9	7.8
Person	9.5	9.0	28.9	29.4	14.6	14.3
BMI <18.5 for age 60 year and above (%)						
Male	17.2	18.1	32.9	32.7	25.2	27.1
Female	14.9	16.4	25.2	25.3	13.2	13.3
Person	16.1	17.3	29.2	29.1	19.3	20.4
Anaemia status by Haemoglobin Level						
Anaemia in the age group 6-59 months (%)						
Male	92.9	92.9	96.9	96.7	84.2	84.7
Female	81.0	81.0	97.2	97.4	83.8	83.4
Person	87.0	87.0	97.1	97.1	84.0	84.0
Severe Anemia in the age group 6-59 months (%)						
Male	0.0	0.0	0.0	0.0	0.0	0.0
Female	0.0	0.0	0.0	0.0	0.0	0.0
Person	0.0	0.0	0.0	0.0	0.0	0.0
Anaemia in the age group 5-9 years (%)						
Male	95.7	95.7	97.8	97.7	89.1	88.5
Female	97.1	96.8	96.6	96.3	87.2	88.3
Person	96.5	96.2	97.3	97.1	88.1	88.4
Severe Anemia in the age group 5-9 years (%)						
Male	25.0	25.5	8.4	6.5	24.9	26.5
Female	32.4	32.3	15.6	14.7	25.0	28.2
Person	29.0	29.1	11.8	10.3	25.0	27.4
Anaemia in the age group 10-17 years (%)						
Male	91.0	91.5	89.6	88.9	87.5	87.6
Female	93.4	93.0	98.0	97.9	87.1	87.7
Person	92.2	92.3	93.7	93.3	87.3	87.7
Severe Anemia in the age group 10-17 years (%)						
Male	32.8	33.3	6.3	5.2	24.7	26.7
Female	27.6	29.1	4.9	3.5	23.4	26.0
Person	30.1	31.1	5.6	4.3	24.0	26.3
Anaemia in the age group 18-59 years (%)						
Male	94.8	95.1	90.8	90.0	93.5	93.2
Female	92.5	92.5	94.8	94.4	85.9	86.5
Severe Anemia in the age group 18-59 years (%)						
Male	20.4	20.4	4.8	4.4	19.1	19.7
Female	25.1	25.0	7.5	6.5	20.8	22.9
Anaemia in the age group 60 years and above (%)						
Male	90.6	93.7	95.9	95.5	90.3	91.1
Female	87.3	91.5	96.2	96.3	86.5	85.6
Severe Anemia in the age group 60 years and above (%)						
Male	26.0	28.9	9.9	9.9	20.6	22.4
Female	28.2	31.4	11.4	10.6	21.4	23.9

Indicators	Rohtas		Jehanabad		Aurangabad	
	Total	Rural	Total	Rural	Total	Rural
Blood Sugar Level (18 years and above)						
Blood Sugar Level ≥ 110 mg/dl (%)						
Male	9.0	9.6	14.0	11.2	10.8	11.3
Female	9.4	10.3	6.4	6.2	-	-
Person	9.2	9.9	10.2	8.7	10.9	11.6
Blood Sugar Level ≥ 130 mg/dl (%)						
Male	1.4	1.5	1.7	1.7	0.7	-
Female	1.9	1.9	1.4	1.4	-	-
Person	1.6	1.7	1.5	1.6	0.8	-
Blood Sugar Level ≥ 150 mg/dl (%)						
Male	0.7	0.7	1.0	1.0	0.4	0.5
Female	0.6	0.7	0.7	0.6	-	-
Person	0.6	0.7	0.8	0.8	0.5	0.5
Hypertension (18 years and above)						
Above Normal Range						
Systolic ≥ 140 mm of Hg & Diastolic ≥ 90 mm of Hg (%)						
Male	12.3	10.5	14.1	14.1	5.0	5.3
Female	25.4	24.3	22.0	21.2	25.2	25.6
Person	18.8	17.4	18.0	17.7	15.0	15.2
Systolic ≥ 140 mm of Hg & Diastolic < 90 mm of Hg (%)						
Male	5.2	5.4	4.8	4.9	4.0	4.0
Female	5.5	5.2	4.8	4.7	2.7	2.6
Person	5.3	5.3	4.8	4.8	3.3	3.3
Systolic < 140 mm of Hg & Diastolic ≥ 90 mm of Hg (%)						
Male	2.4	2.5	1.7	1.7	2.1	2.0
Female	3.3	3.0	1.9	2.0	1.6	1.6
Person	2.8	2.8	1.8	1.9	1.8	1.8
Moderately high						
Systolic ≥ 160 mm of Hg & Diastolic ≥ 100 mm of Hg (%)						
Male	4.9	3.7	4.5	4.6	1.9	2.0
Female	4.6	4.0	6.6	6.3	6.7	6.7
Person	4.8	3.9	5.6	5.5	4.3	4.3
Systolic ≥ 160 mm of Hg & Diastolic < 100 mm of Hg (%)						
Male	1.1	1.1	4.4	4.5	-	-
Female	1.0	1.0	5.0	4.7	2.5	2.6
Person	1.1	1.1	4.7	4.6	3.1	3.2
Systolic < 160 mm of Hg & Diastolic ≥ 100 mm of Hg						
Male	1.1	-	0.5	0.5	-	-
Female	0.9	1.0	0.5	0.5	0.5	0.5
Person	1.0	1.0	0.5	0.5	0.4	0.4
Very high						
Systolic ≥ 180 mm of Hg & Diastolic ≥ 110 mm of Hg (%)						
Male	1.2	-	1.6	1.6	1.6	1.7
Female	-	-	3.2	3.1	4.2	4.4
Person	1.5	-	2.4	2.4	2.9	3.0
Systolic ≥ 180 mm of Hg & Diastolic < 110 mm of Hg (%)						
Male	-	-	0.8	0.9	0.3	0.3
Female	0.2	0.2	0.7	0.6	0.6	0.6
Person	0.3	0.3	0.8	0.7	0.4	0.4
Systolic < 180 mm of Hg & Diastolic ≥ 110 mm of Hg (%)						
Male	-	-	0.3	0.4	-	-
Female	0.7	0.7	0.4	0.3	-	-
Person	0.5	0.5	0.4	0.4	0.1	0.1
Iodine content in Household Salt (more than 15 ppm) (%)	77.0	75.4	73.3	72.6	79.8	80.2

Indicators	Gaya		Nawada		Jamui	
	Total	Rural	Total	Rural	Total	Rural
Nutritional status below 5 years						
Below -2 SD Wasting (Weight for Height) (%)						
Male	27.5	30.4	32.2	31.3	38.0	38.2
Female	23.4	25.3	37.0	36.9	32.7	34.5
Person	25.5	28.0	34.6	34.0	35.4	36.4
Below -3 SD Wasting (Weight for Height) (%)						
Male	-	-	8.9	8.2	-	-
Female	-	-	9.7	8.5	-	-
Person	-	-	9.3	8.3	-	-
Below -2 SD Stunting (Height for Age) (%)						
Male	59.0	62.5	53.9	55.3	70.9	71.0
Female	44.1	47.3	26.3	26.6	54.9	51.5
Person	51.6	55.2	40.6	41.6	63.1	61.8
Below -3SD Stunting (Height for Age) (%)						
Male	35.2	38.9	28.2	28.7	47.1	47.4
Female	33.6	37.5	15.1	15.3	47.0	45.0
Person	34.4	38.2	21.9	22.3	47.0	46.3
Below -2 SD Underweight (Weight for Age) (%)						
Male	58.4	60.6	52.1	52.9	67.8	67.8
Female	56.7	59.5	34.7	35.5	63.4	66.8
Person	57.5	60.0	43.7	44.6	65.7	67.4
Below -3 SD Underweight (Weight for Age) (%)						
Male	38.1	42.1	34.6	35.8	55.6	56.1
Female	-	-	5.5	5.8	-	-
Person	20.7	23.8	20.6	21.5	35.6	36.6
Below -2 SD Undernourished (BMI for Age) (%)						
Male	25.9	28.6	35.8	34.6	42.7	42.9
Female	10.7	10.0	26.2	24.9	-	-
Person	18.3	19.7	31.2	30.0	30.4	30.8
Below -3 SD Undernourished (BMI for Age) (%)						
Male	-	-	13.5	13.0	-	-
Female	-	-	17.3	16.0	-	-
Person	-	-	15.3	14.4	-	-
Above 2 SD Overnourished (BMI for Age) (%)						
Male	-	-	-	-	-	-
Female	5.6	5.3	2.0	2.1	-	-
Person	4.0	3.3	2.5	2.6	-	-
Above 3 SD Overnourished (BMI for Age) (%)						
Male	-	-	-	-	-	-
Female	4.3	-	1.0	1.0	-	-
Person	2.8	2.6	1.7	1.7	-	-
Nutritional status 5-18 years						
Below -2 SD Undernourished (BMI for Age) (%)						
Male	10.4	10.7	26.4	26.1	24.2	23.5
Female	12.0	11.5	30.9	31.0	19.6	19.1
Person	11.2	11.1	28.7	28.7	22.0	21.4
Below -3 SD Undernourished (BMI for Age) (%)						
Male	4.5	4.6	10.2	10.1	18.9	18.4
Female	3.6	3.6	13.3	13.1	12.0	11.6
Person	4.1	4.1	11.8	11.7	15.6	15.1
Above 2 SD Overnourished (BMI for Age) (%)						
Male	-	-	0.6	0.7	0.8	0.8
Female	-	-	-	-	-	-
Person	-	-	0.5	0.5	0.9	1.0
Above 3 SD Overnourished (BMI for Age) (%)						
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
Person	-	-	-	-	0.4	0.4

Indicators	Gaya		Nawada		Jamui	
	Total	Rural	Total	Rural	Total	Rural
Nutritional status 18 years and above						
BMI ≥25.0 for age 18-59 year (%)						
Male	3.4	3.2	1.7	2.0	2.2	1.8
Female	3.9	3.9	4.3	4.7	1.9	2.1
Person	3.6	3.4	3.0	3.3	2.1	1.8
BMI ≥25.0 for age 60 year and above (%)						
Male	-	-	4.0	4.2	2.0	2.0
Female	5.4	5.3	-	-	3.6	2.9
Person	5.5	4.9	3.4	3.5	2.8	2.4
BMI ≥30.0 for age 18-59 year (%)						
Male	-	-	-	-	-	-
Female	-	-	0.5	0.5	-	-
Person	-	-	0.3	0.3	0.4	-
BMI ≥30.0 for age 60 year and above (%)						
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
Person	-	-	-	-	-	-
BMI <18.5 for age 18-59 year (%)						
Male	11.4	10.8	20.4	21.8	17.9	17.7
Female	10.7	11.5	34.8	34.5	14.8	14.1
Person	11.0	11.2	27.7	28.9	16.4	16.4
BMI <18.5 for age 60 year and above (%)						
Male	17.5	18.7	26.8	27.3	16.7	17.2
Female	24.9	27.1	38.5	39.0	17.1	17.7
Person	21.1	22.7	32.5	33.1	16.9	17.5
Anaemia status by Haemoglobin Level						
Anaemia in the age group 6-59 months (%)						
Male	86.4	89.6	96.5	96.5	90.4	94.5
Female	86.0	92.3	97.4	97.3	92.4	100.0
Person	86.3	90.8	97.0	96.9	91.5	97.2
Severe Anemia in the age group 6-59 months (%)						
Male	0.0	0.0	0.0	0.0	0.0	0.0
Female	0.0	0.0	0.0	0.0	0.0	0.0
Person	0.0	0.0	0.0	0.0	0.0	0.0
Anaemia in the age group 5-9 years (%)						
Male	97.3	98.3	99.2	99.2	98.2	98.2
Female	99.0	98.8	99.2	99.2	92.3	92.3
Person	98.1	98.5	99.2	99.2	95.2	95.2
Severe Anemia in the age group 5-9 years (%)						
Male	27.4	29.2	43.0	42.7	69.6	69.6
Female	19.7	17.7	46.6	47.2	56.7	56.7
Person	23.8	23.8	44.8	44.9	63.0	63.0
Anaemia in the age group 10-17 years (%)						
Male	98.0	97.9	99.1	99.1	98.1	98.7
Female	96.9	96.7	98.3	98.2	96.9	97.7
Person	97.4	97.3	98.7	98.7	97.5	98.2
Severe Anemia in the age group 10-17 years (%)						
Male	24.9	25.1	40.6	39.2	57.2	58.8
Female	27.8	28.9	38.6	38.1	55.4	55.8
Person	26.4	27.1	39.7	38.7	56.3	57.4
Anaemia in the age group 18-59 years (%)						
Male	96.8	96.5	99.0	98.9	97.6	97.7
Female	95.6	95.6	99.1	99.1	96.6	96.9
Severe Anemia in the age group 18-59 years (%)						
Male	14.7	15.7	34.3	33.2	47.5	51.0
Female	16.9	18.1	37.3	36.8	50.5	52.7
Anaemia in the age group 60 years and above (%)						
Male	97.8	98.9	99.0	99.0	95.0	94.8
Female	93.2	93.7	100.0	100.0	98.0	99.2
Severe Anemia in the age group 60 years and above (%)						
Male	16.1	16.5	33.9	32.6	35.3	37.0
Female	28.8	29.1	38.4	38.2	63.0	65.4

Indicators	Gaya		Nawada		Jamui	
	Total	Rural	Total	Rural	Total	Rural
Blood Sugar Level (18 years and above)						
Blood Sugar Level ≥ 110 mg/dl (%)						
Male	12.2	11.1	12.2	12.2	11.4	11.9
Female	8.2	7.2	10.0	9.7	9.9	10.2
Person	10.2	9.3	11.1	10.9	10.7	11.1
Blood Sugar Level ≥ 130 mg/dl (%)						
Male	1.3	1.5	5.9	5.5	4.0	4.0
Female	-	-	5.2	5.1	3.3	3.5
Person	0.8	0.9	5.5	5.3	3.6	3.7
Blood Sugar Level ≥ 150 mg/dl (%)						
Male	0.9	1.0	2.5	2.4	1.2	1.2
Female	-	-	2.5	2.4	0.9	1.0
Person	0.6	0.6	2.5	2.4	1.1	1.1
Hypertension (18 years and above)						
Above Normal Range						
Systolic ≥ 140 mm of Hg & Diastolic ≥ 90 mm of Hg (%)						
Male	12.9	11.3	16.3	16.6	13.0	13.2
Female	20.2	16.9	20.8	20.5	17.9	17.7
Person	16.5	13.9	18.6	18.6	15.4	15.4
Systolic ≥ 140 mm of Hg & Diastolic < 90 mm of Hg (%)						
Male	4.8	4.6	6.9	7.2	5.2	5.3
Female	3.3	3.3	6.8	6.8	4.5	4.5
Person	4.0	4.0	6.8	7.0	4.9	4.9
Systolic < 140 mm of Hg & Diastolic ≥ 90 mm of Hg (%)						
Male	1.2	1.1	2.5	2.7	4.1	4.0
Female	-	-	3.1	3.2	2.5	2.6
Person	1.0	0.9	2.8	2.9	3.3	3.3
Moderately high						
Systolic ≥ 160 mm of Hg & Diastolic ≥ 100 mm of Hg (%)						
Male	5.1	4.5	1.9	1.7	2.7	2.8
Female	6.3	4.6	7.3	6.8	3.8	3.9
Person	5.7	4.5	4.7	4.4	3.3	3.3
Systolic ≥ 160 mm of Hg & Diastolic < 100 mm of Hg (%)						
Male	1.1	-	1.9	2.0	3.2	-
Female	-	-	2.2	2.3	3.4	3.5
Person	1.1	0.7	2.0	2.1	3.3	3.3
Systolic < 160 mm of Hg & Diastolic ≥ 100 mm of Hg						
Male	-	-	1.8	1.5	5.0	5.3
Female	-	-	1.5	1.4	2.7	2.9
Person	-	-	1.6	1.4	3.9	4.1
Very high						
Systolic ≥ 180 mm of Hg & Diastolic ≥ 110 mm of Hg (%)						
Male	0.3	0.4	0.8	0.8	-	-
Female	3.5	2.2	2.4	2.3	0.8	0.8
Person	1.9	1.2	1.6	1.6	0.4	0.5
Systolic ≥ 180 mm of Hg & Diastolic < 110 mm of Hg (%)						
Male	-	-	-	-	-	-
Female	0.4	0.3	-	-	0.3	0.3
Person	0.3	0.2	0.4	0.4	0.4	0.4
Systolic < 180 mm of Hg & Diastolic ≥ 110 mm of Hg (%)						
Male	-	-	0.9	0.4	1.0	1.0
Female	-	-	-	-	0.9	0.8
Person	-	-	0.6	0.4	1.0	0.9
Iodine content in Household Salt (more than 15 ppm) (%)	78.3	75.9	68.9	68.0	67.0	67.1

Note: "-" Indicate Inadequate Sample Size.

Anemia Cut-off.

Children (6-59 months) - Anemia Hb < 11 g/dL and Severe Anemia Hb < 5 g/dL

Male and Female aged 5-17 years- Anemia Hb < 12 g/dL and Severe Anemia Hb < 7 g/dL

Men (18 years and above)- Anemia Hb < 13 g/dL and Severe Anemia Hb < 7 g/dL

Non-Pregnant Women (18 years and above)- Anemia Hb < 12 g/dL and Severe Anemia Hb < 7 g/dL