

Indicators	Bihar									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	23110	0.8	4.2	17.7	20.9	21648	0.8	4.3	17.7	21.0
Below -2 SD Stunting (Height for Age) (%)										
Person	23874	0.9	1.7	50.3	53.7	22351	0.9	1.7	50.8	54.4
Below -2 SD Underweight (Weight for Age) (%)										
Person	24080	1.1	2.6	38.2	42.5	22548	1.1	2.8	38.6	43.1
Below -2 SD Undernourished (BMI for Age) (%)										
Person	24617	0.7	3.3	19.4	22.1	23044	0.7	3.4	19.4	22.2
Above 2 SD Overnourished (BMI for Age) (%)										
Person	24617	0.2	7.1	2.7	3.6	23044	0.2	7.5	2.6	3.5
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	80544	0.9	2.9	31.2	34.9	74440	1.0	2.9	31.8	35.6
Above 2 SD Overnourished (BMI for Age) (%)										
Person	80544	0.2	10.2	1.9	2.9	74440	0.3	11.0	1.9	2.9
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	117560	0.3	3.9	6.3	7.5	106812	0.3	4.2	6.0	7.2
BMI ≥25.0 for age 60 year and above (%)										
Person	21211	0.3	6.9	3.8	5.2	19522	0.2	6.5	3.3	4.4
BMI <18.5 for age 18-59 year (%)										
Person	117560	0.6	3.0	19.1	21.9	106812	0.7	3.3	19.1	22.2
BMI <18.5 for age 60 year and above (%)										
Person	21211	1.0	2.8	34.2	38.9	19522	1.1	2.9	35.2	40.1
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	14716	1.0	1.2	78.7	82.5	13847	1.0	1.3	78.4	82.4
Anaemia in the age group 5-9 years (%)										
Person	19234	0.6	0.7	86.5	89.0	17918	0.7	0.8	86.0	88.7
Anaemia in the age group 10-17 years (%)										
Person	34531	0.7	0.8	83.9	86.6	31993	0.7	0.8	83.2	86.0
Anaemia in the age group 18-59 years (%)										
Male	34441	0.8	1.0	83.8	87.1	31127	0.9	1.1	82.4	86.1
Female	46760	0.6	0.7	86.0	88.3	42687	0.6	0.7	85.2	87.7
Anaemia in the age group 60 years and above (%)										
Male	8456	0.6	0.7	88.4	90.7	7744	0.6	0.7	87.9	90.4
Female	8463	0.7	0.8	86.6	89.3	7805	0.7	0.8	86.1	88.9
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	129975	0.5	5.3	7.6	9.4	118017	0.4	5.4	7.1	8.8
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	138087	0.4	4.3	8.7	10.3	125549	0.4	4.3	8.1	9.6
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	138087	0.2	3.0	4.9	5.5	125549	0.2	3.2	4.8	5.5
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	138087	0.3	4.2	5.7	6.7	125549	0.3	4.5	5.6	6.7
Iodine content in Household Salt (more than 15 ppm) (%)	58132	1.4	1.7	76.6	82.1	52698	1.5	1.9	75.9	83.3

Indicators	Paschimi Champaran									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	686	1.5	6.0	21.4	28.1	623	1.6	7.0	19.9	27.3
Below -2 SD Stunting (Height for Age) (%)										
Person	723	5.3	10.7	38.3	62.0	660	6.1	12.5	35.2	62.1
Below -2 SD Underweight (Weight for Age) (%)										
Person	723	2.5	5.2	42.9	54.4	659	2.7	5.6	42.1	54.2
Below -2 SD Undernourished (BMI for Age) (%)										
Person	758	2.1	7.3	24.3	33.8	689	2.3	8.0	23.7	34.0
Above 2 SD Overnourished (BMI for Age) (%)										
Person	758	0.3	44.6	0.3	1.9	689	0.3	47.4	0.2	1.6
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	2269	1.5	3.3	43.3	50.2	2107	1.7	3.6	43.4	51.1
Above 2 SD Overnourished (BMI for Age) (%)										
Person	2269	0.2	14.2	0.8	1.5	2107	0.2	14.4	0.9	1.7
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	3060	0.7	18.6	2.4	5.6	2738	0.8	20.7	2.4	6.1
BMI ≥25.0 for age 60 year and above (%)										
Person	514	0.0	0.0	0.0	0.0	463	0.0	0.0	0.0	0.0
BMI <18.5 for age 18-59 year (%)										
Person	3060	1.5	3.6	38.2	44.9	2738	1.6	3.8	38.3	45.4
BMI <18.5 for age 60 year and above (%)										
Person	514	1.7	2.6	63.7	71.6	463	1.7	2.6	62.6	70.3
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	530	2.8	3.6	69.5	82.0	479	3.1	4.3	64.6	78.6
Anaemia in the age group 5-9 years (%)										
Person	719	3.1	4.0	70.3	84.4	662	3.5	4.6	66.6	82.3
Anaemia in the age group 10-17 years (%)										
Person	985	3.9	5.6	60.6	78.1	907	4.2	6.4	56.4	75.4
Anaemia in the age group 18-59 years (%)										
Male	1073	3.8	5.4	61.7	78.8	968	4.0	6.1	56.7	74.8
Female	1309	3.4	4.5	67.7	83.0	1162	3.9	5.5	61.8	79.4
Anaemia in the age group 60 years and above (%)										
Male	213	2.2	2.7	76.9	87.0	189	2.7	3.4	72.9	85.2
Female	198	3.8	4.8	69.5	86.6	183	4.3	5.5	66.3	85.6
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3389	1.5	29.5	2.5	9.5	3081	1.7	29.4	2.9	11.0
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3539	0.8	12.2	4.9	8.6	3168	0.9	13.9	4.8	9.0
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3539	0.6	11.5	4.1	6.8	3168	0.4	9.1	4.0	6.0
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3539	1.5	12.5	9.2	16.2	3168	1.8	14.4	8.8	16.9
Iodine content in Household Salt (more than 15 ppm) (%)	1578	4.7	6.2	62.9	83.8	1440	4.5	5.8	65.0	85.2

Indicators	Purba Champaran									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	927	1.8	9.5	15.4	23.6	853	2.0	10.8	14.5	23.6
Below -2 SD Stunting (Height for Age) (%)										
Person	994	3.0	5.8	45.3	58.9	917	3.2	6.0	45.8	60.3
Below -2 SD Underweight (Weight for Age) (%)										
Person	984	1.5	3.9	34.8	41.5	906	1.6	4.3	34.4	41.8
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1016	2.0	8.6	18.7	27.7	938	2.2	9.5	18.2	28.0
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1016	0.5	17.3	1.9	4.2	938	0.5	18.8	1.9	4.4
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	3516	1.6	4.3	34.3	41.5	3219	1.7	4.4	34.4	42.1
Above 2 SD Overnourished (BMI for Age) (%)										
Person	3516	0.8	16.6	3.3	7.0	3219	0.8	16.4	3.4	7.2
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	4034	0.9	11.0	6.1	10.0	3545	1.0	12.1	6.1	10.5
BMI ≥25.0 for age 60 year and above (%)										
Person	578	0.7	17.9	2.7	6.0	543	0.7	17.3	2.9	6.3
BMI <18.5 for age 18-59 year (%)										
Person	4034	2.9	10.2	22.2	35.2	3545	3.1	10.0	24.3	38.3
BMI <18.5 for age 60 year and above (%)										
Person	578	4.5	9.4	38.0	58.2	543	4.8	9.6	39.1	60.4
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	777	1.8	2.2	76.5	84.6	724	1.9	2.4	77.0	85.9
Anaemia in the age group 5-9 years (%)										
Person	1010	2.2	2.5	81.4	91.5	943	2.4	2.7	81.3	92.2
Anaemia in the age group 10-17 years (%)										
Person	1675	2.1	2.5	78.7	88.1	1542	2.0	2.4	78.7	87.9
Anaemia in the age group 18-59 years (%)										
Male	1328	2.4	3.0	74.6	85.6	1163	2.8	3.5	72.4	84.9
Female	2054	2.0	2.3	79.3	88.2	1862	2.2	2.6	78.3	88.1
Anaemia in the age group 60 years and above (%)										
Male	262	1.7	1.8	85.5	93.0	247	1.8	2.1	84.2	92.6
Female	267	2.0	2.3	82.7	91.9	250	2.1	2.4	81.7	91.1
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	-	-	-	-	-	-	-	-	-	-
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4542	0.7	15.3	3.4	6.8	4027	0.8	15.6	3.7	7.4
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	4542	0.7	10.8	5.1	8.2	4027	0.8	11.4	5.4	9.1
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4542	0.5	9.6	4.3	6.6	4027	0.6	11.7	3.9	6.6
Iodine content in Household Salt (more than 15 ppm) (%)	2211	5.4	6.6	66.7	91.5	2014	5.9	6.8	67.3	95.8

Indicators	Sheohar									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	844	1.9	10.5	13.8	22.2	792	1.9	10.6	14.2	22.9
Below -2 SD Stunting (Height for Age) (%)										
Person	841	2.0	5.6	30.9	39.8	795	1.9	5.6	30.3	38.9
Below -2 SD Underweight (Weight for Age) (%)										
Person	895	2.6	8.1	26.5	38.2	840	2.7	8.4	26.5	38.7
Below -2 SD Undernourished (BMI for Age) (%)										
Person	917	1.8	8.0	18.3	26.2	862	1.8	7.9	19.0	27.1
Above 2 SD Overnourished (BMI for Age) (%)										
Person	917	1.5	17.0	5.9	12.7	862	1.5	18.1	5.6	12.6
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	2963	1.7	3.7	42.1	49.8	2740	1.8	4.0	41.3	49.5
Above 2 SD Overnourished (BMI for Age) (%)										
Person	2963	0.8	32.0	1.1	4.8	2740	0.8	32.6	1.2	5.1
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	3785	2.5	26.6	5.0	16.7	3492	2.6	26.5	5.2	17.4
BMI ≥25.0 for age 60 year and above (%)										
Person	857	2.2	40.3	2.2	13.2	810	2.3	40.3	2.2	13.7
BMI <18.5 for age 18-59 year (%)										
Person	3785	3.7	15.1	17.0	33.7	3492	3.9	16.0	16.6	34.1
BMI <18.5 for age 60 year and above (%)										
Person	857	3.6	8.7	34.1	50.3	810	3.8	9.0	33.9	50.9
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	805	3.0	4.1	67.6	81.3	751	3.1	4.1	68.5	82.5
Anaemia in the age group 5-9 years (%)										
Person	918	2.2	2.7	77.1	87.3	839	2.4	2.8	77.9	88.8
Anaemia in the age group 10-17 years (%)										
Person	1506	1.7	2.1	77.7	85.5	1385	1.9	2.3	77.8	86.3
Anaemia in the age group 18-59 years (%)										
Male	1267	1.7	2.0	80.4	88.0	1145	1.8	2.1	80.3	88.4
Female	1788	1.6	2.1	74.7	82.1	1648	1.7	2.2	74.8	82.5
Anaemia in the age group 60 years and above (%)										
Male	375	2.1	2.4	82.4	91.9	353	2.2	2.5	82.1	92.0
Female	345	4.1	5.0	72.0	91.0	326	4.3	5.1	71.4	91.1
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	4336	0.6	6.4	8.6	11.4	3998	0.7	6.7	8.5	11.5
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4700	0.4	7.3	4.2	5.8	4359	0.4	7.6	4.1	5.8
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	4700	0.6	10.9	4.4	7.2	4359	0.6	11.8	3.9	6.7
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4700	2.8	15.1	12.9	25.5	4359	2.9	15.6	12.9	26.0
Iodine content in Household Salt (more than 15 ppm) (%)	2243	2.9	4.3	61.4	74.5	2082	3.1	4.5	60.7	74.5

Indicators	Sitamarhi									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	591	1.9	12.5	11.6	20.4	546	2.1	12.7	12.1	21.5
Below -2 SD Stunting (Height for Age) (%)										
Person	615	2.4	4.6	47.0	57.8	568	2.6	4.8	47.0	58.5
Below -2 SD Underweight (Weight for Age) (%)										
Person	613	2.5	6.4	34.1	45.5	566	2.7	6.8	33.9	46.2
Below -2 SD Undernourished (BMI for Age) (%)										
Person	628	1.7	9.2	15.4	23.3	580	1.8	9.4	15.8	24.2
Above 2 SD Overnourished (BMI for Age) (%)										
Person	-	-	-	-	-	-	-	-	-	-
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	2515	1.3	2.8	44.2	50.1	2289	1.3	2.8	43.6	49.5
Above 2 SD Overnourished (BMI for Age) (%)										
Person	2515	0.4	16.8	1.7	3.7	2289	0.4	17.1	1.7	3.7
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	3845	1.6	16.9	6.4	13.7	3406	1.4	15.2	6.4	12.7
BMI ≥25.0 for age 60 year and above (%)										
Person	-	-	-	-	-	-	-	-	-	-
BMI <18.5 for age 18-59 year (%)										
Person	3845	2.9	13.6	15.5	28.6	3406	3.0	13.5	16.3	30.0
BMI <18.5 for age 60 year and above (%)										
Person	667	2.8	5.8	42.3	55.1	573	2.1	4.3	44.5	54.0
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	297	3.4	4.3	70.0	85.4	272	3.6	4.6	69.3	85.7
Anaemia in the age group 5-9 years (%)										
Person	534	1.7	1.8	87.3	95.1	470	1.8	2.0	86.1	94.5
Anaemia in the age group 10-17 years (%)										
Person	992	2.3	2.6	81.3	91.9	889	2.2	2.5	80.8	90.8
Anaemia in the age group 18-59 years (%)										
Male	936	2.8	3.3	77.5	90.5	799	3.3	4.0	74.8	90.1
Female	1602	2.6	3.0	80.2	92.2	1440	2.8	3.3	79.0	92.0
Anaemia in the age group 60 years and above (%)										
Male	256	1.7	2.0	84.8	92.8	227	1.9	2.2	83.5	92.4
Female	261	2.4	2.7	82.2	93.4	221	2.8	3.2	79.8	92.6
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3430	1.3	23.2	3.3	9.6	2995	1.2	22.5	3.1	8.5
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4414	0.7	12.1	4.5	7.7	3885	0.8	13.5	4.3	7.9
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	4414	0.4	7.4	4.7	6.6	3885	0.4	7.5	4.7	6.6
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4414	1.7	11.8	11.1	18.8	3885	1.7	11.6	11.1	18.7
Iodine content in Household Salt (more than 15 ppm) (%)	2066	8.1	25.0	17.3	52.7	1828	8.7	26.7	16.4	54.2

Indicators	Madhubani									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	608	2.0	11.3	13.4	22.3	587	2.0	11.3	13.6	22.6
Below -2 SD Stunting (Height for Age) (%)										
Person	641	3.2	8.1	32.7	47.1	620	3.3	8.2	32.5	47.2
Below -2 SD Underweight (Weight for Age) (%)										
Person	645	1.9	5.5	29.6	38.0	624	1.9	5.6	29.9	38.5
Below -2 SD Undernourished (BMI for Age) (%)										
Person	656	2.1	10.2	15.9	25.2	635	2.1	10.3	16.1	25.6
Above 2 SD Overnourished (BMI for Age) (%)										
Person	656	0.3	19.7	1.0	2.4	635	0.3	19.6	1.0	2.5
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	2371	3.7	12.3	22.6	39.3	2323	3.8	12.5	22.4	39.2
Above 2 SD Overnourished (BMI for Age) (%)										
Person	2371	0.7	26.0	1.5	4.8	2323	0.7	26.2	1.5	4.8
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	3347	1.1	26.1	2.3	7.5	3265	1.1	26.1	2.4	7.6
BMI ≥25.0 for age 60 year and above (%)										
Person	596	1.0	30.9	1.7	6.8	588	1.1	30.8	1.7	6.8
BMI <18.5 for age 18-59 year (%)										
Person	3347	2.1	13.7	11.0	20.4	3265	2.1	13.9	10.9	20.5
BMI <18.5 for age 60 year and above (%)										
Person	596	2.4	9.7	19.8	30.8	588	2.4	9.7	20.0	31.1
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	420	6.9	11.0	46.2	76.5	403	7.1	11.2	46.1	77.1
Anaemia in the age group 5-9 years (%)										
Person	548	6.1	7.9	60.6	87.9	528	6.2	8.1	60.1	88.0
Anaemia in the age group 10-17 years (%)										
Person	975	4.1	5.7	62.0	80.5	953	4.2	5.8	61.7	80.4
Anaemia in the age group 18-59 years (%)										
Male	840	1.9	2.4	74.7	83.3	814	1.9	2.4	74.3	82.9
Female	1462	5.4	7.0	62.5	86.9	1428	5.5	7.1	62.3	86.9
Anaemia in the age group 60 years and above (%)										
Male	261	2.9	3.7	72.1	85.3	257	2.9	3.7	71.9	85.2
Female	255	5.0	6.3	65.2	87.5	251	5.0	6.4	65.1	87.6
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3135	1.1	20.5	3.3	8.2	3053	1.1	20.8	3.2	8.3
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3905	0.8	18.0	2.9	6.5	3815	0.8	18.0	2.9	6.6
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3905	1.1	21.0	3.4	8.7	3815	1.2	20.9	3.4	8.8
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3905	1.7	22.8	4.5	12.5	3815	1.7	24.0	4.1	12.2
Iodine content in Household Salt (more than 15 ppm) (%)	1637	7.2	13.3	38.0	69.6	1595	7.3	13.4	38.1	70.1

Indicators	Supaul									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	707	1.2	5.6	18.5	23.9	667	1.2	5.8	18.5	24.0
Below -2 SD Stunting (Height for Age) (%)										
Person	733	2.6	5.0	45.6	57.2	691	2.6	4.9	46.2	57.8
Below -2 SD Underweight (Weight for Age) (%)										
Person	734	3.0	7.3	34.9	48.6	693	3.1	7.4	35.2	49.2
Below -2 SD Undernourished (BMI for Age) (%)										
Person	740	1.0	4.5	20.0	24.5	697	1.1	4.8	19.6	24.4
Above 2 SD Overnourished (BMI for Age) (%)										
Person	-	-	-	-	-	-	-	-	-	-
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	2628	3.1	5.8	46.4	60.4	2439	3.2	6.0	47.0	61.5
Above 2 SD Overnourished (BMI for Age) (%)										
Person	2628	0.2	44.7	0.1	1.0	2439	0.2	44.8	0.1	1.0
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	-	-	-	-	-	-	-	-	-	-
BMI ≥25.0 for age 60 year and above (%)										
Person	558	0.0	0.0	0.0	0.0	505	0.0	0.0	0.0	0.0
BMI <18.5 for age 18-59 year (%)										
Person	3478	1.7	4.4	35.6	43.5	3124	1.9	4.9	35.0	43.7
BMI <18.5 for age 60 year and above (%)										
Person	558	1.3	3.5	35.4	41.5	505	1.1	3.0	35.2	40.3
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	448	3.4	4.2	72.5	88.0	435	3.5	4.3	72.0	87.8
Anaemia in the age group 5-9 years (%)										
Person	596	2.7	3.1	80.9	93.6	564	2.8	3.2	80.2	93.1
Anaemia in the age group 10-17 years (%)										
Person	957	3.8	4.2	77.1	94.9	893	4.0	4.6	75.6	94.6
Anaemia in the age group 18-59 years (%)										
Male	1020	2.5	2.9	80.4	91.8	935	2.7	3.1	79.0	91.1
Female	1544	3.1	3.5	80.0	94.6	1435	3.3	3.7	78.8	94.2
Anaemia in the age group 60 years and above (%)										
Male	253	1.4	1.4	90.0	96.4	224	1.5	1.6	89.0	95.9
Female	232	2.6	3.0	80.8	93.0	211	2.9	3.3	79.1	92.4
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3554	1.7	13.5	9.4	17.2	3259	1.8	15.3	8.4	16.8
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4006	0.5	14.3	2.7	5.2	3600	0.6	15.1	2.8	5.6
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	4006	0.5	12.6	3.1	5.6	3600	0.6	13.0	3.3	5.9
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4006	0.6	14.0	3.0	5.7	3600	0.6	14.7	3.1	6.1
Iodine content in Household Salt (more than 15 ppm) (%)	1774	2.6	2.7	83.1	99.4	1640	2.8	2.9	81.5	99.4

Indicators	Araria									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	1009	1.2	5.6	19.1	24.6	942	1.3	6.1	18.7	24.6
Below -2 SD Stunting (Height for Age) (%)										
Person	1049	1.9	3.4	53.0	61.7	976	1.6	2.8	54.8	62.2
Below -2 SD Underweight (Weight for Age) (%)										
Person	1066	1.8	4.2	39.2	47.3	995	1.9	4.5	39.0	47.7
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1103	1.3	5.0	22.7	28.4	1026	1.3	5.3	22.1	28.0
Above 2 SD Overnourished (BMI for Age) (%)										
Person	-	-	-	-	-	-	-	-	-	-
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	3124	1.5	2.6	54.4	61.1	2864	1.6	2.8	54.2	61.5
Above 2 SD Overnourished (BMI for Age) (%)										
Person	-	-	-	-	-	-	-	-	-	-
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	3863	1.3	11.1	8.9	14.8	3528	1.4	11.9	9.0	15.4
BMI ≥25.0 for age 60 year and above (%)										
Person	732	0.6	10.9	4.6	7.3	681	0.6	10.2	4.3	7.0
BMI <18.5 for age 18-59 year (%)										
Person	3863	3.0	20.1	9.6	23.3	3528	3.2	20.6	9.8	24.4
BMI <18.5 for age 60 year and above (%)										
Person	732	1.9	5.2	31.8	40.4	681	1.8	5.0	33.0	41.2
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	940	4.4	5.0	73.7	94.3	878	4.7	5.4	72.7	95.2
Anaemia in the age group 5-9 years (%)										
Person	935	2.9	3.2	81.9	95.7	856	2.6	2.8	84.1	96.9
Anaemia in the age group 10-17 years (%)										
Person	1608	2.8	3.2	79.5	92.6	1469	2.9	3.3	80.0	93.6
Anaemia in the age group 18-59 years (%)										
Male	1415	2.6	3.1	77.1	88.9	1286	2.9	3.4	76.2	89.2
Female	1936	2.1	2.3	85.8	95.6	1769	2.2	2.4	85.6	96.2
Anaemia in the age group 60 years and above (%)										
Male	338	3.4	4.0	76.8	92.6	311	3.7	4.2	76.2	93.4
Female	309	3.2	3.5	81.1	97.0	290	3.4	3.7	80.4	97.5
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	4545	0.6	5.4	9.7	12.4	4163	0.6	5.6	9.7	12.6
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4515	0.9	12.8	5.1	9.2	4134	0.8	10.8	5.6	9.1
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	4515	0.1	14.1	0.7	1.2	4134	0.1	12.5	0.7	1.3
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4515	0.4	7.1	4.5	6.2	4134	0.4	7.6	4.5	6.4
Iodine content in Household Salt (more than 15 ppm) (%)	2032	5.4	5.9	68.3	98.5	1874	5.9	6.4	65.9	98.4

Indicators	Kishanganj									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	854	2.3	17.6	8.7	19.2	812	2.4	18.8	8.4	19.5
Below -2 SD Stunting (Height for Age) (%)										
Person	885	3.9	7.7	42.0	59.6	841	4.1	8.4	40.2	58.7
Below -2 SD Underweight (Weight for Age) (%)										
Person	882	1.7	4.8	31.5	39.1	838	1.8	5.2	30.9	39.1
Below -2 SD Undernourished (BMI for Age) (%)										
Person	889	2.1	14.4	10.3	19.8	845	2.2	15.1	10.3	20.4
Above 2 SD Overnourished (BMI for Age) (%)										
Person	889	0.0	0.0	0.0	0.0	845	0.0	0.0	0.0	0.0
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	3019	1.4	3.9	32.3	38.5	2819	1.5	4.4	31.1	37.9
Above 2 SD Overnourished (BMI for Age) (%)										
Person	-	-	-	-	-	-	-	-	-	-
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	3631	1.4	26.5	3.1	9.7	3383	1.6	30.2	2.6	10.3
BMI ≥25.0 for age 60 year and above (%)										
Person	572	0.0	0.0	0.0	0.0	520	0.0	0.0	0.0	0.0
BMI <18.5 for age 18-59 year (%)										
Person	3631	1.3	10.6	9.4	15.3	3383	1.2	10.3	9.4	14.9
BMI <18.5 for age 60 year and above (%)										
Person	572	2.6	5.6	41.2	52.9	520	2.9	6.1	40.7	53.8
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	743	4.5	6.6	57.8	78.2	704	4.8	6.9	57.9	79.5
Anaemia in the age group 5-9 years (%)										
Person	853	3.4	4.1	74.4	89.8	811	3.6	4.3	74.0	90.3
Anaemia in the age group 10-17 years (%)										
Person	1220	2.2	2.6	78.3	88.2	1120	2.5	3.0	77.2	88.4
Anaemia in the age group 18-59 years (%)										
Male	821	1.6	1.9	82.3	89.7	760	1.8	2.1	81.3	89.6
Female	1495	2.3	2.8	76.3	86.7	1394	2.5	3.1	75.2	86.7
Anaemia in the age group 60 years and above (%)										
Male	201	2.2	2.5	80.9	90.8	186	2.4	2.8	79.5	90.4
Female	228	3.2	3.9	74.0	88.7	205	2.3	2.7	78.9	89.3
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3536	0.3	13.1	1.4	2.6	3293	0.3	14.2	1.4	2.7
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4168	0.3	35.1	0.4	1.7	3818	0.3	37.3	0.3	1.8
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	4168	0.6	24.4	1.3	4.0	3818	0.5	22.6	1.3	3.5
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4168	1.4	32.9	1.9	8.5	3818	1.3	35.1	1.6	8.0
Iodine content in Household Salt (more than 15 ppm) (%)	2031	3.6	5.3	59.6	75.7	1868	4.1	5.9	59.3	77.6

Indicators	Purnia									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	1006	1.0	7.8	10.2	14.5	877	1.1	8.9	10.2	15.3
Below -2 SD Stunting (Height for Age) (%)										
Person	1033	2.1	4.7	39.1	48.5	899	2.5	5.9	37.5	48.8
Below -2 SD Underweight (Weight for Age) (%)										
Person	1043	1.1	3.9	26.9	32.1	909	1.4	4.9	26.2	32.7
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1056	1.2	8.2	12.3	17.9	918	1.4	8.8	12.7	19.0
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1056	0.6	35.0	0.7	3.5	918	0.7	47.1	0.5	4.2
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	2534	0.6	1.3	47.0	49.8	2175	0.8	1.6	46.2	49.6
Above 2 SD Overnourished (BMI for Age) (%)										
Person	2534	0.6	6.6	7.2	9.8	2175	0.6	7.1	7.1	9.7
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	3754	0.9	40.4	0.9	5.5	3375	0.2	13.4	1.2	2.3
BMI ≥25.0 for age 60 year and above (%)										
Person	627	0.0	0.0	0.0	0.0	556	0.0	0.0	0.0	0.0
BMI <18.5 for age 18-59 year (%)										
Person	3754	2.1	7.5	23.7	33.3	3375	2.5	8.0	26.2	37.6
BMI <18.5 for age 60 year and above (%)										
Person	627	3.1	5.0	54.5	68.2	556	1.9	2.9	59.8	68.3
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	796	2.0	2.7	68.3	77.3	718	2.3	3.1	68.9	79.4
Anaemia in the age group 5-9 years (%)										
Person	682	2.4	2.9	77.8	88.8	624	2.7	3.2	76.6	88.9
Anaemia in the age group 10-17 years (%)										
Person	951	2.1	2.6	77.9	87.6	868	2.5	3.0	76.9	88.2
Anaemia in the age group 18-59 years (%)										
Male	1178	2.5	2.9	77.6	88.8	1107	2.6	3.1	78.4	90.4
Female	1714	1.9	2.4	75.5	84.2	1550	2.2	2.7	77.1	87.2
Anaemia in the age group 60 years and above (%)										
Male	275	2.3	2.7	80.8	91.4	250	2.7	3.0	81.9	94.5
Female	229	2.7	3.2	76.6	88.9	212	3.0	3.5	77.3	91.0
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	4026	0.9	15.7	4.2	8.5	3644	0.7	10.9	5.2	8.5
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4290	0.5	11.1	3.7	6.0	3852	0.5	10.9	3.7	6.1
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	4290	1.1	19.8	3.6	8.8	3852	0.7	12.1	4.5	7.7
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4290	1.1	9.5	9.7	14.9	3852	1.3	10.8	9.7	15.8
Iodine content in Household Salt (more than 15 ppm) (%)	1892	0.0	0.0	100.0	100.0	1670	0.0	0.0	100.0	100.0

Indicators	Katihar									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	637	1.0	7.5	11.3	15.8	615	1.0	7.5	11.8	16.5
Below -2 SD Stunting (Height for Age) (%)										
Person	664	2.7	5.5	42.7	54.7	641	2.8	5.7	42.3	54.8
Below -2 SD Underweight (Weight for Age) (%)										
Person	660	1.2	3.4	33.8	39.4	637	1.3	3.5	34.0	39.7
Below -2 SD Undernourished (BMI for Age) (%)										
Person	669	1.7	12.0	10.7	18.5	646	1.8	12.2	11.0	19.1
Above 2 SD Overnourished (BMI for Age) (%)										
Person	-	-	-	-	-	-	-	-	-	-
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	2675	1.6	4.3	33.9	41.0	2544	1.7	4.5	33.9	41.5
Above 2 SD Overnourished (BMI for Age) (%)										
Person	2675	1.5	18.6	5.2	11.9	2544	1.5	18.6	5.4	12.4
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	3821	1.1	14.2	5.8	10.9	3597	1.2	15.5	5.1	10.6
BMI ≥25.0 for age 60 year and above (%)										
Person	-	-	-	-	-	-	-	-	-	-
BMI <18.5 for age 18-59 year (%)										
Person	3821	1.8	19.3	6.0	14.3	3597	2.0	20.7	5.8	15.1
BMI <18.5 for age 60 year and above (%)										
Person	593	2.6	5.3	43.0	54.7	574	2.7	5.4	43.8	56.0
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	363	3.3	4.7	61.7	76.4	357	3.3	4.7	61.8	76.5
Anaemia in the age group 5-9 years (%)										
Person	658	2.4	2.9	76.8	87.6	650	2.4	3.0	76.7	87.6
Anaemia in the age group 10-17 years (%)										
Person	1205	1.2	1.5	80.2	85.6	1157	1.3	1.5	80.0	85.7
Anaemia in the age group 18-59 years (%)										
Male	1210	1.1	1.2	85.2	89.9	1138	1.1	1.2	84.7	89.4
Female	1867	1.7	2.0	80.3	88.0	1784	1.8	2.1	79.8	87.9
Anaemia in the age group 60 years and above (%)										
Male	275	2.8	3.0	82.7	95.6	269	2.8	3.1	82.3	95.4
Female	238	1.9	2.1	84.2	92.9	234	1.9	2.2	83.9	92.7
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	-	-	-	-	-	-	-	-	-	-
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4415	0.4	17.5	1.7	3.7	4172	0.5	18.4	1.7	3.8
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	4415	1.6	22.3	4.4	11.8	4172	1.7	23.4	4.4	12.4
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4415	0.8	8.7	7.8	11.5	4172	0.9	9.3	7.8	11.8
Iodine content in Household Salt (more than 15 ppm) (%)	2125	6.1	7.1	66.5	95.4	2028	6.5	7.5	64.9	95.1

Indicators	Madhepura									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	791	1.5	7.5	16.8	23.6	767	1.5	7.6	16.5	23.3
Below -2 SD Stunting (Height for Age) (%)										
Person	819	3.2	6.2	44.8	59.3	794	3.3	6.2	45.1	59.7
Below -2 SD Underweight (Weight for Age) (%)										
Person	810	2.0	5.1	35.5	44.8	786	2.1	5.3	35.0	44.5
Below -2 SD Undernourished (BMI for Age) (%)										
Person	852	1.8	7.7	19.7	27.9	824	1.8	7.9	19.2	27.4
Above 2 SD Overnourished (BMI for Age) (%)										
Person	-	-	-	-	-	-	-	-	-	-
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	3087	1.1	2.6	41.1	46.1	2960	1.1	2.6	41.2	46.3
Above 2 SD Overnourished (BMI for Age) (%)										
Person	3087	0.2	16.8	0.7	1.4	2960	0.2	16.5	0.7	1.5
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	4635	1.3	14.9	6.1	11.9	4332	1.3	15.5	6.0	12.0
BMI ≥25.0 for age 60 year and above (%)										
Person	-	-	-	-	-	-	-	-	-	-
BMI <18.5 for age 18-59 year (%)										
Person	4635	2.7	10.9	19.1	31.2	4332	2.8	11.4	18.6	31.1
BMI <18.5 for age 60 year and above (%)										
Person	740	4.0	6.9	48.9	66.9	699	4.2	7.2	48.1	66.7
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	490	2.0	2.3	84.0	93.3	469	2.1	2.3	83.6	93.1
Anaemia in the age group 5-9 years (%)										
Person	665	1.8	2.0	86.2	94.6	634	1.9	2.0	85.8	94.4
Anaemia in the age group 10-17 years (%)										
Person	1168	2.2	2.5	83.4	93.6	1111	2.3	2.6	83.0	93.5
Anaemia in the age group 18-59 years (%)										
Male	1410	2.0	2.2	86.1	95.5	1287	2.2	2.4	85.3	95.2
Female	1802	1.6	1.8	87.0	94.4	1688	1.7	1.9	86.5	94.2
Anaemia in the age group 60 years and above (%)										
Male	302	1.3	1.4	91.0	97.0	280	1.4	1.4	90.6	96.8
Female	267	2.2	2.4	85.1	95.3	253	2.3	2.5	84.5	95.1
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	4790	0.6	27.2	1.3	4.3	4448	0.7	26.8	1.4	4.5
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	5324	0.5	12.1	3.4	5.9	4981	0.6	13.3	3.1	5.7
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	5324	0.8	16.8	3.2	6.9	4981	0.8	17.4	3.2	7.0
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	5324	1.0	12.0	6.5	11.0	4981	1.1	12.6	6.3	11.0
Iodine content in Household Salt (more than 15 ppm) (%)	2230	7.3	11.7	45.5	77.1	2107	7.6	12.2	44.5	77.0

Indicators	Saharsa									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	761	2.8	11.2	19.3	32.0	739	2.9	11.5	19.4	32.6
Below -2 SD Stunting (Height for Age) (%)										
Person	791	3.0	5.5	48.3	61.9	769	3.0	5.5	47.6	61.1
Below -2 SD Underweight (Weight for Age) (%)										
Person	782	3.0	6.5	39.2	52.6	760	3.1	6.7	39.5	53.4
Below -2 SD Undernourished (BMI for Age) (%)										
Person	808	2.7	10.4	19.9	31.9	786	2.7	10.5	20.4	32.7
Above 2 SD Overnourished (BMI for Age) (%)										
Person	808	0.3	36.0	0.4	2.2	786	0.4	36.1	0.4	2.2
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	2107	1.6	2.9	51.4	58.5	1960	1.7	3.2	50.7	58.5
Above 2 SD Overnourished (BMI for Age) (%)										
Person	2107	1.0	12.0	6.2	10.7	1960	1.1	12.7	6.2	11.0
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	3067	0.8	16.2	3.2	6.7	2863	0.8	16.1	3.4	7.0
BMI ≥25.0 for age 60 year and above (%)										
Person	654	1.6	30.6	2.5	10.0	617	1.6	30.5	2.6	10.4
BMI <18.5 for age 18-59 year (%)										
Person	3067	2.2	11.1	15.2	25.2	2863	2.3	11.7	15.0	25.5
BMI <18.5 for age 60 year and above (%)										
Person	654	4.6	11.2	31.1	51.6	617	4.9	11.4	32.3	53.9
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	637	3.9	5.3	64.9	82.7	620	4.1	5.5	65.1	83.7
Anaemia in the age group 5-9 years (%)										
Person	592	3.1	3.7	75.5	89.6	560	3.3	3.9	75.0	90.0
Anaemia in the age group 10-17 years (%)										
Person	913	2.6	3.1	78.1	90.0	861	2.8	3.3	77.7	90.5
Anaemia in the age group 18-59 years (%)										
Male	835	2.4	3.1	72.0	82.9	781	2.6	3.3	72.0	83.7
Female	1367	2.6	3.0	80.6	92.6	1291	2.8	3.2	80.1	93.0
Anaemia in the age group 60 years and above (%)										
Male	268	3.8	4.5	74.3	91.9	257	4.0	4.7	73.8	92.3
Female	297	2.7	3.1	79.8	92.2	277	2.6	2.9	81.1	93.1
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3336	1.0	15.2	4.6	9.2	3101	1.1	17.1	4.3	9.2
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3695	0.3	16.3	1.4	3.0	3455	0.4	17.8	1.4	3.1
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3695	0.4	12.5	2.2	3.9	3455	0.4	13.2	2.3	4.1
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3695	1.3	15.2	5.8	11.6	3455	1.3	15.3	6.1	12.1
Iodine content in Household Salt (more than 15 ppm) (%)	1672	2.2	2.4	84.0	94.2	1559	2.4	2.7	82.7	93.8

Indicators	Darbhanga									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	575	2.1	9.2	18.1	27.4	551	2.1	9.4	18.3	28.0
Below -2 SD Stunting (Height for Age) (%)										
Person	616	1.9	3.4	52.1	60.7	592	2.0	3.5	51.9	60.8
Below -2 SD Underweight (Weight for Age) (%)										
Person	617	2.9	6.2	40.3	53.3	594	3.1	6.5	40.3	54.1
Below -2 SD Undernourished (BMI for Age) (%)										
Person	645	2.7	9.3	22.8	34.8	620	2.8	9.6	23.2	35.8
Above 2 SD Overnourished (BMI for Age) (%)										
Person	645	0.0	0.0	0.0	0.0	620	0.0	0.0	0.0	0.0
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	2345	2.1	3.6	52.3	61.7	2252	2.2	3.8	52.4	62.2
Above 2 SD Overnourished (BMI for Age) (%)										
Person	-	-	-	-	-	-	-	-	-	-
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	3338	0.6	5.9	9.2	11.9	3114	0.6	6.0	8.7	11.4
BMI ≥25.0 for age 60 year and above (%)										
Person	747	0.7	38.2	0.8	4.3	718	0.7	39.6	0.7	4.3
BMI <18.5 for age 18-59 year (%)										
Person	3338	0.8	2.4	30.7	34.3	3114	0.9	2.7	31.0	35.1
BMI <18.5 for age 60 year and above (%)										
Person	747	2.9	5.4	47.1	60.2	718	3.0	5.6	47.6	61.1
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	451	2.6	3.3	72.8	84.5	437	2.6	3.2	72.9	84.5
Anaemia in the age group 5-9 years (%)										
Person	604	3.6	4.7	67.3	83.5	587	3.7	4.9	66.6	83.3
Anaemia in the age group 10-17 years (%)										
Person	1046	5.3	7.3	59.4	83.3	1015	5.5	7.6	58.6	83.3
Anaemia in the age group 18-59 years (%)										
Male	663	5.5	8.9	49.4	74.1	604	5.8	9.7	46.8	72.7
Female	1475	3.8	5.0	65.5	82.5	1404	4.0	5.3	64.2	82.0
Anaemia in the age group 60 years and above (%)										
Male	275	3.4	4.4	67.4	82.6	266	3.5	4.6	66.1	81.7
Female	334	4.2	5.8	62.5	81.5	320	4.4	6.2	60.5	80.2
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3246	0.4	11.1	3.1	5.2	3068	0.5	12.1	3.0	5.1
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4063	1.4	17.4	5.3	11.7	3813	1.5	19.1	5.1	12.0
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	4063	0.6	9.0	5.3	8.0	3813	0.6	9.7	5.3	8.2
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4063	0.7	11.5	4.9	8.2	3813	0.8	11.9	5.0	8.5
Iodine content in Household Salt (more than 15 ppm) (%)	1802	9.0	10.0	47.4	99.0	1722	9.6	10.7	45.4	98.9

Indicators	Muzaffarpur									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	591	2.4	17.1	9.4	20.4	583	2.4	17.3	9.4	20.5
Below -2 SD Stunting (Height for Age) (%)										
Person	612	2.2	4.0	50.8	60.8	604	2.3	4.1	50.3	60.4
Below -2 SD Underweight (Weight for Age) (%)										
Person	616	3.8	11.4	25.2	42.1	608	3.8	11.6	24.9	42.2
Below -2 SD Undernourished (BMI for Age) (%)										
Person	635	2.3	11.7	15.1	25.6	627	2.3	11.7	15.2	25.8
Above 2 SD Overnourished (BMI for Age) (%)										
Person	635	1.0	17.1	4.0	8.6	627	0.9	16.2	3.8	7.9
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	2016	1.5	3.1	44.8	51.5	1963	1.5	3.2	44.6	51.5
Above 2 SD Overnourished (BMI for Age) (%)										
Person	2016	0.3	22.6	0.7	2.0	1963	0.3	23.5	0.7	2.0
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	3784	1.5	14.0	7.9	14.8	3628	1.5	15.4	7.0	14.0
BMI ≥25.0 for age 60 year and above (%)										
Person	641	0.0	0.0	0.0	0.0	620	0.0	0.0	0.0	0.0
BMI <18.5 for age 18-59 year (%)										
Person	3784	1.6	8.7	15.2	22.6	3628	1.8	9.3	15.4	23.5
BMI <18.5 for age 60 year and above (%)										
Person	641	1.9	3.8	45.4	53.8	620	1.9	3.9	45.0	53.8
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	207	11.3	19.8	32.0	79.0	207	11.3	19.8	32.0	79.0
Anaemia in the age group 5-9 years (%)										
Person	277	1.9	2.2	79.8	88.4	277	1.9	2.2	79.8	88.4
Anaemia in the age group 10-17 years (%)										
Person	553	2.0	2.4	78.3	87.3	548	2.0	2.4	78.1	87.1
Anaemia in the age group 18-59 years (%)										
Male	810	2.8	3.7	69.9	82.7	763	2.6	3.4	68.8	80.3
Female	1169	2.0	2.4	77.9	87.0	1119	2.0	2.4	76.8	85.9
Anaemia in the age group 60 years and above (%)										
Male	174	4.1	4.9	72.7	91.7	168	4.2	5.0	71.7	91.0
Female	203	2.8	3.2	77.5	90.0	197	2.8	3.3	76.7	89.3
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3142	0.6	15.9	2.6	5.3	3005	0.6	17.5	2.4	5.2
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4377	0.8	12.0	5.3	9.1	4200	0.9	13.6	4.7	8.6
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	4377	0.2	2.9	5.8	6.6	4200	0.2	2.8	5.6	6.4
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4377	0.9	14.1	4.7	8.8	4200	0.9	15.4	4.3	8.6
Iodine content in Household Salt (more than 15 ppm) (%)	1559	10.1	13.5	46.8	90.6	1489	10.3	12.8	48.4	94.5

Indicators	Gopalganj									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	376	3.1	10.4	23.0	36.7	336	3.2	10.7	23.3	37.8
Below -2 SD Stunting (Height for Age) (%)										
Person	409	6.0	15.3	27.0	53.8	367	6.6	17.3	24.5	53.5
Below -2 SD Underweight (Weight for Age) (%)										
Person	401	3.7	8.0	37.6	54.0	359	4.2	9.4	35.3	53.9
Below -2 SD Undernourished (BMI for Age) (%)										
Person	420	4.3	12.4	25.9	45.2	375	4.6	13.3	24.9	45.4
Above 2 SD Overnourished (BMI for Age) (%)										
Person	-	-	-	-	-	-	-	-	-	-
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1640	2.5	8.5	24.5	36.0	1489	2.5	8.7	23.5	34.9
Above 2 SD Overnourished (BMI for Age) (%)										
Person	-	-	-	-	-	-	-	-	-	-
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2560	0.9	9.9	7.2	11.3	2280	0.8	9.7	6.9	10.5
BMI ≥25.0 for age 60 year and above (%)										
Person	477	1.2	27.8	2.3	8.0	427	1.2	29.6	2.1	7.9
BMI <18.5 for age 18-59 year (%)										
Person	2560	3.7	21.4	10.3	27.1	2280	3.9	21.8	10.6	28.4
BMI <18.5 for age 60 year and above (%)										
Person	477	5.3	12.0	32.6	56.1	427	5.9	13.2	31.7	57.8
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	348	5.8	8.6	53.4	79.2	319	6.2	9.1	52.8	80.2
Anaemia in the age group 5-9 years (%)										
Person	418	4.4	5.4	69.3	89.3	387	4.4	5.3	70.2	90.1
Anaemia in the age group 10-17 years (%)										
Person	812	3.7	5.0	64.0	80.6	773	3.8	5.3	63.5	80.8
Anaemia in the age group 18-59 years (%)										
Male	966	3.0	4.4	61.7	75.4	876	3.2	4.6	61.3	75.6
Female	1076	3.9	5.0	68.0	85.7	967	4.3	5.5	66.8	86.3
Anaemia in the age group 60 years and above (%)										
Male	215	2.1	2.6	73.6	83.0	195	1.9	2.5	73.0	81.7
Female	193	3.9	4.8	70.5	88.1	176	4.0	5.0	69.9	88.2
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3304	0.5	13.2	2.9	5.2	2946	0.5	14.2	2.7	5.2
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3327	0.4	12.9	2.1	3.8	2964	0.4	13.9	2.1	3.9
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3327	2.4	25.5	5.2	16.3	2964	2.5	27.5	4.7	16.4
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3327	0.9	11.0	6.2	10.2	2964	0.8	10.9	6.0	9.8
Iodine content in Household Salt (more than 15 ppm) (%)	1242	2.3	3.2	66.3	76.7	1094	2.5	3.5	64.9	76.1

Indicators	Siwan									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	408	2.3	12.7	13.5	23.9	335	2.5	15.5	11.4	22.9
Below -2 SD Stunting (Height for Age) (%)										
Person	435	4.3	8.8	39.6	59.0	358	5.1	10.0	39.3	61.8
Below -2 SD Underweight (Weight for Age) (%)										
Person	428	4.0	9.7	32.1	49.9	354	4.5	11.3	30.1	50.1
Below -2 SD Undernourished (BMI for Age) (%)										
Person	442	2.4	9.7	19.5	30.3	363	2.9	12.8	16.8	30.0
Above 2 SD Overnourished (BMI for Age) (%)										
Person	442	0.0	0.0	0.0	0.0	363	0.0	0.0	0.0	0.0
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	2399	2.8	8.4	27.1	39.6	2002	3.1	9.4	26.8	40.9
Above 2 SD Overnourished (BMI for Age) (%)										
Person	2399	0.5	19.4	1.7	4.1	2002	0.5	21.6	1.5	4.1
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	3698	1.5	16.7	6.0	12.8	3031	1.7	18.7	6.0	13.9
BMI ≥25.0 for age 60 year and above (%)										
Person	657	0.9	28.4	1.7	6.0	579	1.0	31.1	1.5	6.2
BMI <18.5 for age 18-59 year (%)										
Person	3698	2.0	11.7	13.2	22.4	3031	1.8	11.9	11.6	19.9
BMI <18.5 for age 60 year and above (%)										
Person	657	3.7	10.6	27.0	43.6	579	4.0	11.5	25.9	43.6
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	265	2.6	3.8	63.3	75.2	234	2.9	4.1	63.5	76.5
Anaemia in the age group 5-9 years (%)										
Person	528	2.5	2.8	82.2	93.6	448	2.8	3.1	81.0	94.0
Anaemia in the age group 10-17 years (%)										
Person	1165	1.4	1.7	81.0	87.5	1001	1.7	2.0	80.8	88.4
Anaemia in the age group 18-59 years (%)										
Male	1217	1.3	1.4	85.3	91.0	1041	1.4	1.6	84.9	91.4
Female	1576	1.5	1.7	83.4	90.1	1300	1.7	2.0	83.2	91.0
Anaemia in the age group 60 years and above (%)										
Male	268	1.4	1.5	88.3	94.6	242	1.4	1.5	87.7	93.9
Female	293	2.2	2.4	83.6	93.6	257	2.4	2.7	82.5	93.4
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3923	0.5	9.0	4.6	6.9	3276	0.6	11.2	4.1	6.9
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4343	0.6	27.9	1.2	4.1	3598	0.5	29.9	0.8	3.2
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	4343	0.6	20.4	2.0	5.0	3598	0.7	24.0	1.8	5.2
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4343	1.1	10.8	7.7	12.5	3598	1.2	12.7	7.1	12.6
Iodine content in Household Salt (more than 15 ppm) (%)	1720	7.7	8.4	53.5	99.0	1426	8.7	9.7	49.5	98.9

Indicators	Saran									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	304	2.6	12.3	15.6	27.2	279	2.8	12.6	16.3	28.7
Below -2 SD Stunting (Height for Age) (%)										
Person	328	5.7	13.4	30.6	55.9	299	6.4	14.6	30.3	58.5
Below -2 SD Underweight (Weight for Age) (%)										
Person	324	6.0	17.2	22.6	49.0	296	6.6	18.4	22.6	51.7
Below -2 SD Undernourished (BMI for Age) (%)										
Person	337	2.4	8.7	23.0	34.1	308	2.6	9.0	23.3	34.9
Above 2 SD Overnourished (BMI for Age) (%)										
Person	-	-	-	-	-	-	-	-	-	-
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1409	1.9	7.2	22.4	30.9	1285	2.1	7.7	22.3	31.7
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1409	0.6	40.3	0.6	3.8	1285	0.7	42.5	0.6	4.3
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2297	1.1	9.2	10.1	15.1	2029	1.3	10.5	10.1	16.0
BMI ≥25.0 for age 60 year and above (%)										
Person	-	-	-	-	-	-	-	-	-	-
BMI <18.5 for age 18-59 year (%)										
Person	2297	1.1	7.1	13.2	18.2	2029	1.0	7.0	12.8	17.3
BMI <18.5 for age 60 year and above (%)										
Person	415	3.4	6.5	45.0	60.3	373	4.0	7.5	43.8	61.7
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	231	2.2	2.8	73.3	83.1	214	2.4	3.0	72.9	83.7
Anaemia in the age group 5-9 years (%)										
Person	378	3.2	3.8	75.2	89.6	351	3.1	3.8	74.4	88.7
Anaemia in the age group 10-17 years (%)										
Person	687	2.9	3.4	77.4	90.4	633	3.0	3.6	76.5	90.3
Anaemia in the age group 18-59 years (%)										
Male	708	2.4	2.7	80.8	91.7	653	2.5	2.9	80.4	91.9
Female	1023	1.6	1.8	83.2	90.6	929	1.8	2.0	82.5	90.6
Anaemia in the age group 60 years and above (%)										
Male	158	2.3	2.5	84.0	94.6	145	2.4	2.6	83.5	94.5
Female	184	2.1	2.4	84.1	93.9	166	2.2	2.4	83.4	93.4
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2551	0.6	6.3	8.1	10.8	2260	0.7	7.3	7.7	10.7
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2678	0.3	14.4	1.5	2.9	2371	0.3	16.3	1.3	2.7
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2678	0.4	9.7	3.2	5.0	2371	0.5	13.0	2.6	4.7
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2678	1.2	13.0	7.1	12.7	2371	0.7	8.3	7.1	10.3
Iodine content in Household Salt (more than 15 ppm) (%)	1088	3.0	4.1	65.5	79.1	957	2.2	3.0	66.4	76.2

Indicators	Vaishali									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	516	2.6	15.6	11.6	23.4	498	2.7	16.7	11.0	23.4
Below -2 SD Stunting (Height for Age) (%)										
Person	550	2.2	4.2	47.8	57.9	531	2.3	4.4	47.6	58.1
Below -2 SD Underweight (Weight for Age) (%)										
Person	543	2.8	7.5	30.7	43.2	524	2.8	7.7	30.0	42.5
Below -2 SD Undernourished (BMI for Age) (%)										
Person	555	1.4	6.9	16.8	23.0	535	1.4	7.2	16.4	22.7
Above 2 SD Overnourished (BMI for Age) (%)										
Person	-	-	-	-	-	-	-	-	-	-
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	2204	1.6	5.0	28.9	36.1	2110	1.7	5.2	28.4	35.9
Above 2 SD Overnourished (BMI for Age) (%)										
Person	2204	0.7	35.9	0.8	4.2	2110	0.7	38.5	0.8	4.3
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	3245	2.5	19.9	7.8	19.2	3094	2.6	21.1	7.5	19.5
BMI ≥25.0 for age 60 year and above (%)										
Person	640	1.3	16.3	5.2	11.2	623	1.1	15.7	5.1	10.1
BMI <18.5 for age 18-59 year (%)										
Person	3245	2.2	11.2	15.5	25.4	3094	2.3	11.7	15.2	25.6
BMI <18.5 for age 60 year and above (%)										
Person	640	2.3	5.5	36.4	46.8	623	2.3	5.6	36.0	46.4
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	218	15.2	20.8	32.2	93.9	208	15.6	21.6	31.0	93.7
Anaemia in the age group 5-9 years (%)										
Person	345	7.8	9.5	57.9	93.7	325	8.1	10.0	56.6	93.5
Anaemia in the age group 10-17 years (%)										
Person	752	8.4	10.7	54.1	91.7	698	8.8	11.4	52.2	91.2
Anaemia in the age group 18-59 years (%)										
Male	850	3.8	4.9	67.0	84.0	787	3.7	5.0	66.2	83.1
Female	1209	2.8	3.3	76.5	89.1	1136	2.8	3.4	76.0	88.8
Anaemia in the age group 60 years and above (%)										
Male	226	4.1	4.8	73.7	92.7	219	4.3	5.0	72.7	92.4
Female	242	5.4	6.5	67.1	92.0	238	5.5	6.6	66.8	91.8
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3018	2.1	31.6	3.2	13.1	2860	2.2	32.3	3.3	14.0
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3826	0.5	8.2	5.1	7.4	3659	0.5	8.0	5.1	7.3
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3826	0.5	10.2	3.9	6.3	3659	0.5	10.5	4.0	6.4
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3826	0.9	13.3	4.7	8.6	3659	0.4	6.3	5.0	6.7
Iodine content in Household Salt (more than 15 ppm) (%)	1517	16.7	25.3	26.5	91.4	1450	17.9	25.8	25.2	93.9

Indicators	Samastipur									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	619	1.1	8.6	10.7	15.7	569	1.1	9.3	10.0	15.2
Below -2 SD Stunting (Height for Age) (%)										
Person	643	4.5	8.9	40.8	61.1	592	4.8	9.3	40.5	61.8
Below -2 SD Underweight (Weight for Age) (%)										
Person	662	2.0	7.8	21.3	30.3	610	2.1	8.2	21.1	30.5
Below -2 SD Undernourished (BMI for Age) (%)										
Person	674	1.4	8.0	14.5	20.8	622	1.5	8.6	14.0	20.7
Above 2 SD Overnourished (BMI for Age) (%)										
Person	674	0.8	34.4	1.1	5.2	622	0.9	35.9	1.1	5.4
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	2307	1.8	4.4	37.1	45.2	2168	1.9	4.5	36.8	45.2
Above 2 SD Overnourished (BMI for Age) (%)										
Person	2307	2.6	36.8	3.0	15.4	2168	2.6	39.7	2.6	15.6
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2958	0.8	10.6	6.0	9.7	2726	0.9	11.6	5.6	9.5
BMI ≥25.0 for age 60 year and above (%)										
Person	565	1.8	26.5	3.6	12.1	517	1.7	27.5	3.4	11.7
BMI <18.5 for age 18-59 year (%)										
Person	2958	2.5	18.3	9.0	20.6	2726	2.7	19.1	9.0	21.2
BMI <18.5 for age 60 year and above (%)										
Person	565	6.4	18.2	22.3	50.3	517	6.7	18.9	22.2	51.8
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	403	3.2	4.3	67.2	81.8	359	3.0	4.1	66.1	79.8
Anaemia in the age group 5-9 years (%)										
Person	431	2.6	2.9	81.2	93.1	394	2.8	3.1	80.3	93.0
Anaemia in the age group 10-17 years (%)										
Person	854	1.8	2.2	77.3	85.7	791	1.9	2.4	76.5	85.2
Anaemia in the age group 18-59 years (%)										
Male	729	2.4	2.9	76.7	87.7	643	2.7	3.3	75.2	87.3
Female	1130	1.9	2.3	81.2	90.1	1029	2.0	2.4	80.6	89.9
Anaemia in the age group 60 years and above (%)										
Male	187	2.5	2.8	81.7	93.4	166	2.7	3.1	80.4	92.8
Female	251	1.8	2.2	78.1	86.2	231	1.8	2.3	77.3	85.6
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2659	3.7	32.7	5.2	22.7	2410	3.9	34.0	5.2	23.9
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3483	0.9	20.6	2.7	6.7	3206	0.9	21.5	2.6	6.9
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3483	0.6	11.8	4.2	7.2	3206	0.7	12.3	4.1	7.2
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3483	1.3	14.8	6.4	12.5	3206	1.4	15.5	6.4	12.8
Iodine content in Household Salt (more than 15 ppm) (%)	1355	7.4	8.6	60.5	96.1	1242	7.9	9.2	58.4	95.9

Indicators	Begusarai									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	698	4.4	28.2	7.9	28.0	676	4.5	28.3	8.0	28.5
Below -2 SD Stunting (Height for Age) (%)										
Person	681	2.2	3.8	52.7	62.6	658	2.2	3.8	52.5	62.4
Below -2 SD Underweight (Weight for Age) (%)										
Person	715	4.0	9.4	33.6	51.4	692	4.1	9.6	33.3	51.4
Below -2 SD Undernourished (BMI for Age) (%)										
Person	720	2.6	19.6	8.3	20.2	697	2.6	19.7	8.5	20.6
Above 2 SD Overnourished (BMI for Age) (%)										
Person	720	1.3	17.4	5.0	11.1	697	1.3	17.4	5.0	11.0
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	2175	1.1	7.2	13.2	18.3	2032	1.2	7.5	13.5	19.0
Above 2 SD Overnourished (BMI for Age) (%)										
Person	2175	0.2	28.8	0.4	1.4	2032	0.2	28.3	0.4	1.3
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	3343	0.4	11.2	2.6	4.2	3012	0.3	11.5	2.2	3.7
BMI ≥25.0 for age 60 year and above (%)										
Person	571	1.3	20.9	3.9	10.0	495	1.3	24.2	3.2	9.4
BMI <18.5 for age 18-59 year (%)										
Person	3343	1.4	8.1	14.9	21.4	3012	1.5	8.3	15.0	21.8
BMI <18.5 for age 60 year and above (%)										
Person	571	2.0	7.7	21.5	30.4	495	2.1	7.8	21.9	31.2
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	503	0.7	0.7	94.6	97.8	490	0.7	0.7	94.7	97.8
Anaemia in the age group 5-9 years (%)										
Person	577	1.1	1.1	93.3	99.0	549	1.2	1.2	92.9	99.0
Anaemia in the age group 10-17 years (%)										
Person	1225	2.0	2.1	88.0	97.7	1176	2.0	2.1	87.7	97.8
Anaemia in the age group 18-59 years (%)										
Male	1065	2.7	2.9	83.9	98.0	986	3.0	3.1	82.8	98.0
Female	1321	1.6	1.7	90.0	99.1	1200	1.8	1.9	89.0	99.2
Anaemia in the age group 60 years and above (%)										
Male	246	1.3	1.3	90.3	99.8	216	1.5	1.5	89.0	99.7
Female	264	1.3	1.4	91.7	98.4	240	1.5	1.5	90.9	98.2
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	4018	3.8	38.4	4.1	22.6	3604	4.2	44.6	3.3	24.2
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3807	2.5	15.2	11.6	22.9	3409	2.7	17.3	10.6	23.1
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3807	0.3	9.3	3.0	4.5	3409	0.3	9.9	2.8	4.4
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3807	0.5	23.7	1.2	3.6	3409	0.4	21.6	1.1	2.9
Iodine content in Household Salt (more than 15 ppm) (%)	1595	8.3	14.9	37.0	72.9	1399	8.6	15.7	35.6	72.9

Indicators	Khagaria									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	742	2.2	14.4	11.0	21.2	705	2.3	14.8	11.0	21.5
Below -2 SD Stunting (Height for Age) (%)										
Person	755	2.9	5.0	51.3	64.4	717	3.1	5.3	50.5	64.3
Below -2 SD Underweight (Weight for Age) (%)										
Person	753	2.5	7.0	30.2	41.4	716	2.6	7.2	30.1	41.8
Below -2 SD Undernourished (BMI for Age) (%)										
Person	780	3.0	16.4	12.6	26.4	742	3.2	17.0	12.5	26.9
Above 2 SD Overnourished (BMI for Age) (%)										
Person	-	-	-	-	-	-	-	-	-	-
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	2807	1.9	5.0	33.8	42.5	2641	2.0	5.3	33.8	43.0
Above 2 SD Overnourished (BMI for Age) (%)										
Person	2807	0.6	29.1	1.0	3.9	2641	0.6	29.9	1.0	4.0
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	3554	1.3	15.0	5.9	11.8	3304	1.4	16.8	5.4	11.9
BMI ≥25.0 for age 60 year and above (%)										
Person	563	1.2	15.6	5.2	10.7	522	1.2	18.1	4.4	10.0
BMI <18.5 for age 18-59 year (%)										
Person	3554	2.2	16.2	9.6	19.7	3304	2.4	17.3	9.4	20.4
BMI <18.5 for age 60 year and above (%)										
Person	563	2.6	9.9	20.6	32.3	522	2.7	9.9	21.6	33.8
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	528	5.4	7.8	56.6	80.9	500	5.7	8.2	55.3	80.7
Anaemia in the age group 5-9 years (%)										
Person	760	3.5	4.2	73.6	89.7	726	3.7	4.4	73.1	89.8
Anaemia in the age group 10-17 years (%)										
Person	1315	2.3	2.7	76.4	86.6	1247	2.4	2.9	75.4	86.1
Anaemia in the age group 18-59 years (%)										
Male	1127	1.9	2.1	83.1	91.7	1027	2.1	2.4	81.6	91.2
Female	1550	2.5	2.9	78.3	89.5	1450	2.6	3.1	77.9	89.8
Anaemia in the age group 60 years and above (%)										
Male	236	2.7	3.1	81.6	94.3	218	2.9	3.3	80.5	94.2
Female	236	2.7	3.2	75.8	88.0	219	2.9	3.5	74.8	88.0
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3352	1.2	13.0	7.1	12.7	3111	1.2	13.1	6.9	12.5
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3997	0.9	19.0	3.2	7.5	3717	1.0	20.3	3.1	7.7
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3997	0.7	18.2	2.4	5.4	3717	0.5	15.9	2.2	4.4
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3997	1.0	16.0	4.4	9.2	3717	1.1	17.2	4.3	9.4
Iodine content in Household Salt (more than 15 ppm) (%)	1644	0.0	0.0	100.0	100.0	1532	0.0	0.0	100.0	100.0

Indicators	Bhagalpur									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	582	6.0	22.2	15.7	42.6	547	6.5	22.7	16.4	45.4
Below -2 SD Stunting (Height for Age) (%)										
Person	596	4.4	9.0	39.1	58.7	561	4.8	9.6	39.6	61.1
Below -2 SD Underweight (Weight for Age) (%)										
Person	611	5.5	12.8	31.3	55.8	576	5.6	12.3	33.5	58.4
Below -2 SD Undernourished (BMI for Age) (%)										
Person	615	4.1	17.8	15.2	33.9	580	4.4	18.2	15.7	35.6
Above 2 SD Overnourished (BMI for Age) (%)										
Person	615	2.6	34.2	3.4	15.7	580	2.8	39.6	2.8	16.4
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	2039	5.0	18.4	17.3	39.5	1881	5.8	20.6	17.0	42.7
Above 2 SD Overnourished (BMI for Age) (%)										
Person	2039	0.2	29.5	0.4	1.5	1881	0.2	27.6	0.5	1.6
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	3145	0.8	19.5	2.7	6.5	2863	0.9	23.2	2.4	6.8
BMI ≥25.0 for age 60 year and above (%)										
Person	613	0.8	14.4	3.9	7.5	568	0.8	16.5	3.4	7.1
BMI <18.5 for age 18-59 year (%)										
Person	3145	2.1	15.2	9.7	19.3	2863	2.5	17.3	9.6	20.9
BMI <18.5 for age 60 year and above (%)										
Person	613	1.9	9.6	15.7	24.3	568	2.1	10.2	16.6	26.3
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	265	1.8	1.9	88.7	97.2	252	1.9	2.0	87.8	96.9
Anaemia in the age group 5-9 years (%)										
Person	410	1.1	1.2	93.2	99.0	378	1.1	1.1	93.5	99.0
Anaemia in the age group 10-17 years (%)										
Person	830	1.1	1.2	92.9	98.5	761	1.2	1.2	92.7	98.7
Anaemia in the age group 18-59 years (%)										
Male	895	0.9	0.9	94.7	98.9	776	1.0	1.0	93.9	98.6
Female	943	0.8	0.8	94.5	98.3	833	1.0	1.0	94.0	98.9
Anaemia in the age group 60 years and above (%)										
Male	238	1.4	1.5	91.3	98.2	222	1.3	1.4	91.8	98.4
Female	221	1.6	1.6	90.6	98.8	197	1.7	1.7	90.0	99.0
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3994	1.9	16.5	8.0	16.8	3646	2.2	20.1	6.9	17.1
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4014	1.5	10.7	10.9	17.7	3663	1.5	11.3	10.2	17.1
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	4014	1.3	23.2	3.2	9.1	3663	1.4	23.6	3.5	10.1
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4014	0.8	21.5	2.3	6.1	3663	1.0	28.1	1.8	6.4
Iodine content in Household Salt (more than 15 ppm) (%)	1529	2.5	2.8	81.6	93.2	1322	3.2	3.7	77.7	92.5

Indicators	Banka									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	539	7.1	20.2	21.0	52.1	519	7.3	21.3	20.2	52.3
Below -2 SD Stunting (Height for Age) (%)										
Person	547	4.4	9.4	37.5	57.2	525	4.5	9.4	37.7	57.8
Below -2 SD Underweight (Weight for Age) (%)										
Person	558	8.7	17.1	31.9	69.3	536	8.9	17.5	31.7	69.8
Below -2 SD Undernourished (BMI for Age) (%)										
Person	563	2.8	9.1	24.8	37.5	541	2.8	9.4	24.3	37.1
Above 2 SD Overnourished (BMI for Age) (%)										
Person	-	-	-	-	-	-	-	-	-	-
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1365	1.5	4.8	27.3	33.9	1284	1.4	4.7	27.2	33.7
Above 2 SD Overnourished (BMI for Age) (%)										
Person	-	-	-	-	-	-	-	-	-	-
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2295	0.4	13.0	2.4	4.3	2130	0.4	13.3	2.3	4.2
BMI ≥25.0 for age 60 year and above (%)										
Person	535	1.2	22.3	3.3	9.1	500	1.2	23.1	3.2	9.0
BMI <18.5 for age 18-59 year (%)										
Person	2295	2.3	9.9	18.9	29.5	2130	2.4	10.1	18.9	29.8
BMI <18.5 for age 60 year and above (%)										
Person	535	1.9	7.4	21.3	29.8	500	1.9	7.6	21.3	30.0
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	265	3.1	3.8	75.2	89.5	249	3.3	3.9	75.1	90.0
Anaemia in the age group 5-9 years (%)										
Person	364	2.6	2.7	84.8	97.9	342	2.7	2.8	84.3	98.0
Anaemia in the age group 10-17 years (%)										
Person	651	2.4	2.6	84.6	96.2	609	2.6	2.8	84.3	97.0
Anaemia in the age group 18-59 years (%)										
Male	800	0.8	0.8	94.8	98.4	733	0.8	0.8	94.8	98.6
Female	899	1.4	1.5	89.8	96.4	816	1.5	1.6	89.6	96.4
Anaemia in the age group 60 years and above (%)										
Male	262	2.3	2.4	86.6	98.6	237	2.4	2.5	86.0	98.6
Female	185	3.3	3.6	80.6	96.9	171	3.4	3.7	80.1	96.9
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3028	2.8	25.3	6.2	19.2	2770	2.9	24.8	6.5	19.9
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3095	2.2	14.0	11.3	21.3	2835	2.3	14.8	10.7	21.0
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3095	2.4	34.3	3.2	14.9	2835	2.5	35.8	3.1	15.5
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3095	0.5	29.7	0.9	3.5	2835	0.6	30.2	0.9	3.6
Iodine content in Household Salt (more than 15 ppm) (%)	1448	6.0	8.5	55.7	82.3	1301	6.4	9.0	54.6	82.8

Indicators	Munger									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	727	8.4	23.9	19.2	55.9	710	9.2	27.2	16.7	56.2
Below -2 SD Stunting (Height for Age) (%)										
Person	726	5.7	9.3	48.0	73.4	705	6.0	9.4	49.0	75.4
Below -2 SD Underweight (Weight for Age) (%)										
Person	735	13.1	21.9	30.2	83.4	715	14.3	24.4	27.1	84.4
Below -2 SD Undernourished (BMI for Age) (%)										
Person	759	4.6	14.6	22.3	43.1	738	4.5	15.8	19.6	39.8
Above 2 SD Overnourished (BMI for Age) (%)										
Person	759	2.0	40.7	1.9	12.0	738	2.3	42.0	2.0	13.4
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	2232	2.4	7.9	24.8	35.5	2085	2.2	8.5	21.5	31.7
Above 2 SD Overnourished (BMI for Age) (%)										
Person	2232	0.7	35.3	0.9	4.4	2085	0.8	41.2	0.8	5.0
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	3381	1.4	33.6	1.9	8.8	2998	1.9	36.9	2.2	11.7
BMI ≥25.0 for age 60 year and above (%)										
Person	658	1.8	27.3	3.6	12.2	564	2.6	32.7	3.7	15.9
BMI <18.5 for age 18-59 year (%)										
Person	3381	3.5	16.4	14.4	30.0	2998	3.8	16.6	15.6	32.9
BMI <18.5 for age 60 year and above (%)										
Person	658	3.0	11.9	19.3	33.0	564	2.9	10.3	21.7	34.5
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	295	2.6	2.8	84.6	98.0	289	1.2	1.2	92.9	99.0
Anaemia in the age group 5-9 years (%)										
Person	406	1.3	1.3	92.0	98.4	390	1.1	1.1	93.3	99.1
Anaemia in the age group 10-17 years (%)										
Person	811	1.4	1.5	90.5	97.0	790	0.9	0.9	93.8	98.1
Anaemia in the age group 18-59 years (%)										
Male	855	2.4	2.5	85.8	97.5	672	1.0	1.0	93.6	99.6
Female	986	2.9	3.1	82.9	97.7	827	0.7	0.7	95.9	99.2
Anaemia in the age group 60 years and above (%)										
Male	201	3.8	4.1	77.8	98.0	151	0.5	0.6	95.1	99.9
Female	265	2.1	2.3	86.6	96.9	231	1.6	1.7	90.1	99.2
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	4072	1.4	19.0	4.6	10.9	3543	2.0	22.9	5.2	14.6
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4059	3.0	16.4	12.3	25.8	3528	4.2	23.5	10.2	29.4
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	4059	0.9	14.0	4.8	9.1	3528	0.9	16.8	3.6	7.6
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4059	1.5	31.7	2.3	9.8	3528	1.7	46.8	1.2	10.0
Iodine content in Household Salt (more than 15 ppm) (%)	1585	6.7	10.4	48.5	78.2	1326	11.1	20.6	29.9	76.3

Indicators	Lakhisarai									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	661	2.7	15.0	12.9	25.3	632	2.7	16.3	11.4	23.8
Below -2 SD Stunting (Height for Age) (%)										
Person	670	4.3	8.1	43.1	62.3	632	4.2	7.7	44.6	63.2
Below -2 SD Underweight (Weight for Age) (%)										
Person	690	3.1	6.5	40.1	53.9	651	3.1	6.8	39.1	53.2
Below -2 SD Undernourished (BMI for Age) (%)										
Person	696	4.2	20.8	12.2	31.2	657	3.8	20.9	11.0	28.2
Above 2 SD Overnourished (BMI for Age) (%)										
Person	696	0.6	15.3	2.6	5.2	657	0.6	14.4	2.9	5.5
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	2344	1.9	9.9	15.3	24.0	2161	2.2	10.5	16.0	25.7
Above 2 SD Overnourished (BMI for Age) (%)										
Person	-	-	-	-	-	-	-	-	-	-
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	3299	0.7	14.6	3.3	6.4	3065	0.8	15.4	3.4	6.9
BMI ≥25.0 for age 60 year and above (%)										
Person	692	1.1	23.7	2.8	8.2	634	1.3	23.1	3.3	9.2
BMI <18.5 for age 18-59 year (%)										
Person	3299	1.4	8.2	14.3	20.7	3065	1.6	9.0	14.7	22.0
BMI <18.5 for age 60 year and above (%)										
Person	692	2.4	10.0	19.2	30.2	634	2.6	10.2	20.1	31.8
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	412	0.6	0.6	96.2	99.2	393	0.5	0.5	96.8	99.3
Anaemia in the age group 5-9 years (%)										
Person	541	0.6	0.6	96.6	99.7	502	0.3	0.3	98.4	99.8
Anaemia in the age group 10-17 years (%)										
Person	1023	0.5	0.5	96.6	99.1	955	0.4	0.4	97.3	99.4
Anaemia in the age group 18-59 years (%)										
Male	1009	0.5	0.5	96.9	99.2	942	0.3	0.3	97.9	99.3
Female	1070	0.6	0.6	96.5	99.3	968	0.4	0.4	97.6	99.6
Anaemia in the age group 60 years and above (%)										
Male	277	0.5	0.5	95.3	99.9	260	0.0	0.0	100.0	100.0
Female	261	1.1	1.2	93.1	98.7	239	0.6	0.6	96.0	98.9
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	4153	1.6	17.0	6.3	13.7	3845	1.8	17.6	6.6	14.7
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3806	1.0	6.2	14.7	19.5	3526	1.1	7.0	13.8	18.9
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3806	0.7	16.6	2.7	5.8	3526	0.7	19.2	2.3	5.4
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3806	0.2	11.8	1.4	2.4	3526	0.2	11.2	1.4	2.4
Iodine content in Household Salt (more than 15 ppm) (%)	1503	8.1	13.9	39.5	74.5	1359	9.3	16.5	35.5	75.3

Indicators	Sheikhpura									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	537	4.9	15.8	21.3	43.3	501	5.0	15.1	22.7	44.9
Below -2 SD Stunting (Height for Age) (%)										
Person	577	8.6	17.0	31.9	69.0	542	10.0	21.1	26.7	69.2
Below -2 SD Underweight (Weight for Age) (%)										
Person	574	9.2	22.0	23.4	62.6	538	9.8	22.7	23.4	64.9
Below -2 SD Undernourished (BMI for Age) (%)										
Person	585	3.3	10.9	23.4	38.3	548	3.4	10.7	24.5	39.6
Above 2 SD Overnourished (BMI for Age) (%)										
Person	585	0.9	32.2	1.4	6.0	548	1.0	34.4	1.3	6.3
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1602	3.3	14.3	16.6	31.7	1498	3.6	15.8	15.8	32.1
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1602	0.3	19.8	0.8	2.0	1498	0.3	21.2	0.8	2.0
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2269	0.3	11.0	2.2	3.6	2113	0.3	12.0	2.0	3.5
BMI ≥25.0 for age 60 year and above (%)										
Person	371	0.9	29.9	1.5	5.6	355	0.8	29.3	1.3	5.1
BMI <18.5 for age 18-59 year (%)										
Person	2269	1.2	5.8	18.2	23.7	2113	1.1	5.9	16.6	21.6
BMI <18.5 for age 60 year and above (%)										
Person	371	3.5	12.6	20.7	36.7	355	3.6	13.4	19.6	35.8
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	192	2.4	2.6	85.5	97.3	179	1.9	2.0	88.6	98.8
Anaemia in the age group 5-9 years (%)										
Person	307	1.5	1.6	90.5	98.0	291	1.1	1.1	93.4	98.9
Anaemia in the age group 10-17 years (%)										
Person	716	0.8	0.9	94.5	98.5	682	0.7	0.7	95.6	98.9
Anaemia in the age group 18-59 years (%)										
Male	419	0.8	0.9	93.5	97.3	398	0.6	0.6	95.1	97.7
Female	758	0.9	1.0	92.8	97.1	684	0.8	0.8	94.6	98.2
Anaemia in the age group 60 years and above (%)										
Male	131	1.1	1.2	93.0	98.9	128	1.2	1.2	92.8	98.9
Female	110	3.1	3.4	81.8	97.7	107	3.3	3.5	81.0	97.6
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2625	1.6	12.7	9.6	17.0	2434	1.8	12.9	10.3	18.4
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2636	0.6	4.1	13.5	16.3	2445	0.7	4.7	13.1	16.2
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2636	1.5	20.3	4.7	11.9	2445	1.4	25.2	3.0	9.5
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2636	0.5	14.5	2.4	4.6	2445	0.5	17.4	2.0	4.3
Iodine content in Household Salt (more than 15 ppm) (%)	1205	3.2	4.3	66.2	80.7	1099	2.5	3.1	73.5	84.8

Indicators	Nalanda									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	579	3.1	11.9	19.8	34.0	461	1.2	6.7	15.9	21.5
Below -2 SD Stunting (Height for Age) (%)										
Person	603	3.7	7.1	44.0	60.7	472	2.8	4.4	55.5	67.9
Below -2 SD Underweight (Weight for Age) (%)										
Person	614	3.8	7.6	41.2	58.2	482	1.6	3.4	43.7	51.0
Below -2 SD Undernourished (BMI for Age) (%)										
Person	625	1.8	7.2	20.9	28.9	492	2.0	10.0	16.1	25.3
Above 2 SD Overnourished (BMI for Age) (%)										
Person	625	1.6	27.9	3.0	10.4	492	1.3	19.4	4.4	10.5
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1980	1.9	8.1	19.1	27.6	1664	1.4	5.5	22.0	28.3
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1980	0.2	24.2	0.4	1.3	1664	0.2	29.2	0.4	1.3
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2884	0.8	18.0	3.0	6.9	2427	1.1	20.8	3.2	8.1
BMI ≥25.0 for age 60 year and above (%)										
Person	497	1.5	29.8	2.6	9.9	456	1.6	33.5	2.3	10.2
BMI <18.5 for age 18-59 year (%)										
Person	2884	1.6	9.0	14.3	21.5	2427	1.9	10.1	14.8	23.4
BMI <18.5 for age 60 year and above (%)										
Person	497	2.8	11.8	18.3	31.1	456	3.1	12.9	17.5	31.4
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	373	1.3	1.4	92.0	98.5	320	1.5	1.6	90.7	98.8
Anaemia in the age group 5-9 years (%)										
Person	518	0.8	0.8	95.3	99.3	415	0.8	0.8	94.7	99.6
Anaemia in the age group 10-17 years (%)										
Person	967	1.1	1.1	92.9	98.1	819	1.3	1.3	91.7	97.8
Anaemia in the age group 18-59 years (%)										
Male	799	0.4	0.4	97.2	99.2	689	0.5	0.5	96.8	99.2
Female	1151	1.4	1.4	91.6	99.0	1023	1.6	1.6	90.4	99.1
Anaemia in the age group 60 years and above (%)										
Male	202	1.5	1.5	91.1	99.0	191	1.5	1.5	91.0	99.3
Female	201	1.9	2.0	88.7	98.3	182	1.7	1.7	90.1	98.7
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3661	0.9	8.1	9.7	14.0	3108	1.1	10.1	8.6	13.6
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3235	1.5	8.2	15.3	22.2	2753	1.8	9.5	15.5	23.8
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3235	0.2	9.8	1.9	3.0	2753	0.3	10.3	2.1	3.3
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3235	0.6	15.6	2.5	5.0	2753	0.7	17.6	2.6	5.8
Iodine content in Household Salt (more than 15 ppm) (%)	1373	7.3	10.7	49.9	82.0	1198	8.5	13.1	44.6	81.6

Indicators	Patna									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	633	1.5	28.1	2.9	10.1	566	1.9	28.1	3.5	12.4
Below -2 SD Stunting (Height for Age) (%)										
Person	641	4.5	7.5	49.1	69.0	575	5.2	8.3	50.2	73.4
Below -2 SD Underweight (Weight for Age) (%)										
Person	646	5.2	15.9	22.1	45.3	578	6.3	16.9	24.3	51.9
Below -2 SD Undernourished (BMI for Age) (%)										
Person	648	1.0	20.9	3.0	7.6	580	1.2	22.1	3.3	9.0
Above 2 SD Overnourished (BMI for Age) (%)										
Person	648	1.3	17.0	5.1	11.0	580	1.5	19.6	4.9	11.8
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1956	1.1	10.0	9.1	14.3	1558	1.4	10.8	10.1	16.5
Above 2 SD Overnourished (BMI for Age) (%)										
Person	-	-	-	-	-	-	-	-	-	-
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	3090	0.8	11.8	5.4	9.2	2317	0.4	10.9	3.2	5.2
BMI ≥25.0 for age 60 year and above (%)										
Person	456	1.4	14.7	7.0	13.5	347	1.0	21.1	2.9	7.4
BMI <18.5 for age 18-59 year (%)										
Person	3090	1.2	5.5	18.7	23.9	2317	1.3	6.1	18.2	24.0
BMI <18.5 for age 60 year and above (%)										
Person	456	2.0	10.1	15.3	24.2	347	2.4	12.0	15.1	26.0
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	395	2.0	2.1	86.6	95.9	390	2.5	2.8	83.5	95.4
Anaemia in the age group 5-9 years (%)										
Person	471	3.3	3.6	79.7	95.3	421	4.4	5.1	73.3	93.9
Anaemia in the age group 10-17 years (%)										
Person	897	4.7	5.6	70.2	91.9	708	6.9	8.9	58.7	89.9
Anaemia in the age group 18-59 years (%)										
Male	1043	4.1	5.1	69.3	87.9	840	6.9	9.8	52.4	82.7
Female	1151	2.9	3.2	82.1	96.1	1034	4.6	5.3	72.2	93.8
Anaemia in the age group 60 years and above (%)										
Male	189	4.3	4.9	74.0	94.0	114	5.7	6.7	67.2	93.6
Female	186	2.7	2.9	83.7	97.1	149	3.8	4.2	78.0	97.0
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3569	1.4	9.0	13.0	19.4	2695	0.8	7.2	9.2	12.7
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3496	1.6	8.7	15.4	22.8	2623	1.4	8.5	13.6	20.0
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3496	0.6	11.7	4.3	7.2	2623	0.7	12.8	4.1	7.3
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3496	0.6	19.4	1.9	4.6	2623	0.5	15.5	2.1	4.2
Iodine content in Household Salt (more than 15 ppm) (%)	1391	2.3	2.6	82.5	92.9	970	3.7	4.2	76.9	94.2

Indicators	Bhojpur									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	742	2.0	10.5	15.2	24.5	716	2.0	10.2	15.6	24.7
Below -2 SD Stunting (Height for Age) (%)										
Person	747	5.7	11.7	36.2	61.4	721	5.9	11.8	36.7	62.6
Below -2 SD Underweight (Weight for Age) (%)										
Person	767	4.8	11.3	32.0	53.4	741	4.9	11.2	33.1	54.8
Below -2 SD Undernourished (BMI for Age) (%)										
Person	777	2.0	10.7	14.8	24.1	751	2.3	11.5	15.3	25.7
Above 2 SD Overnourished (BMI for Age) (%)										
Person	777	1.6	22.8	4.1	11.6	751	1.7	23.3	4.2	12.2
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	2364	2.2	9.3	19.5	29.6	2134	2.9	11.1	20.1	33.2
Above 2 SD Overnourished (BMI for Age) (%)										
Person	2364	0.4	34.0	0.6	2.7	2134	0.5	36.3	0.6	3.0
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	3937	1.0	12.4	5.8	10.2	3482	1.1	15.6	5.1	10.4
BMI ≥25.0 for age 60 year and above (%)										
Person	679	2.3	17.6	8.7	19.3	599	1.5	12.4	8.8	15.5
BMI <18.5 for age 18-59 year (%)										
Person	3937	1.9	9.4	16.0	24.5	3482	2.3	12.4	14.1	24.7
BMI <18.5 for age 60 year and above (%)										
Person	679	2.3	9.2	20.6	31.2	599	3.2	10.9	22.6	36.9
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	325	4.8	5.3	72.5	97.8	310	5.3	5.9	70.2	97.4
Anaemia in the age group 5-9 years (%)										
Person	435	1.7	1.8	88.8	99.4	406	2.0	2.0	87.5	99.3
Anaemia in the age group 10-17 years (%)										
Person	883	2.1	2.2	87.5	98.0	767	2.7	2.9	84.0	98.1
Anaemia in the age group 18-59 years (%)										
Male	1106	1.6	1.7	90.3	98.9	928	2.3	2.4	86.5	98.7
Female	1038	1.5	1.5	90.8	99.3	827	2.2	2.3	86.6	98.8
Anaemia in the age group 60 years and above (%)										
Male	214	0.6	0.6	94.8	99.9	175	0.9	0.9	92.4	99.9
Female	223	0.7	0.7	95.3	98.8	187	0.9	0.9	93.8	98.0
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	4895	1.3	11.8	8.1	13.8	4320	1.6	17.0	6.2	13.4
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4320	0.9	4.9	15.8	19.7	3804	1.0	6.3	14.5	19.2
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	4320	0.4	7.3	4.5	6.2	3804	0.5	9.6	4.0	6.2
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4320	0.3	13.7	1.8	3.3	3804	0.4	19.4	1.5	3.5
Iodine content in Household Salt (more than 15 ppm) (%)	1498	2.2	2.7	73.6	83.4	1301	2.9	4.0	66.9	80.1

Indicators	Buxar									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	508	6.8	30.2	10.7	41.0	471	7.2	30.7	11.0	43.0
Below -2 SD Stunting (Height for Age) (%)										
Person	515	3.7	6.2	50.7	67.1	478	4.0	7.0	48.0	65.7
Below -2 SD Underweight (Weight for Age) (%)										
Person	521	10.4	25.6	20.6	64.8	484	10.7	24.6	22.4	67.4
Below -2 SD Undernourished (BMI for Age) (%)										
Person	531	2.9	15.2	13.4	26.5	494	3.0	15.4	13.7	27.4
Above 2 SD Overnourished (BMI for Age) (%)										
Person	531	1.5	25.4	3.3	10.4	494	1.7	27.4	3.3	11.5
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1353	2.2	11.6	14.7	24.8	1234	2.5	12.7	14.7	26.0
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1353	0.3	20.1	0.9	2.1	1234	0.3	27.4	0.5	1.8
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2478	0.7	17.7	2.5	5.6	2302	0.7	19.2	2.3	5.5
BMI ≥25.0 for age 60 year and above (%)										
Person	544	1.4	23.1	3.6	10.4	527	1.5	26.6	3.1	10.3
BMI <18.5 for age 18-59 year (%)										
Person	2478	3.1	20.5	9.4	23.6	2302	3.4	22.6	8.9	24.7
BMI <18.5 for age 60 year and above (%)										
Person	544	3.3	20.1	10.3	25.5	527	3.4	20.3	10.2	25.6
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	212	7.7	9.3	58.5	94.0	204	7.9	9.4	58.2	95.4
Anaemia in the age group 5-9 years (%)										
Person	330	6.6	7.6	64.1	95.9	306	4.8	5.2	72.9	97.7
Anaemia in the age group 10-17 years (%)										
Person	612	3.8	4.2	77.5	95.8	561	2.7	2.9	83.5	96.6
Anaemia in the age group 18-59 years (%)										
Male	772	3.2	3.5	81.1	97.4	711	1.9	2.0	88.4	97.9
Female	1025	3.6	4.0	78.2	95.3	938	3.5	3.8	79.5	97.1
Anaemia in the age group 60 years and above (%)										
Male	234	2.7	2.8	83.5	98.9	229	2.8	2.9	82.4	99.2
Female	234	4.7	5.3	73.0	95.7	224	4.7	5.2	73.4	97.4
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3123	0.9	8.7	8.2	12.2	2915	0.9	9.1	8.4	12.7
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3175	1.5	9.9	11.7	18.3	2966	1.3	9.1	11.4	17.1
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3175	0.9	13.8	4.7	8.8	2966	0.8	13.0	4.6	8.2
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3175	0.5	19.7	1.5	3.8	2966	0.5	21.2	1.5	3.9
Iodine content in Household Salt (more than 15 ppm) (%)	1297	4.1	6.2	56.0	74.3	1174	4.3	6.3	56.8	75.9

Indicators	Kaimur (Bhabua)									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	586	1.0	13.4	5.5	10.0	523	1.0	14.0	5.3	10.0
Below -2 SD Stunting (Height for Age) (%)										
Person	602	3.6	6.7	45.6	61.7	535	3.7	6.8	45.9	62.5
Below -2 SD Underweight (Weight for Age) (%)										
Person	616	3.8	13.6	20.0	37.0	547	3.9	14.1	19.8	37.4
Below -2 SD Undernourished (BMI for Age) (%)										
Person	616	1.1	15.3	5.0	10.1	547	1.1	15.8	4.9	9.9
Above 2 SD Overnourished (BMI for Age) (%)										
Person	616	1.1	11.6	7.1	12.0	547	1.1	11.6	7.1	12.0
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1724	1.4	11.6	9.5	16.0	1523	1.5	11.9	9.5	16.2
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1724	0.3	39.4	0.3	2.0	1523	0.3	40.1	0.3	2.0
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2629	1.5	28.5	2.7	9.8	2185	1.6	29.0	2.8	10.2
BMI ≥25.0 for age 60 year and above (%)										
Person	447	1.2	18.7	4.4	10.1	397	1.3	19.1	4.3	10.3
BMI <18.5 for age 18-59 year (%)										
Person	2629	1.9	10.0	14.7	23.1	2185	2.0	10.7	14.5	23.6
BMI <18.5 for age 60 year and above (%)										
Person	447	1.9	7.7	20.0	28.3	397	1.9	8.0	19.8	28.4
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	287	4.1	4.6	75.7	95.5	247	4.2	4.7	75.2	96.2
Anaemia in the age group 5-9 years (%)										
Person	411	2.7	2.9	83.8	96.6	362	2.8	3.0	83.5	97.0
Anaemia in the age group 10-17 years (%)										
Person	817	5.9	6.9	66.7	94.7	701	6.2	7.3	65.5	95.0
Anaemia in the age group 18-59 years (%)										
Male	839	6.5	7.5	64.5	95.5	675	6.9	8.1	62.4	95.4
Female	994	4.1	4.5	76.4	96.6	861	4.3	4.7	75.5	96.8
Anaemia in the age group 60 years and above (%)										
Male	183	3.3	3.5	80.9	97.2	161	3.4	3.7	80.4	97.5
Female	195	2.7	2.9	83.3	96.0	168	2.8	3.1	82.6	96.0
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3169	1.3	12.8	7.8	13.9	2665	1.4	13.5	7.5	13.8
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3062	1.5	10.7	11.3	18.3	2571	1.6	11.2	11.4	18.8
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3062	0.8	16.0	3.3	6.8	2571	0.8	16.4	3.4	7.0
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3062	0.6	15.4	2.8	5.6	2571	0.6	16.3	2.7	5.7
Iodine content in Household Salt (more than 15 ppm) (%)	1037	2.8	3.1	82.5	96.1	896	3.0	3.3	81.6	95.9

Indicators	Rohtas									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	309	5.1	15.3	23.0	45.8	304	4.8	14.1	24.3	45.9
Below -2 SD Stunting (Height for Age) (%)										
Person	328	9.5	16.6	35.7	76.3	322	9.8	17.3	34.8	76.7
Below -2 SD Underweight (Weight for Age) (%)										
Person	331	16.9	29.8	21.6	86.0	325	16.8	29.3	22.2	86.6
Below -2 SD Undernourished (BMI for Age) (%)										
Person	333	3.4	12.8	19.6	35.0	327	3.5	13.1	19.7	35.5
Above 2 SD Overnourished (BMI for Age) (%)										
Person	-	-	-	-	-	-	-	-	-	-
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1230	3.1	12.7	18.1	32.2	1185	3.4	14.8	16.3	31.7
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1230	0.9	39.7	0.9	5.2	1185	0.9	49.1	0.6	5.5
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2216	1.0	14.7	4.9	9.5	2118	1.0	16.3	4.1	8.6
BMI ≥25.0 for age 60 year and above (%)										
Person	419	2.8	22.4	7.3	20.2	378	2.6	29.3	4.4	16.5
BMI <18.5 for age 18-59 year (%)										
Person	2216	1.8	15.9	7.7	15.7	2118	1.6	16.6	6.6	13.9
BMI <18.5 for age 60 year and above (%)										
Person	419	3.4	20.8	10.0	25.4	378	4.0	22.7	10.2	28.3
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	102	3.8	4.4	75.7	93.4	102	3.8	4.4	75.7	93.4
Anaemia in the age group 5-9 years (%)										
Person	216	1.7	1.8	89.9	98.8	209	1.8	1.8	89.5	98.7
Anaemia in the age group 10-17 years (%)										
Person	528	1.9	2.0	86.8	95.6	516	1.9	2.1	86.7	95.6
Anaemia in the age group 18-59 years (%)										
Male	714	1.0	1.1	91.9	96.7	694	1.0	1.0	92.3	96.8
Female	755	2.5	2.7	84.5	96.4	726	2.7	2.9	83.8	96.8
Anaemia in the age group 60 years and above (%)										
Male	134	2.1	2.3	84.8	94.4	123	2.0	2.1	87.4	97.0
Female	150	3.2	3.6	78.2	92.9	142	3.0	3.3	81.7	96.3
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2722	2.3	25.4	5.1	16.0	2548	2.6	26.6	5.3	17.7
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2382	2.6	14.1	13.5	25.5	2282	2.6	14.8	12.3	24.0
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2382	0.8	15.1	3.8	7.4	2282	0.8	15.8	3.7	7.6
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2382	0.6	21.0	1.8	4.6	2282	0.6	22.8	1.6	4.6
Iodine content in Household Salt (more than 15 ppm) (%)	1251	5.6	7.3	62.1	87.3	1172	5.8	7.7	60.1	86.2

Indicators	Jehanabad									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	790	1.5	10.3	11.2	17.8	745	1.5	11.1	10.7	17.6
Below -2 SD Stunting (Height for Age) (%)										
Person	792	1.0	1.6	62.2	66.9	751	1.1	1.6	62.0	66.7
Below -2 SD Underweight (Weight for Age) (%)										
Person	794	3.6	9.5	30.5	46.8	751	3.8	10.0	29.7	46.6
Below -2 SD Undernourished (BMI for Age) (%)										
Person	820	1.5	12.3	9.3	16.2	775	1.6	13.3	8.8	16.1
Above 2 SD Overnourished (BMI for Age) (%)										
Person	820	1.3	22.7	3.4	9.6	775	1.4	22.9	3.6	10.0
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	2780	3.1	20.4	9.3	23.3	2615	3.3	21.9	8.9	23.8
Above 2 SD Overnourished (BMI for Age) (%)										
Person	2780	0.3	21.5	0.9	2.3	2615	0.3	22.3	0.9	2.4
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	3882	0.5	12.0	2.9	5.1	3531	0.5	12.0	3.1	5.3
BMI ≥25.0 for age 60 year and above (%)										
Person	695	1.7	26.8	3.4	11.2	645	1.6	26.3	3.4	11.2
BMI <18.5 for age 18-59 year (%)										
Person	3882	1.2	3.9	27.2	32.5	3531	1.2	4.1	27.5	33.0
BMI <18.5 for age 60 year and above (%)										
Person	695	1.7	5.8	25.6	33.2	645	1.5	5.3	25.8	32.8
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	507	1.8	1.8	89.1	99.3	478	1.9	1.9	88.3	99.3
Anaemia in the age group 5-9 years (%)										
Person	574	1.1	1.1	93.2	98.9	540	1.2	1.3	92.6	98.9
Anaemia in the age group 10-17 years (%)										
Person	990	1.6	1.8	88.8	96.6	926	1.8	2.0	87.8	96.5
Anaemia in the age group 18-59 years (%)										
Male	1106	2.6	2.9	83.0	95.2	1029	2.8	3.1	81.8	94.7
Female	1505	1.8	1.9	89.1	97.9	1382	1.9	2.0	88.4	97.7
Anaemia in the age group 60 years and above (%)										
Male	268	1.4	1.5	91.3	98.2	246	1.5	1.5	90.8	97.9
Female	262	1.7	1.8	89.8	98.6	243	1.8	1.8	89.5	98.7
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	4877	1.7	16.7	6.9	14.7	4477	1.8	20.8	5.4	13.7
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4847	2.2	12.0	13.7	23.5	4447	2.4	13.3	13.0	23.7
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	4847	0.8	16.0	3.3	6.8	4447	0.8	17.4	3.2	7.1
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4847	0.4	20.1	1.1	2.8	4447	0.4	21.3	1.2	3.0
Iodine content in Household Salt (more than 15 ppm) (%)	1513	6.6	9.0	56.1	85.6	1417	7.0	9.7	54.3	85.5

Indicators	Aurangabad									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	488	7.1	19.0	23.0	54.0	477	7.3	19.3	23.0	54.8
Below -2 SD Stunting (Height for Age) (%)										
Person	494	3.3	6.3	44.7	59.4	480	3.5	6.5	45.0	60.5
Below -2 SD Underweight (Weight for Age) (%)										
Person	502	8.7	14.5	39.8	77.3	488	9.1	15.1	39.1	78.0
Below -2 SD Undernourished (BMI for Age) (%)										
Person	513	4.5	13.2	24.7	44.7	499	4.7	13.8	24.2	45.1
Above 2 SD Overnourished (BMI for Age) (%)										
Person	513	0.7	28.1	1.3	4.5	499	0.6	29.0	1.1	4.2
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1431	1.5	5.6	23.3	30.0	1340	1.6	6.3	22.2	29.5
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1431	0.1	31.7	0.2	0.8	1340	0.1	30.8	0.2	0.8
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2533	0.3	9.7	2.6	4.0	2425	0.3	9.7	2.6	4.1
BMI ≥25.0 for age 60 year and above (%)										
Person	476	1.7	22.6	4.4	12.2	448	1.8	24.3	4.2	12.7
BMI <18.5 for age 18-59 year (%)										
Person	2533	1.7	11.4	11.8	19.7	2425	1.8	11.9	11.5	19.6
BMI <18.5 for age 60 year and above (%)										
Person	476	2.4	12.6	14.3	25.3	448	2.6	13.0	15.0	26.9
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	225	6.1	7.3	65.2	93.6	219	6.3	7.6	64.3	93.9
Anaemia in the age group 5-9 years (%)										
Person	354	5.7	6.4	68.5	96.2	333	6.2	7.0	66.0	96.7
Anaemia in the age group 10-17 years (%)										
Person	602	4.8	5.5	72.1	94.8	566	5.2	5.9	70.7	95.4
Anaemia in the age group 18-59 years (%)										
Male	709	2.5	2.7	84.9	97.4	685	2.7	2.9	84.1	97.3
Female	789	3.8	4.4	75.2	92.8	733	4.2	4.8	74.3	93.7
Anaemia in the age group 60 years and above (%)										
Male	189	5.0	5.6	71.7	97.2	178	5.3	5.8	70.0	97.8
Female	200	3.2	3.7	77.4	92.3	185	3.6	4.2	75.4	92.1
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3052	3.7	34.2	4.9	22.7	2909	4.0	34.3	5.2	24.0
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3074	2.3	15.1	10.6	20.9	2930	2.4	16.1	10.5	21.6
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3074	0.6	17.7	2.2	5.0	2930	0.6	18.6	2.2	5.1
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3074	0.4	24.2	1.0	3.1	2930	0.5	26.3	1.0	3.2
Iodine content in Household Salt (more than 15 ppm) (%)	1153	3.6	4.5	70.4	86.8	1081	3.9	4.9	69.9	87.7

Indicators	Gaya									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	362	4.8	19.0	16.1	37.8	340	4.5	16.0	19.0	39.1
Below -2 SD Stunting (Height for Age) (%)										
Person	365	9.8	19.1	30.4	72.2	343	9.5	17.3	34.0	74.7
Below -2 SD Underweight (Weight for Age) (%)										
Person	369	11.5	20.1	31.8	79.8	347	12.1	20.1	32.5	82.4
Below -2 SD Undernourished (BMI for Age) (%)										
Person	369	3.4	18.8	11.8	27.3	347	3.9	19.7	12.3	29.9
Above 2 SD Overnourished (BMI for Age) (%)										
Person	369	1.2	29.4	2.1	7.8	347	1.1	33.2	1.5	6.9
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1012	2.0	18.0	7.4	16.7	964	2.0	18.2	7.3	16.5
Above 2 SD Overnourished (BMI for Age) (%)										
Person	-	-	-	-	-	-	-	-	-	-
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	1751	0.6	17.7	2.4	5.3	1602	0.6	19.2	2.2	5.2
BMI ≥25.0 for age 60 year and above (%)										
Person	320	2.3	42.0	2.1	13.7	280	1.2	24.8	2.8	8.6
BMI <18.5 for age 18-59 year (%)										
Person	1751	1.6	14.8	7.8	15.2	1602	1.8	15.6	7.9	15.9
BMI <18.5 for age 60 year and above (%)										
Person	320	3.3	15.5	14.6	29.4	280	4.0	17.7	14.9	33.1
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	156	4.4	5.1	73.0	93.6	142	2.4	2.6	83.7	95.0
Anaemia in the age group 5-9 years (%)										
Person	263	0.8	0.8	95.2	99.2	242	0.8	0.8	95.2	99.6
Anaemia in the age group 10-17 years (%)										
Person	440	0.9	0.9	94.5	98.8	427	0.9	1.0	94.2	98.7
Anaemia in the age group 18-59 years (%)										
Male	568	1.4	1.4	91.6	98.8	543	1.5	1.6	90.8	98.7
Female	540	1.0	1.1	92.2	96.9	459	1.2	1.2	91.9	97.4
Anaemia in the age group 60 years and above (%)										
Male	130	1.3	1.3	92.0	99.4	116	1.1	1.1	90.6	99.9
Female	115	2.7	2.9	84.1	97.3	104	3.2	3.4	81.4	98.0
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2111	2.6	25.7	5.6	17.8	1917	2.5	26.4	5.0	16.5
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2040	2.8	17.0	11.1	23.9	1852	2.8	20.0	8.7	21.4
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2040	0.7	16.6	2.8	5.8	1852	0.8	20.2	2.5	6.2
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2040	0.3	27.5	0.5	1.8	1852	0.3	32.8	0.4	1.9
Iodine content in Household Salt (more than 15 ppm) (%)	982	4.9	6.3	65.2	87.4	818	3.2	4.2	67.9	82.4

Indicators	Nawada									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	446	5.9	17.0	22.7	48.7	429	6.1	18.0	21.8	48.8
Below -2 SD Stunting (Height for Age) (%)										
Person	470	6.8	16.8	26.5	56.5	453	7.0	16.8	27.1	57.8
Below -2 SD Underweight (Weight for Age) (%)										
Person	471	8.9	20.3	25.6	63.7	454	9.2	20.5	25.8	65.1
Below -2 SD Undernourished (BMI for Age) (%)										
Person	478	3.4	10.9	24.1	39.3	461	3.2	10.6	23.3	37.7
Above 2 SD Overnourished (BMI for Age) (%)										
Person	478	0.9	36.3	1.1	5.5	461	0.9	36.2	1.1	5.7
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1829	1.2	4.3	26.0	31.6	1763	1.3	4.4	25.9	31.6
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1829	0.1	29.3	0.2	0.9	1763	0.1	29.1	0.3	0.9
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2725	0.8	25.4	1.7	5.3	2526	0.8	25.0	1.9	5.8
BMI ≥25.0 for age 60 year and above (%)										
Person	545	0.9	27.6	1.8	6.3	529	1.0	27.0	1.9	6.4
BMI <18.5 for age 18-59 year (%)										
Person	2725	2.6	9.4	22.4	34.3	2526	2.9	10.1	22.9	36.1
BMI <18.5 for age 60 year and above (%)										
Person	545	5.7	17.6	21.1	46.5	529	6.0	18.2	21.1	47.8
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	243	1.1	1.1	93.3	98.7	238	1.1	1.1	93.1	98.6
Anaemia in the age group 5-9 years (%)										
Person	418	0.4	0.4	97.8	99.7	408	0.4	0.4	97.8	99.7
Anaemia in the age group 10-17 years (%)										
Person	804	0.8	0.8	94.7	99.7	777	0.8	0.9	94.5	99.7
Anaemia in the age group 18-59 years (%)										
Male	741	0.4	0.4	97.8	99.6	686	0.4	0.4	97.5	99.5
Female	1098	0.4	0.4	97.5	99.7	1034	0.4	0.4	97.3	99.8
Anaemia in the age group 60 years and above (%)										
Male	234	1.0	1.0	90.3	99.9	226	1.1	1.1	89.9	99.9
Female	214	0.0	0.0	100.0	100.0	207	0.0	0.0	100.0	100.0
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3409	1.1	10.0	8.8	13.8	3176	1.2	11.0	8.5	13.9
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3170	1.7	8.9	15.2	22.7	2958	1.8	9.6	14.9	23.1
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3170	0.7	10.7	5.4	8.7	2958	0.8	11.4	5.4	9.0
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3170	0.8	27.7	1.5	5.2	2958	0.8	28.5	1.5	5.6
Iodine content in Household Salt (more than 15 ppm) (%)	1294	5.9	8.6	54.2	80.5	1237	6.2	9.1	52.8	80.1

Indicators	Jamui									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	371	6.4	18.1	22.5	50.8	355	6.6	18.1	23.1	52.1
Below -2 SD Stunting (Height for Age) (%)										
Person	384	8.8	13.9	42.2	80.0	367	9.6	15.6	39.1	80.3
Below -2 SD Underweight (Weight for Age) (%)										
Person	385	12.8	19.5	34.5	87.4	369	12.8	19.1	35.5	88.5
Below -2 SD Undernourished (BMI for Age) (%)										
Person	389	6.8	22.3	17.5	47.4	372	7.3	23.6	17.1	49.1
Above 2 SD Overnourished (BMI for Age) (%)										
Person	-	-	-	-	-	-	-	-	-	-
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1193	2.4	11.1	16.9	28.0	1170	2.5	11.5	16.4	27.5
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1193	0.3	36.9	0.4	2.2	1170	0.4	36.8	0.4	2.2
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	1949	0.6	30.0	1.0	3.9	1862	0.6	34.4	0.8	3.8
BMI ≥25.0 for age 60 year and above (%)										
Person	300	0.9	33.2	1.3	5.8	292	0.9	36.3	1.1	5.4
BMI <18.5 for age 18-59 year (%)										
Person	1949	3.0	16.7	12.1	25.8	1862	3.2	17.9	11.6	26.1
BMI <18.5 for age 60 year and above (%)										
Person	300	3.2	18.8	10.8	25.2	292	3.2	18.5	11.3	25.9
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	62	3.1	3.4	81.1	96.4	57	1.8	1.9	88.5	99.4
Anaemia in the age group 5-9 years (%)										
Person	188	3.0	3.1	82.1	98.9	188	3.0	3.1	82.1	98.9
Anaemia in the age group 10-17 years (%)										
Person	396	0.8	0.9	94.7	98.9	391	0.7	0.7	95.9	99.2
Anaemia in the age group 18-59 years (%)										
Male	598	1.1	1.1	93.4	99.2	563	1.2	1.2	93.0	99.2
Female	589	1.0	1.1	93.4	98.4	557	1.1	1.1	93.3	98.8
Anaemia in the age group 60 years and above (%)										
Male	106	2.8	2.9	83.4	98.7	102	2.9	3.1	82.7	98.6
Female	115	1.4	1.4	90.8	99.6	112	0.8	0.8	93.0	99.9
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2254	2.5	23.3	6.2	17.7	2153	2.6	23.5	6.4	18.4
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2262	2.4	15.4	10.7	21.5	2163	2.5	16.3	10.5	21.9
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2262	1.5	31.7	2.4	9.8	2163	1.6	33.4	2.3	10.3
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2262	0.6	17.9	2.2	5.0	2163	0.6	18.6	2.2	5.1
Iodine content in Household Salt (more than 15 ppm) (%)	1060	3.9	5.9	57.6	75.2	1011	3.7	5.5	58.4	74.8

Note: Confidence Intervals are computed by logit transformation method using SPSS application.