

Indicators	Chhattisgarh									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	6278	1.6	4.8	29.4	35.5	5119	1.8	5.5	28.3	35.3
Below -2 SD Stunting (Height for Age) (%)										
Person	6147	1.5	4.4	31.8	37.8	5000	1.7	4.8	32.2	39.0
Below -2 SD Underweight (Weight for Age) (%)										
Person	6640	1.9	4.8	35.7	43.1	5366	2.2	5.5	35.5	44.1
Below -2 SD Undernourished (BMI for Age) (%)										
Person	6733	1.6	4.7	30.4	36.6	5430	1.7	5.2	29.1	35.7
Above 2 SD Overnourished (BMI for Age) (%)										
Person	6733	0.9	11.3	6.1	9.5	5430	1.1	13.6	6.0	10.2
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	21902	0.9	3.1	28.1	31.8	18098	1.1	3.4	28.8	33.0
Above 2 SD Overnourished (BMI for Age) (%)										
Person	21902	0.2	14.5	1.2	2.0	18098	0.3	16.9	1.1	2.2
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	50188	0.5	7.2	5.3	7.5	40174	0.4	7.4	4.1	5.9
BMI ≥25.0 for age 60 year and above (%)										
Person	6804	0.9	11.8	6.2	10.3	5616	0.7	11.9	4.7	7.9
BMI <18.5 for age 18-59 year (%)										
Person	50188	0.9	5.7	13.6	17.6	40174	1.0	5.6	15.2	19.7
BMI <18.5 for age 60 year and above (%)										
Person	6804	1.6	6.4	22.2	29.4	5616	1.8	6.5	24.4	32.5
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	4329	2.1	3.3	59.5	67.8	3519	2.0	2.9	62.6	70.4
Anaemia in the age group 5-9 years (%)										
Person	6800	1.4	1.8	75.6	81.1	5682	1.3	1.6	77.5	82.7
Anaemia in the age group 10-17 years (%)										
Person	12760	1.8	2.4	71.4	78.4	10545	1.8	2.4	72.6	79.8
Anaemia in the age group 18-59 years (%)										
Male	23948	1.3	1.5	80.9	86.0	19172	1.2	1.5	82.2	87.1
Female	24509	1.3	1.7	73.7	78.8	19736	1.3	1.7	75.0	80.3
Anaemia in the age group 60 years and above (%)										
Male	3345	1.6	1.9	81.3	87.8	2737	1.8	2.1	81.9	89.1
Female	3216	1.6	2.0	74.9	81.0	2696	1.7	2.1	74.9	81.6
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	56037	0.7	5.6	10.3	12.9	45177	0.7	7.0	9.3	12.3
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	56303	0.4	6.4	5.4	6.9	45306	0.4	7.6	5.0	6.8
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	56303	0.2	4.7	4.3	5.2	45306	0.2	5.3	4.1	5.1
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	56303	0.3	4.7	6.7	8.1	45306	0.4	5.4	6.6	8.1
Iodine content in Household Salt (more than 15 ppm) (%)	23395	2.9	3.8	69.7	81.1	18775	3.4	4.5	68.3	81.7

Indicators	Koriya									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	557	2.0	14.6	9.9	18.9	451	2.4	17.5	9.1	19.7
Below -2 SD Stunting (Height for Age) (%)										
Person	531	5.0	11.0	34.8	56.9	445	5.7	12.9	32.5	57.5
Below -2 SD Underweight (Weight for Age) (%)										
Person	569	3.2	7.9	33.9	48.1	468	3.2	8.2	32.4	46.7
Below -2 SD Undernourished (BMI for Age) (%)										
Person	588	1.5	12.6	8.8	15.5	477	1.7	15.1	8.2	16.1
Above 2 SD Overnourished (BMI for Age) (%)										
Person	588	2.3	24.1	5.4	15.8	477	2.6	24.9	5.8	17.5
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1995	1.4	4.9	24.8	30.7	1583	1.5	5.1	25.5	31.8
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1995	0.4	28.4	0.7	2.4	1583	0.4	39.5	0.4	2.4
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	4159	1.6	16.5	6.7	14.1	3023	1.4	23.1	3.7	10.2
BMI ≥25.0 for age 60 year and above (%)										
Person	536	1.6	14.5	7.8	15.1	419	1.5	14.6	7.5	14.3
BMI <18.5 for age 18-59 year (%)										
Person	4159	1.9	7.1	22.6	31.2	3023	1.9	6.5	25.5	34.1
BMI <18.5 for age 60 year and above (%)										
Person	536	3.0	9.0	26.9	40.4	419	3.4	9.8	27.3	42.5
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	386	2.9	4.0	65.7	78.6	318	3.2	4.4	65.1	79.2
Anaemia in the age group 5-9 years (%)										
Person	628	1.6	1.9	83.4	90.6	517	1.7	1.9	84.3	91.8
Anaemia in the age group 10-17 years (%)										
Person	1207	2.5	3.2	73.1	84.3	955	2.9	3.6	72.9	85.7
Anaemia in the age group 18-59 years (%)										
Male	1952	1.4	1.6	84.5	90.5	1438	1.3	1.4	85.5	90.9
Female	2161	2.4	3.0	74.0	84.5	1566	2.4	3.0	75.8	86.3
Anaemia in the age group 60 years and above (%)										
Male	289	2.5	2.8	82.4	93.4	230	2.5	2.8	83.1	94.3
Female	242	3.4	4.1	75.2	90.1	186	4.1	4.9	71.9	89.7
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	4554	1.4	12.0	8.9	15.0	3421	1.7	16.2	7.2	14.6
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4580	0.8	11.4	5.8	9.4	3433	1.0	14.7	5.0	9.4
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	4580	0.5	7.4	5.8	8.0	3433	0.5	7.5	5.8	7.9
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4580	0.9	16.2	3.8	7.6	3433	0.7	15.6	3.0	5.9
Iodine content in Household Salt (more than 15 ppm) (%)	1941	7.2	10.3	53.0	83.5	1377	7.8	10.5	54.7	87.8

Indicators	Surguja									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	620	2.4	10.6	18.1	28.8	575	2.5	11.1	17.6	28.8
Below -2 SD Stunting (Height for Age) (%)										
Person	608	2.5	10.5	19.1	30.2	564	2.6	10.6	19.4	30.8
Below -2 SD Underweight (Weight for Age) (%)										
Person	633	3.1	13.8	16.2	29.7	588	3.2	14.3	16.0	30.0
Below -2 SD Undernourished (BMI for Age) (%)										
Person	639	2.5	10.5	18.8	29.8	594	2.6	11.1	18.4	29.9
Above 2 SD Overnourished (BMI for Age) (%)										
Person	639	2.6	33.4	3.7	15.8	594	2.7	34.0	3.7	16.5
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1816	3.6	15.2	16.7	32.1	1611	3.8	16.1	16.6	33.1
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1816	0.2	16.5	0.8	1.6	1611	0.2	16.8	0.8	1.7
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	3662	0.3	19.7	0.9	2.3	3112	0.2	22.2	0.7	1.7
BMI ≥25.0 for age 60 year and above (%)										
Person	-	-	-	-	-	-	-	-	-	-
BMI <18.5 for age 18-59 year (%)										
Person	3662	2.4	14.8	11.4	22.3	3112	2.6	15.9	11.1	23.0
BMI <18.5 for age 60 year and above (%)										
Person	514	6.1	16.1	25.3	52.3	431	6.9	17.2	25.8	56.1
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	310	2.5	3.7	62.5	73.6	293	2.5	3.6	63.4	74.1
Anaemia in the age group 5-9 years (%)										
Person	606	2.9	3.7	70.4	83.0	541	2.7	3.4	71.9	83.6
Anaemia in the age group 10-17 years (%)										
Person	1053	2.3	2.8	76.0	86.0	937	2.3	2.8	76.3	86.3
Anaemia in the age group 18-59 years (%)										
Male	1695	1.7	1.9	86.2	93.8	1433	1.6	1.7	87.3	94.1
Female	1904	2.7	3.4	74.4	86.2	1622	2.4	3.0	76.3	86.9
Anaemia in the age group 60 years and above (%)										
Male	255	2.1	2.3	85.9	95.3	211	2.3	2.5	85.4	95.9
Female	245	4.9	6.4	65.3	86.5	210	5.5	7.0	64.2	87.5
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	4142	1.6	20.1	5.3	12.4	3516	1.8	23.0	4.8	12.7
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4155	0.6	10.2	4.8	7.5	3526	0.7	11.0	4.7	7.6
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	4155	1.0	21.5	2.8	7.0	3526	1.0	24.0	2.5	6.9
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4155	0.7	13.6	3.7	6.7	3526	0.7	15.6	3.4	6.7
<b>Iodine content in Household Salt (more than 15 ppm) (%)</b>	<b>1755</b>	<b>13.3</b>	<b>20.6</b>	<b>34.3</b>	<b>86.4</b>	<b>1489</b>	<b>14.8</b>	<b>23.6</b>	<b>30.2</b>	<b>86.6</b>

Indicators	Jashpur									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	390	2.4	9.5	20.7	31.5	373	2.4	9.4	20.8	31.7
Below -2 SD Stunting (Height for Age) (%)										
Person	380	4.3	19.6	13.9	33.2	363	4.4	19.9	13.8	33.3
Below -2 SD Underweight (Weight for Age) (%)										
Person	393	5.9	25.5	12.5	38.5	376	6.0	25.8	12.4	38.8
Below -2 SD Undernourished (BMI for Age) (%)										
Person	398	4.6	15.1	21.1	41.3	381	4.6	15.0	21.3	41.6
Above 2 SD Overnourished (BMI for Age) (%)										
Person	398	0.9	44.7	0.8	5.5	381	0.9	46.0	0.7	5.5
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1163	5.5	14.3	27.2	51.2	1046	5.6	14.2	27.9	52.3
Above 2 SD Overnourished (BMI for Age) (%)										
Person	-	-	-	-	-	-	-	-	-	-
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	2684	1.0	39.8	1.0	6.1	2329	1.1	44.3	0.8	6.6
BMI ≥25.0 for age 60 year and above (%)										
Person	374	0.7	22.2	1.9	5.2	333	0.7	23.5	1.9	5.1
BMI <18.5 for age 18-59 year (%)										
Person	2684	2.3	14.2	11.6	22.1	2329	2.4	14.5	11.9	22.8
BMI <18.5 for age 60 year and above (%)										
Person	374	4.3	11.2	28.9	48.1	333	4.4	11.3	29.7	49.4
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	219	5.0	5.9	70.1	93.1	211	5.1	6.0	69.8	93.0
Anaemia in the age group 5-9 years (%)										
Person	456	1.2	1.4	83.0	88.3	430	1.2	1.4	82.7	88.1
Anaemia in the age group 10-17 years (%)										
Person	621	2.1	2.4	79.9	89.2	550	2.0	2.3	80.4	89.3
Anaemia in the age group 18-59 years (%)										
Male	1185	1.1	1.2	88.7	93.7	1017	1.1	1.2	88.3	93.3
Female	1454	1.7	2.0	83.1	90.8	1274	1.8	2.1	82.6	90.7
Anaemia in the age group 60 years and above (%)										
Male	193	1.0	1.1	90.5	95.2	173	1.0	1.1	90.2	95.0
Female	173	2.2	2.5	84.4	94.5	154	2.3	2.6	83.9	94.5
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3014	1.1	10.8	7.8	12.6	2624	1.2	11.5	7.8	12.9
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3040	0.9	23.3	2.2	6.1	2648	0.9	25.1	2.0	6.2
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3040	0.5	18.6	1.8	4.1	2648	0.5	19.5	1.7	4.1
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3040	1.2	40.2	1.2	7.3	2648	1.3	43.9	1.1	7.6
Iodine content in Household Salt (more than 15 ppm) (%)	1311	6.2	9.6	49.9	77.0	1143	6.4	9.8	50.1	77.9

Indicators	Raigarh									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	357	4.8	18.4	16.7	38.2	342	5.0	19.7	15.7	38.0
Below -2 SD Stunting (Height for Age) (%)										
Person	347	3.9	9.1	34.6	52.3	332	4.1	9.3	35.1	53.6
Below -2 SD Underweight (Weight for Age) (%)										
Person	377	3.0	7.8	31.8	45.3	362	3.0	7.7	32.6	46.3
Below -2 SD Undernourished (BMI for Age) (%)										
Person	382	4.5	19.3	14.7	35.0	367	4.6	20.9	13.5	34.4
Above 2 SD Overnourished (BMI for Age) (%)										
Person	382	4.4	31.0	6.8	27.2	367	4.6	31.4	6.9	28.1
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1258	3.4	16.9	13.6	28.8	1165	3.7	18.9	12.7	29.3
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1258	0.3	34.5	0.5	2.2	1165	0.4	34.4	0.5	2.3
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	2829	1.1	20.5	3.3	8.4	2520	0.8	29.6	1.5	5.4
BMI ≥25.0 for age 60 year and above (%)										
Person	431	1.2	11.8	8.2	13.6	376	1.2	31.3	1.9	7.7
BMI <18.5 for age 18-59 year (%)										
Person	2829	1.9	15.4	8.8	17.5	2520	2.2	16.2	9.2	19.3
BMI <18.5 for age 60 year and above (%)										
Person	431	3.8	16.7	15.3	32.5	376	4.5	17.0	17.4	37.6
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	166	5.9	7.8	59.7	86.0	154	6.4	8.8	56.4	85.0
Anaemia in the age group 5-9 years (%)										
Person	387	2.6	3.0	79.7	91.4	371	2.7	3.1	79.1	91.3
Anaemia in the age group 10-17 years (%)										
Person	742	4.0	5.0	70.5	88.8	687	4.3	5.4	68.9	88.5
Anaemia in the age group 18-59 years (%)										
Male	1336	1.4	1.6	86.8	93.3	1199	1.6	1.7	86.2	93.3
Female	1263	2.5	3.0	75.7	86.6	1157	2.7	3.3	74.8	86.8
Anaemia in the age group 60 years and above (%)										
Male	183	1.9	2.1	87.6	96.7	159	2.0	2.1	88.2	98.0
Female	215	2.4	2.9	75.2	85.7	195	2.7	3.3	75.3	87.4
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3217	2.3	16.5	9.6	20.0	2856	2.7	20.8	8.0	20.1
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3240	0.6	16.4	2.6	5.3	2877	0.7	17.2	2.7	5.7
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3240	1.4	28.0	2.6	9.0	2877	1.5	29.5	2.6	9.5
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3240	0.9	13.4	4.8	8.7	2877	0.8	13.4	4.6	8.4
<b>Iodine content in Household Salt (more than 15 ppm) (%)</b>	<b>1381</b>	<b>5.2</b>	<b>5.8</b>	<b>71.4</b>	<b>96.8</b>	<b>1268</b>	<b>5.7</b>	<b>6.4</b>	<b>68.9</b>	<b>96.6</b>

Indicators	Korba									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	346	2.6	10.6	19.6	30.8	174	2.5	8.3	25.4	36.2
Below -2 SD Stunting (Height for Age) (%)										
Person	341	3.1	9.3	27.2	40.4	171	6.2	17.3	23.9	49.9
Below -2 SD Underweight (Weight for Age) (%)										
Person	351	2.4	7.0	29.4	39.6	175	4.4	11.0	31.0	49.6
Below -2 SD Undernourished (BMI for Age) (%)										
Person	351	3.0	13.3	16.5	29.3	176	2.2	8.2	22.3	31.7
Above 2 SD Overnourished (BMI for Age) (%)										
Person	351	0.9	19.5	3.0	7.0	176	1.5	26.9	3.0	9.5
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1096	5.5	17.8	20.2	43.4	613	10.4	29.9	16.6	59.1
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1096	0.4	22.1	1.0	2.7	613	0.7	47.5	0.5	4.0
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	2494	3.2	25.0	7.2	22.0	1252	1.3	23.6	3.4	9.5
BMI ≥25.0 for age 60 year and above (%)										
Person	251	5.6	47.7	3.7	31.1	144	1.7	40.9	1.7	10.2
BMI <18.5 for age 18-59 year (%)										
Person	2494	3.3	22.2	8.8	23.9	1252	6.6	35.7	7.6	37.8
BMI <18.5 for age 60 year and above (%)										
Person	251	5.1	20.1	15.5	38.4	144	5.1	14.3	25.0	47.8
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	209	5.8	8.8	52.2	76.7	115	3.3	4.6	63.0	76.9
Anaemia in the age group 5-9 years (%)										
Person	302	7.2	9.0	60.4	91.7	178	10.1	11.8	50.4	97.1
Anaemia in the age group 10-17 years (%)										
Person	652	4.2	5.3	68.0	86.5	362	5.5	6.7	67.1	91.9
Anaemia in the age group 18-59 years (%)										
Male	1189	3.0	3.8	71.5	84.2	605	6.3	7.7	65.2	92.5
Female	1212	4.5	6.0	64.4	83.5	605	10.1	12.6	51.1	94.2
Anaemia in the age group 60 years and above (%)										
Male	118	5.0	6.0	70.0	91.7	66	7.9	8.9	59.5	97.7
Female	122	8.2	11.0	54.0	88.4	71	14.5	19.0	36.8	94.8
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2677	2.3	28.2	4.5	14.8	1351	0.8	21.8	2.2	5.5
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2707	0.9	20.4	3.0	7.1	1376	0.5	14.6	2.3	4.3
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2707	0.9	31.5	1.4	5.3	1376	1.2	41.7	1.2	6.7
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2707	1.6	20.4	5.0	11.8	1376	1.6	17.8	6.2	13.2
<b>Iodine content in Household Salt (more than 15 ppm) (%)</b>	<b>1160</b>	<b>11.7</b>	<b>16.8</b>	<b>41.1</b>	<b>88.0</b>	<b>606</b>	<b>22.9</b>	<b>31.7</b>	<b>18.4</b>	<b>96.8</b>

Indicators	Janjgir-Champa									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	305	2.6	9.2	22.9	34.3	233	2.9	9.5	24.1	36.6
Below -2 SD Stunting (Height for Age) (%)										
Person	273	3.5	11.0	24.5	39.7	214	3.1	11.2	21.7	35.5
Below -2 SD Underweight (Weight for Age) (%)										
Person	325	4.6	14.2	23.2	43.3	247	2.9	11.0	20.5	33.2
Below -2 SD Undernourished (BMI for Age) (%)										
Person	340	2.1	6.3	28.4	37.5	260	2.8	8.4	27.5	39.8
Above 2 SD Overnourished (BMI for Age) (%)										
Person	340	1.5	21.9	4.3	11.2	260	1.9	30.0	3.2	12.1
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1343	1.7	6.7	21.8	29.2	1197	1.5	6.0	22.6	29.3
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1343	0.2	21.2	0.5	1.2	1197	0.2	27.8	0.4	1.3
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	3158	1.1	16.2	4.7	9.8	2717	0.9	15.6	4.0	8.1
BMI ≥25.0 for age 60 year and above (%)										
Person	521	1.8	34.0	2.3	11.1	461	0.8	22.5	2.1	5.8
BMI <18.5 for age 18-59 year (%)										
Person	3158	1.5	9.9	11.7	18.5	2717	1.4	9.2	12.8	19.1
BMI <18.5 for age 60 year and above (%)										
Person	521	3.9	13.3	21.3	38.8	461	4.0	13.1	22.5	40.4
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	189	3.9	6.2	53.9	70.8	159	4.6	7.5	50.7	70.5
Anaemia in the age group 5-9 years (%)										
Person	391	2.9	4.0	67.4	80.5	353	3.3	4.5	65.5	80.4
Anaemia in the age group 10-17 years (%)										
Person	806	3.3	4.8	61.9	76.5	723	3.7	5.4	60.7	77.0
Anaemia in the age group 18-59 years (%)										
Male	1551	3.8	5.2	65.0	81.5	1346	4.3	5.8	64.3	82.7
Female	1534	2.9	3.9	67.6	80.2	1313	2.7	3.7	66.3	77.9
Anaemia in the age group 60 years and above (%)										
Male	250	4.3	5.3	69.0	87.4	223	4.9	6.2	66.9	88.1
Female	259	4.4	5.9	64.1	82.9	229	4.7	6.5	61.0	81.3
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3618	0.4	7.6	4.6	6.4	3126	0.4	8.8	4.1	6.0
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3506	1.4	22.2	3.8	9.8	3008	1.5	26.8	3.1	9.8
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3506	1.0	19.1	3.3	7.5	3008	0.8	18.2	2.9	6.4
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3506	1.1	12.9	6.4	11.1	3008	1.3	14.5	6.4	11.9
<b>Iodine content in Household Salt (more than 15 ppm) (%)</b>	<b>1958</b>	<b>8.6</b>	<b>12.4</b>	<b>48.3</b>	<b>84.1</b>	<b>1728</b>	<b>9.1</b>	<b>14.0</b>	<b>44.0</b>	<b>81.6</b>

Indicators	Bilaspur									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	488	5.4	16.0	23.0	46.4	401	6.2	20.1	19.0	45.6
Below -2 SD Stunting (Height for Age) (%)										
Person	507	4.9	13.4	26.5	47.7	388	5.3	13.1	29.7	52.8
Below -2 SD Underweight (Weight for Age) (%)										
Person	559	6.8	13.9	34.6	63.8	442	7.8	16.1	32.0	64.9
Below -2 SD Undernourished (BMI for Age) (%)										
Person	566	6.8	19.5	21.7	50.9	446	5.6	20.0	17.5	41.9
Above 2 SD Overnourished (BMI for Age) (%)										
Person	566	4.2	37.8	4.7	24.1	446	5.0	37.6	5.6	28.7
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1489	2.5	9.8	20.4	30.9	1148	3.1	10.8	22.6	35.9
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1489	1.5	44.1	1.3	8.8	1148	2.1	45.1	1.7	11.7
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	3437	0.9	16.0	3.8	7.9	2596	1.1	17.4	4.0	9.1
BMI ≥25.0 for age 60 year and above (%)										
Person	632	1.3	23.1	3.2	9.3	515	1.6	30.1	2.7	10.4
BMI <18.5 for age 18-59 year (%)										
Person	3437	1.6	17.7	6.1	13.4	2596	2.1	17.6	8.1	17.7
BMI <18.5 for age 60 year and above (%)										
Person	632	3.9	14.8	18.7	36.3	515	3.5	10.7	25.7	41.4
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	351	3.9	6.1	54.9	71.8	258	4.8	7.5	52.9	73.6
Anaemia in the age group 5-9 years (%)										
Person	544	5.5	7.4	60.8	84.5	425	6.1	7.9	61.8	88.3
Anaemia in the age group 10-17 years (%)										
Person	842	2.9	4.3	60.8	73.1	642	2.8	4.1	63.4	75.5
Anaemia in the age group 18-59 years (%)										
Male	1764	3.4	4.3	69.6	84.0	1311	4.4	5.7	66.4	85.1
Female	1626	4.6	7.4	52.2	71.9	1255	5.5	8.9	50.0	73.4
Anaemia in the age group 60 years and above (%)										
Male	314	5.5	7.6	59.7	83.2	250	6.4	9.0	55.6	82.6
Female	310	5.6	8.5	53.1	76.9	260	6.8	10.2	51.2	79.8
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	4009	1.4	16.1	6.3	12.5	3063	1.8	18.3	6.5	14.1
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4027	1.1	20.0	3.6	8.4	3081	1.4	18.8	4.8	10.8
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	4027	0.6	15.0	3.0	5.8	3081	0.7	16.1	3.0	6.1
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4027	2.2	32.2	3.4	13.6	3081	3.1	33.3	4.5	18.4
Iodine content in Household Salt (more than 15 ppm) (%)	1756	6.9	8.6	61.6	91.4	1319	7.7	9.8	58.1	90.9



Indicators	Kawardha									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	367	3.7	11.7	23.7	40.1	268	3.2	12.1	19.7	34.0
Below -2 SD Stunting (Height for Age) (%)										
Person	376	4.2	9.9	33.7	52.7	251	5.0	11.1	34.0	56.2
Below -2 SD Underweight (Weight for Age) (%)										
Person	418	3.3	6.5	43.6	58.5	286	4.5	9.6	36.7	56.7
Below -2 SD Undernourished (BMI for Age) (%)										
Person	425	4.5	13.9	23.2	43.4	288	4.6	17.8	16.7	37.1
Above 2 SD Overnourished (BMI for Age) (%)										
Person	425	1.6	15.3	7.5	14.9	288	2.0	18.2	7.3	16.6
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1424	2.8	9.4	24.1	36.3	1127	3.1	10.2	23.8	37.1
Above 2 SD Overnourished (BMI for Age) (%)										
Person	-	-	-	-	-	-	-	-	-	-
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	3063	0.6	20.6	1.9	4.7	2489	0.5	19.5	1.6	3.9
BMI ≥25.0 for age 60 year and above (%)										
Person	443	1.1	21.4	2.9	8.1	382	1.2	23.5	3.1	8.7
BMI <18.5 for age 18-59 year (%)										
Person	3063	1.3	24.4	3.1	9.2	2489	1.6	27.5	3.0	10.6
BMI <18.5 for age 60 year and above (%)										
Person	443	2.7	23.7	6.7	19.2	382	3.2	25.1	7.0	21.8
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	369	4.1	7.3	46.5	64.6	258	4.9	8.9	43.8	65.6
Anaemia in the age group 5-9 years (%)										
Person	461	2.7	3.6	68.0	79.8	360	3.0	4.1	66.3	79.8
Anaemia in the age group 10-17 years (%)										
Person	878	3.0	4.0	67.8	80.9	683	3.5	4.8	65.3	80.8
Anaemia in the age group 18-59 years (%)										
Male	1577	1.5	1.7	82.5	89.0	1259	1.6	1.8	82.0	88.8
Female	1468	1.5	1.9	75.0	81.7	1217	1.7	2.2	74.4	82.0
Anaemia in the age group 60 years and above (%)										
Male	231	3.5	3.8	80.2	96.4	195	3.4	3.7	80.6	96.6
Female	204	3.6	4.6	69.1	84.6	179	4.0	5.1	68.2	85.5
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3385	1.2	7.6	12.9	17.9	2765	1.4	9.2	12.2	18.2
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3401	1.0	13.2	5.6	10.0	2778	1.1	13.6	5.8	10.6
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3401	0.7	16.9	2.9	6.1	2778	0.6	16.4	2.7	5.6
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3401	0.6	8.3	6.3	9.1	2778	0.4	5.9	6.3	8.1
<b>Iodine content in Household Salt (more than 15 ppm) (%)</b>	<b>1572</b>	<b>9.0</b>	<b>11.4</b>	<b>53.4</b>	<b>92.9</b>	<b>1209</b>	<b>10.5</b>	<b>13.3</b>	<b>48.4</b>	<b>93.8</b>

Indicators	Rajnandgaon									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	328	6.2	19.0	20.6	47.2	277	7.5	20.4	22.0	53.8
Below -2 SD Stunting (Height for Age) (%)										
Person	320	3.7	6.9	45.7	62.1	270	3.9	7.0	46.9	63.9
Below -2 SD Underweight (Weight for Age) (%)										
Person	366	3.0	6.4	40.2	53.1	314	2.9	5.7	43.9	56.5
Below -2 SD Undernourished (BMI for Age) (%)										
Person	365	4.0	14.7	19.4	37.1	312	4.6	15.0	21.6	41.7
Above 2 SD Overnourished (BMI for Age) (%)										
Person	365	5.5	28.8	9.7	33.8	312	6.4	31.9	9.4	37.4
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1380	1.7	5.4	27.7	35.0	1235	2.0	6.2	27.7	36.3
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1380	1.6	34.4	2.1	9.4	1235	1.7	35.6	2.2	10.1
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	3291	1.1	18.6	3.7	8.8	2831	1.0	22.0	2.6	7.3
BMI ≥25.0 for age 60 year and above (%)										
Person	451	3.3	28.7	6.0	21.4	387	3.4	39.3	3.6	20.1
BMI <18.5 for age 18-59 year (%)										
Person	3291	3.6	16.9	14.2	30.5	2831	4.2	18.3	14.7	33.6
BMI <18.5 for age 60 year and above (%)										
Person	451	4.4	20.8	12.8	32.7	387	5.1	21.4	14.1	37.0
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	218	7.3	11.7	45.6	76.9	189	8.7	14.8	39.2	75.7
Anaemia in the age group 5-9 years (%)										
Person	403	4.5	5.6	68.4	88.0	358	5.2	6.6	65.6	88.2
Anaemia in the age group 10-17 years (%)										
Person	768	6.7	9.6	53.8	82.8	682	7.9	11.6	48.9	82.6
Anaemia in the age group 18-59 years (%)										
Male	1523	6.2	8.1	60.6	86.9	1318	7.4	10.1	55.0	86.2
Female	1557	3.2	4.0	70.9	84.4	1312	3.6	4.7	67.6	82.8
Anaemia in the age group 60 years and above (%)										
Male	202	5.8	7.0	66.6	91.7	176	6.5	8.1	63.1	91.3
Female	215	4.3	5.1	72.5	91.2	179	4.4	5.4	70.8	90.0
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3656	3.3	18.1	12.2	26.3	3138	3.8	20.6	11.7	28.3
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3646	1.2	11.1	8.3	13.3	3128	1.2	12.2	7.7	13.0
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3646	1.1	19.6	3.8	8.7	3128	1.3	22.6	3.4	9.1
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3646	1.8	19.0	6.1	13.9	3128	2.1	21.5	6.0	14.9
Iodine content in Household Salt (more than 15 ppm) (%)	1424	2.7	2.9	84.6	97.4	1216	3.0	3.2	83.5	97.7

Indicators	Durg									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	314	2.4	7.1	28.9	39.6	201	2.3	7.1	28.0	38.3
Below -2 SD Stunting (Height for Age) (%)										
Person	297	6.0	18.6	20.4	46.6	191	7.7	23.5	18.2	51.4
Below -2 SD Underweight (Weight for Age) (%)										
Person	327	6.1	19.3	19.7	46.2	208	7.3	24.5	16.4	48.2
Below -2 SD Undernourished (BMI for Age) (%)										
Person	328	4.7	13.6	25.1	46.0	210	6.1	17.9	22.1	48.7
Above 2 SD Overnourished (BMI for Age) (%)										
Person	328	1.1	21.6	3.0	7.8	210	0.8	20.9	2.5	6.3
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	814	3.8	9.8	30.6	47.4	620	4.1	10.0	32.1	50.2
Above 2 SD Overnourished (BMI for Age) (%)										
Person	814	0.6	35.5	0.8	3.9	620	0.5	39.2	0.6	3.2
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	2244	2.0	20.4	5.9	15.2	1571	1.4	19.5	4.6	11.1
BMI ≥25.0 for age 60 year and above (%)										
Person	359	4.1	28.9	7.3	26.2	264	3.4	33.0	4.8	20.9
BMI <18.5 for age 18-59 year (%)										
Person	2244	2.9	14.1	14.8	27.9	1571	1.6	6.1	22.7	30.0
BMI <18.5 for age 60 year and above (%)										
Person	359	3.5	13.6	18.6	34.4	264	2.6	8.5	24.9	36.6
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	225	9.9	17.3	35.1	76.6	160	4.2	5.8	62.0	80.5
Anaemia in the age group 5-9 years (%)										
Person	246	6.3	9.2	52.9	80.7	190	3.7	5.0	65.7	82.4
Anaemia in the age group 10-17 years (%)										
Person	478	8.8	13.6	43.7	81.2	374	5.1	7.0	60.5	83.1
Anaemia in the age group 18-59 years (%)										
Male	1107	6.5	8.9	56.8	84.8	767	4.6	5.7	68.9	89.4
Female	1180	5.6	8.0	56.5	80.8	848	4.8	6.2	64.1	84.9
Anaemia in the age group 60 years and above (%)										
Male	179	7.4	9.4	58.2	90.5	132	6.8	8.1	63.2	94.1
Female	188	5.0	6.4	65.2	87.1	141	4.5	5.6	69.1	89.1
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2544	1.2	9.6	10.3	15.8	1822	0.5	4.6	9.9	12.2
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2562	0.9	9.1	8.5	12.7	1801	0.7	7.1	8.5	11.6
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2562	0.8	11.8	5.3	9.0	1801	1.0	14.8	4.7	9.1
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2562	0.8	13.1	4.8	8.6	1801	0.7	12.9	4.4	7.7
Iodine content in Household Salt (more than 15 ppm) (%)	1080	4.8	5.6	71.9	93.7	779	5.4	6.1	70.7	96.4

Indicators	Raipur									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	345	4.1	12.7	24.0	42.4	200	3.4	12.8	19.8	35.3
Below -2 SD Stunting (Height for Age) (%)										
Person	302	4.9	9.6	40.2	61.9	178	1.6	2.6	56.0	63.1
Below -2 SD Underweight (Weight for Age) (%)										
Person	365	3.5	6.8	44.3	60.2	207	2.6	4.1	56.1	67.6
Below -2 SD Undernourished (BMI for Age) (%)										
Person	384	2.9	9.0	26.1	39.2	218	2.3	9.3	20.2	30.7
Above 2 SD Overnourished (BMI for Age) (%)										
Person	384	1.1	18.2	4.0	9.2	218	1.5	28.8	2.7	9.7
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1419	3.2	9.9	25.7	39.8	951	4.4	13.4	24.1	43.2
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1419	0.2	26.7	0.5	1.7	951	0.3	33.4	0.5	2.0
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	3199	1.5	19.8	5.0	11.9	2088	1.8	25.5	3.9	12.3
BMI ≥25.0 for age 60 year and above (%)										
Person	412	2.5	27.5	4.9	16.6	320	2.2	26.4	4.6	14.9
BMI <18.5 for age 18-59 year (%)										
Person	3199	1.3	14.6	6.1	12.0	2088	1.7	17.9	6.3	14.1
BMI <18.5 for age 60 year and above (%)										
Person	412	5.2	36.3	5.9	30.3	320	6.5	42.6	5.4	35.9
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	321	3.9	7.0	46.3	63.6	199	5.5	10.2	41.9	66.5
Anaemia in the age group 5-9 years (%)										
Person	459	4.7	6.4	61.5	82.0	289	5.8	7.8	59.5	85.1
Anaemia in the age group 10-17 years (%)										
Person	845	6.1	8.6	55.8	82.1	572	8.5	12.4	47.8	83.7
Anaemia in the age group 18-59 years (%)										
Male	1663	2.0	2.3	82.0	90.8	1086	2.9	3.3	78.8	91.6
Female	1514	4.7	6.5	61.0	81.3	994	6.6	9.1	56.3	84.6
Anaemia in the age group 60 years and above (%)										
Male	222	3.4	4.1	75.4	90.5	167	4.1	4.8	73.1	91.1
Female	183	6.6	8.9	57.5	85.7	148	7.7	10.5	53.5	86.2
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3552	1.3	12.4	7.8	13.3	2363	0.7	10.3	5.5	8.6
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3570	0.9	20.0	2.8	6.7	2376	1.0	30.9	1.6	6.3
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3570	0.4	11.0	3.1	5.1	2376	0.4	12.5	2.6	4.4
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3570	0.7	9.0	6.5	9.5	2376	0.5	7.6	5.8	8.0
Iodine content in Household Salt (more than 15 ppm) (%)	1355	12.4	18.4	37.7	87.8	947	16.0	23.6	29.9	91.4

Indicators	Mahasamund									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	390	7.5	21.6	20.3	52.6	354	8.2	25.5	17.1	52.4
Below -2 SD Stunting (Height for Age) (%)										
Person	396	4.2	12.8	24.0	42.3	357	4.6	13.4	25.0	45.2
Below -2 SD Underweight (Weight for Age) (%)										
Person	416	2.1	6.2	29.3	38.5	377	2.4	6.9	29.3	39.8
Below -2 SD Undernourished (BMI for Age) (%)										
Person	415	7.9	19.8	24.1	58.0	375	8.7	22.9	21.4	58.6
Above 2 SD Overnourished (BMI for Age) (%)										
Person	415	0.9	30.0	1.5	5.9	375	0.9	30.5	1.6	6.0
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1331	3.6	12.9	20.9	36.7	1065	4.4	14.1	22.7	42.1
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1331	0.3	29.2	0.6	2.2	1065	0.4	33.3	0.6	2.6
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	2889	0.8	9.0	7.7	11.4	2366	0.9	9.9	7.3	11.4
BMI ≥25.0 for age 60 year and above (%)										
Person	405	4.0	28.3	7.3	25.8	316	4.0	27.7	7.5	26.0
BMI <18.5 for age 18-59 year (%)										
Person	2889	4.5	27.7	8.5	29.1	2366	5.3	27.4	10.1	34.1
BMI <18.5 for age 60 year and above (%)										
Person	405	4.2	23.7	9.9	29.1	316	5.7	27.2	10.8	36.6
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	339	5.4	8.8	48.6	72.2	299	6.1	9.9	47.1	73.6
Anaemia in the age group 5-9 years (%)										
Person	433	3.0	3.6	75.5	88.9	349	3.8	4.6	72.2	89.1
Anaemia in the age group 10-17 years (%)										
Person	792	3.2	4.2	68.4	82.5	621	4.0	5.4	64.4	81.7
Anaemia in the age group 18-59 years (%)										
Male	1375	4.2	5.2	70.5	88.9	1114	5.1	6.5	65.3	87.7
Female	1493	2.1	2.6	74.4	83.5	1234	2.5	3.2	72.4	83.2
Anaemia in the age group 60 years and above (%)										
Male	194	3.5	4.0	77.9	93.4	141	4.5	5.3	72.6	92.6
Female	202	2.2	2.7	76.4	86.2	167	2.1	2.6	75.1	84.1
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3216	0.6	4.8	12.0	14.8	2612	0.7	5.7	11.6	14.8
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3253	0.8	9.7	6.4	9.7	2646	1.0	11.7	6.3	10.5
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3253	0.6	7.9	6.0	8.5	2646	0.7	9.8	5.7	8.7
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3253	0.7	9.9	5.7	8.7	2646	0.8	11.9	5.5	9.2
<b>Iodine content in Household Salt (more than 15 ppm) (%)</b>	<b>1422</b>	<b>10.9</b>	<b>13.8</b>	<b>47.3</b>	<b>93.8</b>	<b>1133</b>	<b>11.9</b>	<b>14.8</b>	<b>44.1</b>	<b>95.7</b>

Indicators	Dhamtari									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	414	2.1	7.7	22.4	31.8	366	2.2	7.5	24.1	33.8
Below -2 SD Stunting (Height for Age) (%)										
Person	413	3.4	11.0	24.0	39.5	368	3.9	12.5	23.4	41.0
Below -2 SD Underweight (Weight for Age) (%)										
Person	439	3.1	8.1	31.2	45.0	378	3.5	9.5	29.6	45.5
Below -2 SD Undernourished (BMI for Age) (%)										
Person	442	2.0	7.1	23.8	32.8	381	2.2	7.2	26.1	36.2
Above 2 SD Overnourished (BMI for Age) (%)										
Person	442	1.6	20.2	4.8	12.0	381	2.2	48.5	1.5	13.0
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1474	3.3	10.2	25.6	40.1	1319	3.1	8.9	28.1	41.6
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1474	0.3	32.2	0.4	1.7	1319	0.2	30.3	0.4	1.5
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	3357	1.1	21.1	3.3	8.4	2973	1.0	22.8	2.6	7.3
BMI ≥25.0 for age 60 year and above (%)										
Person	480	1.7	28.0	3.1	11.2	427	1.8	36.6	2.2	11.0
BMI <18.5 for age 18-59 year (%)										
Person	3357	1.5	8.3	14.5	21.3	2973	1.6	8.7	15.2	22.5
BMI <18.5 for age 60 year and above (%)										
Person	480	2.9	9.2	25.7	38.8	427	3.0	9.3	25.7	39.2
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	397	5.1	7.5	55.9	78.7	359	5.2	7.3	58.6	82.0
Anaemia in the age group 5-9 years (%)										
Person	501	3.6	4.3	74.6	90.5	456	3.8	4.5	74.7	91.6
Anaemia in the age group 10-17 years (%)										
Person	961	4.2	5.5	65.7	84.0	860	4.1	5.3	66.6	84.4
Anaemia in the age group 18-59 years (%)										
Male	1708	1.8	2.0	85.3	93.4	1532	2.0	2.2	84.9	93.9
Female	1776	3.1	3.9	71.8	85.3	1574	3.4	4.3	72.0	87.1
Anaemia in the age group 60 years and above (%)										
Male	249	2.7	3.1	79.2	91.2	220	2.5	2.9	81.6	92.9
Female	241	2.7	3.2	77.4	89.2	217	2.8	3.4	77.4	90.0
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3962	1.2	14.2	6.3	11.7	3528	1.4	16.0	6.1	12.3
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3974	0.9	18.3	3.2	7.1	3539	0.9	18.8	3.1	7.0
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3974	0.6	14.2	2.9	5.4	3539	0.6	15.7	2.8	5.5
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3974	1.1	15.1	5.3	10.3	3539	1.1	14.7	5.6	10.7
Iodine content in Household Salt (more than 15 ppm) (%)	1493	6.6	9.0	56.1	84.5	1318	7.8	11.4	49.4	82.5

Indicators	Kanker									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	391	3.2	15.7	14.2	28.9	348	3.4	16.3	14.0	29.2
Below -2 SD Stunting (Height for Age) (%)										
Person	393	3.4	11.7	22.2	37.6	350	3.5	12.1	21.9	37.8
Below -2 SD Underweight (Weight for Age) (%)										
Person	400	4.3	15.1	19.7	38.9	356	4.4	15.5	19.7	39.6
Below -2 SD Undernourished (BMI for Age) (%)										
Person	403	2.6	12.7	15.5	27.5	359	2.7	13.0	15.5	27.8
Above 2 SD Overnourished (BMI for Age) (%)										
Person	403	2.4	48.7	1.6	14.1	-	-	-	-	-
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1437	2.8	7.7	30.6	43.1	1236	3.0	8.2	30.6	44.1
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1437	0.4	31.7	0.7	2.9	1236	0.5	32.2	0.7	3.0
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	3566	1.0	13.8	5.0	9.5	2985	1.1	16.4	4.4	9.5
BMI ≥25.0 for age 60 year and above (%)										
Person	394	0.9	15.6	4.0	8.1	318	1.0	17.3	3.7	8.3
BMI <18.5 for age 18-59 year (%)										
Person	3566	4.2	13.3	22.8	41.7	2985	4.5	14.1	23.0	43.1
BMI <18.5 for age 60 year and above (%)										
Person	394	4.8	12.0	29.7	51.1	318	5.2	12.6	29.8	52.9
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	299	6.1	8.3	57.8	85.0	268	6.3	8.6	57.1	85.2
Anaemia in the age group 5-9 years (%)										
Person	447	3.3	3.9	76.6	91.9	387	3.5	4.1	76.2	92.2
Anaemia in the age group 10-17 years (%)										
Person	876	3.7	4.6	71.2	87.8	755	4.0	4.9	70.8	88.5
Anaemia in the age group 18-59 years (%)										
Male	1712	2.2	2.6	81.8	91.7	1432	2.4	2.7	81.7	92.2
Female	1776	3.2	3.9	74.3	88.3	1492	3.4	4.1	74.1	88.9
Anaemia in the age group 60 years and above (%)										
Male	185	2.7	2.9	84.7	97.8	147	2.9	3.1	83.6	97.9
Female	200	2.8	3.2	79.2	91.4	167	2.9	3.4	78.6	91.6
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3931	3.1	23.7	7.6	21.2	3281	3.3	25.2	7.3	21.8
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3940	1.0	16.0	4.5	8.9	3288	1.0	17.3	4.2	8.8
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3940	0.5	7.7	5.6	7.8	3288	0.5	8.1	5.5	7.8
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3940	1.2	15.2	5.6	10.9	3288	1.2	16.7	5.2	10.7
<b>Iodine content in Household Salt (more than 15 ppm) (%)</b>	<b>1265</b>	<b>10.8</b>	<b>13.7</b>	<b>47.2</b>	<b>93.8</b>	<b>1053</b>	<b>11.5</b>	<b>14.5</b>	<b>45.1</b>	<b>94.6</b>

Indicators	Bastar									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	293	1.7	19.7	5.4	13.2	266	1.7	19.5	5.5	13.3
Below -2 SD Stunting (Height for Age) (%)										
Person	286	4.6	7.5	50.5	70.9	262	4.8	7.9	50.0	71.6
Below -2 SD Underweight (Weight for Age) (%)										
Person	304	5.0	15.3	22.3	44.5	272	5.3	16.8	21.1	44.8
Below -2 SD Undernourished (BMI for Age) (%)										
Person	305	1.7	19.3	5.5	13.1	272	1.7	18.8	5.7	13.3
Above 2 SD Overnourished (BMI for Age) (%)										
Person	305	7.5	38.3	7.7	41.7	272	8.2	42.7	6.7	44.0
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1316	3.6	11.6	23.5	39.4	1238	3.7	11.7	24.0	40.5
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1316	0.4	31.8	0.6	2.3	1238	0.4	31.4	0.6	2.4
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	3180	0.5	18.9	2.0	4.3	2907	0.6	21.8	1.6	4.4
BMI ≥25.0 for age 60 year and above (%)										
Person	-	-	-	-	-	-	-	-	-	-
BMI <18.5 for age 18-59 year (%)										
Person	3180	2.0	18.0	7.2	16.4	2907	2.2	19.1	7.3	17.4
BMI <18.5 for age 60 year and above (%)										
Person	353	4.4	29.4	7.3	27.7	321	4.6	34.0	6.0	27.6
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	139	5.5	6.8	65.4	90.2	137	5.5	6.9	65.0	90.1
Anaemia in the age group 5-9 years (%)										
Person	307	2.6	2.8	84.6	97.0	300	2.6	2.8	84.3	97.0
Anaemia in the age group 10-17 years (%)										
Person	685	3.3	3.7	79.3	95.1	666	3.4	3.8	78.9	95.1
Anaemia in the age group 18-59 years (%)										
Male	1225	2.4	2.6	85.5	96.8	1156	2.5	2.7	84.9	96.8
Female	1255	2.2	2.5	83.3	93.3	1178	2.4	2.6	82.6	93.3
Anaemia in the age group 60 years and above (%)										
Male	154	1.7	1.8	89.5	99.2	144	1.8	1.9	88.9	99.2
Female	117	3.0	3.2	82.4	96.7	107	3.2	3.4	81.3	96.3
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3497	2.8	39.1	2.9	16.4	3192	3.0	39.2	3.1	17.5
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3512	1.1	46.7	0.8	6.6	3207	1.2	47.1	0.9	7.1
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3512	1.3	46.4	1.0	7.9	3207	1.4	48.4	1.0	8.5
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3512	0.6	12.5	3.5	6.2	3207	0.6	13.2	3.6	6.5
<b>Iodine content in Household Salt (more than 15 ppm) (%)</b>	<b>1247</b>	<b>11.0</b>	<b>14.9</b>	<b>44.3</b>	<b>91.1</b>	<b>1152</b>	<b>11.9</b>	<b>16.4</b>	<b>41.1</b>	<b>90.8</b>



Indicators	Dantewada									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	373	3.2	13.7	16.8	31.1	290	3.1	14.8	14.6	28.5
Below -2 SD Stunting (Height for Age) (%)										
Person	377	4.8	19.0	16.0	37.7	296	5.1	18.2	17.9	40.6
Below -2 SD Underweight (Weight for Age) (%)										
Person	398	4.0	15.2	18.3	36.3	310	4.3	15.1	19.6	38.8
Below -2 SD Undernourished (BMI for Age) (%)										
Person	402	3.3	11.0	22.8	37.5	314	3.5	12.6	20.5	36.2
Above 2 SD Overnourished (BMI for Age) (%)										
Person	402	1.7	25.1	3.9	12.0	314	2.0	27.2	3.9	13.3
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1147	2.7	9.4	22.7	34.7	944	2.9	10.4	22.2	35.4
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1147	0.6	34.8	0.8	3.8	944	0.7	38.6	0.7	4.1
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	2976	0.5	20.2	1.4	3.7	2415	0.5	21.9	1.5	3.8
BMI ≥25.0 for age 60 year and above (%)										
Person	248	1.4	43.4	1.2	8.4	202	1.6	43.6	1.4	9.6
BMI <18.5 for age 18-59 year (%)										
Person	2976	2.3	14.0	11.7	22.2	2415	2.5	15.9	11.0	22.4
BMI <18.5 for age 60 year and above (%)										
Person	248	5.2	11.6	33.4	56.5	202	6.0	13.7	30.8	57.3
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	192	3.8	5.7	58.3	75.5	142	4.4	6.4	57.8	77.4
Anaemia in the age group 5-9 years (%)										
Person	229	5.4	6.4	67.6	92.3	178	6.0	7.3	64.7	92.3
Anaemia in the age group 10-17 years (%)										
Person	554	5.8	7.0	65.6	92.6	476	6.3	7.6	63.8	93.0
Anaemia in the age group 18-59 years (%)										
Male	1386	2.0	2.3	82.7	91.9	1159	2.2	2.5	81.9	91.9
Female	1336	3.9	5.0	68.1	85.7	1095	4.2	5.4	66.5	85.4
Anaemia in the age group 60 years and above (%)										
Male	127	4.1	4.6	75.7	94.9	103	4.5	5.1	73.9	95.5
Female	100	9.2	11.6	51.9	93.3	86	9.9	12.4	49.6	93.9
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3063	1.4	14.3	6.9	13.1	2519	1.5	15.4	7.0	14.1
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3190	0.5	19.0	1.8	4.2	2594	0.6	20.0	1.8	4.5
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3190	0.5	27.7	0.9	3.1	2594	0.5	30.2	0.8	3.3
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3190	1.5	15.4	7.0	14.0	2594	1.7	17.6	6.4	14.2
Iodine content in Household Salt (more than 15 ppm) (%)	1275	12.8	17.7	38.0	91.6	1038	14.2	20.0	33.9	91.9

Note: Confidence Intervals are computed by logit transformation method using SPSS application.