

Indicators	Jharkhand		Garhwa		Palamu		Chatara	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
<b>Nutritional status below 5 years</b>								
<b>Below -2 SD Wasting (Weight for Height) (%)</b>								
Male	21.0	22.2	24.7	26.3	17.2	17.5	25.7	26.7
Female	21.8	23.3	31.5	32.5	20.6	20.0	25.0	26.1
Person	21.3	22.8	28.1	29.5	18.9	18.8	25.4	26.4
<b>Below -3 SD Wasting (Weight for Height) (%)</b>								
Male	8.7	9.2	16.2	17.2	10.0	10.6	9.5	9.8
Female	9.0	9.6	18.0	18.8	8.2	8.2	10.6	10.9
Person	8.8	9.4	17.1	18.0	9.1	9.4	10.0	10.3
<b>Below -2 SD Stunting (Height for Age) (%)</b>								
Male	51.1	53.7	51.3	49.2	54.2	56.8	52.0	52.1
Female	49.8	53.3	49.3	47.8	56.2	57.2	50.9	52.1
Person	50.5	53.5	50.3	48.5	55.2	57.0	51.5	52.1
<b>Below -3SD Stunting (Height for Age) (%)</b>								
Male	28.7	30.8	37.1	36.6	43.2	45.2	27.7	27.4
Female	28.3	31.0	35.4	34.6	35.7	37.2	33.8	34.9
Person	28.5	30.9	36.2	35.6	39.5	41.3	30.6	30.9
<b>Below -2 SD Underweight (Weight for Age) (%)</b>								
Male	46.8	50.0	47.1	47.9	44.7	46.4	50.8	51.4
Female	44.6	48.2	45.0	45.2	43.5	43.5	51.0	53.0
Person	45.7	49.2	46.0	46.6	44.1	45.0	50.9	52.1
<b>Below -3 SD Underweight (Weight for Age) (%)</b>								
Male	18.6	20.5	20.4	21.5	15.4	16.3	20.3	20.6
Female	18.1	19.9	18.0	18.8	18.0	18.4	21.1	21.6
Person	18.3	20.2	19.2	20.1	16.7	17.3	20.7	21.1
<b>Below -2 SD Undernourished (BMI for Age) (%)</b>								
Male	22.0	23.5	33.8	35.8	18.6	19.3	23.4	24.3
Female	23.1	25.2	36.1	37.3	21.3	21.1	24.0	25.3
Person	22.5	24.3	35.0	36.6	19.9	20.2	23.7	24.8
<b>Below -3 SD Undernourished (BMI for Age) (%)</b>								
Male	12.4	13.5	27.7	29.3	10.5	11.1	12.7	13.2
Female	12.5	14.0	24.5	25.7	11.5	11.6	12.2	12.7
Person	12.4	13.7	26.1	27.5	11.0	11.4	12.5	13.0
<b>Above 2 SD Overnourished (BMI for Age) (%)</b>								
Male	5.5	5.8	12.7	12.4	12.5	13.2	5.0	5.1
Female	5.3	5.5	11.9	12.0	8.8	9.2	3.2	2.6
Person	5.5	5.6	12.3	12.2	10.7	11.2	4.2	3.9
<b>Above 3 SD Overnourished (BMI for Age) (%)</b>								
Male	1.9	2.1	4.2	4.4	2.0	2.1	-	-
Female	1.8	1.9	4.7	4.6	2.8	3.0	-	-
Person	1.9	2.0	4.5	4.5	2.4	2.5	-	-
<b>Nutritional status 5-18 years</b>								
<b>Below -2 SD Undernourished (BMI for Age) (%)</b>								
Male	33.9	37.0	32.1	32.3	35.7	35.8	49.8	51.4
Female	26.8	28.5	27.2	27.2	29.3	29.7	37.1	38.5
Person	30.3	32.8	29.7	29.8	32.3	32.6	43.2	44.7
<b>Below -3 SD Undernourished (BMI for Age) (%)</b>								
Male	14.4	16.5	19.8	20.4	17.1	17.2	21.8	22.9
Female	10.4	11.7	16.0	16.5	11.4	11.7	14.4	14.9
Person	12.4	14.1	18.0	18.5	14.1	14.3	18.0	18.8
<b>Above 2 SD Overnourished (BMI for Age) (%)</b>								
Male	1.6	1.3	1.2	1.2	-	-	-	-
Female	1.3	1.1	0.9	0.9	2.0	2.1	0.3	0.3
Person	1.5	1.2	1.0	1.0	1.5	1.6	0.6	0.6
<b>Above 3 SD Overnourished (BMI for Age) (%)</b>								
Male	0.7	0.6	0.5	0.6	-	-	-	-
Female	0.5	0.5	0.5	0.5	1.3	1.4	-	-
Person	0.6	0.6	0.5	0.5	1.0	1.1	-	-

Indicators	Jharkhand		Garhwa		Palamu		Chatara	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
<b>Nutritional status 18 years and above</b>								
BMI ≥25.0 for age 18-59 year (%)								
Male	12.9	7.8	7.8	6.4	11.8	9.1	7.2	5.9
Female	13.0	6.6	6.6	5.3	9.5	8.1	5.6	4.1
Person	13.0	6.9	7.0	5.7	10.4	8.5	6.2	4.8
BMI ≥25.0 for age 60 year and above (%)								
Male	11.0	6.6	6.5	6.3	7.1	6.0	6.7	5.6
Female	12.4	6.3	8.8	8.2	12.8	11.2	2.4	1.6
Person	11.7	6.5	7.6	7.2	9.9	8.6	4.7	3.8
BMI≥30.0 for age 18-59 year (%)								
Male	1.8	1.1	1.6	1.3	2.5	1.4	1.7	1.3
Female	2.9	1.1	1.2	0.8	2.1	1.5	0.7	0.5
Person	2.4	1.1	1.3	1.0	2.3	1.5	1.1	0.8
BMI≥30.0 for age 60 year and above (%)								
Male	2.4	1.3	-	-	2.1	-	-	-
Female	3.2	1.3	3.0	2.5	5.3	4.3	-	-
Person	2.8	1.3	2.1	1.8	3.7	2.9	-	-
BMI <18.5 for age 18-59 year (%)								
Male	21.2	24.4	17.4	17.7	23.6	25.2	34.3	35.0
Female	28.6	33.6	19.9	20.0	28.3	28.9	42.3	43.9
Person	25.5	29.7	18.9	19.1	26.5	27.5	39.1	40.4
BMI <18.5 for age 60 year and above (%)								
Male	28.1	34.7	25.1	25.4	33.6	36.1	42.1	43.4
Female	36.0	42.1	27.6	27.8	38.3	39.8	57.6	59.3
Person	31.9	38.3	26.4	26.6	35.9	38.0	49.2	50.7
<b>Anaemia status by Haemoglobin Level</b>								
Anaemia in the age group 6-59 months (%)								
Male	78.9	78.7	80.6	80.3	84.0	84.7	80.5	79.7
Female	77.8	78.6	80.3	79.2	80.6	81.8	81.5	81.3
Person	78.4	78.7	80.4	79.8	82.3	83.3	81.0	80.4
Severe Anemia in the age group 6-59 months (%)								
Male	0.5	0.7	0.0	0.0	0.0	0.0	0.0	0.0
Female	-	-	0.0	0.0	0.0	0.0	0.0	0.0
Person	0.6	0.7	0.0	0.0	0.0	0.0	0.0	0.0
Anaemia in the age group 5-9 years (%)								
Male	84.7	84.9	86.0	86.3	80.7	82.6	84.5	84.3
Female	86.9	87.3	87.9	87.4	88.6	89.5	83.6	83.8
Person	85.7	86.1	86.8	86.8	84.9	86.3	84.1	84.1
Severe Anemia in the age group 5-9 years (%)								
Male	7.2	7.3	9.3	9.4	6.7	6.9	-	-
Female	7.6	7.7	7.1	6.4	8.6	8.8	9.9	10.5
Person	7.4	7.5	8.3	8.1	7.7	7.9	7.3	7.5
Anaemia in the age group 10-17 years (%)								
Male	74.1	76.0	80.1	79.4	79.8	81.7	72.6	72.5
Female	83.1	83.3	79.2	78.5	82.7	83.8	77.0	76.5
Person	78.5	79.6	79.6	79.0	81.3	82.7	74.9	74.6
Severe Anemia in the age group 10-17 years (%)								
Male	4.9	5.7	5.7	5.7	5.9	6.1	3.3	3.2
Female	7.4	7.4	5.6	5.1	7.7	7.7	2.8	3.0
Person	6.1	6.6	5.7	5.4	6.8	6.9	3.1	3.1
Anaemia in the age group 18-59 years (%)								
Male	77.4	79.1	81.3	80.8	79.2	81.7	59.1	59.1
Female	83.5	83.8	82.5	82.0	83.8	84.8	78.2	77.7
Severe Anemia in the age group 18-59 years (%)								
Male	4.2	4.7	2.9	2.7	2.8	2.9	1.7	1.8
Female	8.2	8.4	6.4	6.4	7.2	7.4	4.0	4.1
Anaemia in the age group 60 years and above (%)								
Male	86.4	88.9	88.5	88.1	87.5	90.5	79.0	79.0
Female	84.6	85.9	82.9	82.2	82.8	84.6	81.8	81.2
Severe Anemia in the age group 60 years and above (%)								
Male	6.9	7.5	5.3	5.1	5.9	6.3	-	-
Female	8.8	9.6	7.1	6.4	11.7	11.8	7.2	6.7

Indicators	Jharkhand		Garhwa		Palamu		Chatara	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
<b>Blood Sugar Level (18 years and above)</b>								
Blood Sugar Level $\geq 110$ mg/dl (%)								
Male	9.3	8.2	8.7	8.6	6.6	5.8	8.2	7.6
Female	7.8	6.7	5.9	5.9	4.1	3.7	5.2	4.6
Person	8.5	7.3	7.0	7.0	5.1	4.5	6.4	5.8
Blood Sugar Level $\geq 130$ mg/dl (%)								
Male	4.3	2.9	3.5	3.2	2.8	2.1	2.3	2.1
Female	3.3	2.2	2.4	2.2	1.6	1.4	1.9	1.5
Person	3.8	2.5	2.8	2.6	2.1	1.7	2.1	1.7
Blood Sugar Level $\geq 150$ mg/dl (%)								
Male	2.9	1.8	1.6	1.4	2.3	1.7	1.3	1.1
Female	2.1	1.3	1.3	1.2	1.2	1.0	1.1	0.8
Person	2.5	1.5	1.4	1.3	1.6	1.3	1.2	0.9
<b>Hypertension (18 years and above)</b>								
<b>Above Normal Range</b>								
Systolic $\geq 140$ mm of Hg & Diastolic $\geq 90$ mm of Hg (%)								
Male	12.5	11.0	13.5	12.7	10.2	9.3	9.9	9.6
Female	9.3	8.1	12.8	12.6	6.5	6.6	6.5	6.3
Person	10.7	9.4	13.1	12.6	8.0	7.6	7.9	7.6
Systolic $\geq 140$ mm of Hg & Diastolic $< 90$ mm of Hg (%)								
Male	8.1	7.9	7.2	7.3	6.5	6.4	9.0	9.0
Female	6.5	6.1	5.2	5.3	6.8	7.0	6.3	5.9
Person	7.2	6.9	6.0	6.1	6.7	6.7	7.4	7.2
Systolic $< 140$ mm of Hg & Diastolic $\geq 90$ mm of Hg (%)								
Male	8.8	8.7	13.0	12.6	6.8	6.6	8.2	7.9
Female	7.1	7.0	11.6	11.5	4.6	4.4	3.1	2.9
Person	7.8	7.7	12.1	11.9	5.5	5.2	5.2	5.0
<b>Moderately high</b>								
Systolic $\geq 160$ mm of Hg & Diastolic $\geq 100$ mm of Hg (%)								
Male	3.1	2.6	2.8	2.6	2.3	2.2	2.7	2.8
Female	2.7	2.2	2.7	2.6	1.5	1.4	1.5	1.5
Person	2.8	2.4	2.7	2.6	1.8	1.7	2.0	2.0
Systolic $\geq 160$ mm of Hg & Diastolic $< 100$ mm of Hg (%)								
Male	3.0	2.9	2.9	3.0	2.7	2.7	2.0	1.9
Female	2.6	2.4	2.9	3.0	2.1	2.1	2.5	2.2
Person	2.8	2.6	2.9	3.0	2.3	2.3	2.3	2.1
Systolic $< 160$ mm of Hg & Diastolic $\geq 100$ mm of Hg								
Male	3.4	3.2	4.5	4.3	2.2	1.8	2.3	2.0
Female	2.4	2.2	5.0	5.1	1.9	2.0	2.0	1.9
Person	2.8	2.6	4.8	4.8	2.0	1.9	2.1	1.9
<b>Very high</b>								
Systolic $\geq 180$ mm of Hg & Diastolic $\geq 110$ mm of Hg (%)								
Male	0.9	0.7	0.6	0.6	-	-	0.3	0.3
Female	0.8	0.7	0.4	0.4	0.6	0.5	0.2	0.3
Person	0.9	0.7	0.4	0.5	0.5	0.4	0.3	0.3
Systolic $\geq 180$ mm of Hg & Diastolic $< 110$ mm of Hg (%)								
Male	0.9	0.8	0.8	0.9	-	-	0.9	1.0
Female	0.8	0.8	1.5	1.5	0.6	0.6	0.8	0.7
Person	0.9	0.8	1.2	1.3	0.5	0.5	0.8	0.8
Systolic $< 180$ mm of Hg & Diastolic $\geq 110$ mm of Hg (%)								
Male	1.5	1.4	2.1	1.9	-	-	1.3	1.2
Female	1.3	1.1	2.0	2.1	1.1	1.2	1.3	1.4
Person	1.4	1.2	2.0	2.0	1.0	1.0	1.3	1.3
<b>Iodine content in Household Salt (more than 15 ppm) (%)</b>	<b>92.3</b>	<b>92.4</b>	<b>100.0</b>	<b>100.0</b>	<b>99.3</b>	<b>99.3</b>	<b>99.5</b>	<b>99.5</b>

Indicators	Hazariabagh		Kodarma		Giridih		Deoghar	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
<b>Nutritional status below 5 years</b>								
Below -2 SD Wasting (Weight for Height) (%)								
Male	16.9	17.2	24.5	26.9	30.3	30.5	21.5	19.3
Female	20.0	19.8	19.3	20.4	32.2	33.6	15.2	15.8
Person	18.4	18.5	21.9	23.7	31.3	32.1	18.2	17.4
Below -3 SD Wasting (Weight for Height) (%)								
Male	3.8	3.5	10.4	11.1	13.2	13.4	6.7	4.0
Female	3.5	3.4	6.6	6.4	14.9	15.6	7.8	8.4
Person	3.7	3.5	8.5	8.7	14.1	14.5	7.3	6.4
Below -2 SD Stunting (Height for Age) (%)								
Male	49.6	54.6	46.1	48.6	56.0	56.8	52.8	57.5
Female	51.3	53.8	49.0	49.1	51.5	52.6	55.2	58.2
Person	50.4	54.2	47.6	48.9	53.7	54.7	54.0	57.9
Below -3SD Stunting (Height for Age) (%)								
Male	23.9	26.2	25.0	27.8	30.2	31.3	31.6	33.6
Female	27.0	28.6	24.0	25.7	31.6	32.7	33.5	36.0
Person	25.3	27.4	24.5	26.8	30.9	32.0	32.6	34.9
Below -2 SD Underweight (Weight for Age) (%)								
Male	45.7	49.6	45.7	49.0	59.4	60.7	44.6	44.9
Female	41.6	43.4	43.7	46.3	56.3	57.8	48.2	50.7
Person	43.8	46.7	44.7	47.6	57.8	59.2	46.4	48.0
Below -3 SD Underweight (Weight for Age) (%)								
Male	13.8	15.5	21.4	22.9	30.5	31.6	16.3	17.0
Female	15.8	15.6	16.9	17.8	29.2	30.2	19.4	20.8
Person	14.7	15.6	19.1	20.3	29.9	30.9	17.9	19.0
Below -2 SD Undernourished (BMI for Age) (%)								
Male	16.1	15.8	22.5	24.6	31.3	31.9	19.1	17.3
Female	17.9	18.0	19.7	20.8	33.4	34.6	16.3	16.9
Person	16.9	16.8	21.1	22.7	32.4	33.3	17.6	17.1
Below -3 SD Undernourished (BMI for Age) (%)								
Male	5.5	5.8	8.7	9.2	16.3	16.6	7.9	6.2
Female	3.5	3.4	7.0	7.0	19.8	20.6	8.5	9.1
Person	4.5	4.7	7.9	8.1	18.1	18.7	8.2	7.8
Above 2 SD Overnourished (BMI for Age) (%)								
Male	1.3	-	4.2	4.1	5.1	4.9	7.2	7.7
Female	1.6	1.8	2.6	3.0	3.1	3.2	7.9	8.0
Person	1.4	1.6	3.4	3.5	4.0	4.0	7.6	7.9
Above 3 SD Overnourished (BMI for Age) (%)								
Male	-	-	1.8	2.0	1.2	1.3	-	-
Female	-	-	-	-	-	-	3.9	4.2
Person	-	-	1.4	1.5	1.4	1.4	3.5	3.8
<b>Nutritional status 5-18 years</b>								
Below -2 SD Undernourished (BMI for Age) (%)								
Male	33.5	34.4	46.4	48.8	49.8	51.0	40.3	43.7
Female	22.6	24.0	33.3	34.4	36.9	37.8	32.7	34.4
Person	28.1	29.3	39.7	41.4	43.4	44.5	36.7	39.2
Below -3 SD Undernourished (BMI for Age) (%)								
Male	8.7	9.2	18.1	19.1	26.1	27.2	15.4	16.7
Female	6.3	7.1	10.5	10.8	15.9	16.4	14.5	15.5
Person	7.5	8.2	14.2	14.8	21.0	21.8	15.0	16.2
Above 2 SD Overnourished (BMI for Age) (%)								
Male	0.8	-	0.8	0.6	-	-	1.6	1.0
Female	0.0	-	0.5	0.6	-	-	-	-
Person	0.4	-	0.7	0.6	0.6	-	1.4	0.8
Above 3 SD Overnourished (BMI for Age) (%)								
Male	-	-	-	-	-	-	-	-
Female	-	-	0.2	-	-	-	-	-
Person	-	-	0.2	-	0.2	-	-	-

Indicators	Hazariabagh		Kodarma		Giridih		Deoghar	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
<b>Nutritional status 18 years and above</b>								
BMI ≥25.0 for age 18-59 year (%)								
Male	11.1	7.1	18.1	17.2	8.8	7.3	12.2	7.0
Female	9.7	5.8	11.8	8.5	7.8	6.3	10.8	5.1
Person	10.3	6.4	14.1	11.6	8.2	6.7	11.4	5.9
BMI ≥25.0 for age 60 year and above (%)								
Male	5.5	2.9	11.6	9.8	-	-	9.2	4.2
Female	9.7	6.7	9.4	7.4	8.4	7.3	13.8	5.9
Person	7.5	4.6	10.4	8.5	8.9	8.2	11.3	5.0
BMI≥30.0 for age 18-59 year (%)								
Male	1.5	-	1.9	2.4	1.3	1.1	1.7	-
Female	1.6	0.6	2.5	1.7	1.4	0.8	2.4	-
Person	1.5	0.6	2.3	1.9	1.4	0.9	2.1	0.4
BMI≥30.0 for age 60 year and above (%)								
Male	-	-	3.0	2.9	-	-	-	-
Female	2.2	-	-	-	-	-	4.8	-
Person	1.3	0.5	2.2	2.3	-	-	2.8	-
BMI <18.5 for age 18-59 year (%)								
Male	27.1	30.3	25.6	27.9	29.3	30.9	24.7	29.0
Female	34.1	37.4	34.0	37.6	39.1	40.9	39.0	44.1
Person	31.0	34.2	31.0	34.2	35.2	36.9	32.8	37.7
BMI <18.5 for age 60 year and above (%)								
Male	39.3	42.0	31.1	33.0	34.8	35.8	34.8	40.1
Female	37.7	40.0	48.1	51.2	41.6	43.2	45.9	53.2
Person	38.6	41.1	40.0	43.0	37.9	39.2	39.9	46.0
<b>Anaemia status by Haemoglobin Level</b>								
Anaemia in the age group 6-59 months (%)								
Male	79.0	80.0	73.9	72.7	78.3	78.6	73.7	71.0
Female	79.6	81.1	70.3	71.8	81.1	81.1	77.3	76.6
Person	79.3	80.5	72.2	72.3	79.8	80.0	75.5	73.9
Severe Anemia in the age group 6-59 months (%)								
Male	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Female	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Person	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Anaemia in the age group 5-9 years (%)								
Male	83.8	86.0	76.3	77.2	84.6	85.4	71.2	69.7
Female	92.0	92.9	70.7	71.4	88.7	89.2	76.7	74.2
Person	87.9	89.4	73.6	74.4	86.5	87.1	74.0	72.0
Severe Anemia in the age group 5-9 years (%)								
Male	7.1	7.7	5.7	6.0	5.2	5.4	-	-
Female	6.3	7.0	6.3	7.1	5.5	5.9	4.6	5.1
Person	6.7	7.4	6.0	6.5	5.4	5.6	2.8	3.1
Anaemia in the age group 10-17 years (%)								
Male	78.7	80.0	67.9	70.2	77.3	77.9	56.4	56.0
Female	86.7	88.6	77.4	78.0	80.2	80.6	68.6	68.2
Person	82.7	84.2	73.0	74.4	78.8	79.2	61.8	61.4
Severe Anemia in the age group 10-17 years (%)								
Male	4.1	4.4	3.7	4.0	4.9	5.1	2.2	2.5
Female	4.8	5.1	5.9	6.5	8.6	9.1	1.7	2.0
Person	4.5	4.8	4.9	5.3	6.8	7.1	2.0	2.3
Anaemia in the age group 18-59 years (%)								
Male	72.7	76.0	75.4	76.9	80.0	82.8	62.8	60.3
Female	86.9	88.0	80.9	81.4	86.7	89.1	70.5	68.1
Severe Anemia in the age group 18-59 years (%)								
Male	1.1	1.3	1.2	1.1	3.5	3.8	2.0	1.6
Female	5.4	6.0	7.0	7.7	10.4	11.3	3.2	3.2
Anaemia in the age group 60 years and above (%)								
Male	87.4	88.7	84.2	85.1	93.1	95.6	77.5	76.0
Female	90.9	93.6	79.4	80.9	84.8	86.2	83.2	81.9
Severe Anemia in the age group 60 years and above (%)								
Male	8.0	8.7	2.6	2.3	-	-	5.2	5.7
Female	11.3	12.8	6.6	7.6	-	-	-	-

Indicators	Hazaribagh		Kodarma		Giridih		Deoghar	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
<b>Blood Sugar Level (18 years and above)</b>								
Blood Sugar Level $\geq 110$ mg/dl (%)								
Male	4.8	3.3	10.5	10.8	9.4	9.1	5.1	2.8
Female	3.6	2.8	6.3	6.6	8.0	7.9	3.3	1.7
Person	4.1	3.0	7.9	8.1	8.6	8.4	4.1	2.2
Blood Sugar Level $\geq 130$ mg/dl (%)								
Male	2.1	1.2	5.6	6.0	2.8	2.7	2.7	1.8
Female	1.2	1.0	3.2	3.4	2.7	2.7	1.9	1.1
Person	1.6	1.1	4.1	4.3	2.7	2.7	2.3	1.4
Blood Sugar Level $\geq 150$ mg/dl (%)								
Male	1.3	0.7	3.5	3.5	1.6	1.6	1.9	1.3
Female	0.8	0.8	1.8	1.9	-	-	1.3	0.8
Person	1.0	0.8	2.4	2.5	1.3	1.3	1.6	1.0
<b>Hypertension (18 years and above)</b>								
<b>Above Normal Range</b>								
Systolic $\geq 140$ mm of Hg & Diastolic $\geq 90$ mm of Hg (%)								
Male	13.2	11.6	11.4	9.1	8.0	7.4	8.0	7.8
Female	7.8	6.7	5.7	4.8	3.9	3.3	7.2	7.6
Person	10.2	8.9	7.9	6.4	5.6	5.0	7.5	7.7
Systolic $\geq 140$ mm of Hg & Diastolic $< 90$ mm of Hg (%)								
Male	7.1	7.4	8.7	8.6	7.7	7.1	6.8	6.1
Female	5.4	5.2	5.0	5.2	5.3	5.4	3.9	3.8
Person	6.2	6.2	6.4	6.4	6.3	6.1	5.2	4.8
Systolic $< 140$ mm of Hg & Diastolic $\geq 90$ mm of Hg (%)								
Male	8.0	7.3	6.0	4.6	6.0	5.1	6.2	5.0
Female	5.8	5.3	4.0	2.9	5.6	-	8.5	7.3
Person	6.8	6.2	4.7	3.5	5.8	5.3	7.5	6.3
<b>Moderately high</b>								
Systolic $\geq 160$ mm of Hg & Diastolic $\geq 100$ mm of Hg (%)								
Male	3.0	2.6	3.3	2.7	1.1	-	1.8	1.8
Female	2.2	1.8	2.0	1.8	1.3	0.9	1.3	1.6
Person	2.6	2.2	2.5	2.2	1.2	0.9	1.5	1.7
Systolic $\geq 160$ mm of Hg & Diastolic $< 100$ mm of Hg (%)								
Male	2.2	2.2	3.2	3.1	1.7	1.4	2.0	1.9
Female	2.4	2.4	2.2	1.7	1.1	1.1	1.0	0.8
Person	2.3	2.3	2.6	2.2	1.4	1.2	1.4	1.3
Systolic $< 160$ mm of Hg & Diastolic $\geq 100$ mm of Hg								
Male	3.9	3.8	3.2	2.6	3.1	2.8	1.7	2.0
Female	2.2	1.8	1.3	0.9	-	-	2.0	1.7
Person	3.0	2.7	2.0	1.5	2.2	2.0	1.8	1.9
<b>Very high</b>								
Systolic $\geq 180$ mm of Hg & Diastolic $\geq 110$ mm of Hg (%)								
Male	0.8	0.7	0.7	-	-	-	-	-
Female	0.4	-	-	-	0.2	-	-	-
Person	0.6	0.4	0.4	0.3	0.3	-	0.2	0.3
Systolic $\geq 180$ mm of Hg & Diastolic $< 110$ mm of Hg (%)								
Male	1.0	0.9	0.8	0.4	-	-	-	-
Female	0.8	0.9	0.4	-	-	-	0.5	0.5
Person	0.9	0.9	0.5	0.3	0.5	-	0.4	0.4
Systolic $< 180$ mm of Hg & Diastolic $\geq 110$ mm of Hg (%)								
Male	1.8	1.9	1.7	1.6	-	-	-	-
Female	1.6	1.2	0.5	0.4	0.7	0.5	0.8	0.9
Person	1.7	1.5	1.0	0.9	0.8	0.7	0.7	0.7
<b>Iodine content in Household Salt (more than 15 ppm) (%)</b>	<b>99.1</b>	<b>99.0</b>	<b>99.4</b>	<b>100.0</b>	<b>75.7</b>	<b>74.1</b>	<b>99.8</b>	<b>99.7</b>

Indicators	Godda		Sahibganj		Pakaur		Dumka	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
<b>Nutritional status below 5 years</b>								
Below -2 SD Wasting (Weight for Height) (%)								
Male	19.6	20.4	40.0	39.5	32.2	32.4	14.1	14.3
Female	26.3	26.7	33.9	33.8	29.4	29.3	26.5	26.2
Person	22.9	23.5	37.0	36.8	30.8	30.9	20.7	20.6
Below -3 SD Wasting (Weight for Height) (%)								
Male	10.4	10.9	18.2	17.2	20.0	20.0	9.7	9.7
Female	13.9	14.0	16.7	16.4	19.3	19.2	9.5	-
Person	12.1	12.4	17.5	16.8	19.6	19.6	9.6	9.4
Below -2 SD Stunting (Height for Age) (%)								
Male	58.4	58.0	24.7	24.9	42.5	42.4	47.0	46.7
Female	36.2	36.5	19.1	20.0	47.2	47.0	50.6	50.9
Person	47.8	47.7	21.9	22.6	44.8	44.7	48.9	49.0
Below -3SD Stunting (Height for Age) (%)								
Male	23.6	23.3	12.5	13.1	24.4	24.4	24.2	24.0
Female	17.0	17.6	7.8	8.6	28.8	28.2	26.8	27.5
Person	20.5	20.6	10.1	10.9	26.6	26.3	25.6	25.9
Below -2 SD Underweight (Weight for Age) (%)								
Male	36.4	38.0	38.1	38.9	43.0	43.3	41.4	42.1
Female	29.4	30.3	30.6	30.2	40.2	39.8	48.3	48.8
Person	33.1	34.3	34.4	34.7	41.6	41.6	44.9	45.4
Below -3 SD Underweight (Weight for Age) (%)								
Male	18.9	19.8	15.7	15.5	17.8	17.8	20.0	20.6
Female	14.0	14.5	10.4	10.4	19.7	19.9	17.0	16.5
Person	16.5	17.2	13.1	13.0	18.7	18.8	18.4	18.5
Below -2 SD Undernourished (BMI for Age) (%)								
Male	25.7	26.6	47.1	47.0	35.4	35.6	24.4	24.9
Female	27.3	27.8	41.1	41.2	33.3	33.3	31.0	30.4
Person	26.5	27.2	44.1	44.2	34.4	34.5	27.7	27.6
Below -3 SD Undernourished (BMI for Age) (%)								
Male	15.1	15.9	28.3	27.7	29.8	29.8	21.9	22.3
Female	16.8	17.1	28.6	28.9	24.5	24.3	17.5	16.8
Person	15.9	16.5	28.4	28.3	27.3	27.1	19.7	19.6
Above 2 SD Overnourished (BMI for Age) (%)								
Male	6.3	6.2	-	-	10.3	10.0	9.5	9.8
Female	5.3	5.5	-	-	8.5	8.4	8.5	9.1
Person	5.8	5.9	-	-	9.4	9.2	9.0	9.5
Above 3 SD Overnourished (BMI for Age) (%)								
Male	-	-	-	-	3.8	3.5	6.7	6.9
Female	-	-	-	-	-	-	2.2	2.3
Person	-	-	-	-	2.8	2.7	4.4	4.7
<b>Nutritional status 5-18 years</b>								
Below -2 SD Undernourished (BMI for Age) (%)								
Male	39.0	39.3	49.4	49.7	41.7	42.1	32.9	33.5
Female	29.3	29.1	47.7	48.5	35.5	35.7	25.3	25.9
Person	34.2	34.2	48.5	49.1	38.5	38.8	29.4	30.0
Below -3 SD Undernourished (BMI for Age) (%)								
Male	25.3	25.8	35.3	35.1	28.2	28.4	12.6	12.7
Female	17.5	17.4	30.2	29.8	20.0	20.1	10.4	10.9
Person	21.4	21.6	32.7	32.5	24.0	24.2	11.6	11.9
Above 2 SD Overnourished (BMI for Age) (%)								
Male	1.1	1.1	2.0	2.0	3.9	3.8	-	-
Female	2.5	2.6	0.5	0.4	2.1	2.2	-	-
Person	1.8	1.8	1.3	1.2	3.0	3.0	-	-
Above 3 SD Overnourished (BMI for Age) (%)								
Male	-	-	-	-	1.7	1.6	-	-
Female	-	-	-	-	1.6	1.7	-	-
Person	-	-	0.4	0.5	1.7	1.6	-	-

Indicators	Godda		Sahibganj		Pakaur		Dumka	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
<b>Nutritional status 18 years and above</b>								
BMI ≥25.0 for age 18-59 year (%)								
Male	11.1	9.7	15.5	14.6	7.3	6.8	5.5	5.4
Female	7.9	6.9	6.4	6.0	6.7	5.9	4.3	4.1
Person	9.1	8.0	9.9	9.4	6.9	6.3	4.9	4.7
BMI ≥25.0 for age 60 year and above (%)								
Male	14.0	13.0	15.8	15.6	6.7	6.1	6.2	5.9
Female	8.1	6.7	5.6	4.9	3.3	3.5	5.4	4.7
Person	11.3	10.1	10.6	10.2	5.2	4.9	5.7	5.3
BMI≥30.0 for age 18-59 year (%)								
Male	-	-	3.0	2.8	0.7	0.5	0.5	0.5
Female	1.7	1.3	1.2	1.1	1.3	1.2	0.7	0.6
Person	1.7	1.3	1.9	1.7	1.1	0.9	0.6	0.6
BMI≥30.0 for age 60 year and above (%)								
Male	2.3	1.8	2.2	2.3	-	-	-	-
Female	-	-	-	-	-	-	-	-
Person	2.5	1.9	1.8	1.9	-	-	1.0	-
BMI <18.5 for age 18-59 year (%)								
Male	10.7	10.3	18.4	18.8	21.4	21.2	22.3	23.0
Female	20.4	20.3	43.6	44.8	29.0	28.9	32.6	33.7
Person	16.7	16.5	33.8	34.6	25.8	25.7	28.0	28.9
BMI <18.5 for age 60 year and above (%)								
Male	15.5	15.6	29.2	29.3	22.7	22.1	37.6	39.1
Female	30.2	30.0	56.1	55.8	34.3	33.2	40.1	41.3
Person	22.2	22.1	43.1	42.7	27.9	27.1	38.9	40.3
<b>Anaemia status by Haemoglobin Level</b>								
Anaemia in the age group 6-59 months (%)								
Male	81.4	81.9	78.3	79.1	83.3	84.0	69.2	68.1
Female	77.2	78.6	73.8	76.4	76.3	76.4	67.4	64.3
Person	79.3	80.2	76.0	77.8	79.8	80.2	68.3	66.3
Severe Anemia in the age group 6-59 months (%)								
Male	0.0	0.0	0.0	0.0	0.0	0.0	-	-
Female	0.0	0.0	0.0	0.0	0.0	0.0	-	-
Person	0.0	0.0	0.0	0.0	0.0	0.0	-	-
Anaemia in the age group 5-9 years (%)								
Male	90.1	90.4	88.0	87.4	95.2	95.2	85.2	84.1
Female	85.1	85.0	88.4	88.5	90.6	90.7	84.0	83.5
Person	87.6	87.7	88.2	87.9	92.9	92.9	84.6	83.8
Severe Anemia in the age group 5-9 years (%)								
Male	10.0	10.4	6.4	6.5	8.8	8.8	7.3	6.3
Female	9.8	9.9	5.8	5.8	7.6	7.3	-	-
Person	9.9	10.1	6.1	6.2	8.2	8.1	5.9	5.3
Anaemia in the age group 10-17 years (%)								
Male	79.1	79.4	76.1	76.3	79.5	79.9	70.9	69.9
Female	87.0	87.1	87.7	87.8	93.6	93.5	85.8	84.6
Person	83.1	83.3	81.6	81.7	86.7	86.9	77.5	76.3
Severe Anemia in the age group 10-17 years (%)								
Male	5.6	5.9	4.4	4.1	2.9	3.0	5.3	5.4
Female	12.1	12.0	3.1	3.6	6.7	6.6	4.6	4.2
Person	8.9	9.0	3.8	3.9	4.8	4.9	5.0	4.9
Anaemia in the age group 18-59 years (%)								
Male	87.0	87.2	78.6	79.8	86.5	87.0	83.8	83.2
Female	87.3	87.4	86.5	87.2	90.5	90.9	82.9	82.3
Severe Anemia in the age group 18-59 years (%)								
Male	5.8	5.7	2.9	2.8	5.7	5.9	4.2	4.2
Female	9.9	9.9	8.6	9.1	8.6	8.7	5.9	6.0
Anaemia in the age group 60 years and above (%)								
Male	91.6	92.2	89.7	91.1	91.6	92.0	88.0	87.6
Female	89.2	89.8	89.7	90.1	91.8	92.6	84.7	84.5
Severe Anemia in the age group 60 years and above (%)								
Male	12.5	12.8	6.6	6.4	10.2	10.1	5.4	5.4
Female	8.4	8.3	8.1	8.3	7.5	7.4	6.0	6.0



Indicators	Godda		Sahibganj		Pakaur		Dumka	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
<b>Blood Sugar Level (18 years and above)</b>								
Blood Sugar Level $\geq 110$ mg/dl (%)								
Male	10.4	10.6	7.8	8.2	8.2	7.9	11.5	11.1
Female	7.3	7.4	5.7	5.4	6.7	6.6	9.7	-
Person	8.5	8.6	6.5	6.5	7.4	7.2	10.5	10.0
Blood Sugar Level $\geq 130$ mg/dl (%)								
Male	4.1	4.0	3.7	3.7	1.8	1.7	2.2	2.3
Female	3.2	3.1	2.8	2.5	1.4	1.2	1.2	-
Person	3.6	3.5	3.1	3.0	1.5	1.4	1.6	1.6
Blood Sugar Level $\geq 150$ mg/dl (%)								
Male	1.4	-	2.3	2.2	1.3	-	1.0	1.1
Female	0.8	0.7	1.8	1.5	0.8	0.7	0.6	-
Person	1.1	0.9	2.0	1.8	1.0	1.0	0.8	0.8
<b>Hypertension (18 years and above)</b>								
<b>Above Normal Range</b>								
Systolic $\geq 140$ mm of Hg & Diastolic $\geq 90$ mm of Hg (%)								
Male	17.0	17.3	12.7	12.9	9.8	9.5	16.1	16.2
Female	11.4	11.5	9.7	9.8	8.5	8.1	10.6	10.6
Person	13.6	13.8	10.9	11.1	9.0	8.7	13.1	13.1
Systolic $\geq 140$ mm of Hg & Diastolic $< 90$ mm of Hg (%)								
Male	12.3	12.3	6.3	6.4	4.9	4.8	6.6	6.6
Female	8.2	8.0	7.4	7.0	3.7	3.6	5.4	5.2
Person	9.8	9.7	7.0	6.7	4.2	4.1	6.0	5.8
Systolic $< 140$ mm of Hg & Diastolic $\geq 90$ mm of Hg (%)								
Male	10.4	10.5	8.9	9.1	20.5	20.4	15.5	15.8
Female	9.1	9.2	6.4	6.1	15.4	15.5	10.8	11.1
Person	9.6	9.7	7.4	7.3	17.6	17.6	12.9	13.2
<b>Moderately high</b>								
Systolic $\geq 160$ mm of Hg & Diastolic $\geq 100$ mm of Hg (%)								
Male	2.1	2.0	3.6	3.5	3.2	3.2	4.0	4.0
Female	2.8	2.7	2.8	2.7	2.9	2.8	2.7	2.7
Person	2.5	2.5	3.1	3.1	3.0	2.9	3.3	3.3
Systolic $\geq 160$ mm of Hg & Diastolic $< 100$ mm of Hg (%)								
Male	4.5	4.4	2.8	3.0	3.1	3.1	3.7	3.8
Female	2.5	2.4	2.9	2.8	1.6	1.5	2.8	2.6
Person	3.3	3.2	2.9	2.9	2.2	2.2	3.2	3.1
Systolic $< 160$ mm of Hg & Diastolic $\geq 100$ mm of Hg								
Male	5.5	5.7	3.9	4.0	5.9	5.5	6.0	6.3
Female	3.2	3.2	3.1	3.1	3.1	3.0	2.9	2.9
Person	4.1	4.1	3.4	3.4	4.3	4.1	4.3	4.4
<b>Very high</b>								
Systolic $\geq 180$ mm of Hg & Diastolic $\geq 110$ mm of Hg (%)								
Male	-	-	1.0	1.1	-	-	1.4	1.5
Female	0.9	0.9	0.7	0.7	0.8	0.7	1.0	1.0
Person	0.7	0.7	0.8	0.8	0.7	0.7	1.2	1.2
Systolic $\geq 180$ mm of Hg & Diastolic $< 110$ mm of Hg (%)								
Male	0.7	-	-	-	1.3	1.2	0.9	0.9
Female	0.9	0.9	1.1	1.2	0.8	0.8	0.7	0.6
Person	0.8	0.8	0.8	0.8	1.0	1.0	0.8	0.7
Systolic $< 180$ mm of Hg & Diastolic $\geq 110$ mm of Hg (%)								
Male	1.5	1.5	2.6	2.4	2.7	2.7	2.3	2.3
Female	1.6	1.6	1.9	1.7	1.4	1.3	1.8	1.9
Person	1.6	1.5	2.1	2.0	1.9	1.9	2.0	2.1
<b>Iodine content in Household Salt (more than 15 ppm) (%)</b>	<b>100.0</b>	<b>100.0</b>	<b>99.9</b>	<b>100.0</b>	<b>93.5</b>	<b>93.7</b>	<b>74.1</b>	<b>72.3</b>

Indicators	Dhanbad		Bokaro		Ranchi		Lohardaga	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
<b>Nutritional status below 5 years</b>								
Below -2 SD Wasting (Weight for Height) (%)								
Male	12.6	8.6	17.1	20.2	16.0	14.6	19.8	20.3
Female	7.6	10.7	16.4	18.0	10.4	10.2	20.6	19.7
Person	10.5	9.4	16.8	19.1	13.4	12.7	20.2	19.9
Below -3 SD Wasting (Weight for Height) (%)								
Male	5.4	6.8	3.9	3.3	4.5	3.3	9.7	9.9
Female	5.8	10.7	4.0	3.3	3.5	2.1	9.1	9.2
Person	5.6	8.3	4.0	3.3	4.0	2.8	9.4	9.5
Below -2 SD Stunting (Height for Age) (%)								
Male	62.4	74.4	51.9	68.9	49.0	51.1	56.1	57.8
Female	47.1	63.3	44.6	64.2	57.1	64.6	53.6	56.1
Person	55.4	69.3	48.4	66.5	52.8	56.9	54.9	57.0
Below -3SD Stunting (Height for Age) (%)								
Male	35.2	47.3	24.0	37.7	21.0	23.9	31.0	33.0
Female	26.5	40.9	20.6	30.4	28.9	33.9	33.0	34.4
Person	31.2	44.4	22.4	34.0	24.7	28.2	32.0	33.7
Below -2 SD Underweight (Weight for Age) (%)								
Male	53.7	66.1	46.8	65.5	41.7	41.9	43.8	45.7
Female	40.2	62.8	40.6	60.7	46.5	49.9	40.2	39.9
Person	47.9	64.8	43.8	63.2	44.0	45.3	42.0	42.8
Below -3 SD Underweight (Weight for Age) (%)								
Male	22.4	31.5	13.2	20.8	11.1	11.7	17.0	17.8
Female	4.9	-	17.2	28.3	16.2	16.6	15.0	14.4
Person	14.8	20.0	15.2	24.7	13.5	13.8	16.0	16.1
Below -2 SD Undernourished (BMI for Age) (%)								
Male	12.9	8.3	12.7	10.3	13.6	13.2	21.6	22.1
Female	11.7	20.8	15.0	15.9	11.5	11.8	20.7	20.0
Person	12.4	13.3	13.8	13.1	12.6	12.6	21.2	21.1
Below -3 SD Undernourished (BMI for Age) (%)								
Male	3.8	-	7.1	-	4.1	3.6	11.9	12.2
Female	10.1	20.8	4.1	4.5	4.3	4.2	12.3	12.7
Person	6.4	8.7	5.6	4.1	4.2	3.9	12.1	12.5
Above 2 SD Overnourished (BMI for Age) (%)								
Male	6.2	-	-	-	4.4	5.5	6.5	7.0
Female	-	-	2.7	-	2.8	4.2	8.9	8.4
Person	4.8	-	1.6	-	3.7	5.0	7.7	7.7
Above 3 SD Overnourished (BMI for Age) (%)								
Male	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	3.2	2.8
Person	2.5	-	-	-	-	-	2.7	2.6
<b>Nutritional status 5-18 years</b>								
Below -2 SD Undernourished (BMI for Age) (%)								
Male	34.6	46.6	30.9	38.3	22.7	22.2	30.3	29.2
Female	33.3	44.4	21.7	24.0	21.0	17.6	20.1	19.6
Person	34.0	45.6	26.3	30.8	21.8	19.9	25.2	24.4
Below -3 SD Undernourished (BMI for Age) (%)								
Male	18.4	36.9	11.1	12.3	6.8	8.0	8.8	7.6
Female	19.2	34.0	5.9	6.0	5.3	3.5	6.5	6.2
Person	18.8	35.5	8.5	9.0	6.0	5.7	7.7	6.9
Above 2 SD Overnourished (BMI for Age) (%)								
Male	7.1	5.9	1.4	-	1.9	1.1	1.3	0.9
Female	8.6	13.1	1.4	0.9	1.6	1.7	-	-
Person	7.7	9.3	1.4	0.9	1.7	1.5	0.9	0.7
Above 3 SD Overnourished (BMI for Age) (%)								
Male	3.8	-	-	-	-	-	-	-
Female	5.2	12.4	0.6	0.7	-	-	-	-
Person	4.4	6.2	0.5	0.6	-	-	-	-

Indicators	Dhanbad		Bokaro		Ranchi		Lohardaga	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
<b>Nutritional status 18 years and above</b>								
BMI ≥25.0 for age 18-59 year (%)								
Male	18.3	11.8	20.2	10.0	13.3	10.5	7.6	6.9
Female	21.8	6.6	23.8	10.4	15.0	10.5	10.2	9.5
Person	20.3	8.8	22.3	10.2	14.2	10.5	9.2	8.4
BMI ≥25.0 for age 60 year and above (%)								
Male	25.6	19.6	23.4	9.4	15.3	6.9	5.6	3.7
Female	11.8	7.4	31.3	9.4	13.4	10.5	4.4	4.7
Person	19.2	14.3	26.9	9.4	14.4	8.7	5.0	4.2
BMI≥30.0 for age 18-59 year (%)								
Male	1.9	1.9	3.2	-	1.6	1.0	0.7	0.6
Female	6.8	-	6.7	-	3.4	2.0	1.2	1.4
Person	4.7	1.7	5.2	-	2.6	1.5	1.0	1.0
BMI≥30.0 for age 60 year and above (%)								
Male	8.8	5.1	3.1	-	-	-	-	-
Female	7.3	-	8.1	-	-	-	-	-
Person	8.1	4.1	5.4	-	-	-	-	-
BMI <18.5 for age 18-59 year (%)								
Male	17.5	15.0	23.2	35.2	18.2	16.9	23.0	22.2
Female	23.0	38.6	26.4	39.6	25.6	25.3	29.6	29.6
Person	20.7	28.8	25.0	37.7	22.2	21.3	26.9	26.5
BMI <18.5 for age 60 year and above (%)								
Male	12.3	23.0	25.0	46.9	19.9	26.5	34.3	35.6
Female	28.5	29.6	25.4	47.3	30.5	34.4	42.6	41.7
Person	19.9	25.9	25.2	47.1	25.0	30.5	38.6	38.8
<b>Anaemia status by Haemoglobin Level</b>								
Anaemia in the age group 6-59 months (%)								
Male	78.5	72.9	79.8	85.5	78.0	81.1	68.0	68.6
Female	64.8	73.7	75.2	84.9	77.7	75.5	76.4	77.5
Person	73.2	73.2	77.6	85.2	77.9	79.2	72.1	73.0
Severe Anemia in the age group 6-59 months (%)								
Male	0.0	0.0	0.0	0.0	-	-	0.0	0.0
Female	0.0	0.0	5.1	7.7	-	-	0.0	0.0
Person	0.0	0.0	2.3	3.7	-	-	0.0	0.0
Anaemia in the age group 5-9 years (%)								
Male	85.4	81.4	81.7	86.2	86.5	92.8	75.0	73.9
Female	84.7	87.1	87.8	95.5	85.3	90.8	78.7	80.0
Person	85.1	84.1	84.6	90.8	85.9	91.7	76.9	77.1
Severe Anemia in the age group 5-9 years (%)								
Male	3.7	12.1	6.4	7.8	13.2	16.7	-	-
Female	-	-	8.4	10.9	12.5	12.4	-	-
Person	4.5	7.7	7.3	9.3	12.8	14.4	2.0	1.7
Anaemia in the age group 10-17 years (%)								
Male	72.6	73.3	67.2	83.6	71.6	73.8	62.8	60.9
Female	85.4	77.8	82.3	89.1	78.7	82.1	77.8	76.7
Person	78.3	75.2	74.7	86.5	75.2	78.1	70.1	68.7
Severe Anemia in the age group 10-17 years (%)								
Male	3.7	11.5	3.3	2.6	7.9	10.4	1.2	1.2
Female	4.7	-	9.9	13.6	8.8	11.0	-	-
Person	4.1	7.2	6.6	8.4	8.4	10.7	1.7	1.8
Anaemia in the age group 18-59 years (%)								
Male	78.9	83.1	72.4	85.9	64.8	66.4	72.7	72.9
Female	83.2	81.7	80.0	88.3	76.2	76.1	81.1	80.8
Severe Anemia in the age group 18-59 years (%)								
Male	3.4	5.6	2.7	4.0	4.9	6.1	1.8	2.0
Female	6.7	8.2	8.9	13.9	7.1	7.7	3.2	3.4
Anaemia in the age group 60 years and above (%)								
Male	82.9	80.2	85.2	94.1	82.0	88.2	82.9	84.6
Female	83.1	91.0	83.0	89.8	69.5	68.3	82.5	81.2
Severe Anemia in the age group 60 years and above (%)								
Male	3.9	-	9.0	15.5	8.0	8.6	8.3	7.4
Female	6.7	8.3	10.6	16.0	6.8	9.2	7.0	7.6

Indicators	Dhanbad		Bokaro		Ranchi		Lohardaga	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
<b>Blood Sugar Level (18 years and above)</b>								
Blood Sugar Level $\geq 110$ mg/dl (%)								
Male	12.0	8.7	12.2	9.4	15.6	16.4	8.6	6.3
Female	9.8	6.3	10.2	6.4	15.9	16.0	7.7	6.0
Person	10.8	7.4	11.2	7.8	15.8	16.2	8.1	6.2
Blood Sugar Level $\geq 130$ mg/dl (%)								
Male	10.0	4.3	5.9	3.9	6.5	6.8	4.2	3.0
Female	5.8	2.7	5.4	2.9	5.7	5.0	3.5	3.0
Person	7.7	3.5	5.7	3.4	6.1	5.9	3.8	3.0
Blood Sugar Level $\geq 150$ mg/dl (%)								
Male	8.0	3.8	4.5	3.7	4.2	4.0	2.3	1.9
Female	5.2	2.4	4.1	2.3	3.1	3.1	1.9	1.5
Person	6.5	3.1	4.3	2.9	3.6	3.5	2.1	1.7
<b>Hypertension (18 years and above)</b>								
<b>Above Normal Range</b>								
Systolic $\geq 140$ mm of Hg & Diastolic $\geq 90$ mm of Hg (%)								
Male	16.7	13.9	14.6	9.9	8.0	6.8	8.8	7.2
Female	12.9	11.5	9.7	6.9	7.3	6.4	7.6	7.2
Person	14.6	12.6	11.9	8.2	7.6	6.6	8.1	7.2
Systolic $\geq 140$ mm of Hg & Diastolic $< 90$ mm of Hg (%)								
Male	9.0	11.9	8.9	5.9	7.0	7.0	7.1	7.2
Female	7.3	4.1	6.7	5.0	4.8	4.7	8.2	8.3
Person	8.0	7.6	7.7	5.5	5.8	5.8	7.8	7.9
Systolic $< 140$ mm of Hg & Diastolic $\geq 90$ mm of Hg (%)								
Male	11.2	13.9	5.3	4.3	5.3	4.4	3.8	3.5
Female	8.8	8.3	4.2	4.5	5.0	5.1	3.2	2.8
Person	9.9	10.9	4.7	4.4	5.2	4.8	3.4	3.1
<b>Moderately high</b>								
Systolic $\geq 160$ mm of Hg & Diastolic $\geq 100$ mm of Hg (%)								
Male	5.1	4.8	4.6	2.8	1.5	-	2.4	1.8
Female	4.5	6.2	2.9	2.0	2.4	2.0	2.8	2.4
Person	4.7	5.6	3.6	2.4	2.0	1.7	2.6	2.2
Systolic $\geq 160$ mm of Hg & Diastolic $< 100$ mm of Hg (%)								
Male	3.9	3.3	3.3	2.5	2.6	2.3	2.5	2.2
Female	2.5	2.4	2.7	1.4	1.9	1.9	3.5	3.5
Person	3.1	2.8	3.0	1.9	2.2	2.1	3.1	2.9
Systolic $< 160$ mm of Hg & Diastolic $\geq 100$ mm of Hg								
Male	6.0	8.3	3.5	2.0	1.1	-	2.0	1.2
Female	3.0	2.9	2.0	1.4	1.3	-	1.6	1.6
Person	4.3	5.3	2.7	1.6	1.2	-	1.8	1.4
<b>Very high</b>								
Systolic $\geq 180$ mm of Hg & Diastolic $\geq 110$ mm of Hg (%)								
Male	1.2	-	1.2	0.8	-	-	0.8	0.4
Female	1.5	2.1	1.1	-	0.8	0.8	1.1	0.8
Person	1.4	1.3	1.1	0.8	0.6	0.5	0.9	0.6
Systolic $\geq 180$ mm of Hg & Diastolic $< 110$ mm of Hg (%)								
Male	1.2	2.5	1.5	0.8	0.7	0.6	0.9	0.8
Female	0.9	1.1	0.9	0.6	0.5	-	1.0	1.1
Person	1.0	1.7	1.2	0.7	0.6	0.4	0.9	1.0
Systolic $< 180$ mm of Hg & Diastolic $\geq 110$ mm of Hg (%)								
Male	3.2	3.1	1.6	1.2	0.4	0.3	0.8	-
Female	2.2	1.2	0.8	-	0.5	0.3	1.0	0.9
Person	2.6	2.0	1.1	0.8	0.5	0.3	0.9	0.6
<b>Iodine content in Household Salt (more than 15 ppm) (%)</b>	<b>76.9</b>	<b>82.3</b>	<b>93.2</b>	<b>86.9</b>	<b>97.1</b>	<b>99.6</b>	<b>95.0</b>	<b>94.5</b>

Indicators	Gumla		Paschimi Singhbum		Purbi Singhbum	
	Total	Rural	Total	Rural	Total	Rural
<b>Nutritional status below 5 years</b>						
Below -2 SD Wasting (Weight for Height) (%)						
Male	37.7	36.6	24.6	27.3	16.5	27.5
Female	35.9	39.4	26.1	31.1	17.9	12.1
Person	37.0	37.9	25.3	29.0	17.2	18.7
Below -3 SD Wasting (Weight for Height) (%)						
Male	21.5	20.6	10.2	11.6	-	-
Female	14.5	15.9	13.5	16.8	6.6	2.8
Person	18.4	18.5	11.7	13.9	5.3	3.2
Below -2 SD Stunting (Height for Age) (%)						
Male	41.5	42.4	69.5	67.9	49.7	69.4
Female	45.3	44.3	58.5	59.1	49.4	75.6
Person	43.2	43.2	64.3	63.7	49.5	72.9
Below -3SD Stunting (Height for Age) (%)						
Male	31.2	32.9	51.4	50.0	29.3	39.4
Female	27.3	27.3	40.5	40.8	26.9	39.6
Person	29.4	30.4	46.2	45.6	28.1	39.5
Below -2 SD Underweight (Weight for Age) (%)						
Male	53.5	56.1	66.8	70.4	40.3	60.6
Female	44.4	46.5	53.4	57.6	41.7	58.1
Person	49.3	51.8	60.4	64.3	41.0	59.2
Below -3 SD Underweight (Weight for Age) (%)						
Male	30.6	31.5	32.8	33.3	14.1	21.4
Female	22.1	24.4	30.0	31.6	15.7	24.3
Person	26.7	28.3	31.4	32.5	14.9	23.1
Below -2 SD Undernourished (BMI for Age) (%)						
Male	43.5	43.3	24.7	27.5	13.4	16.5
Female	36.2	38.9	31.7	36.3	15.8	13.9
Person	40.2	41.3	28.1	31.7	14.5	15.0
Below -3 SD Undernourished (BMI for Age) (%)						
Male	31.8	31.4	15.1	16.6	5.2	4.5
Female	23.8	25.3	21.8	25.4	-	-
Person	28.2	28.7	18.3	20.8	6.1	5.6
Above 2 SD Overnourished (BMI for Age) (%)						
Male	4.1	4.4	5.1	-	4.4	-
Female	7.2	7.9	7.5	5.8	8.2	-
Person	5.5	5.9	6.3	5.0	6.3	4.1
Above 3 SD Overnourished (BMI for Age) (%)						
Male	-	-	-	-	-	-
Female	-	-	-	-	3.3	-
Person	-	-	-	-	2.6	3.7
<b>Nutritional status 5-18 years</b>						
Below -2 SD Undernourished (BMI for Age) (%)						
Male	33.9	35.4	21.4	22.7	28.8	38.6
Female	28.2	29.1	17.7	18.7	24.3	34.0
Person	31.3	32.5	19.5	20.7	26.7	36.5
Below -3 SD Undernourished (BMI for Age) (%)						
Male	17.7	18.8	7.0	7.0	10.0	12.7
Female	15.3	15.9	6.9	7.3	4.8	10.1
Person	16.6	17.5	6.9	7.2	7.6	11.5
Above 2 SD Overnourished (BMI for Age) (%)						
Male	3.5	3.7	4.1	4.1	2.4	-
Female	2.8	2.4	2.6	2.1	-	-
Person	3.2	3.1	3.4	3.1	1.8	-
Above 3 SD Overnourished (BMI for Age) (%)						
Male	2.0	2.2	2.1	1.9	-	-
Female	1.4	-	-	-	-	-
Person	1.7	1.8	1.1	1.0	-	-

Indicators	Gumla		Paschimi Singhbum		Purbi Singhbum	
	Total	Rural	Total	Rural	Total	Rural
<b>Nutritional status 18 years and above</b>						
BMI ≥25.0 for age 18-59 year (%)						
Male	4.3	2.8	10.3	6.1	21.8	5.1
Female	3.8	2.5	7.5	3.8	26.9	5.0
Person	4.0	2.6	8.8	4.8	24.8	5.1
BMI ≥25.0 for age 60 year and above (%)						
Male	6.3	4.2	5.7	-	7.4	-
Female	-	-	7.8	-	32.4	4.3
Person	4.0	2.9	6.7	1.9	18.1	2.8
BMI≥30.0 for age 18-59 year (%)						
Male	1.8	1.5	2.0	-	2.0	0.9
Female	1.5	1.2	2.1	1.3	4.2	0.2
Person	1.7	1.4	2.1	1.5	3.3	0.5
BMI≥30.0 for age 60 year and above (%)						
Male	3.5	2.5	-	-	0.0	-
Female	-	-	-	-	4.2	0.0
Person	1.8	1.2	2.0	1.5	1.8	0.0
BMI <18.5 for age 18-59 year (%)						
Male	16.2	16.5	21.8	24.7	14.2	31.9
Female	23.7	24.5	26.6	30.6	19.3	44.9
Person	20.2	20.8	24.5	28.0	17.2	39.8
BMI <18.5 for age 60 year and above (%)						
Male	33.2	34.9	30.3	32.8	17.4	38.7
Female	37.0	37.6	41.0	49.2	21.9	57.6
Person	35.1	36.3	35.6	41.0	19.3	48.9
<b>Anaemia status by Haemoglobin Level</b>						
Anaemia in the age group 6-59 months (%)						
Male	68.7	68.6	83.9	83.4	84.5	86.3
Female	79.9	78.2	76.4	77.1	87.6	92.4
Person	74.3	73.3	80.6	80.6	86.0	89.7
Severe Anemia in the age group 6-59 months (%)						
Male	-	-	-	-	-	-
Female	-	-	-	-	-	-
Person	-	-	-	-	-	-
Anaemia in the age group 5-9 years (%)						
Male	85.5	84.8	84.0	84.3	91.3	83.8
Female	89.4	89.7	88.6	87.6	93.5	88.3
Person	87.3	87.0	86.1	85.9	92.3	85.9
Severe Anemia in the age group 5-9 years (%)						
Male	-	-	7.2	7.3	11.6	6.8
Female	-	-	9.9	11.5	10.7	10.0
Person	-	-	8.4	9.3	11.2	8.3
Anaemia in the age group 10-17 years (%)						
Male	80.8	82.2	85.6	86.6	76.1	79.6
Female	85.6	84.9	85.9	86.3	91.4	93.5
Person	83.0	83.5	85.8	86.5	83.4	85.8
Severe Anemia in the age group 10-17 years (%)						
Male	8.5	9.2	8.6	9.5	3.8	-
Female	10.0	10.5	14.1	14.5	12.2	-
Person	9.2	9.9	11.3	12.0	7.8	-
Anaemia in the age group 18-59 years (%)						
Male	88.0	88.4	82.5	85.2	86.4	91.1
Female	86.1	85.9	80.3	80.5	92.2	93.5
Severe Anemia in the age group 18-59 years (%)						
Male	9.6	10.3	8.7	10.7	5.6	9.5
Female	11.0	11.8	11.8	11.9	12.8	11.8
Anaemia in the age group 60 years and above (%)						
Male	95.9	96.2	89.0	91.9	84.2	96.5
Female	94.8	95.2	85.9	88.7	87.7	89.6
Severe Anemia in the age group 60 years and above (%)						
Male	7.6	7.6	11.7	12.8	7.3	8.1
Female	10.9	10.6	11.6	13.1	10.5	14.6

Indicators	Gumla		Paschimi Singhbum		Purbi Singhbum	
	Total	Rural	Total	Rural	Total	Rural
<b>Blood Sugar Level (18 years and above)</b>						
Blood Sugar Level $\geq 110$ mg/dl (%)						
Male	3.8	3.5	8.7	8.5	8.0	3.2
Female	3.3	2.8	10.1	10.3	7.0	3.5
Person	3.6	3.1	9.5	9.5	7.5	3.5
Blood Sugar Level $\geq 130$ mg/dl (%)						
Male	1.0	-	4.0	3.6	5.7	0.8
Female	-	-	4.2	4.1	5.2	2.1
Person	0.9	-	4.1	3.9	5.5	1.7
Blood Sugar Level $\geq 150$ mg/dl (%)						
Male	-	-	2.5	2.1	3.8	0.3
Female	-	-	2.7	2.4	3.2	1.5
Person	0.4	-	2.6	2.3	3.5	1.1
<b>Hypertension (18 years and above)</b>						
<b>Above Normal Range</b>						
Systolic $\geq 140$ mm of Hg & Diastolic $\geq 90$ mm of Hg (%)						
Male	11.8	10.6	12.8	11.3	14.0	15.5
Female	9.7	9.4	11.6	10.9	11.9	9.4
Person	10.7	9.9	12.2	11.1	12.8	11.8
Systolic $\geq 140$ mm of Hg & Diastolic $< 90$ mm of Hg (%)						
Male	11.4	11.9	11.7	13.4	8.5	8.6
Female	9.0	9.2	11.5	12.6	8.2	8.0
Person	10.1	10.4	11.6	13.0	8.3	8.3
Systolic $< 140$ mm of Hg & Diastolic $\geq 90$ mm of Hg (%)						
Male	7.3	6.9	11.5	12.4	7.9	4.2
Female	5.1	4.7	9.9	10.2	6.7	6.5
Person	6.1	5.7	10.7	11.2	7.2	5.6
<b>Moderately high</b>						
Systolic $\geq 160$ mm of Hg & Diastolic $\geq 100$ mm of Hg (%)						
Male	2.1	1.6	3.3	3.0	3.9	4.0
Female	2.8	2.4	3.1	3.2	3.7	2.2
Person	2.5	2.0	3.2	3.1	3.8	2.9
Systolic $\geq 160$ mm of Hg & Diastolic $< 100$ mm of Hg (%)						
Male	5.2	5.0	3.8	3.8	2.8	3.1
Female	3.9	3.9	4.1	4.7	3.8	4.2
Person	4.5	4.4	4.0	4.3	3.4	3.8
Systolic $< 160$ mm of Hg & Diastolic $\geq 100$ mm of Hg						
Male	1.5	1.1	3.1	2.6	2.4	2.0
Female	1.3	1.1	2.8	2.9	2.9	1.8
Person	1.4	1.1	2.9	2.8	2.6	1.9
<b>Very high</b>						
Systolic $\geq 180$ mm of Hg & Diastolic $\geq 110$ mm of Hg (%)						
Male	0.5	0.3	2.0	1.9	1.3	0.8
Female	0.6	0.5	1.5	1.8	1.5	-
Person	0.6	0.4	1.8	1.9	1.4	0.6
Systolic $\geq 180$ mm of Hg & Diastolic $< 110$ mm of Hg (%)						
Male	1.0	0.9	1.2	-	1.2	1.5
Female	0.9	0.9	1.3	1.4	1.2	0.6
Person	1.0	0.9	1.3	1.3	1.2	1.0
Systolic $< 180$ mm of Hg & Diastolic $\geq 110$ mm of Hg (%)						
Male	1.4	1.1	0.8	-	1.2	1.9
Female	0.9	0.8	0.9	0.6	1.6	2.3
Person	1.1	0.9	0.8	0.5	1.4	2.1
<b>Iodine content in Household Salt (more than 15 ppm) (%)</b>	<b>98.7</b>	<b>98.8</b>	<b>97.9</b>	<b>97.4</b>	<b>94.9</b>	<b>90.0</b>

Note: "-" Indicate Inadequate Sample Size.

Anemia Cut-off.

Children (6-59 months) - Anemia Hb  $< 11$  g/dL and Severe Anemia Hb  $< 5$  g/dL

Male and Female aged 5-17 years- Anemia Hb  $< 12$ g/dL and Severe Anemia Hb  $< 7$ g/dL

Men (18 years and above)- Anemia Hb  $< 13$  g/dL and Severe Anemia Hb  $< 7$ g/dL

Non-Pregnant Women (18 years and above)- Anemia Hb  $< 12$ g/dL and Severe Anemia Hb  $< 7$ g/dL