

Indicators	Jharkhand									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	8072	1.0	4.6	19.5	23.4	6976	1.2	5.4	20.4	25.3
Below -2 SD Stunting (Height for Age) (%)										
Person	8211	1.5	2.9	47.6	53.3	7108	1.5	2.8	50.6	56.5
Below -2 SD Underweight (Weight for Age) (%)										
Person	8535	1.2	2.6	43.4	48.1	7391	1.2	2.4	46.9	51.5
Below -2 SD Undernourished (BMI for Age) (%)										
Person	8583	1.2	5.5	20.1	25.1	7446	1.6	6.5	21.4	27.6
Above 2 SD Overnourished (BMI for Age) (%)										
Person	8583	0.5	9.4	4.5	6.6	7446	0.6	10.7	4.5	6.9
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	26717	1.0	3.2	28.5	32.3	22702	1.2	3.7	30.4	35.3
Above 2 SD Overnourished (BMI for Age) (%)										
Person	26717	0.1	10.3	1.2	1.8	22702	0.1	11.0	0.9	1.5
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	45837	0.9	7.1	11.0	15.1	36403	0.5	7.3	5.8	8.1
BMI ≥25.0 for age 60 year and above (%)										
Person	7462	1.0	8.8	9.5	14.2	6125	0.5	8.5	5.3	7.8
BMI <18.5 for age 18-59 year (%)										
Person	45837	0.9	3.7	23.4	27.7	36403	1.1	3.6	27.4	32.2
BMI <18.5 for age 60 year and above (%)										
Person	7462	1.3	4.1	29.2	35.0	6125	1.3	3.3	35.6	41.4
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	5550	1.2	1.5	76.0	80.6	4796	1.3	1.7	76.0	81.1
Anaemia in the age group 5-9 years (%)										
Person	8137	1.0	1.2	83.7	87.6	6992	1.1	1.2	83.8	88.1
Anaemia in the age group 10-17 years (%)										
Person	13843	1.1	1.4	76.3	80.6	11523	1.2	1.5	77.1	81.8
Anaemia in the age group 18-59 years (%)										
Male	16473	1.3	1.6	74.8	79.8	13074	1.5	1.9	76.0	81.9
Female	23534	0.9	1.0	82.2	85.6	18865	1.0	1.1	82.3	86.1
Anaemia in the age group 60 years and above (%)										
Male	3404	0.9	1.0	84.5	88.0	2775	0.9	1.1	86.9	90.6
Female	3220	1.1	1.3	82.4	86.6	2682	1.3	1.5	83.2	88.3
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	51625	0.6	7.3	7.3	9.8	41396	0.8	11.4	5.8	9.1
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	53029	0.4	3.8	9.9	11.5	42286	0.4	4.8	8.5	10.3
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	53029	0.3	4.3	6.6	7.8	42286	0.4	5.1	6.3	7.7
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	53029	0.5	5.8	7.0	8.8	42286	0.6	7.9	6.6	9.0
Iodine content in Household Salt (more than 15 ppm) (%)	23580	1.9	2.0	87.6	95.2	19451	2.3	2.5	86.5	95.8

Indicators	Garhwa									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	467	5.7	20.2	17.2	42.5	396	6.4	21.6	17.3	45.5
Below -2 SD Stunting (Height for Age) (%)										
Person	512	6.3	12.6	36.3	64.2	439	7.0	14.4	33.4	64.0
Below -2 SD Underweight (Weight for Age) (%)										
Person	532	2.7	5.9	39.9	52.2	457	2.9	6.3	40.1	53.2
Below -2 SD Undernourished (BMI for Age) (%)										
Person	529	7.3	20.8	20.7	52.6	456	8.0	21.8	21.0	55.6
Above 2 SD Overnourished (BMI for Age) (%)										
Person	529	2.0	16.5	8.4	17.7	456	2.2	17.9	8.0	18.0
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1936	3.3	11.2	22.7	37.7	1710	3.5	11.9	22.5	38.4
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1936	0.3	25.4	0.6	1.8	1710	0.3	26.0	0.6	1.9
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2728	0.8	11.7	5.3	9.1	2344	0.9	15.8	4.0	8.1
BMI ≥25.0 for age 60 year and above (%)										
Person	554	1.4	18.1	5.0	11.3	485	1.4	19.8	4.5	11.1
BMI <18.5 for age 18-59 year (%)										
Person	2728	1.8	9.6	15.3	23.6	2344	2.0	10.2	15.2	24.1
BMI <18.5 for age 60 year and above (%)										
Person	554	4.7	17.6	17.6	38.9	485	5.0	18.6	17.3	39.9
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	373	3.6	4.5	70.9	87.4	318	3.9	4.9	69.6	87.2
Anaemia in the age group 5-9 years (%)										
Person	585	2.8	3.3	79.0	92.0	521	3.0	3.4	78.5	92.2
Anaemia in the age group 10-17 years (%)										
Person	1051	2.5	3.2	73.3	84.8	907	2.6	3.3	72.5	84.2
Anaemia in the age group 18-59 years (%)										
Male	946	3.7	4.5	71.5	88.2	796	3.8	4.7	70.8	88.0
Female	1492	1.6	1.9	79.3	86.5	1277	1.7	2.0	78.5	86.1
Anaemia in the age group 60 years and above (%)										
Male	262	2.3	2.5	82.4	92.7	235	2.4	2.7	81.6	92.5
Female	248	5.1	6.1	68.3	91.6	211	5.3	6.5	67.0	91.3
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3264	1.1	16.0	4.9	10.1	2809	1.2	17.2	4.7	10.2
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3265	1.4	11.0	10.2	16.7	2811	1.6	12.4	9.5	16.6
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3265	0.9	14.4	4.3	8.3	2811	0.9	14.9	4.4	8.6
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3265	1.6	13.5	8.9	16.4	2811	1.7	14.6	8.5	16.5
Iodine content in Household Salt (more than 15 ppm) (%)	1746	0.0	0.0	100.0	100.0	1550	0.0	0.0	100.0	100.0

Indicators	Palamu									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	422	3.4	18.2	12.3	27.9	394	3.6	19.2	11.9	28.3
Below -2 SD Stunting (Height for Age) (%)										
Person	432	4.9	8.8	44.1	65.7	404	4.9	8.6	45.7	67.6
Below -2 SD Underweight (Weight for Age) (%)										
Person	445	2.4	5.4	38.7	49.5	417	2.3	5.2	39.7	50.3
Below -2 SD Undernourished (BMI for Age) (%)										
Person	445	4.2	20.9	12.1	30.9	416	4.4	21.6	12.1	31.8
Above 2 SD Overnourished (BMI for Age) (%)										
Person	445	2.4	22.7	6.3	17.5	416	2.5	22.4	6.7	18.3
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1406	2.0	6.2	28.0	37.0	1324	2.1	6.3	28.1	37.4
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1406	0.5	30.1	0.8	3.0	1324	0.5	30.1	0.8	3.1
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2160	1.9	18.6	6.6	15.3	1951	1.8	21.3	5.1	13.2
BMI ≥25.0 for age 60 year and above (%)										
Person	493	2.3	23.2	5.8	16.4	451	2.3	26.7	4.6	15.4
BMI <18.5 for age 18-59 year (%)										
Person	2160	2.5	9.4	21.6	33.1	1951	2.6	9.4	22.4	34.3
BMI <18.5 for age 60 year and above (%)										
Person	493	4.7	12.9	26.4	47.3	451	4.6	12.1	28.4	49.1
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	327	5.1	6.2	67.9	91.1	311	5.3	6.3	67.9	92.1
Anaemia in the age group 5-9 years (%)										
Person	354	3.6	4.3	74.8	91.4	339	3.6	4.2	75.9	92.6
Anaemia in the age group 10-17 years (%)										
Person	811	3.4	4.2	72.3	87.9	773	3.5	4.2	73.5	89.3
Anaemia in the age group 18-59 years (%)										
Male	734	4.5	5.6	67.4	87.5	663	4.4	5.4	69.7	89.7
Female	1205	3.5	4.1	74.9	90.7	1131	3.6	4.2	75.2	91.8
Anaemia in the age group 60 years and above (%)										
Male	223	4.0	4.5	75.5	94.0	204	3.0	3.3	81.4	95.4
Female	235	5.6	6.8	66.4	92.1	225	5.6	6.7	67.4	93.6
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2588	0.9	16.8	3.5	7.5	2340	0.9	19.5	2.9	7.0
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2654	1.3	16.7	5.4	11.5	2403	1.4	18.3	5.0	11.5
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2654	0.5	7.1	5.7	7.8	2403	0.5	7.3	5.7	7.9
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2654	0.8	15.4	3.9	7.8	2403	0.9	16.7	3.6	7.6
Iodine content in Household Salt (more than 15 ppm) (%)	1158	0.7	0.7	94.3	99.9	1084	0.7	0.7	93.5	99.9

Indicators	Chatra									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	564	2.5	9.9	20.1	31.5	505	2.5	9.6	21.1	32.5
Below -2 SD Stunting (Height for Age) (%)										
Person	565	2.7	5.2	45.4	57.5	505	2.7	5.2	46.0	58.1
Below -2 SD Underweight (Weight for Age) (%)										
Person	587	3.8	7.5	42.3	59.3	525	4.0	7.7	43.1	61.1
Below -2 SD Undernourished (BMI for Age) (%)										
Person	592	2.1	8.9	19.3	28.8	530	2.2	8.8	20.1	30.0
Above 2 SD Overnourished (BMI for Age) (%)										
Person	592	1.6	38.4	1.7	9.8	530	1.7	42.7	1.5	10.1
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1864	2.0	4.6	38.8	47.7	1641	2.0	4.5	40.1	49.3
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1864	0.3	45.6	0.2	1.6	1641	0.3	47.6	0.2	1.7
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2381	1.0	15.5	4.4	8.8	2095	0.8	16.9	3.2	7.0
BMI ≥25.0 for age 60 year and above (%)										
Person	433	1.5	32.5	2.2	9.7	401	1.5	39.3	1.5	9.0
BMI <18.5 for age 18-59 year (%)										
Person	2381	2.1	5.3	34.3	43.6	2095	2.3	5.7	35.1	45.3
BMI <18.5 for age 60 year and above (%)										
Person	433	2.1	4.2	44.8	54.1	401	1.9	3.8	46.5	55.2
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	398	5.6	6.9	65.3	90.6	367	5.7	7.1	64.5	90.3
Anaemia in the age group 5-9 years (%)										
Person	516	6.6	7.9	63.3	94.2	473	6.9	8.2	62.1	94.5
Anaemia in the age group 10-17 years (%)										
Person	891	6.7	8.9	57.3	86.9	818	7.0	9.3	56.2	87.1
Anaemia in the age group 18-59 years (%)										
Male	783	6.3	10.7	44.4	72.3	700	6.7	11.4	43.5	73.1
Female	1018	6.2	8.0	61.0	89.1	945	6.5	8.3	60.0	89.0
Anaemia in the age group 60 years and above (%)										
Male	192	7.1	9.0	58.7	90.8	183	7.3	9.3	58.1	91.1
Female	162	7.2	8.8	60.0	93.1	153	7.4	9.1	59.1	92.8
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2744	1.4	22.4	3.8	10.5	2446	1.5	26.1	3.2	10.3
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2807	0.9	11.5	6.1	10.3	2495	1.0	12.6	5.7	10.1
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2807	1.0	13.7	5.4	10.1	2495	1.1	14.8	5.1	10.0
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2807	0.7	13.8	3.8	7.1	2495	0.8	15.4	3.5	7.0
Iodine content in Household Salt (more than 15 ppm) (%)	1092	0.4	0.4	96.4	99.9	971	0.5	0.5	96.2	99.9

Indicators	Hazaribagh									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	644	1.9	10.3	14.5	23.0	587	2.0	10.9	14.3	23.5
Below -2 SD Stunting (Height for Age) (%)										
Person	647	3.7	7.4	42.0	58.7	590	3.6	6.6	46.0	62.2
Below -2 SD Underweight (Weight for Age) (%)										
Person	651	3.5	8.0	36.1	51.8	594	3.4	7.2	39.2	54.3
Below -2 SD Undernourished (BMI for Age) (%)										
Person	653	1.8	10.5	13.3	21.3	596	1.9	11.4	12.9	21.6
Above 2 SD Overnourished (BMI for Age) (%)										
Person	653	0.5	34.1	0.7	3.1	596	0.6	34.8	0.7	3.6
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1943	1.7	6.1	24.4	32.1	1740	1.5	5.1	26.0	32.8
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1943	0.2	47.5	0.1	1.2	-	-	-	-	-
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	3352	2.3	22.0	6.1	16.6	2918	2.1	32.8	2.9	12.9
BMI ≥25.0 for age 60 year and above (%)										
Person	541	1.3	18.1	4.9	11.1	500	0.9	20.4	2.9	7.2
BMI <18.5 for age 18-59 year (%)										
Person	3352	2.6	8.6	25.2	37.1	2918	3.1	9.1	27.4	41.3
BMI <18.5 for age 60 year and above (%)										
Person	541	3.8	9.9	30.3	47.4	500	4.2	10.2	32.0	50.7
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	464	2.0	2.5	74.3	83.4	439	1.7	2.1	76.4	84.1
Anaemia in the age group 5-9 years (%)										
Person	502	1.8	2.1	83.1	91.5	468	1.9	2.1	84.3	93.0
Anaemia in the age group 10-17 years (%)										
Person	889	2.9	3.5	75.3	88.3	825	3.1	3.7	75.9	90.1
Anaemia in the age group 18-59 years (%)										
Male	1162	3.1	4.3	65.1	79.2	1048	3.4	4.5	67.6	82.9
Female	1552	2.1	2.4	82.6	92.2	1413	2.2	2.5	82.8	93.0
Anaemia in the age group 60 years and above (%)										
Male	246	1.7	2.0	83.0	90.8	231	1.6	1.8	84.6	91.8
Female	211	2.7	3.0	82.5	95.5	194	1.9	2.0	87.8	96.7
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3785	0.8	19.0	2.7	6.4	3348	0.7	22.8	1.8	5.1
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3889	1.2	11.7	7.8	13.2	3413	1.2	13.3	6.6	12.0
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3889	0.7	10.6	4.8	7.8	3413	0.7	11.9	4.7	8.1
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3889	0.6	8.7	5.6	8.3	3413	0.6	10.2	4.9	7.8
Iodine content in Household Salt (more than 15 ppm) (%)	1415	0.4	0.4	97.6	99.7	1252	0.5	0.5	97.1	99.7

Indicators	Kodarma									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	634	2.9	13.4	15.9	29.4	586	3.4	14.4	16.7	32.4
Below -2 SD Stunting (Height for Age) (%)										
Person	634	3.8	8.1	38.9	56.4	588	4.4	9.0	38.9	59.0
Below -2 SD Underweight (Weight for Age) (%)										
Person	653	4.6	10.3	34.5	55.4	604	5.4	11.3	35.6	60.0
Below -2 SD Undernourished (BMI for Age) (%)										
Person	656	3.2	15.2	14.7	29.4	608	3.7	16.3	15.3	32.3
Above 2 SD Overnourished (BMI for Age) (%)										
Person	656	1.0	28.4	1.7	6.4	608	1.0	29.5	1.8	6.9
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1851	3.0	7.6	33.1	46.6	1662	3.1	7.5	34.6	48.5
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1851	0.1	16.3	0.5	1.0	1662	0.1	21.5	0.4	1.0
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2739	2.2	15.3	9.9	19.7	2352	2.1	18.4	7.5	17.2
BMI ≥25.0 for age 60 year and above (%)										
Person	492	2.3	22.2	6.2	16.9	436	1.0	11.5	6.5	10.9
BMI <18.5 for age 18-59 year (%)										
Person	2739	2.4	7.6	25.9	36.6	2352	2.5	7.3	28.8	40.1
BMI <18.5 for age 60 year and above (%)										
Person	492	3.2	8.0	33.4	47.9	436	2.7	6.2	37.4	49.4
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	393	3.6	5.0	63.2	79.7	365	3.0	4.2	64.8	78.7
Anaemia in the age group 5-9 years (%)										
Person	596	3.2	4.4	65.8	80.3	549	1.9	2.6	69.8	78.5
Anaemia in the age group 10-17 years (%)										
Person	923	2.5	3.4	67.0	78.2	836	1.7	2.3	70.3	78.2
Anaemia in the age group 18-59 years (%)										
Male	847	3.8	5.0	66.0	83.0	729	4.0	5.2	66.7	84.7
Female	1527	2.6	3.2	75.5	87.4	1365	2.1	2.5	77.7	87.0
Anaemia in the age group 60 years and above (%)										
Male	207	2.2	2.6	78.6	88.5	181	2.3	2.7	79.1	89.6
Female	221	3.8	4.8	69.3	86.7	201	4.1	5.0	70.0	88.5
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3054	0.9	12.0	6.0	10.3	2704	1.2	14.5	5.8	11.2
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3219	1.2	15.2	5.6	11.1	2781	1.1	17.5	4.3	9.4
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3219	0.5	8.4	5.3	7.7	2781	0.7	10.6	5.0	8.1
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3219	0.9	19.6	3.0	7.3	2781	0.5	15.4	2.5	4.9
Iodine content in Household Salt (more than 15 ppm) (%)	1259	0.6	0.6	94.1	99.9	1121	0.0	0.0	100.0	100.0

Indicators	Giridih									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	611	7.2	23.2	17.3	49.7	584	7.6	23.6	17.5	51.3
Below -2 SD Stunting (Height for Age) (%)										
Person	631	4.2	7.8	44.0	63.1	604	4.2	7.7	44.9	64.1
Below -2 SD Underweight (Weight for Age) (%)										
Person	645	4.9	8.5	46.3	68.6	618	5.2	8.7	47.0	70.4
Below -2 SD Undernourished (BMI for Age) (%)										
Person	655	8.0	24.6	17.2	52.5	627	8.3	25.1	17.3	54.2
Above 2 SD Overnourished (BMI for Age) (%)										
Person	655	0.8	19.1	2.6	6.2	627	0.8	19.4	2.6	6.3
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1920	1.3	3.0	40.4	46.4	1817	1.3	2.9	41.6	47.5
Above 2 SD Overnourished (BMI for Age) (%)										
Person	-	-	-	-	-	-	-	-	-	-
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2686	0.9	10.7	6.4	10.4	2445	0.9	13.1	4.9	8.9
BMI ≥25.0 for age 60 year and above (%)										
Person	373	3.1	34.9	3.9	18.6	336	3.4	42.5	3.0	20.0
BMI <18.5 for age 18-59 year (%)										
Person	2686	1.7	4.9	31.4	39.1	2445	1.9	5.1	32.7	41.3
BMI <18.5 for age 60 year and above (%)										
Person	373	6.0	15.8	25.3	51.6	336	6.6	17.1	25.2	54.4
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	443	3.8	4.8	69.6	87.2	422	4.0	5.0	69.2	87.7
Anaemia in the age group 5-9 years (%)										
Person	717	5.3	6.1	69.3	94.8	681	5.5	6.3	68.6	95.4
Anaemia in the age group 10-17 years (%)										
Person	894	6.4	8.2	60.4	90.0	839	6.8	8.6	59.5	90.8
Anaemia in the age group 18-59 years (%)										
Male	932	5.1	6.4	65.6	89.3	838	5.5	6.6	66.4	92.1
Female	1403	2.8	3.2	79.6	92.8	1270	2.8	3.1	81.4	94.8
Anaemia in the age group 60 years and above (%)										
Male	173	3.3	3.5	80.6	97.8	151	2.6	2.7	83.9	98.9
Female	141	2.2	2.6	79.0	89.2	128	2.1	2.5	80.5	90.4
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3014	2.0	23.4	4.9	14.4	2740	2.2	25.9	4.5	14.9
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3050	0.7	11.6	4.3	7.3	2769	0.6	12.8	3.7	6.7
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3050	0.4	7.0	5.4	7.4	2769	0.4	7.0	5.2	7.1
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3050	2.1	36.3	2.4	12.9	2769	2.3	42.8	1.9	13.6
Iodine content in Household Salt (more than 15 ppm) (%)	1294	14.6	19.3	33.3	95.1	1206	15.5	20.9	30.7	94.9

Indicators	Deoghar									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	634	3.6	19.5	11.5	27.7	595	3.9	22.4	10.2	28.1
Below -2 SD Stunting (Height for Age) (%)										
Person	617	3.4	6.3	46.3	61.5	577	3.8	6.6	49.1	66.1
Below -2 SD Underweight (Weight for Age) (%)										
Person	651	2.4	5.2	41.1	51.9	611	2.5	5.2	42.4	53.6
Below -2 SD Undernourished (BMI for Age) (%)										
Person	661	2.9	16.7	11.9	25.3	621	3.2	19.0	10.9	25.7
Above 2 SD Overnourished (BMI for Age) (%)										
Person	661	2.2	29.6	3.8	14.5	621	2.5	31.8	3.8	15.7
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	2050	1.9	5.3	32.4	41.2	1838	2.2	5.7	34.3	44.4
Above 2 SD Overnourished (BMI for Age) (%)										
Person	2050	0.5	35.4	0.6	3.0	1838	0.4	46.9	0.3	2.2
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2804	2.0	18.0	7.4	16.8	2409	1.6	26.8	3.2	10.6
BMI ≥25.0 for age 60 year and above (%)										
Person	500	3.3	28.8	5.8	21.1	437	1.1	22.7	3.0	8.2
BMI <18.5 for age 18-59 year (%)										
Person	2804	1.8	5.5	28.6	36.7	2409	1.9	5.0	33.3	41.8
BMI <18.5 for age 60 year and above (%)										
Person	500	4.8	12.0	29.7	51.0	437	4.6	10.0	35.9	56.5
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	433	6.3	8.3	58.9	86.9	406	6.9	9.4	55.7	86.5
Anaemia in the age group 5-9 years (%)										
Person	593	4.0	5.4	63.9	82.0	550	4.5	6.3	60.7	81.0
Anaemia in the age group 10-17 years (%)										
Person	976	4.8	7.7	50.6	71.8	879	5.2	8.5	49.1	72.4
Anaemia in the age group 18-59 years (%)										
Male	957	4.4	7.0	52.4	72.1	783	4.9	8.1	48.9	70.7
Female	1340	3.8	5.2	63.5	80.7	1163	4.4	6.2	59.8	79.6
Anaemia in the age group 60 years and above (%)										
Male	227	4.8	6.1	65.0	86.5	194	5.8	7.7	60.5	86.7
Female	192	2.4	2.9	76.9	88.0	164	3.0	3.6	74.1	87.7
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3228	1.3	31.6	2.0	8.3	2779	0.5	22.7	1.3	3.6
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3284	1.0	12.7	5.6	10.0	2826	1.2	15.0	5.4	10.7
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3284	0.5	9.1	4.2	6.4	2826	0.5	9.9	3.8	6.0
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3284	1.0	14.0	5.4	10.2	2826	1.0	16.0	4.4	9.0
Iodine content in Household Salt (more than 15 ppm) (%)	1347	0.2	0.2	98.9	100.0	1169	0.2	0.2	98.6	99.9

Indicators	Godda									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	431	4.4	19.4	14.3	34.4	367	4.6	19.8	14.6	35.5
Below -2 SD Stunting (Height for Age) (%)										
Person	442	2.9	6.0	41.4	54.3	378	3.0	6.3	41.0	54.5
Below -2 SD Underweight (Weight for Age) (%)										
Person	445	5.1	15.3	22.8	45.3	379	5.2	15.2	23.6	46.9
Below -2 SD Undernourished (BMI for Age) (%)										
Person	443	5.8	21.8	15.5	41.3	379	6.0	22.1	15.8	42.6
Above 2 SD Overnourished (BMI for Age) (%)										
Person	443	1.0	17.4	3.9	8.6	379	1.1	18.0	3.9	8.8
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1348	3.6	10.6	26.5	42.7	1179	3.8	11.1	26.2	43.2
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1348	0.4	21.6	1.1	2.9	1179	0.4	22.4	1.1	3.0
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2173	2.0	21.5	5.5	14.6	1810	1.8	22.3	4.8	13.1
BMI ≥25.0 for age 60 year and above (%)										
Person	369	1.8	16.1	7.7	16.0	314	1.3	13.2	7.4	13.4
BMI <18.5 for age 18-59 year (%)										
Person	2173	2.2	13.2	12.4	22.4	1810	2.3	13.9	12.0	22.5
BMI <18.5 for age 60 year and above (%)										
Person	369	5.8	25.8	12.0	38.0	314	6.1	27.1	11.5	38.8
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	266	5.9	7.5	62.8	89.7	229	6.3	7.9	62.3	90.9
Anaemia in the age group 5-9 years (%)										
Person	472	2.1	2.4	81.9	91.7	433	2.2	2.5	81.8	91.9
Anaemia in the age group 10-17 years (%)										
Person	670	3.0	3.6	75.2	88.8	566	3.2	3.8	74.8	89.3
Anaemia in the age group 18-59 years (%)										
Male	725	1.3	1.5	83.8	89.7	604	1.4	1.6	83.8	90.0
Female	1261	2.3	2.6	81.7	92.1	1063	2.4	2.8	81.3	92.5
Anaemia in the age group 60 years and above (%)										
Male	176	2.3	2.5	84.8	95.5	151	2.6	2.8	84.1	96.4
Female	140	3.7	4.2	77.5	95.2	122	4.0	4.5	76.6	95.9
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2502	1.6	19.2	5.5	13.0	2088	1.7	20.0	5.5	13.4
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2524	2.6	19.3	8.7	20.7	2107	2.8	20.1	8.6	21.3
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2524	1.2	12.4	7.4	12.9	2107	1.3	13.4	7.2	13.1
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2524	1.8	18.4	6.3	14.4	2107	1.8	19.0	6.3	14.8
Iodine content in Household Salt (more than 15 ppm) (%)	1286	0.0	0.0	100.0	100.0	1098	0.0	0.0	100.0	100.0

Indicators	Sahibganj									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	518	3.8	10.2	28.9	45.9	488	4.0	11.0	28.2	46.3
Below -2 SD Stunting (Height for Age) (%)										
Person	544	2.6	11.7	16.7	28.3	514	2.6	11.6	17.2	29.0
Below -2 SD Underweight (Weight for Age) (%)										
Person	557	2.9	8.3	28.2	41.1	527	3.1	8.8	28.1	41.9
Below -2 SD Undernourished (BMI for Age) (%)										
Person	555	3.1	6.9	37.4	51.1	525	3.3	7.4	37.0	51.6
Above 2 SD Overnourished (BMI for Age) (%)										
Person	-	-	-	-	-	-	-	-	-	-
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1273	4.3	8.8	39.0	58.2	1149	4.9	9.9	38.3	60.0
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1273	0.3	25.1	0.7	2.2	1149	0.3	28.4	0.6	2.3
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2175	2.4	24.1	5.7	16.9	2010	2.6	27.8	5.0	17.3
BMI ≥25.0 for age 60 year and above (%)										
Person	380	1.8	16.8	7.2	15.3	352	1.5	14.8	7.3	14.2
BMI <18.5 for age 18-59 year (%)										
Person	2175	2.4	7.1	28.6	39.3	2010	2.7	7.7	28.8	40.9
BMI <18.5 for age 60 year and above (%)										
Person	380	5.1	11.9	32.0	54.8	352	5.5	12.9	30.9	55.4
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	293	4.7	6.2	63.8	85.1	280	4.9	6.3	64.8	86.9
Anaemia in the age group 5-9 years (%)										
Person	500	3.4	3.9	78.1	94.0	449	3.6	4.1	77.1	94.1
Anaemia in the age group 10-17 years (%)										
Person	603	3.6	4.4	72.0	88.4	540	4.0	4.9	71.0	89.0
Anaemia in the age group 18-59 years (%)										
Male	743	4.2	5.4	67.5	86.7	688	4.2	5.3	68.7	87.7
Female	1208	3.4	3.9	77.2	93.2	1111	3.5	4.0	77.5	93.7
Anaemia in the age group 60 years and above (%)										
Male	170	3.2	3.6	79.9	95.0	159	3.2	3.5	80.7	96.2
Female	178	3.3	3.7	79.6	95.1	163	3.3	3.6	79.9	95.4
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2493	1.4	22.1	3.9	10.6	2306	1.6	24.3	3.7	11.2
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2540	1.2	11.0	8.5	13.9	2348	1.2	11.1	8.6	14.2
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2540	0.5	7.1	6.0	8.2	2348	0.5	7.6	5.7	8.0
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2540	0.7	9.2	6.0	9.1	2348	0.7	9.9	5.8	9.2
Iodine content in Household Salt (more than 15 ppm) (%)	1310	0.1	0.1	99.1	100.0	1211	0.0	0.0	100.0	100.0

Indicators	Pakaur									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	370	4.6	14.8	21.5	41.9	346	4.7	15.3	21.3	42.4
Below -2 SD Stunting (Height for Age) (%)										
Person	392	6.0	13.4	31.9	58.4	367	6.2	13.9	31.4	58.8
Below -2 SD Underweight (Weight for Age) (%)										
Person	403	2.0	4.7	37.3	46.1	377	2.0	4.8	37.1	46.2
Below -2 SD Undernourished (BMI for Age) (%)										
Person	403	4.9	14.3	24.3	46.2	377	5.1	14.7	24.1	46.7
Above 2 SD Overnourished (BMI for Age) (%)										
Person	403	1.4	14.6	6.7	13.0	377	1.4	15.6	6.4	13.0
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1554	3.0	7.7	32.1	45.4	1460	3.1	7.9	32.2	45.9
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1554	0.6	21.0	1.9	4.8	1460	0.7	21.9	1.8	4.9
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2495	1.3	19.0	4.4	10.5	2255	1.3	20.8	3.9	9.9
BMI ≥25.0 for age 60 year and above (%)										
Person	329	1.7	33.2	2.4	10.8	294	1.8	36.7	2.1	11.0
BMI <18.5 for age 18-59 year (%)										
Person	2495	2.5	9.7	20.7	32.2	2255	2.6	10.1	20.5	32.3
BMI <18.5 for age 60 year and above (%)										
Person	329	2.7	9.7	22.2	34.4	294	2.8	10.2	21.3	33.8
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	288	3.4	4.2	71.2	86.4	269	3.4	4.2	71.5	86.8
Anaemia in the age group 5-9 years (%)										
Person	488	2.1	2.3	86.2	96.4	464	2.2	2.4	86.1	96.5
Anaemia in the age group 10-17 years (%)										
Person	778	1.3	1.5	83.4	89.5	727	1.2	1.4	83.8	89.4
Anaemia in the age group 18-59 years (%)										
Male	883	1.9	2.2	81.6	90.3	813	1.8	2.0	82.4	90.5
Female	1313	1.3	1.4	86.6	92.5	1208	1.2	1.3	87.3	92.8
Anaemia in the age group 60 years and above (%)										
Male	152	2.7	2.9	83.3	96.0	134	2.6	2.8	83.8	96.3
Female	142	2.6	2.9	83.5	96.2	131	2.6	2.8	84.1	96.7
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2791	0.9	11.9	5.6	9.6	2520	0.9	12.3	5.4	9.4
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2801	1.2	12.9	6.7	12.0	2528	1.2	13.5	6.4	11.8
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2801	0.6	15.1	3.0	5.9	2528	0.6	15.6	2.9	5.9
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2801	3.6	20.7	10.8	27.3	2528	3.8	21.6	10.6	27.9
Iodine content in Household Salt (more than 15 ppm) (%)	1390	5.5	5.8	65.2	99.1	1275	5.7	6.1	62.6	99.3

Indicators	Dumka									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	323	4.8	23.0	11.9	33.4	291	5.0	24.3	11.5	34.1
Below -2 SD Stunting (Height for Age) (%)										
Person	350	5.8	11.9	36.1	61.9	319	6.1	12.4	35.6	62.4
Below -2 SD Underweight (Weight for Age) (%)										
Person	374	2.9	6.4	38.5	51.5	337	3.0	6.5	38.9	52.2
Below -2 SD Undernourished (BMI for Age) (%)										
Person	380	7.8	28.2	13.7	48.1	342	8.2	29.8	13.1	49.2
Above 2 SD Overnourished (BMI for Age) (%)										
Person	380	2.5	28.2	4.7	16.6	342	2.7	28.1	4.9	17.5
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1175	3.7	12.5	21.8	38.3	1028	3.9	13.2	21.8	39.5
Above 2 SD Overnourished (BMI for Age) (%)										
Person	-	-	-	-	-	-	-	-	-	-
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2418	1.2	24.2	2.8	8.2	2153	1.2	25.2	2.6	8.1
BMI ≥25.0 for age 60 year and above (%)										
Person	448	2.0	35.0	2.5	12.3	392	2.0	38.6	2.1	12.1
BMI <18.5 for age 18-59 year (%)										
Person	2418	5.0	17.8	18.3	40.9	2153	5.3	18.4	18.6	42.5
BMI <18.5 for age 60 year and above (%)										
Person	448	4.1	10.6	30.3	48.9	392	4.4	10.8	31.2	50.8
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	251	5.2	7.6	55.7	78.7	223	5.2	7.8	53.8	76.9
Anaemia in the age group 5-9 years (%)										
Person	351	2.6	3.1	77.8	89.6	311	2.7	3.3	76.7	89.1
Anaemia in the age group 10-17 years (%)										
Person	635	3.2	4.1	69.5	83.8	544	3.4	4.4	67.9	83.1
Anaemia in the age group 18-59 years (%)										
Male	984	4.3	5.1	71.7	91.3	884	4.5	5.4	70.5	91.1
Female	1235	2.4	2.9	77.2	88.1	1075	2.5	3.1	76.3	87.8
Anaemia in the age group 60 years and above (%)										
Male	182	3.8	4.3	76.5	94.3	164	3.9	4.5	75.7	94.2
Female	238	2.2	2.6	79.0	89.1	200	2.4	2.9	78.2	89.3
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2822	4.4	42.3	3.9	25.4	2507	4.7	46.5	3.3	26.4
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2837	1.3	10.3	10.3	16.4	2522	1.4	10.8	10.2	16.7
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2837	1.2	19.9	3.8	9.3	2522	1.2	21.1	3.6	9.3
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2837	3.5	27.4	6.8	23.2	2522	3.8	28.5	6.7	24.2
Iodine content in Household Salt (more than 15 ppm) (%)	1403	13.4	18.1	37.0	93.3	1223	14.4	20.0	33.9	93.0

Indicators	Dhanbad									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	130	2.1	20.4	6.6	16.4	50	0.7	6.9	8.1	11.0
Below -2 SD Stunting (Height for Age) (%)										
Person	131	4.4	8.0	45.3	65.1	51	1.4	2.0	66.1	72.3
Below -2 SD Underweight (Weight for Age) (%)										
Person	135	4.9	10.3	37.0	58.9	54	0.4	0.6	63.9	65.6
Below -2 SD Undernourished (BMI for Age) (%)										
Person	142	1.9	14.8	8.9	17.3	58	0.8	6.3	11.5	15.3
Above 2 SD Overnourished (BMI for Age) (%)										
Person	142	1.7	35.6	2.1	10.3	-	-	-	-	-
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	341	2.5	7.4	28.5	39.9	168	1.2	2.7	42.8	48.3
Above 2 SD Overnourished (BMI for Age) (%)										
Person	341	1.5	19.9	4.9	12.1	168	1.0	11.1	7.2	11.9
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	1965	2.3	11.5	15.5	26.0	627	1.9	21.4	5.4	14.1
BMI ≥25.0 for age 60 year and above (%)										
Person	297	4.2	21.8	11.4	30.3	113	1.8	12.6	10.7	18.8
BMI <18.5 for age 18-59 year (%)										
Person	1965	0.9	4.3	18.7	22.7	627	1.3	4.7	25.8	31.9
BMI <18.5 for age 60 year and above (%)										
Person	297	1.9	9.6	16.0	24.7	113	0.5	2.1	24.9	27.4
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	114	5.0	6.9	60.5	83.0	43	2.0	2.7	68.5	77.4
Anaemia in the age group 5-9 years (%)										
Person	221	3.2	3.7	76.4	91.0	77	6.0	7.1	65.8	93.6
Anaemia in the age group 10-17 years (%)										
Person	468	3.2	4.1	70.1	84.7	144	5.9	7.8	59.7	86.1
Anaemia in the age group 18-59 years (%)										
Male	787	2.9	3.6	71.7	84.7	262	7.9	9.5	57.9	94.6
Female	1006	2.5	3.0	76.5	88.0	303	3.9	4.8	70.7	88.3
Anaemia in the age group 60 years and above (%)										
Male	144	1.5	1.9	79.1	86.2	56	1.8	2.2	75.9	83.9
Female	126	1.5	1.8	79.4	86.3	44	2.9	3.2	81.9	95.7
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2223	1.3	11.6	8.3	14.0	711	0.7	9.6	5.9	9.1
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2230	0.9	6.0	12.7	16.7	724	1.4	11.1	9.7	16.1
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2230	0.9	10.6	6.3	10.2	724	0.6	8.0	6.3	9.1
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2230	0.9	9.5	8.0	12.2	724	1.8	16.2	7.5	15.5
Iodine content in Household Salt (more than 15 ppm) (%)	1073	7.0	9.1	57.7	89.1	470	2.3	2.8	76.5	86.9

Indicators	Bokaro									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	379	1.9	11.4	12.8	21.5	257	1.3	6.8	16.3	22.2
Below -2 SD Stunting (Height for Age) (%)										
Person	380	3.3	6.8	41.0	55.7	253	2.8	4.1	60.0	72.5
Below -2 SD Underweight (Weight for Age) (%)										
Person	398	3.4	7.8	36.2	51.5	265	3.6	5.6	54.8	70.8
Below -2 SD Undernourished (BMI for Age) (%)										
Person	395	1.5	10.6	10.8	17.5	266	1.2	8.7	10.8	16.0
Above 2 SD Overnourished (BMI for Age) (%)										
Person	395	0.7	42.8	0.6	4.3	-	-	-	-	-
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1565	2.3	8.7	21.5	31.8	1036	1.2	3.8	28.1	33.5
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1565	0.4	26.6	0.8	2.6	1036	0.3	37.8	0.4	2.1
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	3158	3.6	16.4	15.1	31.5	1860	4.8	47.5	3.3	27.1
BMI ≥25.0 for age 60 year and above (%)										
Person	431	4.7	17.5	17.8	39.0	239	3.6	38.2	3.8	21.1
BMI <18.5 for age 18-59 year (%)										
Person	3158	2.7	10.6	19.6	31.6	1860	4.1	10.7	29.2	47.3
BMI <18.5 for age 60 year and above (%)										
Person	431	5.4	21.5	15.0	39.2	239	5.5	11.6	35.3	59.5
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	289	3.0	3.8	70.2	83.7	204	3.4	4.0	75.7	91.4
Anaemia in the age group 5-9 years (%)										
Person	433	2.9	3.4	76.8	90.0	306	3.2	3.5	80.5	95.9
Anaemia in the age group 10-17 years (%)										
Person	812	3.7	4.9	65.5	82.2	556	3.4	4.0	76.8	92.6
Anaemia in the age group 18-59 years (%)										
Male	1084	3.3	4.5	64.4	79.1	678	3.3	3.9	76.6	91.9
Female	1512	3.0	3.8	72.6	86.3	920	4.1	4.6	75.5	94.9
Anaemia in the age group 60 years and above (%)										
Male	191	3.4	4.0	75.8	91.3	115	1.5	1.6	89.5	96.7
Female	162	5.3	6.4	67.6	92.0	96	3.7	4.2	77.7	95.7
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3187	1.6	14.3	8.0	15.3	1923	2.0	26.2	4.2	13.8
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3593	1.1	9.3	9.7	14.7	2100	1.7	20.7	5.1	13.0
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3593	0.6	7.8	6.4	9.1	2100	0.2	3.8	5.0	5.9
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3593	0.5	11.1	3.6	6.0	2100	0.5	10.8	3.4	5.6
Iodine content in Household Salt (more than 15 ppm) (%)	1483	2.1	2.3	86.6	96.7	909	3.8	4.4	75.6	93.5

Indicators	Ranchi									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	478	1.8	13.6	9.8	18.1	401	1.9	15.1	8.9	17.7
Below -2 SD Stunting (Height for Age) (%)										
Person	482	3.3	6.2	45.4	60.0	406	3.4	6.0	49.0	64.4
Below -2 SD Underweight (Weight for Age) (%)										
Person	493	2.6	6.0	38.1	50.0	413	2.0	4.3	41.0	49.8
Below -2 SD Undernourished (BMI for Age) (%)										
Person	499	1.6	12.9	9.4	16.8	420	1.7	13.7	9.2	17.0
Above 2 SD Overnourished (BMI for Age) (%)										
Person	499	1.2	32.2	1.8	7.5	420	1.5	30.1	2.5	9.6
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1779	2.6	11.8	16.6	28.2	1412	1.2	6.3	17.2	22.8
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1779	0.5	27.0	0.9	3.1	1412	0.2	16.6	1.0	2.1
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2931	2.1	14.9	10.0	19.7	2308	1.7	15.8	7.4	15.1
BMI ≥25.0 for age 60 year and above (%)										
Person	337	5.5	38.5	5.7	31.7	269	1.5	17.3	5.9	12.8
BMI <18.5 for age 18-59 year (%)										
Person	2931	1.6	7.1	18.9	26.0	2308	1.4	6.7	18.3	24.9
BMI <18.5 for age 60 year and above (%)										
Person	337	3.0	11.9	19.0	32.6	269	2.7	8.7	25.0	37.2
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	206	2.4	3.1	71.9	82.9	158	2.9	3.7	71.7	85.1
Anaemia in the age group 5-9 years (%)										
Person	370	2.9	3.3	78.1	91.2	286	1.6	1.7	87.4	94.7
Anaemia in the age group 10-17 years (%)										
Person	825	2.9	3.9	68.0	81.2	638	3.5	4.5	69.0	85.0
Anaemia in the age group 18-59 years (%)										
Male	1062	5.5	8.6	51.4	76.0	850	7.1	10.7	48.9	80.0
Female	1305	2.9	3.7	70.0	83.0	1004	3.5	4.5	68.8	84.4
Anaemia in the age group 60 years and above (%)										
Male	136	4.9	6.0	68.1	90.7	106	4.4	5.0	74.0	95.2
Female	136	4.1	5.9	59.5	77.9	114	4.6	6.8	57.1	77.8
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2976	3.1	19.6	9.9	24.0	2348	3.3	20.2	10.1	25.0
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3239	0.5	7.1	6.5	9.0	2552	0.3	4.2	6.0	7.3
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3239	0.4	6.8	5.0	6.7	2552	0.5	8.6	4.7	7.0
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3239	0.5	10.2	4.1	6.5	2552	0.5	11.2	3.7	6.1
Iodine content in Household Salt (more than 15 ppm) (%)	1339	2.3	2.4	84.3	99.5	1049	0.2	0.2	98.4	99.9

Indicators	Lohardaga									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	491	2.7	13.4	14.7	27.0	464	2.7	13.6	14.5	26.9
Below -2 SD Stunting (Height for Age) (%)										
Person	501	3.7	6.8	46.4	63.1	474	3.6	6.4	48.7	65.0
Below -2 SD Underweight (Weight for Age) (%)										
Person	520	3.4	8.0	34.6	49.8	492	3.7	8.6	34.8	51.3
Below -2 SD Undernourished (BMI for Age) (%)										
Person	523	3.4	15.9	14.5	29.7	495	3.5	16.7	14.2	30.2
Above 2 SD Overnourished (BMI for Age) (%)										
Person	523	2.3	30.3	3.8	14.9	495	2.5	32.3	3.7	15.6
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1371	2.4	9.7	20.1	31.0	1316	2.5	10.1	19.2	30.3
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1371	0.3	31.6	0.4	1.7	1316	0.2	24.1	0.4	1.2
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2370	1.1	11.6	7.0	11.8	2216	1.2	14.0	6.1	11.5
BMI ≥25.0 for age 60 year and above (%)										
Person	390	1.0	20.0	3.1	7.7	368	0.9	20.9	2.6	6.7
BMI <18.5 for age 18-59 year (%)										
Person	2370	2.4	9.0	21.7	32.7	2216	2.6	9.9	21.0	32.8
BMI <18.5 for age 60 year and above (%)										
Person	390	3.9	10.2	30.3	48.0	368	4.3	11.0	29.9	49.0
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	269	4.9	6.8	59.8	81.8	249	5.4	7.4	59.2	83.4
Anaemia in the age group 5-9 years (%)										
Person	347	3.4	4.4	68.5	83.7	331	3.3	4.3	68.8	83.7
Anaemia in the age group 10-17 years (%)										
Person	741	3.0	4.3	63.0	76.5	712	2.6	3.8	62.5	74.4
Anaemia in the age group 18-59 years (%)										
Male	857	3.7	5.1	63.5	80.3	801	3.0	4.1	65.5	79.1
Female	1260	2.4	2.9	76.3	87.0	1173	1.6	1.9	78.3	85.3
Anaemia in the age group 60 years and above (%)										
Male	173	2.3	2.8	77.1	87.5	160	2.4	2.9	78.3	89.3
Female	180	3.6	4.4	72.8	89.3	171	3.6	4.4	71.8	88.0
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2632	1.9	23.7	4.7	13.6	2465	1.6	25.4	3.4	10.8
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2755	0.6	6.8	6.9	9.4	2580	0.5	7.1	6.1	8.5
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2755	0.8	10.1	6.2	9.7	2580	0.8	10.5	6.2	10.0
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2755	0.4	12.3	2.6	4.5	2580	0.4	13.6	2.3	4.2
Iodine content in Household Salt (more than 15 ppm) (%)	1330	1.6	1.7	89.7	97.6	1251	1.8	1.9	88.7	97.4

Indicators	Gumla									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	271	4.0	10.8	28.4	46.3	229	4.3	11.4	28.8	48.0
Below -2 SD Stunting (Height for Age) (%)										
Person	262	4.7	10.8	33.2	54.0	221	5.1	11.8	32.2	54.9
Below -2 SD Underweight (Weight for Age) (%)										
Person	305	5.8	11.8	36.5	62.3	260	5.7	11.1	39.0	64.3
Below -2 SD Undernourished (BMI for Age) (%)										
Person	302	3.3	8.3	33.0	48.0	258	3.6	8.7	33.6	49.6
Above 2 SD Overnourished (BMI for Age) (%)										
Person	302	1.9	35.5	2.4	11.9	258	2.2	36.8	2.5	13.3
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	967	3.1	9.9	24.7	38.6	833	3.2	9.8	25.7	40.1
Above 2 SD Overnourished (BMI for Age) (%)										
Person	967	0.8	26.6	1.7	5.8	833	0.9	28.3	1.6	5.8
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2299	0.6	15.1	2.9	5.7	1835	0.5	18.7	1.7	4.0
BMI ≥25.0 for age 60 year and above (%)										
Person	344	1.2	30.4	2.0	7.8	296	0.7	23.6	1.7	5.0
BMI <18.5 for age 18-59 year (%)										
Person	2299	2.8	14.0	14.5	27.3	1835	3.1	14.9	14.6	28.6
BMI <18.5 for age 60 year and above (%)										
Person	344	3.8	10.8	27.3	44.4	296	4.0	10.8	28.1	45.9
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	164	3.5	4.7	65.7	81.3	145	3.1	4.2	65.8	79.7
Anaemia in the age group 5-9 years (%)										
Person	303	2.2	2.5	81.5	91.4	268	2.3	2.7	80.8	91.4
Anaemia in the age group 10-17 years (%)										
Person	554	3.6	4.4	73.2	89.8	478	3.9	4.7	72.7	90.6
Anaemia in the age group 18-59 years (%)										
Male	996	2.5	2.8	81.3	92.5	798	2.7	3.1	80.6	93.3
Female	1193	2.5	2.9	79.1	90.3	943	2.6	3.1	78.3	90.3
Anaemia in the age group 60 years and above (%)										
Male	170	1.9	2.0	88.8	98.6	144	2.0	2.1	88.0	98.9
Female	163	1.6	1.7	89.6	97.5	143	1.5	1.6	90.2	97.7
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2634	0.5	15.3	2.5	5.0	2128	0.5	15.1	2.2	4.3
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2636	0.8	7.1	9.1	12.5	2128	0.7	7.5	8.4	11.8
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2636	1.8	17.7	6.7	14.9	2128	2.0	19.3	6.7	16.0
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2636	0.7	11.8	4.7	7.9	2128	0.8	14.0	4.2	7.8
Iodine content in Household Salt (more than 15 ppm) (%)	1164	0.4	0.5	97.2	99.4	1028	0.4	0.4	97.2	99.5

Indicators	Paschimi Singhbhum									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	321	4.5	17.8	16.5	36.7	281	5.4	18.5	18.4	42.4
Below -2 SD Stunting (Height for Age) (%)										
Person	305	5.0	7.9	52.2	74.7	266	4.2	6.6	53.8	72.5
Below -2 SD Underweight (Weight for Age) (%)										
Person	342	3.7	6.2	51.8	68.5	301	3.9	6.1	55.1	72.6
Below -2 SD Undernourished (BMI for Age) (%)										
Person	351	3.8	13.7	20.2	37.5	309	4.5	14.1	22.5	42.6
Above 2 SD Overnourished (BMI for Age) (%)										
Person	351	2.4	38.1	2.6	14.3	309	1.7	33.9	2.3	10.5
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1056	1.6	8.3	16.1	23.5	919	1.7	8.3	17.1	24.8
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1056	0.6	18.2	2.2	5.1	919	0.5	16.0	2.2	4.5
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2167	0.7	7.6	7.3	10.3	1840	0.5	10.9	3.7	6.1
BMI ≥25.0 for age 60 year and above (%)										
Person	342	2.7	40.0	2.6	15.9	299	0.6	32.1	0.9	3.9
BMI <18.5 for age 18-59 year (%)										
Person	2167	2.2	8.8	20.1	29.8	1840	2.6	9.1	22.7	34.3
BMI <18.5 for age 60 year and above (%)										
Person	342	5.6	15.6	24.5	49.4	299	6.2	14.9	28.5	55.8
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	258	3.0	3.7	73.0	86.5	232	3.4	4.3	71.7	87.2
Anaemia in the age group 5-9 years (%)										
Person	369	3.9	4.5	74.8	92.8	322	4.6	5.4	71.9	93.5
Anaemia in the age group 10-17 years (%)										
Person	545	2.4	2.8	79.5	90.3	475	2.5	2.9	79.7	91.2
Anaemia in the age group 18-59 years (%)										
Male	920	3.2	3.9	73.9	88.6	794	1.7	2.0	81.0	88.6
Female	1130	2.9	3.7	73.0	86.3	949	3.6	4.4	71.6	87.7
Anaemia in the age group 60 years and above (%)										
Male	168	1.6	1.8	84.8	92.2	150	1.3	1.4	88.5	94.4
Female	168	3.7	4.3	75.5	92.3	146	3.8	4.3	76.7	94.9
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2488	1.6	16.5	6.5	13.7	2127	1.9	19.4	6.1	14.7
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2452	1.4	11.2	9.4	15.6	2081	1.6	14.2	8.0	15.2
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2452	2.6	22.2	6.9	18.8	2081	3.2	24.6	7.3	22.0
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2452	2.2	20.8	6.6	16.8	2081	2.6	23.5	6.5	18.6
Iodine content in Household Salt (more than 15 ppm) (%)	1179	1.3	1.3	91.6	99.5	1014	1.6	1.6	89.9	99.4

Indicators	Purbi Singhbhum									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	384	2.1	12.5	12.8	22.7	155	3.6	19.1	11.8	28.4
Below -2 SD Stunting (Height for Age) (%)										
Person	384	4.5	9.1	39.3	59.7	152	2.9	4.0	65.7	79.2
Below -2 SD Underweight (Weight for Age) (%)										
Person	399	3.0	7.3	34.4	48.0	160	2.6	4.5	53.0	65.1
Below -2 SD Undernourished (BMI for Age) (%)										
Person	399	2.1	14.4	10.4	20.1	163	2.8	18.4	9.7	22.6
Above 2 SD Overnourished (BMI for Age) (%)										
Person	399	0.9	14.7	4.5	8.8	163	0.7	16.7	2.8	6.0
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1318	1.6	6.0	23.1	30.5	470	1.0	2.7	34.2	38.7
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1318	0.8	44.3	0.6	4.9	-	-	-	-	-
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2836	2.9	11.7	18.6	31.6	975	0.4	8.3	4.1	6.0
BMI ≥25.0 for age 60 year and above (%)										
Person	409	2.3	13.0	13.3	24.0	143	0.3	12.0	2.2	3.7
BMI <18.5 for age 18-59 year (%)										
Person	2836	1.6	9.5	13.7	21.1	975	1.0	2.5	37.8	42.3
BMI <18.5 for age 60 year and above (%)										
Person	409	2.0	10.5	15.1	24.3	143	4.1	8.5	39.7	58.2
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	321	1.5	1.7	82.2	89.0	136	1.0	1.1	87.1	91.9
Anaemia in the age group 5-9 years (%)										
Person	420	1.6	1.8	87.7	95.3	164	2.0	2.3	80.7	89.9
Anaemia in the age group 10-17 years (%)										
Person	777	3.7	4.5	73.1	90.5	266	0.7	0.8	84.2	87.3
Anaemia in the age group 18-59 years (%)										
Male	1071	1.8	2.1	81.8	90.2	345	0.3	0.4	90.3	91.8
Female	1574	1.5	1.6	88.2	95.1	552	1.1	1.2	90.5	95.6
Anaemia in the age group 60 years and above (%)										
Male	212	3.1	3.7	75.9	90.3	57	1.7	1.8	89.4	98.9
Female	177	2.5	2.9	80.7	92.5	76	2.5	2.8	82.2	94.1
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3200	0.7	9.1	6.0	9.1	1107	0.7	21.8	2.1	5.6
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3254	1.6	12.8	9.5	17.1	1118	0.3	2.4	11.2	12.5
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3254	1.5	18.1	5.4	12.5	1118	0.6	7.1	7.0	9.7
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3254	0.6	8.4	5.9	8.7	1118	0.9	15.9	3.9	8.0
Iodine content in Household Salt (more than 15 ppm) (%)	1312	2.0	2.1	87.8	98.0	570	4.9	5.4	72.0	96.9

Note: Confidence intervals are computed by logit transformation method using SPSS application.