

Indicators	Madhya Pradesh									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	15884	0.7	3.9	16.0	18.6	11685	0.8	4.2	16.9	20.0
Below -2 SD Stunting (Height for Age) (%)										
Person	15934	1.2	2.4	49.1	53.9	11732	1.3	2.7	47.0	52.3
Below -2 SD Underweight (Weight for Age) (%)										
Person	16887	1.0	2.5	38.7	42.6	12432	1.1	2.8	37.5	41.8
Below -2 SD Undernourished (BMI for Age) (%)										
Person	17239	0.8	3.8	18.3	21.3	12673	0.9	4.3	19.1	22.6
Above 2 SD Overnourished (BMI for Age) (%)										
Person	17239	0.6	5.3	10.3	12.7	12673	0.7	6.2	10.4	13.3
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	61615	0.8	2.6	29.6	32.8	45163	1.1	3.3	30.7	35.0
Above 2 SD Overnourished (BMI for Age) (%)										
Person	61615	0.1	6.4	1.5	1.9	45163	0.1	6.0	1.4	1.8
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	131279	0.4	5.8	5.8	7.6	89396	0.2	5.2	4.0	4.9
BMI ≥25.0 for age 60 year and above (%)										
Person	20683	0.6	6.6	8.3	11.0	14679	0.3	5.6	5.5	6.8
BMI <18.5 for age 18-59 year (%)										
Person	131279	0.9	3.8	21.2	25.3	89396	1.2	4.9	21.8	27.2
BMI <18.5 for age 60 year and above (%)										
Person	20683	1.1	4.3	23.4	28.4	14679	1.4	4.7	26.2	32.6
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	7981	1.0	1.3	74.3	78.2	6090	1.1	1.5	74.3	78.7
Anaemia in the age group 5-9 years (%)										
Person	14052	0.8	0.9	83.3	86.4	10590	0.9	1.1	83.4	87.0
Anaemia in the age group 10-17 years (%)										
Person	30221	0.8	0.9	80.8	83.9	22385	0.9	1.1	80.6	84.1
Anaemia in the age group 18-59 years (%)										
Male	55640	0.8	1.0	82.9	86.1	39059	1.0	1.2	82.5	86.4
Female	55317	0.8	0.9	82.3	85.3	38119	0.9	1.1	81.7	85.3
Anaemia in the age group 60 years and above (%)										
Male	9201	0.8	0.9	86.1	89.3	6628	1.0	1.2	84.8	88.8
Female	8427	1.0	1.2	82.6	86.6	6074	1.2	1.4	81.7	86.5
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	141287	0.3	3.6	8.2	9.5	97007	0.4	4.8	7.3	8.8
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	151240	0.3	3.1	10.0	11.3	103066	0.4	4.1	8.7	10.2
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	151240	0.3	5.0	4.6	5.6	103066	0.3	5.6	4.2	5.2
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	151240	0.3	4.8	5.6	6.8	103066	0.4	5.8	6.2	7.8
Iodine content in Household Salt (more than 15 ppm) (%)	58094	1.8	2.5	68.8	76.1	41375	2.2	3.3	61.7	70.4

Indicators	Sheopur									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	588	6.3	34.7	7.9	36.9	504	7.2	36.9	8.0	40.8
Below -2 SD Stunting (Height for Age) (%)										
Person	604	6.2	10.8	43.3	70.6	520	6.8	11.9	42.0	72.0
Below -2 SD Underweight (Weight for Age) (%)										
Person	612	9.3	19.3	28.5	68.3	528	10.5	21.7	26.6	70.9
Below -2 SD Undernourished (BMI for Age) (%)										
Person	615	3.8	30.0	6.3	24.3	530	4.3	32.1	6.3	26.5
Above 2 SD Overnourished (BMI for Age) (%)										
Person	615	4.0	47.2	2.8	23.1	-	-	-	-	-
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1679	1.5	6.6	20.1	27.0	1257	1.8	7.4	21.0	29.3
Above 2 SD Overnourished (BMI for Age) (%)										
Person	-	-	-	-	-	-	-	-	-	-
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2699	0.8	27.4	1.6	5.5	2160	0.9	33.6	1.2	5.6
BMI ≥25.0 for age 60 year and above (%)										
Person	431	1.8	31.0	2.9	11.7	338	1.5	37.1	1.7	9.3
BMI <18.5 for age 18-59 year (%)										
Person	2699	2.8	10.0	22.2	34.9	2160	3.3	11.8	21.0	35.7
BMI <18.5 for age 60 year and above (%)										
Person	431	4.4	18.2	15.6	35.4	338	5.2	20.9	15.0	38.5
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	348	10.8	16.8	38.3	83.7	282	13.2	22.0	30.1	83.9
Anaemia in the age group 5-9 years (%)										
Person	433	10.4	15.5	41.3	85.7	364	12.2	18.9	35.3	85.8
Anaemia in the age group 10-17 years (%)										
Person	675	9.2	15.1	39.6	79.3	535	11.5	20.6	30.6	78.4
Anaemia in the age group 18-59 years (%)										
Male	1123	3.9	7.0	47.2	64.8	938	4.3	8.2	42.1	61.2
Female	1069	7.2	11.4	45.9	77.6	858	8.7	15.1	38.0	75.6
Anaemia in the age group 60 years and above (%)										
Male	214	6.5	9.8	50.5	79.2	171	7.5	12.0	44.6	77.3
Female	166	10.4	17.6	35.3	79.4	127	11.7	23.2	26.1	74.6
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2758	2.4	21.8	6.8	18.1	2279	2.8	26.1	5.9	19.1
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3077	2.4	16.7	9.7	20.6	2456	2.8	18.5	9.8	22.7
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3077	0.7	38.5	0.7	4.1	-	-	-	-	-
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3077	0.5	27.5	0.9	3.1	2456	0.6	30.3	0.9	3.7
Iodine content in Household Salt (more than 15 ppm) (%)	1416	13.7	20.0	34.0	90.1	1179	15.5	23.0	29.5	91.0

Indicators	Morena									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	423	2.6	16.4	10.9	22.9	339	2.0	13.1	11.5	20.7
Below -2 SD Stunting (Height for Age) (%)										
Person	446	5.4	9.8	42.8	66.6	349	6.2	11.5	39.7	66.9
Below -2 SD Underweight (Weight for Age) (%)										
Person	448	9.3	28.7	15.5	55.5	351	6.5	25.8	13.4	42.5
Below -2 SD Undernourished (BMI for Age) (%)										
Person	448	2.2	10.6	16.2	26.1	351	2.5	13.7	13.3	24.6
Above 2 SD Overnourished (BMI for Age) (%)										
Person	448	4.6	36.8	5.2	27.1	351	5.4	39.8	5.2	30.6
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1162	1.3	6.5	16.8	22.5	841	1.7	9.0	15.2	22.8
Above 2 SD Overnourished (BMI for Age) (%)										
Person	-	-	-	-	-	-	-	-	-	-
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2136	0.2	8.8	2.3	3.5	1508	0.3	11.4	2.0	3.4
BMI ≥25.0 for age 60 year and above (%)										
Person	343	0.8	17.7	3.0	6.8	262	0.7	23.1	1.9	5.4
BMI <18.5 for age 18-59 year (%)										
Person	2136	1.1	6.7	13.8	18.7	1508	1.4	8.2	14.0	20.3
BMI <18.5 for age 60 year and above (%)										
Person	343	1.8	18.2	6.4	14.6	262	1.4	14.8	6.7	13.0
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	68	4.4	6.2	59.6	79.2	50	5.2	7.1	60.4	83.8
Anaemia in the age group 5-9 years (%)										
Person	185	3.8	5.0	65.4	82.4	123	5.0	6.6	62.4	84.7
Anaemia in the age group 10-17 years (%)										
Person	541	2.8	3.7	68.6	81.0	382	2.8	3.6	70.0	82.6
Anaemia in the age group 18-59 years (%)										
Male	1029	2.2	2.6	79.9	89.9	719	3.1	3.7	76.0	90.0
Female	961	4.3	5.3	68.9	88.2	706	5.8	7.3	63.5	89.8
Anaemia in the age group 60 years and above (%)										
Male	177	3.6	4.5	71.1	87.5	134	4.1	5.1	70.6	89.4
Female	137	3.0	3.6	77.1	91.0	106	3.4	4.2	73.6	89.3
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2412	2.8	26.6	5.6	18.6	1716	4.1	31.5	6.2	25.4
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2453	1.2	9.4	10.4	15.9	1753	1.6	11.4	11.2	18.7
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	-	-	-	-	-	-	-	-	-	-
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2453	1.2	26.4	2.4	8.0	1753	1.4	31.6	2.1	8.7
Iodine content in Household Salt (more than 15 ppm) (%)	1027	4.8	6.7	59.5	80.8	738	5.6	8.0	56.6	81.6

Indicators	Bhind									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	582	1.4	14.4	7.2	13.8	409	1.5	15.2	6.9	13.7
Below -2 SD Stunting (Height for Age) (%)										
Person	608	6.7	10.5	48.0	77.7	428	10.1	16.6	37.2	80.1
Below -2 SD Underweight (Weight for Age) (%)										
Person	612	5.5	10.8	38.5	62.8	432	8.0	16.5	31.6	66.4
Below -2 SD Undernourished (BMI for Age) (%)										
Person	613	3.0	23.1	7.6	21.5	433	3.8	28.4	6.9	24.6
Above 2 SD Overnourished (BMI for Age) (%)										
Person	613	2.6	27.2	5.0	17.1	433	2.8	39.4	2.8	16.5
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1344	4.1	16.4	17.0	35.7	690	4.6	16.0	19.5	40.2
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1344	0.3	29.8	0.5	1.9	690	0.6	43.4	0.5	3.6
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	3186	0.4	15.3	2.0	3.9	1546	0.6	20.9	1.7	4.4
BMI ≥25.0 for age 60 year and above (%)										
Person	598	0.7	16.9	2.7	5.8	354	1.1	27.1	2.3	7.7
BMI <18.5 for age 18-59 year (%)										
Person	3186	3.2	16.6	13.1	27.7	1546	3.3	11.1	23.3	38.3
BMI <18.5 for age 60 year and above (%)										
Person	598	2.8	15.9	12.2	25.0	354	3.5	13.4	19.2	35.2
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	133	4.8	7.5	52.2	73.5	60	7.2	10.1	53.1	85.0
Anaemia in the age group 5-9 years (%)										
Person	255	6.3	8.6	56.5	84.3	104	2.9	3.2	80.0	93.2
Anaemia in the age group 10-17 years (%)										
Person	643	4.0	5.6	62.8	81.0	288	4.3	5.3	69.5	88.9
Anaemia in the age group 18-59 years (%)										
Male	1364	3.1	3.6	76.5	90.5	642	3.6	3.9	78.9	96.0
Female	1277	4.0	5.5	63.4	81.5	620	3.4	4.1	75.3	91.0
Anaemia in the age group 60 years and above (%)										
Male	283	3.9	4.7	72.5	90.2	168	4.4	4.9	74.7	96.4
Female	221	4.8	6.3	63.8	85.6	129	7.1	8.5	61.3	94.1
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3451	1.4	13.4	7.9	14.4	1637	2.8	31.0	4.4	17.7
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3986	1.1	7.3	12.3	17.2	2070	2.1	14.5	10.2	19.6
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3986	1.1	23.9	2.8	8.1	2070	2.3	40.5	2.2	13.6
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3986	1.8	30.5	2.9	11.6	2070	2.3	27.8	4.4	15.3
Iodine content in Household Salt (more than 15 ppm) (%)	1425	6.9	8.1	62.6	95.0	753	12.5	17.4	38.7	91.4

Indicators	Gwalior									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	505	2.9	13.8	15.3	28.6	222	4.7	19.2	15.6	36.9
Below -2 SD Stunting (Height for Age) (%)										
Person	522	4.4	9.5	36.8	56.6	235	2.1	6.1	30.2	39.7
Below -2 SD Underweight (Weight for Age) (%)										
Person	531	2.7	7.4	31.1	43.5	237	2.3	7.5	26.1	36.6
Below -2 SD Undernourished (BMI for Age) (%)										
Person	542	3.6	13.2	19.8	35.9	239	4.1	13.5	21.7	39.9
Above 2 SD Overnourished (BMI for Age) (%)										
Person	542	2.0	31.6	3.1	12.8	239	0.3	6.0	4.3	5.7
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1326	3.2	10.2	24.8	39.3	450	3.9	12.7	22.5	39.9
Above 2 SD Overnourished (BMI for Age) (%)										
Person	-	-	-	-	-	-	-	-	-	-
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	3544	0.9	15.0	4.4	8.7	1265	1.1	20.8	3.2	8.2
BMI ≥25.0 for age 60 year and above (%)										
Person	572	3.6	35.1	4.5	21.6	231	1.7	39.5	1.7	10.1
BMI <18.5 for age 18-59 year (%)										
Person	3544	2.3	8.0	24.0	34.4	1265	3.5	10.9	24.4	39.9
BMI <18.5 for age 60 year and above (%)										
Person	572	3.7	16.1	15.8	32.6	231	3.1	13.0	17.5	31.5
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	144	4.7	6.4	61.1	82.0	53	1.5	2.0	69.8	76.5
Anaemia in the age group 5-9 years (%)										
Person	286	5.4	6.9	63.9	88.2	91	12.1	16.3	40.7	92.2
Anaemia in the age group 10-17 years (%)										
Person	610	3.8	4.8	68.6	85.7	189	2.4	3.0	75.6	86.6
Anaemia in the age group 18-59 years (%)										
Male	1115	2.8	3.4	75.9	88.8	349	5.7	6.7	67.0	93.3
Female	1348	3.2	3.9	73.4	87.8	408	4.4	5.3	71.1	91.4
Anaemia in the age group 60 years and above (%)										
Male	214	3.0	3.4	79.9	94.0	76	6.5	7.5	64.5	95.5
Female	204	4.1	4.7	74.7	93.6	78	3.3	3.5	80.9	97.1
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3600	3.4	30.8	5.4	21.5	1293	0.6	12.1	3.9	6.7
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4289	1.5	10.9	10.8	17.7	1527	0.8	8.2	8.2	11.9
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	4289	2.3	29.7	3.9	15.0	1527	1.1	19.5	3.6	8.7
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4289	0.3	6.4	4.5	6.0	1527	0.7	16.1	3.0	6.2
Iodine content in Household Salt (more than 15 ppm) (%)	1421	2.2	2.3	87.2	98.5	544	8.6	9.5	51.8	98.6

Indicators	Data									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	445	4.3	13.1	24.1	43.5	239	6.4	19.5	20.2	48.5
Below -2 SD Stunting (Height for Age) (%)										
Person	466	3.6	6.2	50.3	66.5	251	4.6	7.6	49.6	69.9
Below -2 SD Underweight (Weight for Age) (%)										
Person	472	6.2	9.5	50.5	77.9	255	9.7	15.2	40.6	81.9
Below -2 SD Undernourished (BMI for Age) (%)										
Person	473	3.1	12.7	18.0	31.9	256	3.3	13.5	17.8	32.8
Above 2 SD Overnourished (BMI for Age) (%)										
Person	473	0.9	24.0	2.3	6.7	256	1.3	30.9	2.0	8.2
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1128	2.2	12.4	13.2	23.2	694	3.0	17.2	11.8	25.6
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1128	0.8	47.2	0.6	4.8	694	1.1	49.3	0.8	6.9
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2379	1.6	35.5	1.9	9.6	1364	2.4	42.9	2.1	14.2
BMI ≥25.0 for age 60 year and above (%)										
Person	435	3.1	45.6	2.3	17.8	-	-	-	-	-
BMI <18.5 for age 18-59 year (%)										
Person	2379	3.3	20.1	10.3	25.4	1364	4.3	27.4	8.3	28.2
BMI <18.5 for age 60 year and above (%)										
Person	435	2.8	22.1	7.6	20.5	265	3.2	35.2	4.0	19.5
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	112	3.1	4.7	57.9	71.7	74	4.2	6.7	52.3	71.1
Anaemia in the age group 5-9 years (%)										
Person	265	4.2	5.4	66.8	85.6	159	3.6	4.5	70.0	86.3
Anaemia in the age group 10-17 years (%)										
Person	620	5.0	7.3	56.9	79.3	347	6.0	8.5	55.6	82.5
Anaemia in the age group 18-59 years (%)										
Male	1006	3.5	4.3	71.1	86.7	529	3.9	4.8	70.6	88.3
Female	950	5.5	7.3	60.8	85.2	486	4.3	5.7	64.8	84.3
Anaemia in the age group 60 years and above (%)										
Male	189	3.2	3.9	72.8	87.2	104	4.2	5.2	68.4	87.2
Female	163	5.0	6.9	60.4	82.9	88	7.1	9.9	53.1	84.3
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2651	2.1	18.4	7.4	16.8	1519	2.4	29.9	4.1	15.7
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2760	2.5	18.7	8.7	20.2	1605	1.4	13.6	7.4	13.6
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2760	0.6	28.2	1.2	4.1	1605	0.6	33.1	0.9	3.8
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2760	1.7	32.9	2.5	10.8	1605	1.9	41.2	1.8	11.3
Iodine content in Household Salt (more than 15 ppm) (%)	1211	8.7	13.0	45.4	83.3	701	14.0	25.8	24.9	80.8

Indicators	Shivpuri									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	595	1.6	14.0	8.2	15.4	517	1.8	15.7	8.1	16.4
Below -2 SD Stunting (Height for Age) (%)										
Person	600	2.5	4.2	53.6	64.7	522	1.2	2.0	56.1	61.3
Below -2 SD Underweight (Weight for Age) (%)										
Person	607	6.9	18.2	23.9	54.3	527	7.6	20.5	21.9	55.0
Below -2 SD Undernourished (BMI for Age) (%)										
Person	628	3.6	23.1	9.1	25.8	547	4.1	25.3	9.0	28.0
Above 2 SD Overnourished (BMI for Age) (%)										
Person	628	1.1	20.0	3.5	8.5	547	0.8	20.1	2.6	6.5
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	2133	1.4	3.6	36.3	42.7	1850	1.2	2.8	38.9	44.2
Above 2 SD Overnourished (BMI for Age) (%)										
Person	-	-	-	-	-	-	-	-	-	-
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	3635	0.4	13.9	1.9	3.6	3043	0.4	22.5	1.2	3.3
BMI ≥25.0 for age 60 year and above (%)										
Person	640	1.6	28.8	2.8	10.3	558	1.8	39.2	1.8	10.7
BMI <18.5 for age 18-59 year (%)										
Person	3635	2.6	6.1	36.5	47.9	3043	3.0	7.0	35.6	48.9
BMI <18.5 for age 60 year and above (%)										
Person	640	2.1	5.4	35.1	44.8	558	2.5	5.9	36.4	47.6
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	316	4.5	6.0	63.1	83.3	279	4.9	6.5	62.8	85.0
Anaemia in the age group 5-9 years (%)										
Person	400	4.3	4.8	75.3	97.1	337	5.3	5.8	70.4	97.4
Anaemia in the age group 10-17 years (%)										
Person	964	2.3	2.6	81.1	91.6	823	2.3	2.7	80.4	91.0
Anaemia in the age group 18-59 years (%)										
Male	1238	1.5	1.7	85.5	92.5	1054	1.6	1.8	84.7	91.9
Female	1330	1.8	2.0	82.5	90.5	1103	1.6	1.9	82.5	90.0
Anaemia in the age group 60 years and above (%)										
Male	242	2.4	2.6	85.5	97.8	214	2.7	2.9	83.8	97.7
Female	208	6.2	7.2	65.5	94.3	174	7.2	8.8	60.1	93.3
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3676	0.6	5.1	10.6	13.3	3087	0.7	6.4	10.0	13.4
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4307	1.1	7.7	12.3	17.5	3633	1.3	8.9	11.7	17.4
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	4307	1.2	20.3	3.8	9.5	3633	1.0	17.5	3.7	8.1
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4307	0.8	15.3	3.9	7.7	3633	1.0	17.6	3.8	8.4
Iodine content in Household Salt (more than 15 ppm) (%)	1539	15.9	27.6	23.8	85.8	1330	19.0	37.7	15.4	84.9

Indicators	Guna									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	455	4.5	35.7	5.4	26.8	348	5.2	48.3	3.4	29.0
Below -2 SD Stunting (Height for Age) (%)										
Person	491	5.3	12.1	32.2	55.7	376	6.5	16.3	26.2	54.7
Below -2 SD Underweight (Weight for Age) (%)										
Person	495	5.6	16.4	22.6	47.4	379	4.2	14.9	19.8	38.7
Below -2 SD Undernourished (BMI for Age) (%)										
Person	496	5.7	32.3	8.2	34.5	380	6.6	41.6	5.8	36.8
Above 2 SD Overnourished (BMI for Age) (%)										
Person	496	1.8	19.6	5.9	14.3	380	1.9	18.8	6.6	15.4
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1213	4.8	16.5	19.4	40.7	933	5.8	19.0	19.1	44.7
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1213	0.5	43.6	0.4	2.8	933	0.2	37.6	0.2	1.3
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2241	0.5	15.5	2.4	4.8	1621	0.5	16.7	1.9	4.0
BMI ≥25.0 for age 60 year and above (%)										
Person	356	2.4	37.3	2.7	14.5	-	-	-	-	-
BMI <18.5 for age 18-59 year (%)										
Person	2241	2.7	15.2	12.4	24.6	1621	2.6	13.5	14.2	26.0
BMI <18.5 for age 60 year and above (%)										
Person	356	3.5	25.1	7.8	23.9	263	4.7	30.3	7.5	29.0
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	185	9.5	16.4	36.3	76.8	156	10.7	18.3	34.1	79.1
Anaemia in the age group 5-9 years (%)										
Person	241	4.5	5.7	66.8	86.9	207	4.6	5.7	67.6	88.2
Anaemia in the age group 10-17 years (%)										
Person	456	3.3	4.0	74.5	89.5	376	3.2	3.8	74.8	89.1
Anaemia in the age group 18-59 years (%)										
Male	922	3.0	3.4	80.2	94.4	747	3.3	3.7	79.1	94.7
Female	791	3.7	4.6	70.6	87.4	671	3.6	4.5	71.7	88.1
Anaemia in the age group 60 years and above (%)										
Male	152	4.4	5.0	73.9	94.8	126	4.9	5.5	72.4	96.3
Female	127	6.7	9.2	55.3	84.9	96	7.2	9.5	56.4	88.4
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2540	1.4	10.5	10.4	16.7	1854	1.5	11.0	10.6	17.5
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2570	1.0	6.3	13.6	18.0	1865	1.1	7.6	12.7	17.9
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2570	0.3	17.5	1.0	2.3	1865	0.4	23.6	0.9	2.6
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2570	1.4	21.9	3.8	10.3	1865	1.7	30.8	2.7	10.7
Iodine content in Household Salt (more than 15 ppm) (%)	1088	14.0	28.2	21.7	77.8	783	15.5	36.9	14.7	75.5

Indicators	Tikamgarh									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	184	2.8	17.1	11.1	24.0	152	2.3	11.6	14.8	25.0
Below -2 SD Stunting (Height for Age) (%)										
Person	177	3.3	4.9	59.8	74.8	149	3.8	5.6	59.4	76.5
Below -2 SD Underweight (Weight for Age) (%)										
Person	198	2.8	4.8	52.2	64.9	165	3.3	5.4	52.2	66.8
Below -2 SD Undernourished (BMI for Age) (%)										
Person	198	2.7	13.3	14.6	26.7	165	3.1	13.8	16.5	30.6
Above 2 SD Overnourished (BMI for Age) (%)										
Person	198	2.6	14.3	13.3	25.3	165	2.9	16.3	12.2	25.4
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1283	2.2	6.0	32.6	42.7	1067	2.3	6.1	33.5	44.1
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1283	0.4	23.5	1.1	3.1	1067	0.4	27.9	0.8	2.9
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2702	1.8	34.7	2.3	11.1	2139	0.7	27.9	1.2	4.6
BMI ≥25.0 for age 60 year and above (%)										
Person	493	1.7	45.0	1.3	10.2	415	0.9	46.9	0.6	5.5
BMI <18.5 for age 18-59 year (%)										
Person	2702	3.3	12.4	20.1	35.0	2139	3.5	11.9	22.4	38.2
BMI <18.5 for age 60 year and above (%)										
Person	493	6.0	13.9	30.7	57.2	415	6.8	14.7	31.4	61.3
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	194	3.1	3.7	76.4	90.7	156	3.1	3.6	76.1	90.1
Anaemia in the age group 5-9 years (%)										
Person	351	0.8	0.8	92.6	96.1	298	0.7	0.7	94.0	97.1
Anaemia in the age group 10-17 years (%)										
Person	909	1.3	1.4	88.9	94.8	744	1.5	1.6	87.4	94.2
Anaemia in the age group 18-59 years (%)										
Male	1420	1.2	1.3	86.5	91.7	1147	1.5	1.7	86.0	92.7
Female	1376	1.0	1.1	92.0	96.7	1060	1.4	1.4	90.8	97.1
Anaemia in the age group 60 years and above (%)										
Male	260	1.1	1.2	89.9	95.1	219	1.4	1.5	88.2	94.4
Female	241	2.4	2.6	85.4	97.0	204	2.0	2.2	87.7	97.4
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3124	2.1	31.7	3.2	12.9	2490	2.7	35.6	3.3	16.0
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3132	0.4	13.8	2.2	4.0	2493	0.4	17.1	1.5	3.2
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3132	0.3	11.0	2.2	3.6	2493	0.4	17.4	1.5	3.2
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3132	1.8	14.4	9.0	17.2	2493	2.2	16.1	9.7	19.8
Iodine content in Household Salt (more than 15 ppm) (%)	1371	5.7	7.3	62.8	88.0	1100	5.3	6.7	64.4	87.7

Indicators	Chattarpur									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	277	2.6	10.3	20.1	31.8	234	2.1	8.6	19.7	28.8
Below -2 SD Stunting (Height for Age) (%)										
Person	278	4.9	8.8	44.9	66.5	235	5.6	9.7	45.1	69.7
Below -2 SD Underweight (Weight for Age) (%)										
Person	299	3.1	6.6	40.0	53.6	254	3.3	7.1	39.2	53.8
Below -2 SD Undernourished (BMI for Age) (%)										
Person	301	2.8	11.1	19.3	31.7	255	2.8	12.1	17.7	30.4
Above 2 SD Overnourished (BMI for Age) (%)										
Person	301	3.9	17.5	14.9	32.4	255	4.3	19.3	14.4	33.7
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1421	4.5	15.7	19.8	39.7	1216	5.1	17.9	18.7	41.4
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1421	0.2	22.0	0.6	1.7	1216	0.2	24.4	0.5	1.6
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2664	0.6	27.7	1.3	4.1	2220	0.6	25.9	1.1	4.0
BMI ≥25.0 for age 60 year and above (%)										
Person	500	0.6	22.2	1.6	4.4	417	0.7	28.2	1.3	4.7
BMI <18.5 for age 18-59 year (%)										
Person	2664	5.1	31.8	7.4	30.9	2220	6.1	36.5	6.8	35.0
BMI <18.5 for age 60 year and above (%)										
Person	500	5.7	15.6	25.0	50.2	417	6.9	17.7	24.7	55.0
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	219	4.3	5.9	63.1	82.3	181	2.1	2.7	70.9	80.2
Anaemia in the age group 5-9 years (%)										
Person	374	3.2	3.7	77.3	91.7	315	3.4	4.0	77.1	92.7
Anaemia in the age group 10-17 years (%)										
Person	854	2.0	2.5	77.5	86.6	733	2.3	2.7	76.6	86.6
Anaemia in the age group 18-59 years (%)										
Male	1334	1.1	1.3	87.9	93.0	1113	1.3	1.4	87.5	93.2
Female	1175	1.7	2.0	80.3	87.9	971	1.8	2.2	79.0	87.2
Anaemia in the age group 60 years and above (%)										
Male	234	2.4	2.6	84.8	95.9	195	2.9	3.1	82.5	96.0
Female	236	2.2	2.5	81.9	91.7	194	2.6	3.0	80.5	92.2
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3107	4.4	47.0	3.1	24.7	-	-	-	-	-
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3174	0.5	36.9	0.6	3.1	2647	0.6	45.8	0.4	3.4
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3174	0.6	11.4	3.9	6.4	2647	0.6	12.6	3.5	6.2
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3174	3.1	38.1	3.4	18.0	2647	3.6	42.0	3.3	20.8
Iodine content in Household Salt (more than 15 ppm) (%)	1309	10.5	16.0	40.5	84.6	1120	11.9	18.6	35.8	84.7

Indicators	Panna									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	304	1.3	5.8	20.0	26.0	271	1.5	6.5	19.2	25.8
Below -2 SD Stunting (Height for Age) (%)										
Person	291	3.4	7.9	35.3	50.6	258	3.2	7.8	34.2	48.7
Below -2 SD Underweight (Weight for Age) (%)										
Person	330	7.8	18.9	25.2	58.9	297	8.3	20.9	23.1	58.8
Below -2 SD Undernourished (BMI for Age) (%)										
Person	334	3.7	11.9	23.5	40.3	301	4.0	12.7	23.3	41.4
Above 2 SD Overnourished (BMI for Age) (%)										
Person	334	2.6	14.1	13.4	25.3	301	2.7	14.0	14.1	26.6
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1374	1.7	8.4	16.8	24.5	1140	1.7	7.7	18.5	26.0
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1374	0.2	40.9	0.2	1.2	1140	0.2	47.1	0.2	1.4
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2458	1.4	33.9	1.9	8.7	1975	1.5	43.8	1.2	9.0
BMI ≥25.0 for age 60 year and above (%)										
Person	-	-	-	-	-	-	-	-	-	-
BMI <18.5 for age 18-59 year (%)										
Person	2458	0.9	8.4	9.3	13.4	1975	1.1	9.4	9.3	14.3
BMI <18.5 for age 60 year and above (%)										
Person	450	4.8	13.4	25.7	47.1	396	5.4	14.4	26.1	50.1
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	204	3.1	3.7	74.3	88.2	171	3.5	4.2	72.3	87.9
Anaemia in the age group 5-9 years (%)										
Person	354	1.8	1.9	88.9	97.7	300	2.0	2.2	87.8	97.7
Anaemia in the age group 10-17 years (%)										
Person	824	2.3	2.6	83.0	93.4	672	2.6	2.9	81.2	92.9
Anaemia in the age group 18-59 years (%)										
Male	1220	3.6	4.4	72.7	88.5	970	4.2	5.3	69.5	88.2
Female	1108	2.5	2.8	82.1	93.7	875	2.8	3.2	79.9	92.4
Anaemia in the age group 60 years and above (%)										
Male	228	2.6	2.9	82.6	94.5	198	2.9	3.2	81.9	95.3
Female	193	5.0	5.5	72.4	96.6	169	5.6	6.3	69.2	96.9
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2885	1.2	23.0	3.2	8.7	2355	1.4	29.1	2.6	9.2
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2897	0.7	14.6	3.4	6.4	2362	0.8	15.7	3.5	7.1
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2897	0.4	15.0	1.7	3.3	2362	0.4	18.0	1.6	3.5
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2897	1.3	21.2	3.7	9.4	2362	0.8	14.3	4.2	7.9
Iodine content in Household Salt (more than 15 ppm) (%)	1255	11.3	19.0	34.5	80.7	1047	13.7	23.9	28.1	82.1

Indicators	Sagar									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	304	3.3	24.9	7.6	22.6	197	3.8	22.6	10.0	26.9
Below -2 SD Stunting (Height for Age) (%)										
Person	253	5.1	7.2	58.3	80.3	163	8.1	13.9	40.2	74.4
Below -2 SD Underweight (Weight for Age) (%)										
Person	315	7.9	15.6	33.6	66.8	202	10.0	17.4	35.6	77.1
Below -2 SD Undernourished (BMI for Age) (%)										
Person	316	4.2	31.2	6.6	25.8	205	5.5	31.7	8.3	32.8
Above 2 SD Overnourished (BMI for Age) (%)										
Person	316	7.2	23.7	17.2	48.3	205	9.6	39.5	9.2	50.4
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1714	5.9	12.1	36.2	61.4	1216	3.1	5.1	53.4	66.7
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1714	0.8	41.7	0.8	4.7	1216	0.4	35.7	0.5	2.2
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	3434	2.0	39.2	2.1	12.1	2133	0.5	19.4	1.8	4.1
BMI ≥25.0 for age 60 year and above (%)										
Person	614	2.0	31.1	3.2	12.8	424	1.0	29.8	1.7	6.5
BMI <18.5 for age 18-59 year (%)										
Person	3434	4.6	12.3	27.9	48.4	2133	2.6	5.5	41.4	53.1
BMI <18.5 for age 60 year and above (%)										
Person	614	4.1	7.4	46.0	64.4	424	4.6	6.8	57.2	77.8
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	159	7.4	9.5	57.4	89.4	84	1.2	1.3	87.7	92.9
Anaemia in the age group 5-9 years (%)										
Person	421	3.1	3.5	79.9	94.3	284	2.2	2.4	86.6	97.2
Anaemia in the age group 10-17 years (%)										
Person	877	2.9	3.4	77.7	90.6	624	2.5	2.8	82.1	93.1
Anaemia in the age group 18-59 years (%)										
Male	1600	3.7	4.9	66.0	81.9	998	5.4	7.0	63.1	86.3
Female	1403	2.2	2.6	79.4	89.0	828	2.9	3.3	80.1	92.9
Anaemia in the age group 60 years and above (%)										
Male	252	5.2	6.5	66.8	89.2	176	7.2	9.4	58.2	89.1
Female	261	3.3	4.0	74.8	89.4	176	2.5	2.8	80.9	91.8
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3948	3.6	27.6	7.0	22.7	2508	2.9	24.5	7.0	19.9
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3981	1.1	21.2	3.2	8.0	2520	1.0	22.8	2.7	7.3
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3981	2.1	32.1	3.3	12.9	2520	1.3	28.3	2.5	8.6
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3981	1.0	18.9	3.5	7.9	2520	1.3	23.4	3.3	9.0
Iodine content in Household Salt (more than 15 ppm) (%)	1428	13.1	17.7	39.2	92.6	952	18.3	24.8	26.4	95.6

Indicators	Damoh									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	306	4.1	23.1	10.3	29.0	279	4.5	23.9	10.6	30.9
Below -2 SD Stunting (Height for Age) (%)										
Person	284	2.8	7.6	30.5	43.0	261	3.0	8.7	28.1	41.6
Below -2 SD Underweight (Weight for Age) (%)										
Person	318	4.8	16.5	19.6	41.0	290	5.0	17.7	18.6	41.1
Below -2 SD Undernourished (BMI for Age) (%)										
Person	320	3.7	17.0	14.4	31.0	292	4.0	17.3	15.3	33.4
Above 2 SD Overnourished (BMI for Age) (%)										
Person	320	3.2	18.6	11.0	25.4	292	3.4	21.5	9.7	25.4
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1260	5.5	16.0	23.5	47.7	1080	6.3	18.5	21.6	49.0
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1260	0.3	26.9	0.6	1.9	1080	0.3	31.9	0.4	1.9
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2765	1.3	22.8	3.4	9.5	2206	1.1	25.3	2.3	7.5
BMI ≥25.0 for age 60 year and above (%)										
Person	396	1.0	18.0	3.9	8.5	297	1.4	28.6	2.5	9.2
BMI <18.5 for age 18-59 year (%)										
Person	2765	3.0	20.5	8.9	22.7	2206	3.5	21.6	9.6	25.6
BMI <18.5 for age 60 year and above (%)										
Person	396	4.2	11.9	26.3	45.1	297	5.5	14.6	25.9	50.3
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	219	5.2	7.2	58.4	81.5	195	5.7	7.8	58.4	83.9
Anaemia in the age group 5-9 years (%)										
Person	397	2.4	2.8	78.3	89.0	356	2.2	2.6	80.2	90.3
Anaemia in the age group 10-17 years (%)										
Person	724	2.1	2.7	73.4	82.9	625	2.3	2.8	75.4	85.9
Anaemia in the age group 18-59 years (%)										
Male	1300	3.0	4.2	64.8	78.1	1051	3.6	4.9	64.1	80.0
Female	1281	2.4	2.9	76.0	86.5	1039	2.6	3.2	75.0	86.8
Anaemia in the age group 60 years and above (%)										
Male	164	3.4	4.1	74.0	89.4	119	2.3	2.5	84.9	95.4
Female	205	2.5	2.9	80.3	91.8	164	2.6	3.0	81.8	93.9
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3121	1.1	14.0	5.9	11.0	2482	1.4	17.0	5.5	11.7
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3132	0.6	13.6	3.3	6.1	2492	0.7	16.4	2.8	5.7
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3132	0.8	12.1	4.9	8.5	2492	1.0	14.2	4.9	9.3
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3132	1.0	14.2	5.3	9.9	2492	1.3	17.8	4.8	10.5
Iodine content in Household Salt (more than 15 ppm) (%)	1360	12.9	20.4	33.3	85.4	1125	14.9	24.1	28.4	86.8

Indicators	Satna									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	403	2.2	15.4	10.1	19.7	341	2.4	16.7	10.0	20.8
Below -2 SD Stunting (Height for Age) (%)										
Person	407	3.6	13.5	19.7	35.6	344	3.4	13.3	18.7	33.6
Below -2 SD Underweight (Weight for Age) (%)										
Person	407	2.4	20.6	7.4	18.2	344	1.9	18.5	6.8	15.4
Below -2 SD Undernourished (BMI for Age) (%)										
Person	407	2.2	14.9	10.6	20.4	344	2.5	16.6	10.4	21.5
Above 2 SD Overnourished (BMI for Age) (%)										
Person	407	0.5	29.1	0.9	3.3	344	0.6	27.3	1.2	3.9
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1570	3.1	10.4	23.9	37.5	1300	4.1	12.5	24.4	42.0
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1570	0.3	19.1	1.1	2.5	1300	0.3	25.6	0.7	2.1
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2937	1.3	21.9	3.5	9.5	2317	1.0	26.9	2.2	6.9
BMI ≥25.0 for age 60 year and above (%)										
Person	621	1.8	29.9	1.7	6.5	496	2.2	50.0	1.4	13.1
BMI <18.5 for age 18-59 year (%)										
Person	2937	3.2	17.7	12.1	26.7	2317	4.2	21.4	11.8	30.8
BMI <18.5 for age 60 year and above (%)										
Person	621	4.6	12.5	27.0	47.6	496	5.6	14.8	26.5	51.3
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	273	2.3	2.4	86.9	98.5	236	2.4	2.4	86.1	99.0
Anaemia in the age group 5-9 years (%)										
Person	437	1.8	1.8	89.4	99.2	375	1.1	1.1	93.0	99.6
Anaemia in the age group 10-17 years (%)										
Person	963	0.9	0.9	94.2	98.4	808	1.1	1.1	93.5	99.2
Anaemia in the age group 18-59 years (%)										
Male	1350	2.3	2.4	86.4	96.9	1074	2.3	2.5	86.8	97.8
Female	1482	1.2	1.3	92.8	98.7	1181	1.5	1.5	91.3	99.2
Anaemia in the age group 60 years and above (%)										
Male	291	1.3	1.4	92.4	99.2	232	1.7	1.7	90.4	99.2
Female	297	1.0	1.0	94.0	99.0	243	1.2	1.3	92.7	99.3
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3485	0.5	9.0	4.7	7.0	2752	0.6	8.7	5.3	7.7
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3463	1.2	17.2	4.7	9.9	2727	1.5	25.6	3.3	9.8
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3463	1.2	16.1	5.3	10.7	2727	1.3	22.8	3.6	9.5
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3463	0.7	10.3	5.2	8.1	2727	0.8	13.7	4.2	7.6
Iodine content in Household Salt (more than 15 ppm) (%)	1557	4.5	5.8	66.1	85.5	1292	4.9	6.6	62.0	83.1

Indicators	Rewa									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	308	1.5	15.0	7.3	14.2	236	1.9	19.0	6.4	14.7
Below -2 SD Stunting (Height for Age) (%)										
Person	311	3.8	9.8	31.1	47.8	240	4.7	11.7	30.0	50.2
Below -2 SD Underweight (Weight for Age) (%)										
Person	320	2.7	10.7	19.5	31.3	247	3.3	12.9	18.8	33.2
Below -2 SD Undernourished (BMI for Age) (%)										
Person	320	2.1	23.2	5.5	15.1	247	2.7	28.9	4.8	17.1
Above 2 SD Overnourished (BMI for Age) (%)										
Person	320	1.9	31.0	3.1	12.1	247	2.3	35.0	3.0	14.0
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1329	3.8	13.6	20.2	36.4	1082	4.6	16.8	18.8	38.8
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1329	0.3	18.5	1.1	2.5	1082	0.4	20.3	1.1	2.7
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2267	1.4	17.8	5.1	11.5	1805	1.2	18.2	4.2	9.7
BMI ≥25.0 for age 60 year and above (%)										
Person	568	1.7	21.4	4.8	12.7	466	2.0	23.6	4.8	14.2
BMI <18.5 for age 18-59 year (%)										
Person	2267	2.1	15.3	9.9	19.5	1805	2.7	19.5	8.8	21.2
BMI <18.5 for age 60 year and above (%)										
Person	568	3.5	13.4	19.1	34.8	466	3.9	16.0	16.9	34.4
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	150	4.3	4.9	74.1	93.4	117	5.2	6.1	69.8	93.2
Anaemia in the age group 5-9 years (%)										
Person	341	3.2	3.5	81.3	96.0	274	3.4	3.8	79.3	94.8
Anaemia in the age group 10-17 years (%)										
Person	765	2.7	3.0	82.7	95.2	619	3.1	3.5	79.7	94.0
Anaemia in the age group 18-59 years (%)										
Male	1017	2.0	2.1	88.2	98.2	814	2.4	2.5	86.4	97.7
Female	1022	2.3	2.5	86.0	96.4	806	2.6	2.8	83.7	95.5
Anaemia in the age group 60 years and above (%)										
Male	288	0.9	1.0	94.5	99.0	236	1.1	1.1	93.6	99.1
Female	223	1.4	1.5	90.6	97.2	187	1.6	1.7	89.4	96.4
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2733	1.0	16.9	4.3	8.9	2179	1.0	18.4	3.5	7.7
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2776	0.5	25.1	1.3	3.7	2217	0.7	32.3	1.0	4.1
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2776	0.6	11.1	4.3	6.9	2217	0.7	13.9	3.8	6.9
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2776	0.8	11.4	5.5	8.9	2217	1.0	13.0	5.6	9.8
Iodine content in Household Salt (more than 15 ppm) (%)	1182	7.3	9.2	59.6	90.9	954	8.2	10.1	57.5	93.5

Indicators	Umaria									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	422	1.1	6.2	15.7	20.8	361	1.1	6.3	15.1	20.0
Below -2 SD Stunting (Height for Age) (%)										
Person	374	4.7	8.1	47.0	67.8	323	5.3	9.2	45.1	68.6
Below -2 SD Underweight (Weight for Age) (%)										
Person	430	3.5	7.3	39.8	55.5	367	3.8	8.1	38.5	55.5
Below -2 SD Undernourished (BMI for Age) (%)										
Person	429	2.0	12.1	12.7	21.9	367	2.3	14.1	11.7	22.0
Above 2 SD Overnourished (BMI for Age) (%)										
Person	429	1.9	9.6	15.9	24.6	367	2.1	10.8	15.0	24.4
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1549	3.0	5.4	48.7	62.0	1254	3.3	5.9	49.3	64.1
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1549	0.4	38.1	0.5	2.6	1254	0.3	47.6	0.3	2.1
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	3167	1.0	33.5	1.5	6.4	2372	0.7	52.1	0.4	4.3
BMI ≥25.0 for age 60 year and above (%)										
Person	425	1.4	43.8	1.2	8.4	329	0.3	26.7	0.8	2.2
BMI <18.5 for age 18-59 year (%)										
Person	3167	3.9	12.3	23.9	41.4	2372	4.3	12.2	25.9	45.1
BMI <18.5 for age 60 year and above (%)										
Person	425	3.9	10.8	27.8	45.3	329	3.5	8.6	33.0	48.7
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	377	2.0	2.4	76.8	85.6	326	2.0	2.4	75.8	84.7
Anaemia in the age group 5-9 years (%)										
Person	492	2.3	2.5	85.8	96.6	396	0.9	1.0	92.2	96.4
Anaemia in the age group 10-17 years (%)										
Person	903	1.6	1.7	88.8	96.1	750	1.1	1.2	91.9	97.2
Anaemia in the age group 18-59 years (%)										
Male	1609	1.8	2.0	84.1	92.0	1209	1.6	1.7	86.0	93.0
Female	1558	1.6	1.8	88.0	95.4	1175	1.9	2.0	87.3	95.9
Anaemia in the age group 60 years and above (%)										
Male	239	1.5	1.6	88.3	95.1	186	1.4	1.5	87.9	93.9
Female	186	2.1	2.2	87.7	97.4	147	2.3	2.4	86.1	96.6
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3491	1.1	13.8	5.9	10.9	2626	1.5	19.0	5.0	11.5
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3509	0.8	16.4	3.2	6.6	2640	1.0	23.6	2.5	7.0
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3509	0.7	12.2	4.2	7.1	2640	0.8	12.6	4.6	7.9
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3509	1.0	20.8	3.1	7.9	2640	1.0	28.8	1.8	6.4
Iodine content in Household Salt (more than 15 ppm) (%)	1452	4.4	5.4	70.0	89.8	1134	4.7	6.0	66.6	87.8

Indicators	Shahdol									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	382	1.2	33.5	1.7	7.7	326	1.3	35.9	1.7	8.1
Below -2 SD Stunting (Height for Age) (%)										
Person	368	2.5	3.8	59.6	70.5	314	3.0	4.7	56.9	70.1
Below -2 SD Underweight (Weight for Age) (%)										
Person	395	2.2	16.3	9.1	18.8	338	2.2	17.6	8.4	18.3
Below -2 SD Undernourished (BMI for Age) (%)										
Person	395	1.3	36.2	1.6	7.9	338	1.5	38.9	1.6	9.1
Above 2 SD Overnourished (BMI for Age) (%)										
Person	395	3.0	9.6	25.1	38.4	338	3.1	10.2	24.0	37.7
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1497	2.1	7.0	25.5	34.8	1157	2.5	7.7	26.6	37.5
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1497	0.4	18.9	1.5	3.5	1157	0.5	20.0	1.7	4.1
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	3431	0.8	17.2	3.0	6.7	2367	0.7	19.0	2.5	5.7
BMI ≥25.0 for age 60 year and above (%)										
Person	381	2.6	34.5	3.4	15.9	313	3.1	42.6	2.6	18.1
BMI <18.5 for age 18-59 year (%)										
Person	3431	2.0	10.6	15.0	24.0	2367	2.8	13.9	14.4	27.1
BMI <18.5 for age 60 year and above (%)										
Person	381	4.8	18.5	16.7	38.2	313	5.5	19.0	18.1	42.6
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	221	2.4	2.9	76.0	86.7	176	2.8	3.3	77.1	89.4
Anaemia in the age group 5-9 years (%)										
Person	368	1.2	1.3	91.3	96.7	286	1.0	1.0	92.9	97.6
Anaemia in the age group 10-17 years (%)										
Person	808	1.1	1.2	90.9	95.9	596	0.6	0.7	93.7	96.6
Anaemia in the age group 18-59 years (%)										
Male	1517	1.2	1.3	92.6	98.6	990	1.0	1.0	94.3	99.4
Female	1456	1.5	1.6	89.6	96.5	982	1.7	1.8	89.8	97.8
Anaemia in the age group 60 years and above (%)										
Male	155	0.7	0.7	93.3	99.9	117	0.9	1.0	90.9	99.9
Female	176	2.1	2.3	86.1	96.1	147	2.0	2.2	87.3	97.0
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3673	0.7	11.9	4.6	7.8	2578	0.7	11.3	4.6	7.7
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3769	0.7	16.6	3.0	6.2	2654	0.7	17.2	2.8	6.1
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3769	0.9	10.0	7.6	11.8	2654	1.0	11.7	6.6	11.1
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3769	1.1	13.9	5.6	10.3	2654	1.2	14.4	6.0	11.4
Iodine content in Household Salt (more than 15 ppm) (%)	1415	4.3	6.9	52.0	70.9	1067	4.8	8.4	46.1	67.2

Indicators	Sidhi									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	313	3.2	21.2	9.3	24.1	259	3.5	27.1	6.8	22.8
Below -2 SD Stunting (Height for Age) (%)										
Person	319	7.7	16.6	30.0	63.6	274	8.9	18.5	29.2	67.3
Below -2 SD Underweight (Weight for Age) (%)										
Person	323	6.6	31.0	10.0	39.7	277	7.2	30.2	11.4	43.6
Below -2 SD Undernourished (BMI for Age) (%)										
Person	348	2.9	13.2	16.1	29.2	274	4.7	29.5	7.9	29.6
Above 2 SD Overnourished (BMI for Age) (%)										
Person	348	2.7	16.3	11.3	23.5	274	3.3	18.9	11.2	26.1
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1427	2.6	16.4	10.9	22.9	1212	3.0	16.1	12.7	26.3
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1427	0.6	32.9	0.9	3.8	1212	0.7	31.5	1.1	4.5
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2461	1.5	38.4	1.5	9.1	1977	0.4	24.5	0.8	2.7
BMI ≥25.0 for age 60 year and above (%)										
Person	-	-	-	-	-	-	-	-	-	-
BMI <18.5 for age 18-59 year (%)										
Person	2461	1.1	17.2	4.2	9.3	1977	1.5	18.1	5.2	12.1
BMI <18.5 for age 60 year and above (%)										
Person	352	2.0	7.4	22.5	31.6	305	2.3	7.3	26.8	37.2
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	240	3.8	6.9	47.0	64.0	198	4.2	7.6	46.0	65.0
Anaemia in the age group 5-9 years (%)										
Person	404	2.8	3.8	68.0	81.0	333	3.2	4.0	71.0	85.0
Anaemia in the age group 10-17 years (%)										
Person	864	2.0	2.6	72.0	81.0	746	2.4	3.1	73.0	84.0
Anaemia in the age group 18-59 years (%)										
Male	1165	1.2	1.4	85.0	90.0	930	1.7	1.8	85.0	93.0
Female	1141	1.7	2.2	73.0	80.0	910	2.2	2.8	74.0	84.0
Anaemia in the age group 60 years and above (%)										
Male	175	1.6	1.8	83.0	91.0	141	1.5	1.7	86.0	93.0
Female	162	2.5	2.8	81.0	93.0	153	2.6	3.0	80.0	92.0
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2535	1.9	40.3	1.9	11.3	2008	0.9	33.6	1.2	5.4
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2802	1.9	20.8	5.5	14.1	2274	1.8	25.1	4.1	12.6
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2802	0.5	27.6	1.0	3.5	2274	0.6	38.5	0.7	4.0
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2802	1.4	17.7	5.1	11.4	2274	1.7	23.3	4.2	11.9
Iodine content in Household Salt (more than 15 ppm) (%)	1345	3.9	5.4	63.1	80.7	1146	4.7	6.5	61.4	82.6

Indicators	Neemuch									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	155	3.3	20.0	10.2	25.4	128	4.1	24.2	9.4	28.3
Below -2 SD Stunting (Height for Age) (%)										
Person	165	6.1	13.4	32.2	59.5	136	6.1	12.3	36.0	63.7
Below -2 SD Underweight (Weight for Age) (%)										
Person	169	5.8	16.1	24.1	50.4	138	5.4	12.9	30.4	54.9
Below -2 SD Undernourished (BMI for Age) (%)										
Person	169	4.9	21.7	13.2	35.6	138	6.1	26.1	12.2	39.9
Above 2 SD Overnourished (BMI for Age) (%)										
Person	169	4.1	22.4	10.6	29.6	138	5.0	26.7	9.8	33.0
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	832	3.3	12.1	20.4	35.3	598	5.0	16.4	20.4	42.5
Above 2 SD Overnourished (BMI for Age) (%)										
Person	832	1.1	28.0	2.1	7.4	598	1.4	35.5	1.8	8.7
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2203	1.4	15.9	6.3	13.0	1452	1.5	15.9	6.5	13.3
BMI ≥25.0 for age 60 year and above (%)										
Person	392	1.8	23.1	4.5	12.7	288	1.5	20.4	4.6	11.6
BMI <18.5 for age 18-59 year (%)										
Person	2203	2.4	23.3	6.1	17.4	1452	2.0	24.3	4.6	13.8
BMI <18.5 for age 60 year and above (%)										
Person	392	1.0	20.6	3.0	7.6	288	1.2	25.5	2.7	8.4
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	-	-	-	-	-	-	-	-	-	-
Anaemia in the age group 5-9 years (%)										
Person	-	-	-	-	-	-	-	-	-	-
Anaemia in the age group 10-17 years (%)										
Person	119	7.3	12.4	42.3	74.3	94	7.9	13.9	38.9	73.0
Anaemia in the age group 18-59 years (%)										
Male	935	7.9	10.4	54.2	89.3	573	7.4	10.3	52.6	85.2
Female	804	9.7	16.9	35.7	77.2	537	8.1	16.3	32.4	67.6
Anaemia in the age group 60 years and above (%)										
Male	168	6.0	7.7	62.0	89.1	104	5.2	7.1	60.3	83.6
Female	145	4.1	6.8	50.2	68.4	119	3.1	5.3	51.4	65.4
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2399	1.4	11.5	9.0	15.2	1589	1.5	11.1	10.5	17.4
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2496	1.5	8.9	13.4	20.1	1676	1.7	9.6	14.6	22.5
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	-	-	-	-	-	-	-	-	-	-
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2496	1.0	25.1	2.3	7.1	1676	1.2	27.5	2.3	8.0
Iodine content in Household Salt (more than 15 ppm) (%)	1155	9.9	16.4	37.5	79.8	803	12.2	21.2	30.5	80.8

Indicators	Mandsaur									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	299	4.4	22.9	11.1	31.6	185	5.7	20.9	16.3	42.4
Below -2 SD Stunting (Height for Age) (%)										
Person	304	3.5	5.3	56.7	72.6	186	2.4	3.8	57.5	68.5
Below -2 SD Underweight (Weight for Age) (%)										
Person	304	3.7	7.6	39.6	56.3	187	5.4	10.5	38.7	62.9
Below -2 SD Undernourished (BMI for Age) (%)										
Person	322	4.4	18.3	15.5	35.8	202	5.4	17.5	20.1	44.7
Above 2 SD Overnourished (BMI for Age) (%)										
Person	322	1.9	25.1	4.1	13.1	202	1.9	30.0	3.1	12.4
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1590	1.7	5.4	28.0	35.9	1109	2.6	8.0	26.3	38.0
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1590	0.2	23.6	0.6	1.7	1109	0.2	30.5	0.4	1.5
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	3596	0.8	15.9	3.5	7.2	2533	0.5	15.4	2.3	4.5
BMI ≥25.0 for age 60 year and above (%)										
Person	518	2.0	15.1	9.2	18.1	382	1.6	16.9	6.4	13.8
BMI <18.5 for age 18-59 year (%)										
Person	3596	1.8	7.4	20.1	28.0	2533	2.1	9.4	18.0	27.5
BMI <18.5 for age 60 year and above (%)										
Person	518	3.9	19.2	12.9	30.7	382	4.4	19.3	14.5	34.5
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	60	7.2	10.6	49.9	82.3	39	9.1	15.7	36.9	76.5
Anaemia in the age group 5-9 years (%)										
Person	189	6.3	8.1	59.8	88.4	153	7.5	10.3	52.9	86.8
Anaemia in the age group 10-17 years (%)										
Person	560	5.5	7.0	63.5	89.0	446	6.9	9.1	56.9	88.2
Anaemia in the age group 18-59 years (%)										
Male	1118	3.2	3.8	76.3	91.4	888	4.2	4.9	73.0	93.0
Female	1192	4.5	5.7	66.2	86.3	923	5.8	7.6	60.9	87.0
Anaemia in the age group 60 years and above (%)										
Male	174	2.8	3.1	82.3	96.0	146	3.4	3.7	79.9	97.0
Female	157	7.5	9.7	56.6	90.0	119	10.2	13.5	46.9	91.6
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3587	1.0	12.1	6.5	11.2	2556	1.5	19.7	4.9	12.1
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4330	1.2	8.2	12.5	18.1	2992	1.8	12.8	10.7	19.0
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	4330	1.6	26.9	3.1	10.6	2992	1.1	25.6	2.5	7.9
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4330	0.6	13.2	3.3	6.0	2992	0.6	12.4	3.4	5.9
Iodine content in Household Salt (more than 15 ppm) (%)	1519	10.5	14.5	44.5	89.9	1075	15.0	22.3	30.6	90.5

Indicators	Ratlam									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	174	9.3	25.7	18.5	58.3	118	12.5	32.3	16.0	67.3
Below -2 SD Stunting (Height for Age) (%)										
Person	179	5.3	15.8	22.7	46.1	121	6.9	16.8	26.7	57.1
Below -2 SD Underweight (Weight for Age) (%)										
Person	192	3.4	8.2	34.1	49.4	133	4.4	8.9	39.5	59.1
Below -2 SD Undernourished (BMI for Age) (%)										
Person	194	9.8	25.5	19.7	61.6	135	13.0	32.0	16.8	69.7
Above 2 SD Overnourished (BMI for Age) (%)										
Person	194	4.3	44.6	3.4	24.8	-	-	-	-	-
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1153	3.6	10.5	26.4	42.5	796	4.7	14.1	23.8	44.8
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1153	0.6	44.6	0.5	3.6	-	-	-	-	-
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2740	1.3	16.4	5.5	11.7	1662	1.5	24.8	3.5	10.7
BMI ≥25.0 for age 60 year and above (%)										
Person	482	3.5	26.7	7.1	23.5	281	3.1	36.7	3.6	18.7
BMI <18.5 for age 18-59 year (%)										
Person	2740	3.3	11.7	21.4	36.3	1662	5.0	19.3	16.4	38.9
BMI <18.5 for age 60 year and above (%)										
Person	482	3.6	15.3	16.3	32.5	281	5.5	25.0	12.1	37.0
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	36	4.5	5.2	72.8	93.9	-	-	-	-	-
Anaemia in the age group 5-9 years (%)										
Person	108	7.1	8.4	61.7	95.0	73	7.9	9.1	58.3	96.6
Anaemia in the age group 10-17 years (%)										
Person	372	2.7	3.1	80.7	93.1	238	1.5	1.6	87.6	94.4
Anaemia in the age group 18-59 years (%)										
Male	1168	2.4	2.6	85.3	96.8	731	0.7	0.8	93.6	97.0
Female	1095	3.1	3.5	79.9	94.3	621	1.8	1.9	86.2	94.3
Anaemia in the age group 60 years and above (%)										
Male	213	2.6	2.9	83.1	95.3	117	3.4	3.7	80.1	98.1
Female	195	4.3	4.9	74.1	94.2	114	1.9	2.0	87.3	96.1
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2938	1.2	10.3	9.2	14.6	1777	1.2	11.4	8.1	13.5
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3386	1.4	9.7	11.9	18.4	2011	2.2	16.1	9.3	19.2
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3386	1.8	29.5	3.0	11.4	2011	2.9	43.1	2.5	16.9
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3386	1.9	28.8	3.4	12.3	2011	2.0	31.2	3.1	12.7
Iodine content in Household Salt (more than 15 ppm) (%)	1269	9.9	13.0	48.2	91.8	789	14.8	21.5	31.7	91.2

Indicators	Ujjain									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	324	3.2	12.3	19.3	33.6	202	4.2	16.6	17.1	36.2
Below -2 SD Stunting (Height for Age) (%)										
Person	306	3.8	7.2	43.5	60.3	191	2.1	3.4	56.0	65.3
Below -2 SD Underweight (Weight for Age) (%)										
Person	321	3.9	8.8	35.3	52.6	200	4.4	9.4	37.4	57.2
Below -2 SD Undernourished (BMI for Age) (%)										
Person	350	3.6	12.3	22.2	38.6	215	5.2	18.4	18.1	41.4
Above 2 SD Overnourished (BMI for Age) (%)										
Person	350	1.4	23.5	3.6	10.3	215	2.2	38.0	2.4	13.1
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1288	6.2	15.0	28.3	55.6	799	9.9	24.0	21.9	64.1
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1288	0.4	39.7	0.4	2.6	-	-	-	-	-
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	3199	0.9	15.6	4.0	8.2	1775	0.2	5.0	3.6	4.5
BMI ≥25.0 for age 60 year and above (%)										
Person	627	2.7	20.0	8.4	20.8	361	0.5	7.7	5.2	7.4
BMI <18.5 for age 18-59 year (%)										
Person	3199	2.2	6.1	31.5	41.5	1775	2.6	7.4	29.6	41.5
BMI <18.5 for age 60 year and above (%)										
Person	627	2.9	11.2	20.0	33.1	361	2.1	7.9	21.9	31.3
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	117	5.4	6.6	65.7	90.0	73	5.6	6.7	67.4	93.6
Anaemia in the age group 5-9 years (%)										
Person	219	4.4	5.2	72.5	93.0	141	2.6	2.9	82.2	94.5
Anaemia in the age group 10-17 years (%)										
Person	543	4.9	5.8	70.1	93.0	344	5.7	6.5	68.3	96.6
Anaemia in the age group 18-59 years (%)										
Male	1172	4.7	5.6	70.2	91.6	696	6.1	7.3	65.1	93.3
Female	1210	3.9	4.4	76.2	94.4	656	6.1	6.9	66.6	96.1
Anaemia in the age group 60 years and above (%)										
Male	264	3.6	4.2	76.2	92.9	173	5.0	5.9	69.3	92.2
Female	216	3.3	3.7	78.6	94.0	108	5.0	5.9	69.7	92.9
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3324	1.3	11.8	8.5	14.5	1969	1.4	18.1	5.0	11.4
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3914	1.3	9.4	11.4	17.4	2195	1.9	15.8	8.5	17.2
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3914	0.8	14.9	3.7	7.3	2195	1.1	24.2	2.6	7.9
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3914	0.8	13.0	4.8	8.6	2195	1.3	20.2	4.1	10.2
Iodine content in Household Salt (more than 15 ppm) (%)	1270	15.4	19.2	31.4	97.2	773	25.0	38.4	13.4	95.7

Indicators	Shajapur									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	308	4.4	28.6	7.8	28.1	231	5.2	29.5	8.8	32.7
Below -2 SD Stunting (Height for Age) (%)										
Person	321	5.0	9.2	43.2	65.6	239	6.4	10.7	45.0	73.1
Below -2 SD Underweight (Weight for Age) (%)										
Person	323	4.2	12.1	26.2	45.2	241	5.9	16.8	23.1	49.2
Below -2 SD Undernourished (BMI for Age) (%)										
Person	332	4.7	21.6	12.9	34.1	250	5.6	23.6	13.5	38.7
Above 2 SD Overnourished (BMI for Age) (%)										
Person	332	2.1	25.6	4.6	14.7	250	3.2	33.8	4.3	19.6
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1327	3.0	8.5	29.2	42.8	1044	3.3	9.4	28.1	42.9
Above 2 SD Overnourished (BMI for Age) (%)										
Person	-	-	-	-	-	-	-	-	-	-
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	3073	1.5	17.6	5.6	12.5	2445	1.3	15.7	5.7	11.6
BMI ≥25.0 for age 60 year and above (%)										
Person	622	1.8	18.5	6.5	14.9	545	2.1	23.5	5.2	15.1
BMI <18.5 for age 18-59 year (%)										
Person	3073	2.8	21.3	8.0	20.9	2445	3.7	28.3	6.8	24.2
BMI <18.5 for age 60 year and above (%)										
Person	622	2.9	29.2	5.0	18.5	545	3.4	29.1	5.9	21.8
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	143	8.5	14.3	39.6	76.4	102	10.7	17.4	36.4	81.4
Anaemia in the age group 5-9 years (%)										
Person	288	8.9	14.2	41.6	80.0	218	9.1	14.3	41.7	80.8
Anaemia in the age group 10-17 years (%)										
Person	674	6.0	10.8	41.8	68.3	517	6.6	12.6	37.6	66.6
Anaemia in the age group 18-59 years (%)										
Male	1477	6.4	9.6	51.4	79.9	1194	7.2	11.3	46.6	78.1
Female	1280	7.1	11.6	44.8	76.1	989	6.9	12.1	41.2	71.3
Anaemia in the age group 60 years and above (%)										
Male	284	7.5	10.3	53.7	87.0	250	8.9	12.5	48.0	86.8
Female	233	6.3	9.3	52.4	80.3	200	7.0	10.4	49.8	80.4
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3365	2.0	18.2	7.1	16.2	2711	1.4	15.8	6.2	12.7
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3482	0.7	4.2	15.3	18.5	2809	0.8	4.3	16.1	19.5
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3482	0.8	19.1	2.7	6.5	2809	1.0	20.9	2.9	7.4
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3482	1.2	25.5	2.7	8.6	2809	1.1	30.4	1.9	7.3
Iodine content in Household Salt (more than 15 ppm) (%)	1389	10.1	18.6	32.3	75.1	1119	10.1	21.4	26.2	68.8

Indicators	Dewas									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	395	3.5	12.8	19.9	35.6	283	4.6	16.8	18.1	38.6
Below -2 SD Stunting (Height for Age) (%)										
Person	321	3.8	8.0	39.3	56.4	241	4.9	10.2	37.5	59.4
Below -2 SD Underweight (Weight for Age) (%)										
Person	410	4.8	8.7	44.2	65.5	295	6.7	12.8	37.6	67.0
Below -2 SD Undernourished (BMI for Age) (%)										
Person	411	3.3	14.8	15.6	30.5	295	4.3	19.4	13.9	33.2
Above 2 SD Overnourished (BMI for Age) (%)										
Person	411	1.8	39.7	1.8	10.6	295	2.3	48.2	1.6	13.9
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1784	2.3	5.0	40.8	51.3	1294	3.3	7.1	39.1	53.9
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1784	0.6	16.2	2.5	5.3	1294	0.6	20.4	2.0	4.9
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	3371	0.6	29.8	1.1	4.1	2309	0.9	34.5	1.2	5.7
BMI ≥25.0 for age 60 year and above (%)										
Person	491	1.2	25.8	2.6	8.5	346	1.8	29.6	3.1	11.7
BMI <18.5 for age 18-59 year (%)										
Person	3371	2.6	7.1	30.7	42.3	2309	2.9	7.7	31.0	43.9
BMI <18.5 for age 60 year and above (%)										
Person	491	7.0	14.6	32.7	63.2	346	8.6	19.1	27.0	64.0
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	106	8.6	15.3	36.5	73.5	82	11.2	19.8	31.6	78.4
Anaemia in the age group 5-9 years (%)										
Person	286	7.8	11.7	47.6	81.8	210	8.8	12.3	48.6	87.0
Anaemia in the age group 10-17 years (%)										
Person	608	3.4	5.4	55.5	70.9	418	4.8	7.9	49.6	71.1
Anaemia in the age group 18-59 years (%)										
Male	1230	2.9	3.8	67.7	80.7	821	4.1	5.7	62.1	80.6
Female	1252	3.6	5.6	55.1	71.1	860	3.5	5.5	55.8	71.5
Anaemia in the age group 60 years and above (%)										
Male	160	5.8	9.1	50.3	76.1	117	8.2	13.4	41.6	77.1
Female	141	7.8	11.1	50.2	84.4	105	11.0	16.0	41.0	87.6
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3255	3.7	48.9	2.4	21.2	-	-	-	-	-
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3938	2.9	18.1	10.6	23.9	2686	4.3	27.8	8.0	27.8
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3938	1.1	24.6	2.5	7.4	2686	1.2	29.1	2.1	7.8
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3938	1.2	22.2	3.2	8.7	2686	1.7	30.6	2.8	11.1
Iodine content in Household Salt (more than 15 ppm) (%)	1201	10.9	17.4	36.9	82.9	842	16.3	32.5	18.7	81.6

Indicators	Jhabua									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	192	2.2	18.7	7.8	18.1	170	2.3	18.8	7.9	18.5
Below -2 SD Stunting (Height for Age) (%)										
Person	199	6.4	12.1	38.5	66.8	176	7.0	13.4	36.7	67.3
Below -2 SD Underweight (Weight for Age) (%)										
Person	235	4.1	13.2	22.8	41.3	212	4.4	14.2	22.0	41.8
Below -2 SD Undernourished (BMI for Age) (%)										
Person	250	1.3	17.1	5.3	11.5	227	1.4	16.3	5.8	12.1
Above 2 SD Overnourished (BMI for Age) (%)										
Person	250	3.0	12.3	18.4	32.1	227	3.1	13.0	17.8	32.0
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1753	1.3	5.5	20.7	26.6	1595	1.4	5.9	20.4	26.6
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1753	0.2	26.6	0.3	1.2	1595	0.2	26.5	0.4	1.2
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2669	0.2	20.6	0.6	1.5	2352	0.2	25.2	0.4	1.3
BMI ≥25.0 for age 60 year and above (%)										
Person	-	-	-	-	-	-	-	-	-	-
BMI <18.5 for age 18-59 year (%)										
Person	2669	2.1	6.1	30.2	39.8	2352	2.3	6.6	29.9	40.4
BMI <18.5 for age 60 year and above (%)										
Person	298	5.5	13.1	30.6	55.2	246	5.9	14.8	27.7	54.0
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	139	6.8	10.3	49.4	79.3	125	7.2	11.2	47.0	78.6
Anaemia in the age group 5-9 years (%)										
Person	530	4.5	6.1	62.4	82.4	491	4.6	6.4	60.7	81.5
Anaemia in the age group 10-17 years (%)										
Person	979	4.1	5.5	64.3	82.9	885	4.3	5.8	62.8	81.9
Anaemia in the age group 18-59 years (%)										
Male	1309	5.2	6.2	67.8	91.4	1159	5.5	6.8	65.5	90.6
Female	1132	5.4	7.2	61.4	85.7	988	5.8	7.8	58.8	84.5
Anaemia in the age group 60 years and above (%)										
Male	141	4.4	5.1	73.3	94.1	119	4.9	5.8	70.7	93.8
Female	131	3.1	3.9	71.6	85.6	106	3.4	4.4	68.8	84.1
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2731	0.8	8.2	8.2	11.9	2378	0.9	9.1	7.8	11.7
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2837	2.9	16.8	11.7	25.0	2479	3.2	17.5	12.1	26.6
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2837	0.1	33.4	0.2	0.8	2479	0.1	35.2	0.2	0.9
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2837	1.3	15.4	6.0	12.1	2479	1.5	17.0	5.8	12.5
Iodine content in Household Salt (more than 15 ppm) (%)	1144	12.9	28.3	20.5	73.1	999	13.1	30.5	18.4	71.7

Indicators	Dhar									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	117	5.2	22.0	14.1	37.6	88	4.9	20.6	14.5	36.6
Below -2 SD Stunting (Height for Age) (%)										
Person	117	6.6	12.7	37.0	65.8	91	8.1	15.2	35.2	70.2
Below -2 SD Underweight (Weight for Age) (%)										
Person	148	3.7	8.6	34.5	50.8	115	4.3	10.5	31.6	50.7
Below -2 SD Undernourished (BMI for Age) (%)										
Person	179	3.2	25.1	7.1	21.8	144	3.5	26.7	6.9	23.1
Above 2 SD Overnourished (BMI for Age) (%)										
Person	179	8.3	38.4	8.4	45.7	144	10.2	40.3	9.1	53.5
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1444	2.0	5.6	32.1	41.3	1222	2.3	6.1	32.3	42.6
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1444	1.1	34.5	1.4	6.7	1222	1.3	35.3	1.6	7.9
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	3012	0.4	22.4	1.0	2.8	2414	0.4	27.7	0.8	2.8
BMI ≥25.0 for age 60 year and above (%)										
Person	391	0.9	28.1	1.6	5.7	335	0.8	46.4	0.6	5.1
BMI <18.5 for age 18-59 year (%)										
Person	3012	2.3	5.6	35.4	45.6	2414	2.7	6.7	35.0	47.4
BMI <18.5 for age 60 year and above (%)										
Person	391	3.7	9.0	33.3	49.9	335	4.0	9.2	34.9	52.9
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	54	3.9	6.4	51.9	69.6	36	5.5	10.0	43.0	67.5
Anaemia in the age group 5-9 years (%)										
Person	222	4.9	6.9	59.5	81.6	166	6.3	9.0	54.3	82.5
Anaemia in the age group 10-17 years (%)										
Person	557	3.0	3.8	72.4	86.0	460	3.6	4.6	68.8	84.9
Anaemia in the age group 18-59 years (%)										
Male	1202	2.1	2.4	81.2	90.8	946	2.5	2.9	80.1	91.6
Female	1039	2.6	3.2	73.5	85.3	809	3.2	4.1	70.8	85.5
Anaemia in the age group 60 years and above (%)										
Male	167	4.6	5.1	73.9	97.2	148	5.2	5.7	70.9	97.3
Female	117	3.6	4.5	69.8	86.0	94	4.0	5.0	68.8	86.8
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2958	0.9	11.4	6.3	10.6	2387	0.8	12.5	4.9	8.6
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3490	1.3	8.7	11.9	17.6	2816	1.5	11.2	10.1	16.8
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3490	1.7	28.2	3.2	11.3	2816	1.7	32.0	2.5	10.6
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3490	0.8	15.1	3.6	7.2	2816	0.9	19.8	2.9	7.0
Iodine content in Household Salt (more than 15 ppm) (%)	1193	12.0	23.4	26.2	75.8	975	12.6	26.9	21.9	73.4

Indicators	Indore									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	507	1.3	18.6	4.4	10.2	139	0.9	7.1	10.3	14.2
Below -2 SD Stunting (Height for Age) (%)										
Person	508	6.4	10.6	45.6	73.9	137	2.8	5.7	43.2	56.0
Below -2 SD Underweight (Weight for Age) (%)										
Person	530	5.5	15.0	25.3	49.7	146	3.0	8.8	28.0	41.7
Below -2 SD Undernourished (BMI for Age) (%)										
Person	566	1.2	20.7	3.5	9.0	171	0.9	10.4	7.1	11.3
Above 2 SD Overnourished (BMI for Age) (%)										
Person	566	2.4	22.7	6.3	17.5	171	1.1	9.7	9.2	14.2
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	2023	0.7	2.3	26.6	29.6	634	0.6	1.8	32.7	35.4
Above 2 SD Overnourished (BMI for Age) (%)										
Person	2023	0.9	43.3	0.8	5.5	634	0.0	4.2	0.5	0.6
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	5235	1.1	8.1	11.2	16.1	1407	1.4	16.9	5.7	12.2
BMI ≥25.0 for age 60 year and above (%)										
Person	711	1.7	7.5	18.9	26.5	183	1.0	8.2	9.7	14.0
BMI <18.5 for age 18-59 year (%)										
Person	5235	2.8	8.3	27.4	39.9	1407	1.0	2.3	41.8	46.3
BMI <18.5 for age 60 year and above (%)										
Person	711	1.8	7.4	20.7	29.0	183	3.3	11.7	21.3	36.1
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	151	4.8	6.0	66.9	88.5	43	1.1	1.9	57.7	62.9
Anaemia in the age group 5-9 years (%)										
Person	264	4.8	6.5	61.7	83.2	98	4.5	9.5	37.0	57.0
Anaemia in the age group 10-17 years (%)										
Person	575	4.7	6.7	58.4	79.2	186	1.0	2.4	39.2	43.6
Anaemia in the age group 18-59 years (%)										
Male	1052	5.2	7.3	58.4	81.5	298	2.2	4.9	40.7	50.8
Female	1568	6.3	8.3	59.1	87.4	421	2.3	4.7	43.8	54.3
Anaemia in the age group 60 years and above (%)										
Male	214	5.8	7.4	62.5	88.4	64	3.4	8.1	34.5	49.9
Female	184	7.5	10.4	52.8	85.9	46	3.0	13.5	16.2	29.8
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	5271	0.7	6.5	8.8	11.7	1514	0.0	0.7	5.5	5.7
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	6088	0.6	4.2	13.8	16.7	1646	0.2	0.9	17.0	17.7
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	6088	1.9	27.8	3.6	12.8	1646	2.0	21.4	5.7	14.9
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	6088	0.1	18.4	0.4	0.9	1646	0.0	3.6	0.5	0.6
Iodine content in Household Salt (more than 15 ppm) (%)	1704	1.4	1.6	85.6	92.1	493	1.5	2.2	65.4	72.2

Indicators	West Nimar									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	598	2.4	16.2	10.2	21.2	516	2.7	18.4	9.6	21.9
Below -2 SD Stunting (Height for Age) (%)										
Person	637	5.3	7.4	58.5	82.2	547	6.0	8.1	58.4	85.2
Below -2 SD Underweight (Weight for Age) (%)										
Person	633	3.5	5.4	57.4	73.3	543	3.8	5.7	57.9	75.1
Below -2 SD Undernourished (BMI for Age) (%)										
Person	642	3.3	17.3	12.7	27.7	552	3.9	20.5	11.7	29.3
Above 2 SD Overnourished (BMI for Age) (%)										
Person	642	1.4	21.9	3.9	10.5	552	1.5	25.2	3.3	10.1
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1379	2.4	10.7	17.4	28.1	1165	2.7	11.7	17.8	30.1
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1379	0.6	30.5	1.0	4.1	1165	0.7	30.2	1.2	4.8
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	3049	0.6	15.7	2.8	5.8	2492	0.7	19.3	2.3	5.4
BMI ≥25.0 for age 60 year and above (%)										
Person	380	1.4	28.9	2.4	9.0	312	1.1	39.8	1.2	7.0
BMI <18.5 for age 18-59 year (%)										
Person	3049	1.0	6.0	14.8	19.4	2492	1.2	6.8	14.4	19.6
BMI <18.5 for age 60 year and above (%)										
Person	380	2.4	16.5	9.9	20.9	312	2.7	20.3	8.2	20.4
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	37	13.1	20.9	32.0	85.5	-	-	-	-	-
Anaemia in the age group 5-9 years (%)										
Person	192	9.0	11.9	50.9	90.8	145	12.4	17.4	38.6	90.5
Anaemia in the age group 10-17 years (%)										
Person	583	11.0	16.1	40.5	87.0	481	13.1	20.1	33.5	87.1
Anaemia in the age group 18-59 years (%)										
Male	1279	10.6	13.5	46.9	93.6	1042	12.8	17.2	38.9	93.3
Female	1256	10.2	13.9	45.7	89.8	1010	12.4	18.0	37.5	89.3
Anaemia in the age group 60 years and above (%)										
Male	172	9.9	11.9	50.1	95.7	140	11.6	14.4	43.8	95.5
Female	146	9.9	15.0	41.7	84.2	115	12.3	19.5	34.0	84.8
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3096	1.3	13.7	7.0	13.0	2519	1.7	19.6	5.4	13.1
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3304	2.5	13.8	12.9	24.0	2713	3.0	17.8	11.1	24.8
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3304	0.7	13.9	3.6	6.8	2713	0.7	16.9	2.9	6.2
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3304	1.2	20.4	3.8	9.5	2713	1.0	17.5	3.9	8.6
Iodine content in Household Salt (more than 15 ppm) (%)	1409	15.1	20.3	32.6	94.6	1190	17.4	24.2	26.7	94.7

Indicators	Barwani									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	381	7.9	28.4	13.6	48.3	364	7.9	29.5	12.9	47.9
Below -2 SD Stunting (Height for Age) (%)										
Person	437	6.3	11.1	42.7	70.6	413	6.8	11.6	42.9	72.9
Below -2 SD Underweight (Weight for Age) (%)										
Person	436	5.6	8.5	52.2	76.9	412	5.8	8.9	51.4	77.3
Below -2 SD Undernourished (BMI for Age) (%)										
Person	463	8.0	21.7	21.2	56.2	433	7.9	22.5	19.8	54.4
Above 2 SD Overnourished (BMI for Age) (%)										
Person	463	1.0	23.0	2.5	7.2	433	1.0	24.5	2.3	6.8
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1689	4.6	10.4	34.4	55.0	1517	5.0	11.2	33.7	55.9
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1689	1.2	30.7	2.0	7.9	1517	1.3	33.7	1.8	8.0
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2821	0.6	18.3	2.1	4.9	2384	0.6	20.4	1.9	4.8
BMI ≥25.0 for age 60 year and above (%)										
Person	389	3.0	24.3	7.0	20.8	298	3.5	30.1	5.7	22.1
BMI <18.5 for age 18-59 year (%)										
Person	2821	3.1	10.3	23.5	37.5	2384	3.7	12.2	22.5	39.0
BMI <18.5 for age 60 year and above (%)										
Person	389	2.9	11.7	18.7	31.7	298	3.0	11.2	20.3	33.6
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	-	-	-	-	-	-	-	-	-	-
Anaemia in the age group 5-9 years (%)										
Person	136	7.8	13.0	41.8	75.8	115	9.2	15.4	38.5	77.8
Anaemia in the age group 10-17 years (%)										
Person	456	10.9	17.1	37.7	83.6	410	11.7	18.4	35.7	84.6
Anaemia in the age group 18-59 years (%)										
Male	999	5.3	7.3	59.5	83.4	842	5.3	7.2	59.7	83.4
Female	939	6.0	9.1	51.1	77.7	780	6.7	10.0	50.5	80.2
Anaemia in the age group 60 years and above (%)										
Male	149	4.4	5.6	66.4	86.3	107	4.1	5.2	69.0	87.7
Female	118	6.5	10.9	44.6	73.3	90	8.1	12.6	45.0	80.3
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2775	1.0	12.0	6.1	10.5	2306	1.1	13.7	5.8	10.8
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3219	1.8	11.6	11.9	20.1	2679	2.1	14.4	10.3	19.8
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3219	1.6	26.7	3.2	10.5	2679	1.6	30.7	2.6	10.4
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3219	1.6	29.8	2.7	10.5	2679	1.4	33.5	1.9	8.7
Iodine content in Household Salt (more than 15 ppm) (%)	1117	15.0	23.0	29.6	89.4	930	16.9	28.8	22.7	87.5

Indicators	East Nimar									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	544	3.6	39.4	3.7	21.3	415	4.6	38.7	4.7	26.5
Below -2 SD Stunting (Height for Age) (%)										
Person	594	6.4	15.2	28.6	56.7	459	8.5	20.9	23.7	60.6
Below -2 SD Underweight (Weight for Age) (%)										
Person	614	5.6	18.7	19.0	44.0	471	6.3	23.9	14.8	43.0
Below -2 SD Undernourished (BMI for Age) (%)										
Person	625	7.8	37.4	8.2	43.2	477	9.9	40.2	8.9	52.1
Above 2 SD Overnourished (BMI for Age) (%)										
Person	625	1.7	29.0	3.0	11.0	477	1.4	20.4	4.2	10.5
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1518	2.4	7.0	28.8	39.7	1274	2.5	6.9	31.2	42.7
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1518	0.2	39.8	0.2	1.0	-	-	-	-	-
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	3178	1.7	30.4	2.8	10.9	2600	2.1	39.2	2.1	12.4
BMI ≥25.0 for age 60 year and above (%)										
Person	539	1.8	18.3	6.3	14.4	449	1.8	23.1	4.7	13.2
BMI <18.5 for age 18-59 year (%)										
Person	3178	3.6	14.5	17.4	33.5	2600	4.3	18.4	15.1	34.6
BMI <18.5 for age 60 year and above (%)										
Person	539	4.1	24.3	9.5	28.2	449	4.9	28.3	8.9	31.4
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	267	7.9	11.5	49.2	83.9	251	8.4	12.2	47.6	84.2
Anaemia in the age group 5-9 years (%)										
Person	350	5.6	7.3	62.2	87.6	319	6.0	7.8	60.3	87.2
Anaemia in the age group 10-17 years (%)										
Person	695	5.6	7.6	59.1	84.0	593	6.6	9.2	54.6	83.8
Anaemia in the age group 18-59 years (%)										
Male	1382	6.7	8.7	58.7	88.8	1145	8.4	11.1	52.4	89.5
Female	1311	4.8	6.3	63.8	85.4	1068	6.0	8.0	59.2	85.9
Anaemia in the age group 60 years and above (%)										
Male	254	5.6	6.9	65.6	91.3	213	6.8	8.7	59.1	89.8
Female	210	6.9	8.7	59.8	91.3	178	8.3	10.5	54.8	92.0
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3401	3.5	33.3	4.8	21.3	2823	4.1	39.2	4.2	24.1
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3466	3.2	20.3	9.8	24.3	2875	3.9	25.2	8.6	26.6
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3466	0.5	13.2	2.8	5.1	2875	0.6	14.6	2.8	5.4
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3466	1.8	27.8	3.4	11.7	2875	2.0	33.7	2.8	12.7
Iodine content in Household Salt (more than 15 ppm) (%)	1328	7.1	8.9	59.1	90.9	1087	8.8	11.6	51.3	90.2

Indicators	Rajgarh									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	269	1.9	9.3	16.6	25.3	213	2.0	8.7	18.8	27.8
Below -2 SD Stunting (Height for Age) (%)										
Person	273	5.8	11.9	36.1	61.7	217	5.7	11.4	37.4	62.5
Below -2 SD Underweight (Weight for Age) (%)										
Person	273	8.8	20.0	25.9	63.7	217	8.8	18.9	27.9	65.6
Below -2 SD Undernourished (BMI for Age) (%)										
Person	274	1.9	7.9	19.7	28.2	218	2.2	8.4	21.5	31.5
Above 2 SD Overnourished (BMI for Age) (%)										
Person	-	-	-	-	-	-	-	-	-	-
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1119	3.6	16.2	14.9	31.1	972	4.0	17.8	14.7	32.9
Above 2 SD Overnourished (BMI for Age) (%)										
Person	-	-	-	-	-	-	-	-	-	-
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2552	0.4	20.2	1.1	2.7	2120	0.4	21.8	1.1	3.1
BMI ≥25.0 for age 60 year and above (%)										
Person	488	1.4	27.9	2.6	9.1	419	1.5	32.5	2.2	9.5
BMI <18.5 for age 18-59 year (%)										
Person	2552	2.8	31.1	4.3	17.5	2120	3.2	33.7	4.3	19.7
BMI <18.5 for age 60 year and above (%)										
Person	488	3.2	32.2	4.6	19.6	419	3.5	33.0	4.9	21.4
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	159	6.4	18.6	21.8	50.2	123	7.6	22.4	19.2	52.4
Anaemia in the age group 5-9 years (%)										
Person	288	4.1	7.9	42.3	60.4	251	4.4	8.6	40.9	60.5
Anaemia in the age group 10-17 years (%)										
Person	653	4.0	7.9	41.9	60.0	573	4.4	8.9	40.0	59.7
Anaemia in the age group 18-59 years (%)										
Male	1265	4.0	6.1	57.2	75.3	1061	4.7	7.0	55.8	76.8
Female	1133	5.0	9.9	39.3	61.6	933	5.8	11.5	37.6	63.2
Anaemia in the age group 60 years and above (%)										
Male	254	5.4	8.0	54.2	78.3	218	6.1	9.1	51.6	78.5
Female	219	5.7	12.3	33.9	59.2	189	6.4	13.7	32.9	61.0
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2923	2.0	17.5	7.7	16.9	2424	1.6	17.4	6.1	13.4
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3015	1.9	13.4	10.5	19.2	2515	1.6	11.9	10.1	17.3
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3015	0.5	13.6	2.9	5.3	2515	0.6	17.4	2.3	5.1
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3015	1.1	20.3	3.4	8.4	2515	0.9	19.5	3.1	7.4
Iodine content in Household Salt (more than 15 ppm) (%)	1200	17.2	27.1	24.5	90.4	1017	19.4	31.9	19.8	90.7

Indicators	Vidisha									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	382	4.1	14.3	20.3	38.8	271	4.1	15.3	18.8	37.4
Below -2 SD Stunting (Height for Age) (%)										
Person	343	6.4	11.8	39.6	67.7	232	6.2	11.3	40.7	67.9
Below -2 SD Underweight (Weight for Age) (%)										
Person	397	3.0	7.0	36.9	50.6	272	3.7	9.1	32.4	48.9
Below -2 SD Undernourished (BMI for Age) (%)										
Person	412	4.7	17.2	17.9	38.9	283	4.0	16.3	16.8	35.0
Above 2 SD Overnourished (BMI for Age) (%)										
Person	412	3.2	15.1	14.7	29.1	283	3.8	17.0	15.0	32.4
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1659	2.6	9.0	23.7	35.6	964	2.8	8.5	26.7	39.2
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1659	0.9	17.0	3.5	7.5	964	0.9	19.1	3.0	7.1
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	3235	2.5	22.3	6.8	18.3	1758	3.1	41.9	2.9	18.2
BMI ≥25.0 for age 60 year and above (%)										
Person	499	2.9	21.3	8.2	21.5	288	3.4	34.7	4.4	20.6
BMI <18.5 for age 18-59 year (%)										
Person	3235	3.4	17.9	12.5	27.9	1758	3.9	17.1	15.5	33.0
BMI <18.5 for age 60 year and above (%)										
Person	499	3.6	16.8	14.2	30.5	288	2.9	10.7	21.1	34.1
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	268	5.9	7.5	62.1	88.6	175	6.4	7.8	62.8	92.0
Anaemia in the age group 5-9 years (%)										
Person	438	2.3	2.7	81.4	92.1	271	2.7	3.1	80.0	92.6
Anaemia in the age group 10-17 years (%)										
Person	910	3.9	5.0	68.4	86.1	550	5.0	6.7	62.4	85.0
Anaemia in the age group 18-59 years (%)										
Male	1530	5.6	8.3	54.1	79.2	858	8.3	12.7	45.4	81.5
Female	1364	3.1	3.7	75.6	89.6	753	4.6	5.6	68.7	89.4
Anaemia in the age group 60 years and above (%)										
Male	235	4.6	5.5	69.8	90.7	141	5.9	7.6	62.1	88.7
Female	225	4.3	5.0	72.8	92.7	134	5.5	6.5	68.0	93.4
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	-	-	-	-	-	-	-	-	-	-
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3667	0.6	13.2	3.1	5.7	2015	0.9	20.4	2.7	6.8
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3667	1.3	18.3	4.7	10.7	2015	0.8	16.1	3.5	7.2
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3667	2.1	37.0	2.5	13.0	2015	3.2	47.5	2.2	18.6
Iodine content in Household Salt (more than 15 ppm) (%)	1297	10.4	16.4	38.5	82.6	691	4.5	4.7	70.1	99.3

Indicators	Bhopal									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	542	2.1	19.5	6.8	16.4	85	0.2	1.0	20.5	21.5
Below -2 SD Stunting (Height for Age) (%)										
Person	548	7.3	13.2	38.9	71.0	96	0.2	0.7	29.3	30.3
Below -2 SD Underweight (Weight for Age) (%)										
Person	557	4.3	9.3	36.4	55.6	96	0.2	0.6	41.3	42.4
Below -2 SD Undernourished (BMI for Age) (%)										
Person	569	2.7	18.1	9.6	21.7	98	0.2	0.7	31.1	32.1
Above 2 SD Overnourished (BMI for Age) (%)										
Person	569	0.9	12.9	4.9	8.8	98	0.1	1.6	7.6	8.2
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1376	2.2	7.2	25.9	35.8	309	0.1	0.4	36.5	37.1
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1376	0.4	18.6	1.3	2.9	309	0.0	1.7	2.3	2.5
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	3886	1.0	7.8	10.4	14.7	663	0.0	0.9	3.8	3.9
BMI ≥25.0 for age 60 year and above (%)										
Person	546	1.7	8.5	16.0	23.4	126	0.1	1.5	6.8	7.3
BMI <18.5 for age 18-59 year (%)										
Person	3886	1.6	5.7	25.2	32.5	663	0.1	0.2	39.9	40.4
BMI <18.5 for age 60 year and above (%)										
Person	546	1.4	6.5	18.0	24.2	126	0.2	0.6	32.5	33.4
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	57	6.8	9.1	56.7	87.0	-	-	-	-	-
Anaemia in the age group 5-9 years (%)										
Person	179	4.1	4.8	72.7	91.4	35	0.2	0.2	94.1	94.9
Anaemia in the age group 10-17 years (%)										
Person	486	3.7	4.6	71.1	87.8	108	0.1	0.1	92.0	92.5
Anaemia in the age group 18-59 years (%)										
Male	1248	4.9	6.2	65.8	87.8	253	0.1	0.1	89.7	90.1
Female	1394	2.8	3.4	74.9	87.6	225	0.1	0.1	87.5	87.9
Anaemia in the age group 60 years and above (%)										
Male	200	2.8	3.3	78.4	91.4	52	0.1	0.1	95.7	96.3
Female	207	5.5	6.9	64.0	88.7	49	0.2	0.2	87.8	88.8
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3836	1.0	9.7	8.1	12.6	701	0.1	0.4	15.0	15.3
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4701	2.3	13.9	12.1	22.7	832	0.1	0.4	13.8	14.1
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	4701	0.3	5.5	4.8	6.2	832	0.0	0.7	5.9	6.0
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4701	0.4	8.9	3.6	5.4	832	0.0	0.5	8.8	9.1
Iodine content in Household Salt (more than 15 ppm) (%)	1481	0.3	0.3	97.9	99.2	278	0.1	0.1	93.4	93.8

Indicators	Sehore									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	421	3.1	23.7	7.5	21.7	345	3.7	28.3	6.7	23.7
Below -2 SD Stunting (Height for Age) (%)										
Person	451	5.9	11.9	36.6	62.8	373	6.7	12.7	37.7	67.2
Below -2 SD Underweight (Weight for Age) (%)										
Person	449	4.0	8.7	37.1	54.9	369	4.0	8.3	39.1	56.8
Below -2 SD Undernourished (BMI for Age) (%)										
Person	462	2.9	13.6	15.4	28.5	381	3.3	15.4	14.8	29.6
Above 2 SD Overnourished (BMI for Age) (%)										
Person	462	0.9	24.2	2.1	6.2	381	1.0	25.3	2.2	6.8
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1181	3.0	10.6	22.1	35.6	869	4.1	13.7	21.7	40.2
Above 2 SD Overnourished (BMI for Age) (%)										
Person	-	-	-	-	-	-	-	-	-	-
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2441	1.0	12.8	5.9	10.5	1883	1.2	16.0	5.3	10.9
BMI ≥25.0 for age 60 year and above (%)										
Person	354	2.7	27.5	5.3	18.2	308	3.1	32.9	4.4	19.4
BMI <18.5 for age 18-59 year (%)										
Person	2441	3.7	17.8	13.6	30.3	1883	4.6	22.2	12.1	32.8
BMI <18.5 for age 60 year and above (%)										
Person	354	3.9	20.1	12.1	30.0	308	4.2	23.1	10.5	29.8
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	124	7.0	11.2	45.5	76.1	80	7.9	12.4	44.8	79.0
Anaemia in the age group 5-9 years (%)										
Person	224	3.7	4.8	67.5	83.9	157	3.2	4.1	71.2	85.9
Anaemia in the age group 10-17 years (%)										
Person	496	4.4	6.0	61.7	81.5	294	4.6	6.1	63.1	83.7
Anaemia in the age group 18-59 years (%)										
Male	722	2.8	3.2	79.2	91.8	533	2.4	2.8	81.9	93.1
Female	857	3.0	3.9	69.8	83.4	625	2.5	3.2	72.1	83.5
Anaemia in the age group 60 years and above (%)										
Male	134	3.1	3.5	79.5	93.7	115	3.1	3.6	78.5	92.9
Female	118	5.5	6.9	64.7	89.8	102	5.3	6.6	65.9	90.2
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2470	1.4	11.5	9.6	16.2	1925	0.7	5.5	11.2	14.4
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2906	3.1	17.3	11.9	26.0	2272	3.5	20.2	10.7	26.6
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2906	0.7	23.8	1.6	4.8	2272	0.7	26.5	1.3	4.5
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2906	1.9	27.0	3.8	12.7	2272	2.2	26.3	4.5	14.6
Iodine content in Household Salt (more than 15 ppm) (%)	1065	6.8	7.9	63.1	95.9	832	8.8	10.3	54.6	96.3

Indicators	Raisen									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	322	6.2	26.7	12.4	39.1	259	7.3	29.5	12.3	43.5
Below -2 SD Stunting (Height for Age) (%)										
Person	269	6.3	9.9	48.9	75.7	214	7.2	11.9	44.3	74.7
Below -2 SD Underweight (Weight for Age) (%)										
Person	340	4.1	6.8	50.7	68.3	274	4.7	7.5	51.7	71.9
Below -2 SD Undernourished (BMI for Age) (%)										
Person	345	5.9	28.3	10.8	36.4	279	7.0	31.6	10.5	40.6
Above 2 SD Overnourished (BMI for Age) (%)										
Person	345	3.7	13.9	19.3	35.3	279	4.3	16.5	17.7	36.1
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1132	2.9	8.5	28.3	41.0	882	3.1	9.4	26.5	39.9
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1132	1.1	45.5	0.9	6.7	882	1.4	46.3	1.1	8.0
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2198	2.6	21.6	7.2	19.2	1571	2.6	23.6	6.3	18.4
BMI ≥25.0 for age 60 year and above (%)										
Person	344	3.8	37.5	4.3	22.5	267	2.7	34.5	3.5	16.5
BMI <18.5 for age 18-59 year (%)										
Person	2198	2.7	11.7	17.8	29.9	1571	2.9	12.3	17.6	30.7
BMI <18.5 for age 60 year and above (%)										
Person	344	3.9	13.3	21.5	39.0	267	3.7	12.1	22.8	39.4
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	267	4.4	5.2	72.7	92.9	204	5.3	6.3	68.9	93.3
Anaemia in the age group 5-9 years (%)										
Person	339	3.1	3.6	78.2	92.1	262	2.9	3.4	77.5	90.5
Anaemia in the age group 10-17 years (%)										
Person	705	4.2	4.9	73.7	92.5	543	5.1	5.9	70.8	93.4
Anaemia in the age group 18-59 years (%)										
Male	1050	5.3	6.4	68.5	92.0	747	6.8	8.2	63.1	93.1
Female	1146	3.4	3.9	78.2	93.5	831	4.1	4.8	74.9	93.5
Anaemia in the age group 60 years and above (%)										
Male	182	3.6	3.9	79.9	97.0	143	3.4	3.6	80.8	98.3
Female	157	3.4	3.8	80.1	96.0	123	4.0	4.4	77.5	96.0
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2292	3.6	17.3	14.0	29.7	1685	4.6	20.8	13.7	33.6
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2389	1.2	21.1	3.7	9.3	1747	1.6	27.2	3.2	10.4
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2389	0.6	13.1	3.5	6.2	1747	0.7	15.9	3.1	6.1
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2389	2.6	31.8	4.0	16.1	1747	3.4	35.9	4.2	19.7
Iodine content in Household Salt (more than 15 ppm) (%)	939	8.5	13.4	43.2	79.5	655	11.2	19.1	33.8	80.1

Indicators	Betul									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	306	4.6	20.2	14.0	34.3	195	6.5	27.6	12.2	41.0
Below -2 SD Stunting (Height for Age) (%)										
Person	311	5.7	18.6	19.7	44.8	197	6.2	17.9	22.5	49.6
Below -2 SD Underweight (Weight for Age) (%)										
Person	314	3.7	16.2	15.5	31.9	199	3.5	14.4	17.5	33.2
Below -2 SD Undernourished (BMI for Age) (%)										
Person	314	3.2	12.2	19.7	34.0	199	4.5	17.0	17.9	38.1
Above 2 SD Overnourished (BMI for Age) (%)										
Person	314	3.0	29.9	5.0	18.8	199	3.3	32.8	4.7	20.1
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1116	4.7	21.7	13.0	34.0	739	6.6	31.9	9.6	39.0
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1116	0.5	23.8	1.2	3.3	739	0.6	31.6	0.9	3.7
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	3143	1.4	14.4	7.0	13.4	1712	1.7	25.9	3.7	11.7
BMI ≥25.0 for age 60 year and above (%)										
Person	449	3.0	25.9	6.3	20.3	270	2.2	27.9	4.1	14.5
BMI <18.5 for age 18-59 year (%)										
Person	3143	2.7	19.6	8.5	20.8	1712	4.0	24.6	9.2	27.5
BMI <18.5 for age 60 year and above (%)										
Person	449	2.5	16.0	10.5	21.9	270	4.0	21.0	11.4	29.6
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	162	5.4	6.3	68.8	93.3	98	7.6	8.8	59.7	96.7
Anaemia in the age group 5-9 years (%)										
Person	264	3.4	3.6	79.9	98.8	164	4.6	4.9	71.7	99.0
Anaemia in the age group 10-17 years (%)										
Person	530	3.5	3.8	79.6	98.3	329	5.2	5.7	69.8	98.4
Anaemia in the age group 18-59 years (%)										
Male	1207	2.5	2.6	85.6	98.6	669	4.1	4.3	75.0	99.1
Female	1283	2.9	3.1	83.5	98.2	701	4.7	5.0	72.7	98.8
Anaemia in the age group 60 years and above (%)										
Male	209	2.3	2.4	85.6	99.4	133	3.4	3.5	74.9	99.6
Female	171	2.2	2.3	87.5	98.7	110	3.0	3.1	81.8	99.1
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3561	1.1	22.8	3.0	8.2	1956	1.9	45.0	1.5	10.8
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3555	0.8	11.9	5.2	8.8	1956	0.8	13.6	4.4	7.9
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3555	0.4	24.8	0.9	2.7	1956	0.3	27.1	0.6	2.0
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3555	2.2	24.6	5.1	14.9	1956	3.3	31.6	5.1	20.0
Iodine content in Household Salt (more than 15 ppm) (%)	1317	6.4	9.1	54.5	81.7	766	5.3	7.4	59.4	82.4

Indicators	Harda									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	223	0.6	11.2	4.1	6.7	165	0.6	11.0	4.3	7.0
Below -2 SD Stunting (Height for Age) (%)										
Person	208	4.9	7.3	55.9	77.6	155	5.8	8.6	52.9	78.1
Below -2 SD Underweight (Weight for Age) (%)										
Person	226	3.2	7.3	37.5	51.9	167	3.6	8.3	36.0	52.0
Below -2 SD Undernourished (BMI for Age) (%)										
Person	226	1.1	35.1	1.4	6.7	167	1.2	37.9	1.4	7.4
Above 2 SD Overnourished (BMI for Age) (%)										
Person	226	2.0	21.6	5.7	14.9	167	2.1	24.0	5.2	15.0
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	849	3.5	9.2	30.8	46.4	593	4.1	10.5	30.4	48.5
Above 2 SD Overnourished (BMI for Age) (%)										
Person	849	0.6	31.5	1.0	4.1	593	0.6	42.0	0.6	3.7
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	1939	2.0	13.1	11.6	20.7	1313	2.3	16.6	9.7	20.2
BMI ≥25.0 for age 60 year and above (%)										
Person	355	3.3	16.1	13.7	28.7	263	3.4	17.6	12.6	28.1
BMI <18.5 for age 18-59 year (%)										
Person	1939	2.3	12.5	13.8	24.3	1313	2.7	13.4	14.5	26.7
BMI <18.5 for age 60 year and above (%)										
Person	355	4.6	20.4	13.7	34.4	263	5.3	22.2	14.1	37.9
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	179	3.6	4.2	76.7	93.2	124	4.3	5.0	73.3	93.1
Anaemia in the age group 5-9 years (%)										
Person	231	5.3	5.8	70.1	97.7	165	5.8	6.6	67.7	96.9
Anaemia in the age group 10-17 years (%)										
Person	528	5.8	6.6	67.9	96.5	362	6.8	7.9	63.2	95.5
Anaemia in the age group 18-59 years (%)										
Male	947	7.6	9.2	59.5	93.3	642	8.9	11.5	52.8	91.0
Female	1043	4.6	5.1	74.1	96.4	698	5.6	6.3	69.3	95.7
Anaemia in the age group 60 years and above (%)										
Male	192	13.0	16.4	40.3	95.5	139	14.2	18.9	36.2	94.1
Female	194	8.8	10.9	54.2	93.3	137	9.7	12.7	49.2	91.2
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2226	1.4	19.4	4.7	11.0	1520	1.8	24.2	4.3	12.3
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2244	1.2	21.5	3.5	9.0	1537	1.5	25.6	3.4	10.4
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2244	0.8	16.1	3.4	7.0	1537	0.9	18.4	3.3	7.4
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2244	0.4	8.4	3.8	5.6	1537	0.4	7.6	4.0	5.6
Iodine content in Household Salt (more than 15 ppm) (%)	924	12.6	17.6	38.8	91.1	665	15.3	22.0	31.3	91.8

Indicators	Hoshangabad									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	252	6.3	20.2	18.8	46.5	191	6.6	17.7	24.1	53.3
Below -2 SD Stunting (Height for Age) (%)										
Person	285	6.7	15.1	30.4	60.0	199	8.0	18.3	27.1	61.8
Below -2 SD Underweight (Weight for Age) (%)										
Person	306	3.3	7.1	39.2	54.0	225	2.9	6.5	37.6	50.5
Below -2 SD Undernourished (BMI for Age) (%)										
Person	340	5.5	11.2	36.6	60.9	249	5.6	10.7	39.6	64.4
Above 2 SD Overnourished (BMI for Age) (%)										
Person	340	2.5	18.6	8.8	20.4	249	2.1	17.8	7.8	17.3
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1261	1.7	5.3	27.9	35.4	861	1.6	4.6	31.6	38.9
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1261	0.4	24.3	0.9	2.8	861	0.4	22.1	1.0	2.8
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	3204	3.5	36.9	4.0	20.9	1998	1.4	28.3	2.7	9.4
BMI ≥25.0 for age 60 year and above (%)										
Person	430	4.1	24.5	9.4	28.2	261	4.5	27.9	8.2	28.9
BMI <18.5 for age 18-59 year (%)										
Person	3204	1.7	17.4	6.5	14.3	1998	2.1	16.8	8.7	18.3
BMI <18.5 for age 60 year and above (%)										
Person	430	4.7	26.6	9.4	30.9	261	3.7	18.7	12.5	29.3
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	208	2.1	2.8	72.6	82.3	147	2.8	3.7	68.3	80.9
Anaemia in the age group 5-9 years (%)										
Person	319	1.9	2.1	85.5	94.2	217	2.4	2.6	83.6	94.8
Anaemia in the age group 10-17 years (%)										
Person	726	2.2	2.6	80.1	90.2	501	1.8	2.0	83.6	91.7
Anaemia in the age group 18-59 years (%)										
Male	1511	1.6	1.9	79.9	87.2	930	1.8	2.1	80.6	88.5
Female	1471	1.7	1.9	87.3	95.2	938	2.2	2.4	85.9	96.6
Anaemia in the age group 60 years and above (%)										
Male	199	2.9	3.3	79.4	92.8	107	4.6	5.2	73.3	95.1
Female	185	2.3	2.6	83.1	93.7	126	2.2	2.4	85.0	95.0
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3447	1.0	13.7	5.3	9.8	2075	1.1	16.5	4.6	9.7
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3615	0.7	16.4	3.0	6.4	2238	0.8	20.1	2.7	6.6
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	-	-	-	-	-	-	-	-	-	-
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3615	1.5	12.9	8.5	15.2	2238	1.8	17.2	7.1	15.4
Iodine content in Household Salt (more than 15 ppm) (%)	1301	12.8	19.2	35.2	88.0	833	16.9	26.2	25.5	90.5

Indicators	Katni									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	297	4.6	16.7	18.6	38.6	241	4.3	22.0	11.9	31.0
Below -2 SD Stunting (Height for Age) (%)										
Person	349	6.5	16.2	27.0	55.1	267	8.4	19.0	27.2	62.5
Below -2 SD Underweight (Weight for Age) (%)										
Person	364	5.0	9.7	40.8	62.4	285	6.6	13.6	34.4	62.5
Below -2 SD Undernourished (BMI for Age) (%)										
Person	375	4.0	10.9	28.3	45.7	289	4.7	18.1	16.9	37.3
Above 2 SD Overnourished (BMI for Age) (%)										
Person	375	1.0	47.5	0.8	6.1	289	1.4	46.8	1.0	7.9
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1361	2.7	6.7	34.7	46.6	1031	3.2	8.0	33.6	47.7
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1361	0.4	36.8	0.4	2.2	1031	0.5	38.8	0.5	2.8
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2605	1.7	18.3	6.1	13.9	1908	1.8	22.0	4.8	13.1
BMI ≥25.0 for age 60 year and above (%)										
Person	355	1.8	22.3	5.0	13.4	278	2.1	31.7	3.2	13.2
BMI <18.5 for age 18-59 year (%)										
Person	2605	1.5	5.5	24.9	31.7	1908	2.0	6.3	27.5	36.5
BMI <18.5 for age 60 year and above (%)										
Person	355	4.7	12.2	28.5	49.4	278	5.7	12.4	33.1	58.3
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	273	1.7	1.8	88.4	96.0	224	1.9	2.1	86.2	94.9
Anaemia in the age group 5-9 years (%)										
Person	439	3.8	4.2	78.5	97.3	344	4.9	5.4	73.3	96.8
Anaemia in the age group 10-17 years (%)										
Person	739	3.7	4.4	74.8	91.4	593	4.4	5.3	70.5	89.9
Anaemia in the age group 18-59 years (%)										
Male	1137	4.8	6.0	67.7	88.9	891	6.0	7.8	60.8	86.8
Female	1250	2.4	2.8	81.2	92.1	973	2.9	3.5	77.5	90.6
Anaemia in the age group 60 years and above (%)										
Male	147	2.9	3.1	83.7	97.8	120	3.6	3.9	79.5	97.3
Female	173	2.8	3.1	82.1	95.0	145	3.5	3.9	78.8	94.8
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2798	1.1	16.3	4.7	9.7	2040	1.4	18.6	4.8	10.9
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2819	1.0	15.3	4.8	9.5	2052	1.5	18.8	5.1	11.7
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2819	0.5	9.2	4.5	6.7	2052	0.6	9.1	5.2	7.7
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2819	0.6	11.3	4.0	6.6	2052	0.7	12.5	4.5	7.7
Iodine content in Household Salt (more than 15 ppm) (%)	1273	7.4	11.6	46.9	78.6	947	10.5	18.5	33.9	77.2

Indicators	Jabalpur									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	224	2.3	6.7	28.9	39.0	56	2.2	6.8	27.5	37.2
Below -2 SD Stunting (Height for Age) (%)										
Person	219	5.5	9.8	43.3	67.3	58	11.2	25.0	22.8	69.0
Below -2 SD Underweight (Weight for Age) (%)										
Person	271	4.4	8.3	43.0	62.4	58	2.6	5.4	42.5	54.1
Below -2 SD Undernourished (BMI for Age) (%)										
Person	271	4.1	14.1	21.0	39.3	58	5.8	18.8	19.7	45.2
Above 2 SD Overnourished (BMI for Age) (%)										
Person	271	7.8	27.9	14.1	47.9	58	2.2	18.5	7.9	18.0
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1446	4.1	13.4	22.2	40.3	351	11.3	30.5	16.7	63.4
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1446	0.5	30.2	0.8	3.1	-	-	-	-	-
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	3835	1.3	17.2	4.9	10.8	969	0.9	18.5	3.2	7.4
BMI ≥25.0 for age 60 year and above (%)										
Person	625	2.8	25.9	5.7	18.8	158	1.4	37.2	1.6	8.6
BMI <18.5 for age 18-59 year (%)										
Person	3835	3.0	39.5	3.1	17.8	-	-	-	-	-
BMI <18.5 for age 60 year and above (%)										
Person	625	3.8	43.2	3.2	22.0	-	-	-	-	-
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	189	4.2	4.8	75.0	94.0	52	4.3	4.7	75.0	98.0
Anaemia in the age group 5-9 years (%)										
Person	405	1.9	2.1	88.0	98.0	88	1.6	1.6	90.0	100.0
Anaemia in the age group 10-17 years (%)										
Person	869	3.3	3.5	81.0	97.0	217	3.6	3.7	69.0	100.0
Anaemia in the age group 18-59 years (%)										
Male	1948	1.3	1.4	92.0	98.0	513	1.8	1.8	88.0	100.0
Female	1776	2.0	2.1	88.0	98.0	458	1.9	2.0	87.0	100.0
Anaemia in the age group 60 years and above (%)										
Male	300	1.0	1.0	94.0	100.0	82	1.5	1.5	85.0	100.0
Female	316	1.7	1.7	90.0	99.0	78	1.6	1.7	81.0	100.0
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	4009	2.4	21.1	7.1	17.8	-	-	-	-	-
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4414	1.5	20.6	4.6	11.3	-	-	-	-	-
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	4414	0.6	15.5	2.8	5.5	1114	1.6	40.6	1.6	9.2
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4414	1.4	23.6	3.4	9.7	-	-	-	-	-
Iodine content in Household Salt (more than 15 ppm) (%)	1513	2.8	3.7	67.3	79.4	384	5.1	7.8	53.7	75.8

Indicators	Narsimhapur									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	261	3.7	22.2	9.9	26.8	250	3.8	22.9	9.7	27.1
Below -2 SD Stunting (Height for Age) (%)										
Person	263	4.4	15.7	19.1	38.8	253	4.5	15.6	19.7	39.7
Below -2 SD Underweight (Weight for Age) (%)										
Person	270	3.3	12.6	19.7	34.8	259	3.4	12.7	20.1	35.6
Below -2 SD Undernourished (BMI for Age) (%)										
Person	270	3.0	15.2	13.8	27.4	259	3.1	15.6	13.6	27.4
Above 2 SD Overnourished (BMI for Age) (%)										
Person	-	-	-	-	-	-	-	-	-	-
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1009	3.7	7.6	39.9	56.3	959	3.7	7.8	39.8	56.6
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1009	0.2	41.5	0.2	1.5	959	0.3	48.2	0.2	1.6
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2088	2.8	26.9	5.7	18.8	1940	3.0	29.7	5.0	19.1
BMI ≥25.0 for age 60 year and above (%)										
Person	411	3.0	26.3	6.3	20.2	377	3.1	29.0	5.4	20.0
BMI <18.5 for age 18-59 year (%)										
Person	2088	4.1	12.3	24.7	43.1	1940	4.2	12.6	24.8	43.7
BMI <18.5 for age 60 year and above (%)										
Person	411	6.6	17.7	23.9	53.0	377	6.8	17.9	24.2	54.1
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	176	5.8	8.2	56.5	82.4	169	6.0	8.4	56.1	82.6
Anaemia in the age group 5-9 years (%)										
Person	242	1.6	1.6	90.5	98.2	229	1.5	1.6	90.7	98.7
Anaemia in the age group 10-17 years (%)										
Person	520	2.2	2.3	86.0	96.2	493	2.3	2.4	86.2	97.1
Anaemia in the age group 18-59 years (%)										
Male	950	2.7	3.0	81.9	94.7	877	2.8	3.1	82.2	95.8
Female	918	1.9	2.1	87.9	97.3	843	2.1	2.2	87.4	97.6
Anaemia in the age group 60 years and above (%)										
Male	176	4.5	4.8	72.9	98.8	157	4.7	5.0	70.6	99.0
Female	167	4.9	5.5	72.2	96.9	150	5.2	5.8	71.0	97.1
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2466	1.5	12.4	9.1	15.9	2287	1.5	12.9	8.9	15.9
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2466	0.3	20.8	1.0	2.6	2288	0.4	23.7	0.9	2.6
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2466	1.6	21.3	4.7	12.4	2288	1.7	22.9	4.4	12.4
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	-	-	-	-	-	-	-	-	-	-
Iodine content in Household Salt (more than 15 ppm) (%)	1097	8.4	11.6	50.3	87.1	1019	8.7	12.1	48.9	86.8

Indicators	Dindori									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	455	3.3	12.9	19.2	34.0	408	3.4	13.4	18.7	33.9
Below -2 SD Stunting (Height for Age) (%)										
Person	403	4.0	6.2	55.4	73.2	361	4.2	6.4	55.3	73.6
Below -2 SD Underweight (Weight for Age) (%)										
Person	476	2.8	4.8	51.4	63.7	427	2.8	4.9	51.5	64.2
Below -2 SD Undernourished (BMI for Age) (%)										
Person	476	3.3	14.8	15.8	30.4	427	3.4	15.2	15.5	30.4
Above 2 SD Overnourished (BMI for Age) (%)										
Person	476	1.6	7.1	19.0	26.1	427	1.6	7.3	18.9	26.1
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1620	3.9	11.1	27.1	44.3	1478	4.0	11.2	27.2	44.8
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1620	0.3	12.6	1.6	2.8	1478	0.3	12.3	1.6	2.7
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	3186	1.8	27.0	3.6	12.1	2825	1.9	28.6	3.4	12.4
BMI ≥25.0 for age 60 year and above (%)										
Person	479	1.4	18.2	5.0	11.4	432	1.4	18.6	5.0	11.4
BMI <18.5 for age 18-59 year (%)										
Person	3186	1.3	5.0	22.3	28.2	2825	1.3	5.3	22.7	28.6
BMI <18.5 for age 60 year and above (%)										
Person	479	3.3	10.0	26.5	41.3	432	3.4	10.2	26.4	41.7
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	363	3.4	3.7	79.8	95.5	332	3.4	3.8	79.8	95.9
Anaemia in the age group 5-9 years (%)										
Person	567	1.3	1.4	91.3	97.7	532	1.4	1.4	91.3	97.8
Anaemia in the age group 10-17 years (%)										
Person	855	2.0	2.1	87.5	97.2	765	2.1	2.2	87.4	97.5
Anaemia in the age group 18-59 years (%)										
Male	1465	3.0	3.3	81.8	96.1	1293	3.1	3.3	81.9	96.6
Female	1558	2.5	2.7	85.1	97.6	1373	2.6	2.8	84.8	97.8
Anaemia in the age group 60 years and above (%)										
Male	227	2.1	2.2	87.5	97.4	203	2.1	2.2	87.7	97.9
Female	244	2.3	2.5	86.3	97.9	218	2.4	2.6	85.8	97.9
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3559	1.0	18.4	3.5	7.9	3172	1.0	20.3	3.2	7.8
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3577	0.7	11.4	4.9	8.1	3186	0.7	11.7	4.9	8.2
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3577	0.4	11.0	2.9	4.7	3186	0.4	11.2	2.9	4.7
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3577	5.5	42.4	4.8	30.5	3186	5.7	43.3	4.7	31.3
Iodine content in Household Salt (more than 15 ppm) (%)	1447	11.5	18.5	35.5	82.8	1293	11.9	19.5	33.9	82.7

Indicators	Mandla									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	303	2.2	7.9	22.7	32.2	260	2.6	9.7	21.2	32.7
Below -2 SD Stunting (Height for Age) (%)										
Person	310	1.7	3.9	39.2	46.6	265	2.0	4.6	38.2	47.0
Below -2 SD Underweight (Weight for Age) (%)										
Person	317	2.8	6.0	40.7	53.2	271	3.2	7.1	38.7	53.0
Below -2 SD Undernourished (BMI for Age) (%)										
Person	318	2.7	10.2	21.0	33.0	272	2.9	11.9	18.8	31.9
Above 2 SD Overnourished (BMI for Age) (%)										
Person	-	-	-	-	-	-	-	-	-	-
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1140	3.1	8.7	28.7	42.3	1010	3.4	10.0	26.8	41.7
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1140	0.3	21.0	1.0	2.6	1010	0.3	24.3	0.8	2.4
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2379	1.8	29.7	3.1	11.7	2069	0.6	14.6	2.9	5.7
BMI ≥25.0 for age 60 year and above (%)										
Person	317	2.3	32.7	3.3	14.3	256	1.9	40.2	1.9	11.4
BMI <18.5 for age 18-59 year (%)										
Person	2379	2.1	6.4	27.9	37.4	2069	1.9	5.4	30.4	39.0
BMI <18.5 for age 60 year and above (%)										
Person	317	4.7	11.3	31.8	52.7	256	4.5	9.5	37.1	57.2
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	206	2.3	2.7	79.3	89.5	182	2.2	2.7	78.5	88.5
Anaemia in the age group 5-9 years (%)										
Person	366	1.2	1.2	92.6	98.3	330	1.3	1.4	92.0	98.4
Anaemia in the age group 10-17 years (%)										
Person	635	3.5	4.0	78.2	94.6	559	4.1	4.6	75.8	95.0
Anaemia in the age group 18-59 years (%)										
Male	1052	4.0	4.7	74.7	93.1	924	4.6	5.4	72.1	93.3
Female	1233	2.4	2.7	84.0	95.3	1074	2.7	2.9	82.4	94.6
Anaemia in the age group 60 years and above (%)										
Male	129	4.5	4.9	75.0	96.9	107	5.5	6.2	69.6	96.9
Female	172	1.7	1.8	88.9	97.1	137	1.9	2.0	88.3	97.3
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2623	2.0	18.3	7.2	16.3	2256	2.1	22.1	5.6	15.0
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2633	1.4	15.2	6.4	12.5	2264	1.6	18.1	5.8	13.0
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2633	0.7	9.8	5.4	8.3	2264	0.7	11.4	5.1	8.4
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2633	0.8	13.1	4.3	7.7	2264	0.8	13.5	4.4	8.0
Iodine content in Household Salt (more than 15 ppm) (%)	1177	8.0	12.9	43.5	78.0	1020	8.9	14.6	40.4	78.1

Indicators	Chindwara									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	263	3.1	14.8	14.8	28.8	186	3.8	19.4	12.4	29.7
Below -2 SD Stunting (Height for Age) (%)										
Person	271	3.9	11.1	26.9	44.3	197	4.8	13.4	26.0	47.4
Below -2 SD Underweight (Weight for Age) (%)										
Person	284	3.6	10.2	27.3	43.2	204	4.5	11.6	29.0	48.9
Below -2 SD Undernourished (BMI for Age) (%)										
Person	284	3.0	13.1	16.7	30.0	205	3.4	14.5	16.6	32.0
Above 2 SD Overnourished (BMI for Age) (%)										
Person	284	1.5	15.0	7.0	13.8	205	1.2	10.8	8.7	14.1
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1006	0.7	7.8	7.0	10.0	741	0.6	7.0	6.8	9.3
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1006	0.4	49.9	0.2	2.3	-	-	-	-	-
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2971	0.7	20.0	2.1	5.4	2184	0.8	26.3	1.8	5.6
BMI ≥25.0 for age 60 year and above (%)										
Person	307	1.2	21.5	3.4	9.0	228	1.4	25.0	3.2	9.8
BMI <18.5 for age 18-59 year (%)										
Person	2971	0.4	19.6	1.4	3.2	2184	0.4	30.3	0.8	2.7
BMI <18.5 for age 60 year and above (%)										
Person	307	0.7	33.8	1.0	4.4	228	0.7	46.1	0.6	4.3
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	180	5.0	6.8	61.6	84.2	132	5.2	6.7	63.9	87.3
Anaemia in the age group 5-9 years (%)										
Person	291	2.6	2.9	83.7	96.3	220	3.1	3.3	81.3	98.8
Anaemia in the age group 10-17 years (%)										
Person	639	2.8	3.0	83.2	97.2	489	2.9	3.0	82.9	98.5
Anaemia in the age group 18-59 years (%)										
Male	1498	1.1	1.1	93.3	98.5	1130	0.9	0.9	94.8	99.5
Female	1399	3.4	3.7	79.4	95.5	1031	2.5	2.7	85.2	97.7
Anaemia in the age group 60 years and above (%)										
Male	154	2.3	2.4	86.4	98.7	109	2.6	2.7	82.2	99.4
Female	155	5.0	5.6	71.9	96.1	123	4.1	4.4	76.7	97.6
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3248	0.6	9.0	5.6	8.5	2396	0.7	9.9	5.8	9.0
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3249	0.7	17.0	3.0	6.4	2399	0.8	17.1	3.2	6.9
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3249	0.6	23.1	1.6	4.6	2399	0.8	24.3	1.9	5.5
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3249	1.2	10.7	8.8	14.3	2399	1.5	13.1	8.5	15.4
Iodine content in Household Salt (more than 15 ppm) (%)	1208	2.6	3.6	67.0	78.9	890	3.2	4.3	65.3	79.6

Indicators	Seoni									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	242	2.6	17.8	9.6	21.5	187	2.0	18.6	6.9	16.0
Below -2 SD Stunting (Height for Age) (%)										
Person	209	6.8	11.6	42.6	72.2	166	7.5	12.6	42.1	74.8
Below -2 SD Underweight (Weight for Age) (%)										
Person	274	4.4	8.0	44.8	64.4	216	5.4	9.8	42.4	66.2
Below -2 SD Undernourished (BMI for Age) (%)										
Person	276	2.0	18.8	6.9	16.0	218	1.6	21.4	4.5	11.9
Above 2 SD Overnourished (BMI for Age) (%)										
Person	276	4.0	17.4	15.1	33.0	218	4.4	18.3	15.5	35.2
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1092	3.9	13.0	22.2	39.5	1007	4.1	13.5	22.3	40.6
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1092	0.8	29.4	1.3	4.9	1007	0.8	31.9	1.2	4.8
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2587	0.6	9.0	5.0	7.7	2223	0.4	8.8	3.6	5.4
BMI ≥25.0 for age 60 year and above (%)										
Person	315	1.3	16.7	5.3	11.3	273	0.9	14.7	4.6	8.8
BMI <18.5 for age 18-59 year (%)										
Person	2587	1.2	5.8	18.8	24.2	2223	1.5	6.6	18.9	25.7
BMI <18.5 for age 60 year and above (%)										
Person	315	3.5	9.7	28.5	44.2	273	3.9	10.1	29.7	47.2
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	213	0.9	1.0	94.3	99.3	183	0.8	0.8	94.2	99.8
Anaemia in the age group 5-9 years (%)										
Person	318	1.3	1.3	92.0	99.3	294	1.4	1.4	91.5	99.4
Anaemia in the age group 10-17 years (%)										
Person	651	2.9	3.2	82.8	96.8	596	3.0	3.2	82.6	97.7
Anaemia in the age group 18-59 years (%)										
Male	1269	2.7	3.0	83.0	95.7	1096	2.8	3.0	83.5	97.4
Female	1254	1.8	1.8	89.5	98.1	1073	1.7	1.8	89.7	98.5
Anaemia in the age group 60 years and above (%)										
Male	161	2.7	2.9	84.1	98.6	139	2.5	2.6	84.9	99.1
Female	143	1.2	1.2	92.3	99.6	126	1.2	1.2	91.2	99.8
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2857	0.8	12.5	4.6	8.1	2465	0.7	12.3	4.3	7.4
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2864	0.6	11.0	4.2	6.9	2470	0.7	12.8	3.9	6.9
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2864	0.9	19.2	3.1	7.2	2470	1.0	21.2	3.0	7.6
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2864	1.8	28.7	3.2	11.5	2470	2.0	31.8	3.1	12.5
Iodine content in Household Salt (more than 15 ppm) (%)	1106	4.3	5.1	72.8	92.3	963	4.8	5.6	71.1	92.9

Indicators	Balaghat									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	332	4.4	19.6	14.5	33.6	300	4.9	20.0	15.5	36.6
Below -2 SD Stunting (Height for Age) (%)										
Person	335	4.9	14.7	23.7	44.7	303	5.5	16.9	21.8	45.1
Below -2 SD Underweight (Weight for Age) (%)										
Person	342	4.4	12.7	25.8	44.7	310	4.8	13.5	26.3	46.9
Below -2 SD Undernourished (BMI for Age) (%)										
Person	341	5.5	25.3	12.2	36.1	308	6.1	24.6	13.9	39.9
Above 2 SD Overnourished (BMI for Age) (%)										
Person	341	1.3	30.9	2.2	8.2	308	1.5	37.2	1.8	8.8
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1059	2.4	6.3	32.4	42.7	911	2.2	5.8	32.8	42.4
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1059	0.4	32.2	0.7	2.8	911	0.5	41.3	0.5	3.0
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2778	1.0	16.5	4.1	8.7	2417	0.8	17.7	3.1	6.8
BMI ≥25.0 for age 60 year and above (%)										
Person	394	2.1	26.4	4.4	14.2	320	2.6	41.4	2.3	15.4
BMI <18.5 for age 18-59 year (%)										
Person	2778	3.1	7.7	32.8	46.8	2417	3.4	8.4	33.3	48.6
BMI <18.5 for age 60 year and above (%)										
Person	394	3.9	9.0	34.4	51.9	320	4.7	10.8	33.6	54.6
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	251	2.7	3.2	79.6	91.6	229	2.9	3.4	78.0	90.8
Anaemia in the age group 5-9 years (%)										
Person	332	2.9	3.0	83.5	97.9	282	3.3	3.5	81.3	97.9
Anaemia in the age group 10-17 years (%)										
Person	558	3.5	3.9	79.9	97.0	484	4.2	4.7	76.4	96.7
Anaemia in the age group 18-59 years (%)										
Male	1189	5.3	6.0	71.4	95.2	1033	6.3	7.3	66.8	95.6
Female	1432	2.6	2.7	85.5	97.8	1249	3.0	3.2	83.1	97.4
Anaemia in the age group 60 years and above (%)										
Male	185	5.8	6.3	68.6	98.2	153	7.2	8.0	61.9	98.0
Female	182	2.0	2.1	88.1	97.2	151	2.3	2.5	86.4	96.9
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3146	1.4	17.8	5.2	11.1	2720	1.5	22.8	4.1	10.9
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3099	1.2	15.9	5.4	10.7	2669	1.4	20.2	4.3	10.3
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3099	0.4	7.2	4.2	5.7	2669	0.4	8.6	3.9	5.6
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3099	0.9	14.2	4.5	8.2	2669	1.0	15.8	4.4	8.6
Iodine content in Household Salt (more than 15 ppm) (%)	1250	7.4	10.0	55.7	86.8	1082	8.6	12.2	49.4	85.0

Note: Confidence Intervals are computed by logit transformation method using SPSS application.