

Indicators	Odisha		Bargarh		Jharsuguda		Sambalpur	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Nutritional status below 5 years								
Below -2 SD Wasting (Weight for Height) (%)								
Male	20.5	20.4	27.2	27.8	22.4	23.8	28.5	30.8
Female	19.8	20.4	21.4	22.9	16.7	18.1	22.5	25.4
Person	20.2	20.4	24.6	25.6	19.4	21.0	25.5	28.0
Below -3 SD Wasting (Weight for Height) (%)								
Male	6.5	6.5	9.3	9.9	4.9	6.7	8.8	8.5
Female	5.4	5.7	7.4	7.9	5.5	5.3	9.5	11.8
Person	6.0	6.1	8.4	9.0	5.2	6.1	9.2	10.2
Below -2 SD Stunting (Height for Age) (%)								
Male	41.2	42.2	49.3	49.0	38.7	43.9	45.9	46.9
Female	41.8	42.7	44.5	46.2	37.8	49.5	46.4	44.3
Person	41.5	42.4	47.1	47.8	38.2	46.6	46.1	45.6
Below -3SD Stunting (Height for Age) (%)								
Male	19.2	19.7	17.9	18.3	13.2	14.9	22.8	30.3
Female	19.8	19.9	22.7	23.9	13.9	18.2	23.8	19.9
Person	19.4	19.8	20.0	20.8	13.6	16.5	23.3	25.0
Below -2 SD Underweight (Weight for Age) (%)								
Male	38.0	39.1	46.9	47.5	31.3	31.0	40.1	46.0
Female	40.0	41.1	45.8	47.7	34.7	43.2	47.7	47.9
Person	38.9	40.1	46.4	47.6	33.1	36.9	44.0	47.0
Below -3 SD Underweight (Weight for Age) (%)								
Male	13.8	14.3	20.2	21.1	11.6	12.4	18.9	23.1
Female	15.1	15.6	14.5	15.1	7.0	8.1	20.6	20.7
Person	14.4	14.9	17.6	18.4	9.2	10.3	19.8	21.9
Below -2 SD Undernourished (BMI for Age) (%)								
Male	19.4	19.5	20.8	21.3	18.9	20.5	23.6	27.6
Female	20.3	20.7	23.2	24.4	14.4	15.8	22.8	23.8
Person	19.8	20.1	21.9	22.7	16.6	18.2	23.2	25.6
Below -3 SD Undernourished (BMI for Age) (%)								
Male	9.3	9.2	9.0	9.5	5.6	6.3	8.4	9.0
Female	8.3	8.3	8.6	8.8	6.5	6.3	13.0	13.1
Person	8.8	8.8	8.8	9.2	6.1	6.3	10.7	11.1
Above 2 SD Overnourished (BMI for Age) (%)								
Male	5.3	5.3	-	-	6.1	7.0	-	-
Female	4.0	3.5	-	-	4.8	-	-	-
Person	4.7	4.4	1.6	1.7	5.4	5.7	-	-
Above 3 SD Overnourished (BMI for Age) (%)								
Male	2.4	2.4	-	-	2.4	-	-	-
Female	1.7	1.4	-	-	-	-	-	-
Person	2.1	1.9	-	-	1.6	1.0	-	-
Nutritional status 5-18 years								
Below -2 SD Undernourished (BMI for Age) (%)								
Male	36.1	37.3	32.8	32.6	31.7	30.5	32.7	36.9
Female	28.1	28.8	21.9	22.7	27.6	25.9	22.2	22.6
Person	32.2	33.1	27.4	27.8	29.9	28.4	27.5	29.6
Below -3 SD Undernourished (BMI for Age) (%)								
Male	13.6	14.0	12.4	12.7	11.5	10.3	11.9	13.9
Female	9.4	9.7	6.7	6.9	9.0	8.7	8.1	7.8
Person	11.6	11.9	9.6	9.9	10.4	9.6	10.0	10.8
Above 2 SD Overnourished (BMI for Age) (%)								
Male	1.7	1.3	0.8	0.7	2.6	1.3	1.8	-
Female	1.1	0.8	-	-	1.1	1.0	2.6	0.7
Person	1.4	1.1	0.7	0.6	1.9	1.1	2.2	0.5
Above 3 SD Overnourished (BMI for Age) (%)								
Male	0.3	0.3	-	-	-	-	-	-
Female	0.3	0.3	-	-	-	-	0.9	-
Person	0.3	0.3	-	-	0.4	-	0.7	-

Indicators	Odisha		Bargarh		Jharsuguda		Sambalpur	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Nutritional status 18 years and above								
BMI ≥25.0 for age 18-59 year (%)								
Male	13.9	11.3	17.4	16.5	21.3	13.6	16.7	10.8
Female	14.3	11.8	17.1	16.1	21.7	13.9	17.4	10.7
Person	14.1	11.5	17.2	16.3	21.5	13.8	17.1	10.8
BMI ≥25.0 for age 60 year and above (%)								
Male	10.3	8.3	11.8	11.0	17.7	-	11.9	-
Female	11.3	9.1	13.0	11.2	16.7	6.4	15.3	10.7
Person	10.8	8.7	12.4	11.1	17.2	6.8	13.7	8.9
BMI ≥30.0 for age 18-59 year (%)								
Male	2.2	1.7	3.3	3.0	3.5	2.4	3.0	1.1
Female	2.9	2.1	3.9	3.6	5.2	3.2	4.7	2.5
Person	2.6	1.9	3.6	3.3	4.4	2.8	3.9	1.8
BMI ≥30.0 for age 60 year and above (%)								
Male	1.6	1.1	-	-	-	-	3.8	-
Female	2.4	1.7	2.9	2.3	5.1	-	4.7	3.1
Person	2.0	1.4	2.2	1.9	4.0	-	4.3	2.6
BMI <18.5 for age 18-59 year (%)								
Male	23.3	25.1	24.1	24.5	22.7	27.7	23.3	29.1
Female	30.3	32.5	28.6	29.7	27.4	35.8	33.5	41.3
Person	27.1	29.2	26.5	27.2	25.1	31.8	28.8	35.6
BMI <18.5 for age 60 year and above (%)								
Male	34.8	37.0	33.5	34.2	28.3	39.2	40.5	46.4
Female	40.6	43.1	45.8	47.9	38.9	47.4	41.4	47.9
Person	37.6	39.9	39.3	40.7	33.6	43.5	41.0	47.2
Anaemia status by Haemoglobin Level								
Anaemia in the age group 6-59 months (%)								
Male	71.4	71.0	72.5	73.9	83.6	86.8	68.7	76.3
Female	70.2	70.1	74.0	74.8	81.5	86.3	67.1	69.0
Person	70.8	70.6	73.2	74.3	82.5	86.6	67.8	72.5
Severe Anemia in the age group 6-59 months (%)								
Male	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0
Female	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0
Person	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0
Anaemia in the age group 5-9 years (%)								
Male	81.2	81.1	74.0	76.0	94.2	96.8	66.9	71.6
Female	81.3	81.2	79.9	79.1	89.9	91.5	69.2	70.5
Person	81.2	81.1	76.7	77.3	92.3	94.4	68.0	71.1
Severe Anemia in the age group 5-9 years (%)								
Male	3.2	3.3	6.5	6.9	4.3	7.7	-	-
Female	3.3	3.5	12.3	13.5	6.6	10.3	2.7	-
Person	3.3	3.4	9.1	9.8	5.3	8.9	1.7	-
Anaemia in the age group 10-17 years (%)								
Male	70.5	71.1	76.4	78.2	85.5	93.4	44.9	53.3
Female	78.4	78.3	73.5	73.4	90.9	96.1	62.6	63.0
Person	74.5	74.7	74.9	75.7	87.8	94.5	53.8	58.6
Severe Anemia in the age group 10-17 years (%)								
Male	2.4	2.4	5.0	5.3	4.3	4.3	-	-
Female	3.1	3.1	5.6	5.9	10.3	16.3	-	-
Person	2.7	2.7	5.3	5.6	6.9	9.3	1.0	-
Anaemia in the age group 18-59 years (%)								
Male	71.8	71.9	69.5	71.9	83.4	92.1	49.4	57.3
Female	77.7	77.5	76.6	77.4	91.4	93.9	68.5	74.8
Severe Anemia in the age group 18-59 years (%)								
Male	1.7	1.7	1.9	2.1	3.8	5.1	0.8	1.4
Female	3.1	3.1	7.1	7.6	9.6	12.1	1.7	1.5
Anaemia in the age group 60 years and above (%)								
Male	82.7	82.9	81.2	82.4	92.1	94.3	74.9	81.6
Female	81.4	81.9	83.0	83.1	90.2	90.6	69.0	80.2
Severe Anemia in the age group 60 years and above (%)								
Male	2.9	3.0	5.9	6.3	11.7	16.2	-	-
Female	4.3	4.4	8.3	8.8	12.8	14.6	2.1	-

Indicators	Odisha		Bargarh		Jharsuguda		Sambalpur	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Blood Sugar Level (18 years and above)								
Blood Sugar Level ≥ 110 mg/dl (%)								
Male	9.1	8.4	8.6	8.8	5.9	3.6	12.1	13.0
Female	7.7	7.2	5.8	5.9	6.1	4.6	10.6	9.5
Person	8.3	7.8	7.1	7.3	6.0	4.1	11.3	11.1
Blood Sugar Level ≥ 130 mg/dl (%)								
Male	3.8	3.4	3.8	3.9	2.3	1.1	8.0	8.3
Female	3.1	2.7	2.5	2.6	2.8	2.4	7.0	6.6
Person	3.4	3.0	3.1	3.2	2.6	1.8	7.5	7.3
Blood Sugar Level ≥ 150 mg/dl (%)								
Male	2.4	2.1	2.7	2.7	1.4	0.5	4.4	4.4
Female	1.7	1.5	1.7	1.7	1.9	1.4	3.4	2.8
Person	2.0	1.8	2.2	2.2	1.7	1.0	3.8	3.5
Hypertension (18 years and above)								
Above Normal Range								
Systolic ≥ 140mm of Hg & Diastolic ≥ 90mm of Hg (%)								
Male	8.7	8.2	7.5	7.4	6.8	5.9	8.7	9.0
Female	8.4	8.1	6.7	6.5	6.8	6.5	7.2	6.4
Person	8.5	8.1	7.1	6.9	6.8	6.2	7.9	7.6
Systolic ≥ 140mm of Hg & Diastolic < 90mm of Hg (%)								
Male	6.7	6.6	7.1	7.0	6.0	6.3	6.1	7.0
Female	6.1	6.0	7.1	7.1	4.3	3.8	7.3	7.2
Person	6.4	6.3	7.1	7.0	5.1	5.0	6.7	7.1
Systolic < 140mm of Hg & Diastolic ≥ 90mm of Hg (%)								
Male	6.1	5.8	5.3	5.3	4.9	4.3	4.9	4.7
Female	5.5	5.4	4.6	4.7	4.1	4.5	4.1	4.2
Person	5.8	5.6	4.9	5.0	4.5	4.4	4.5	4.4
Moderately high								
Systolic ≥ 160mm of Hg & Diastolic ≥ 100mm of Hg (%)								
Male	2.4	2.3	2.0	2.0	1.5	1.1	2.4	2.4
Female	2.3	2.2	1.3	1.2	1.6	1.9	2.1	1.9
Person	2.3	2.2	1.7	1.6	1.5	1.5	2.3	2.2
Systolic ≥ 160mm of Hg & Diastolic < 100mm of Hg (%)								
Male	2.5	2.4	2.4	2.4	1.7	1.4	2.3	2.4
Female	2.5	2.5	2.9	2.8	1.2	-	2.8	2.3
Person	2.5	2.5	2.7	2.6	1.4	1.1	2.6	2.3
Systolic < 160mm of Hg & Diastolic ≥ 100mm of Hg								
Male	2.4	2.3	2.3	2.3	1.7	1.3	1.6	1.2
Female	2.3	2.3	1.4	1.5	2.0	2.1	1.8	1.8
Person	2.4	2.3	1.8	1.9	1.8	1.7	1.7	1.5
Very high								
Systolic ≥ 180mm of Hg & Diastolic ≥ 110mm of Hg (%)								
Male	0.6	0.6	-	-	-	-	0.4	0.6
Female	0.6	0.6	-	-	-	-	-	-
Person	0.6	0.6	0.2	0.2	-	-	0.4	0.4
Systolic ≥ 180mm of Hg & Diastolic < 110mm of Hg (%)								
Male	0.8	0.8	0.7	0.7	-	-	0.5	0.5
Female	0.8	0.8	0.7	0.6	0.2	-	0.7	0.5
Person	0.8	0.8	0.7	0.6	0.3	-	0.6	0.5
Systolic < 180mm of Hg & Diastolic ≥ 110mm of Hg (%)								
Male	1.3	1.2	1.1	1.2	1.4	0.9	1.2	1.1
Female	1.3	1.2	0.6	-	1.3	1.3	1.0	1.2
Person	1.3	1.2	0.9	0.8	1.3	1.1	1.1	1.1
Iodine content in Household Salt (more than 15 ppm) (%)	72.4	71.8	85.5	85.4	77.5	72.6	89.2	83.0

Indicators	Debagarh		Sundargarh		Kendujhar		Mayurbhanj	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Nutritional status below 5 years								
Below -2 SD Wasting (Weight for Height) (%)								
Male	28.3	26.9	12.9	11.6	27.5	28.8	19.9	20.2
Female	31.8	31.4	15.7	16.9	21.8	22.8	19.0	18.9
Person	30.0	29.2	14.1	14.1	24.7	25.8	19.5	19.5
Below -3 SD Wasting (Weight for Height) (%)								
Male	13.3	12.3	5.0	3.6	11.7	12.6	7.9	8.1
Female	14.2	13.8	4.6	5.6	6.7	6.4	-	-
Person	13.7	13.1	4.8	4.6	9.2	9.5	6.2	6.4
Below -2 SD Stunting (Height for Age) (%)								
Male	39.0	41.0	47.2	56.2	50.8	49.3	40.7	40.8
Female	35.8	36.8	49.0	53.4	45.3	43.4	51.1	50.7
Person	37.4	38.8	48.0	54.9	48.0	46.4	45.7	45.6
Below -3SD Stunting (Height for Age) (%)								
Male	16.9	17.7	25.9	31.4	25.9	24.7	18.4	18.9
Female	14.2	14.3	30.1	33.9	24.8	21.5	22.9	22.8
Person	15.6	16.0	27.8	32.6	25.4	23.1	20.6	20.8
Below -2 SD Underweight (Weight for Age) (%)								
Male	43.4	45.1	33.5	37.9	47.9	48.9	37.6	38.1
Female	40.2	40.4	46.5	50.0	47.4	47.5	43.9	43.6
Person	41.8	42.8	39.3	43.5	47.7	48.2	40.7	40.8
Below -3 SD Underweight (Weight for Age) (%)								
Male	15.1	16.3	9.8	10.1	19.4	19.5	12.6	13.0
Female	14.5	14.6	14.4	17.0	16.8	15.1	15.8	15.5
Person	14.8	15.4	11.9	13.3	18.1	17.3	14.2	14.2
Below -2 SD Undernourished (BMI for Age) (%)								
Male	33.5	32.4	14.0	12.7	25.1	28.4	21.5	22.0
Female	35.0	34.4	16.2	17.3	25.2	25.0	17.9	18.2
Person	34.2	33.4	15.0	14.9	25.2	26.7	19.8	20.2
Below -3 SD Undernourished (BMI for Age) (%)								
Male	17.1	16.1	7.8	6.2	11.6	12.1	12.8	13.1
Female	21.8	21.1	6.9	7.2	10.3	8.9	-	-
Person	19.4	18.6	7.4	6.7	10.9	10.5	10.8	11.1
Above 2 SD Overnourished (BMI for Age) (%)								
Male	7.3	7.5	8.8	9.3	4.3	3.2	5.2	5.2
Female	6.1	6.2	4.1	3.1	6.1	5.1	-	-
Person	6.7	6.9	6.7	6.4	5.2	4.2	3.5	3.6
Above 3 SD Overnourished (BMI for Age) (%)								
Male	3.0	2.8	3.7	4.3	1.8	-	2.9	2.8
Female	3.4	3.3	-	-	4.7	3.9	-	-
Person	3.2	3.1	3.1	3.0	3.3	2.5	1.9	1.9
Nutritional status 5-18 years								
Below -2 SD Undernourished (BMI for Age) (%)								
Male	36.6	37.1	25.9	25.8	45.2	47.4	30.5	30.6
Female	29.3	29.4	19.0	18.5	31.5	28.1	27.7	27.9
Person	33.0	33.3	22.7	22.5	38.1	37.4	29.1	29.3
Below -3 SD Undernourished (BMI for Age) (%)								
Male	15.6	15.8	10.5	9.6	18.5	19.4	10.0	9.9
Female	11.5	11.2	6.6	7.5	13.2	12.3	10.5	10.8
Person	13.6	13.5	8.7	8.7	15.8	15.8	10.2	10.4
Above 2 SD Overnourished (BMI for Age) (%)								
Male	1.5	1.3	2.1	0.4	1.0	-	1.2	1.0
Female	1.0	0.9	0.9	1.0	0.6	-	-	-
Person	1.3	1.1	1.5	0.7	0.8	0.7	0.9	0.8
Above 3 SD Overnourished (BMI for Age) (%)								
Male	0.7	0.6	-	-	-	-	-	-
Female	-	-	0.1	0.2	-	-	-	-
Person	0.5	0.4	0.2	0.2	-	-	-	-

Indicators	Debagarh		Sundargarh		Kendujhar		Mayurbhanj	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Nutritional status 18 years and above								
BMI ≥25.0 for age 18-59 year (%)								
Male	10.7	9.5	14.7	7.1	12.2	9.4	11.1	10.4
Female	10.2	9.6	16.8	7.3	12.1	7.9	9.4	8.8
Person	10.5	9.5	15.8	7.2	12.2	8.6	10.2	9.6
BMI ≥25.0 for age 60 year and above (%)								
Male	9.3	8.4	15.4	5.2	7.4	4.8	6.9	6.4
Female	8.8	8.2	17.9	6.5	10.8	8.1	5.9	5.0
Person	9.1	8.3	16.6	5.8	9.0	6.3	6.4	5.7
BMI ≥30.0 for age 18-59 year (%)								
Male	2.4	2.2	3.0	1.0	2.0	-	1.4	1.2
Female	1.8	1.6	4.1	-	2.4	1.0	1.7	1.4
Person	2.1	1.9	3.6	0.9	2.2	1.4	1.6	1.3
BMI ≥30.0 for age 60 year and above (%)								
Male	2.0	1.5	3.3	-	-	-	-	-
Female	-	-	2.4	0.4	2.5	-	-	-
Person	1.9	1.5	2.9	0.6	2.4	-	0.8	0.5
BMI <18.5 for age 18-59 year (%)								
Male	28.7	29.8	22.4	26.4	28.4	32.5	26.1	26.5
Female	34.8	35.3	30.7	37.4	38.8	43.5	34.7	35.5
Person	32.1	32.9	27.0	32.4	33.9	38.4	30.7	31.3
BMI <18.5 for age 60 year and above (%)								
Male	33.2	33.4	30.9	43.4	40.1	43.7	39.2	39.4
Female	53.2	53.7	38.6	51.1	43.1	48.8	47.9	48.1
Person	42.6	42.9	34.6	47.3	41.5	46.1	43.5	43.8
Anaemia status by Haemoglobin Level								
Anaemia in the age group 6-59 months (%)								
Male	78.3	79.4	66.9	64.5	82.8	83.1	65.8	65.5
Female	78.2	78.6	72.6	69.3	77.2	77.4	59.3	58.9
Person	78.2	79.0	69.4	66.7	79.9	80.2	62.6	62.3
Severe Anemia in the age group 6-59 months (%)								
Male	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Female	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Person	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Anaemia in the age group 5-9 years (%)								
Male	83.8	84.3	81.4	81.4	92.0	92.2	83.7	83.5
Female	83.2	83.3	84.1	82.2	94.8	95.8	81.5	80.8
Person	83.5	83.8	82.7	81.8	93.5	94.1	82.7	82.2
Severe Anemia in the age group 5-9 years (%)								
Male	-	-	2.4	2.3	-	-	-	-
Female	-	-	3.8	4.9	-	-	6.3	6.6
Person	-	-	3.0	3.5	-	-	4.8	5.0
Anaemia in the age group 10-17 years (%)								
Male	72.8	73.5	76.9	79.6	82.3	84.9	74.1	73.3
Female	80.7	80.7	81.3	78.2	89.5	91.2	78.0	77.8
Person	76.7	77.0	79.0	79.0	86.1	88.2	76.1	75.6
Severe Anemia in the age group 10-17 years (%)								
Male	-	-	2.1	2.3	-	-	1.6	1.6
Female	-	-	4.4	-	2.6	-	2.4	2.5
Person	-	-	3.1	3.3	2.0	-	2.0	2.0
Anaemia in the age group 18-59 years (%)								
Male	71.7	72.4	86.2	88.3	81.1	81.5	78.5	79.2
Female	79.7	80.1	83.7	82.4	88.6	89.2	75.9	75.6
Severe Anemia in the age group 18-59 years (%)								
Male	1.0	1.1	2.3	2.8	1.2	-	1.4	1.4
Female	3.1	3.0	2.8	2.5	2.4	2.0	2.2	2.3
Anaemia in the age group 60 years and above (%)								
Male	89.3	89.9	88.2	90.4	93.1	91.6	84.4	84.6
Female	89.1	89.6	81.3	82.8	89.4	90.4	76.3	76.5
Severe Anemia in the age group 60 years and above (%)								
Male	3.6	3.6	3.4	5.2	-	-	2.1	2.1
Female	4.2	4.0	-	-	-	-	3.0	3.0

Indicators	Debagarh		Sundargarh		Kendujhar		Mayurbhanj	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Blood Sugar Level (18 years and above)								
Blood Sugar Level ≥110 mg/dl (%)								
Male	9.1	8.8	7.2	6.6	10.3	8.8	10.0	9.9
Female	8.1	7.8	6.8	7.4	9.8	9.0	8.4	8.2
Person	8.5	8.3	7.0	7.0	10.1	8.9	9.2	9.0
Blood Sugar Level ≥130 mg/dl (%)								
Male	3.0	2.8	2.2	2.0	4.3	3.1	3.9	3.8
Female	2.4	2.3	2.5	2.3	3.6	3.1	2.8	2.7
Person	2.6	2.5	2.4	2.1	3.9	3.1	3.3	3.2
Blood Sugar Level ≥150 mg/dl (%)								
Male	1.8	1.7	1.3	0.9	3.1	1.7	2.6	2.7
Female	1.5	1.5	1.4	1.1	1.9	1.3	1.5	1.4
Person	1.6	1.6	1.4	1.0	2.4	1.5	2.0	2.0
Hypertension (18 years and above)								
Above Normal Range								
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)								
Male	5.6	5.5	16.3	15.1	21.4	21.3	11.0	11.3
Female	6.7	6.6	12.6	10.9	18.6	19.9	10.5	10.9
Person	6.2	6.1	14.3	12.8	19.9	20.6	10.7	11.1
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)								
Male	7.7	7.6	11.0	10.9	9.2	9.9	7.5	7.7
Female	7.4	7.4	8.9	8.5	7.4	7.9	6.9	7.0
Person	7.5	7.5	9.8	9.6	8.2	8.9	7.2	7.3
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)								
Male	4.6	4.6	10.0	9.3	11.6	10.7	6.4	6.6
Female	4.8	4.8	9.8	9.5	11.3	10.4	5.4	5.6
Person	4.7	4.7	9.9	9.4	11.5	10.5	5.9	6.1
Moderately high								
Systolic ≥160mm of Hg & Diastolic ≥100mm of Hg (%)								
Male	1.6	1.5	4.3	3.7	6.2	6.8	3.6	3.7
Female	1.6	1.5	3.2	2.0	5.9	6.2	2.7	2.8
Person	1.6	1.5	3.7	2.8	6.0	6.5	3.1	3.2
Systolic ≥160mm of Hg & Diastolic <100mm of Hg (%)								
Male	2.4	2.4	5.5	5.8	3.9	4.5	2.0	2.1
Female	2.1	2.1	4.9	5.3	3.7	4.4	3.1	3.2
Person	2.2	2.2	5.2	5.5	3.8	4.5	2.6	2.7
Systolic <160mm of Hg & Diastolic ≥100mm of Hg								
Male	1.2	1.2	4.3	3.4	7.5	7.0	4.0	4.1
Female	2.0	2.0	3.9	3.6	6.3	6.3	3.5	3.7
Person	1.6	1.6	4.1	3.5	6.9	6.6	3.8	3.9
Very high								
Systolic ≥180mm of Hg & Diastolic ≥110mm of Hg (%)								
Male	0.5	0.5	0.9	0.7	1.0	1.2	0.9	0.9
Female	0.3	0.2	0.8	0.5	1.5	1.5	0.8	0.8
Person	0.3	0.4	0.9	0.6	1.3	1.3	0.8	0.9
Systolic ≥180mm of Hg & Diastolic <110mm of Hg (%)								
Male	1.2	1.3	1.7	2.2	0.9	1.2	0.6	0.7
Female	0.7	0.7	1.2	1.2	1.1	1.4	0.9	1.0
Person	0.9	1.0	1.4	1.7	1.0	1.3	0.8	0.8
Systolic <180mm of Hg & Diastolic ≥110mm of Hg (%)								
Male	0.7	0.6	2.7	1.7	4.8	4.9	2.1	2.2
Female	0.9	0.9	2.2	1.6	3.7	3.8	2.0	2.1
Person	0.8	0.7	2.5	1.7	4.2	4.3	2.1	2.1
Iodine content in Household Salt (more than 15 ppm) (%)	77.7	76.5	69.3	66.4	75.0	75.4	95.4	95.6

Indicators	Baleshwar		Bhadrak		Kendrapara		Jagatsinghapur	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Nutritional status below 5 years								
Below -2 SD Wasting (Weight for Height) (%)								
Male	18.2	18.6	17.3	16.9	14.7	14.9	18.8	17.9
Female	24.2	25.7	20.1	20.3	18.8	19.4	20.4	20.9
Person	21.0	21.8	18.6	18.5	16.6	17.0	19.5	19.3
Below -3 SD Wasting (Weight for Height) (%)								
Male	2.6	2.7	7.3	7.1	4.5	4.6	3.7	2.5
Female	6.6	7.0	7.4	7.2	8.6	9.1	2.9	-
Person	4.4	4.6	7.3	7.1	6.4	6.7	3.3	2.5
Below -2 SD Stunting (Height for Age) (%)								
Male	43.1	43.0	36.3	37.7	26.2	26.6	21.8	22.2
Female	47.1	47.9	36.4	37.1	22.4	22.8	20.7	20.0
Person	44.9	45.2	36.3	37.4	24.4	24.8	21.3	21.2
Below -3SD Stunting (Height for Age) (%)								
Male	17.7	17.0	18.0	19.0	7.7	7.8	7.5	7.6
Female	20.8	20.0	14.1	13.8	4.9	5.0	8.3	7.8
Person	19.1	18.3	16.2	16.6	6.4	6.5	7.9	7.7
Below -2 SD Underweight (Weight for Age) (%)								
Male	39.1	38.4	31.3	31.6	19.7	20.2	13.5	13.1
Female	48.3	49.8	36.7	36.0	21.5	22.1	14.8	16.1
Person	43.2	43.4	33.8	33.6	20.6	21.1	14.0	14.4
Below -3 SD Underweight (Weight for Age) (%)								
Male	11.4	11.4	7.1	7.4	3.8	3.9	2.7	2.9
Female	17.7	18.0	15.9	17.1	4.1	4.1	3.5	3.8
Person	14.2	14.4	11.2	11.9	3.9	4.0	3.0	3.3
Below -2 SD Undernourished (BMI for Age) (%)								
Male	15.9	16.1	15.4	15.1	15.4	15.6	19.2	18.3
Female	20.7	21.3	17.7	17.7	21.2	22.0	21.2	21.8
Person	18.0	18.4	16.5	16.2	18.2	18.6	20.1	19.9
Below -3 SD Undernourished (BMI for Age) (%)								
Male	4.7	5.0	8.1	7.3	5.2	5.4	6.0	5.0
Female	-	-	6.6	6.4	10.5	10.9	4.0	-
Person	4.8	5.1	7.4	6.9	7.7	8.0	5.1	4.2
Above 2 SD Overnourished (BMI for Age) (%)								
Male	-	-	6.8	5.4	4.9	4.5	5.7	5.2
Female	-	-	4.0	4.3	3.1	2.7	6.3	5.0
Person	3.2	2.8	5.5	4.9	4.0	3.7	6.0	5.1
Above 3 SD Overnourished (BMI for Age) (%)								
Male	-	-	5.1	-	2.8	2.6	4.6	-
Female	-	-	-	-	1.5	-	-	-
Person	-	-	3.4	-	2.2	2.0	3.5	-
Nutritional status 5-18 years								
Below -2 SD Undernourished (BMI for Age) (%)								
Male	41.7	44.0	43.2	43.4	25.9	25.7	32.0	33.3
Female	34.8	36.2	30.1	29.6	22.2	22.4	32.0	32.8
Person	38.1	40.0	36.7	36.5	24.0	24.0	32.0	33.1
Below -3 SD Undernourished (BMI for Age) (%)								
Male	18.4	19.1	14.9	14.4	10.2	10.4	12.3	12.6
Female	9.5	9.8	9.6	9.8	7.2	7.4	14.0	14.6
Person	13.9	14.4	12.3	12.1	8.7	8.9	13.1	13.6
Above 2 SD Overnourished (BMI for Age) (%)								
Male	1.5	-	2.4	2.2	2.8	2.5	-	-
Female	-	-	-	-	1.5	1.4	2.9	3.1
Person	1.0	-	1.8	1.5	2.1	2.0	1.9	1.8
Above 3 SD Overnourished (BMI for Age) (%)								
Male	-	-	0.6	-	0.5	-	-	-
Female	-	-	-	-	-	-	1.5	1.6
Person	-	-	0.7	-	0.4	-	0.7	0.8

Indicators	Baleshwar		Bhadrak		Kendrapara		Jagatsinghapur	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Nutritional status 18 years and above								
BMI ≥25.0 for age 18-59 year (%)								
Male	16.5	12.4	13.7	12.5	17.0	16.8	20.2	19.2
Female	16.0	11.7	12.5	12.2	17.4	17.0	24.7	23.1
Person	16.2	12.0	13.0	12.3	17.2	16.9	22.5	21.2
BMI ≥25.0 for age 60 year and above (%)								
Male	13.8	11.2	12.3	11.2	10.0	9.9	16.3	15.6
Female	15.8	13.0	11.8	12.0	11.6	11.4	17.8	17.5
Person	14.7	12.0	12.1	11.6	10.8	10.6	17.0	16.5
BMI ≥30.0 for age 18-59 year (%)								
Male	2.2	1.1	2.2	2.3	2.6	2.5	3.2	2.7
Female	3.4	1.8	2.0	1.8	4.0	3.9	5.5	4.8
Person	2.9	1.5	2.1	2.0	3.4	3.4	4.4	3.8
BMI ≥30.0 for age 60 year and above (%)								
Male	-	-	1.6	-	-	-	2.6	2.5
Female	2.9	2.7	2.3	2.0	3.5	3.3	3.6	3.7
Person	2.6	1.5	1.9	1.6	1.9	1.8	3.1	3.1
BMI <18.5 for age 18-59 year (%)								
Male	19.8	21.5	21.1	21.5	18.4	18.7	10.2	11.7
Female	25.9	28.0	32.8	33.1	25.9	26.2	14.8	16.3
Person	23.3	25.2	28.2	28.6	22.8	23.1	12.6	14.1
BMI <18.5 for age 60 year and above (%)								
Male	29.1	31.6	31.9	33.3	25.6	25.8	19.7	21.2
Female	39.3	41.4	36.9	37.1	34.9	34.8	26.7	27.0
Person	33.7	36.0	34.3	35.2	30.1	30.2	22.9	23.9
Anaemia status by Haemoglobin Level								
Anaemia in the age group 6-59 months (%)								
Male	71.3	72.6	70.0	69.8	70.9	71.0	72.2	70.7
Female	67.7	68.0	75.0	74.1	64.6	66.1	81.9	80.6
Person	69.7	70.6	72.3	71.7	67.9	68.7	76.1	74.8
Severe Anemia in the age group 6-59 months (%)								
Male	0.0	0.0	0.0	0.0	0.0	0.0	-	-
Female	0.0	0.0	0.0	0.0	0.0	0.0	-	-
Person	0.0	0.0	0.0	0.0	0.0	0.0	-	-
Anaemia in the age group 5-9 years (%)								
Male	74.6	75.2	79.8	78.0	76.6	76.7	87.3	85.8
Female	79.4	80.3	78.7	77.7	77.8	78.1	87.1	87.6
Person	77.2	78.0	79.3	77.8	77.2	77.4	87.2	86.6
Severe Anemia in the age group 5-9 years (%)								
Male	2.3	2.5	6.4	7.0	-	-	-	-
Female	-	-	5.7	6.0	-	-	10.1	10.2
Person	1.7	1.8	6.1	6.5	-	-	8.8	9.3
Anaemia in the age group 10-17 years (%)								
Male	61.9	63.4	73.0	70.6	70.9	71.9	83.3	83.0
Female	74.1	75.6	79.0	77.9	81.6	82.2	88.1	87.9
Person	67.9	69.4	76.0	74.2	76.4	77.2	85.6	85.4
Severe Anemia in the age group 10-17 years (%)								
Male	-	-	8.1	7.5	2.0	1.9	5.4	5.5
Female	1.9	2.0	8.4	8.2	2.3	2.4	5.0	5.5
Person	1.1	1.2	8.3	7.8	2.2	2.2	5.2	5.5
Anaemia in the age group 18-59 years (%)								
Male	58.8	59.9	70.7	69.3	72.1	73.5	80.8	79.4
Female	75.1	76.5	79.5	78.4	81.1	81.6	84.3	83.1
Severe Anemia in the age group 18-59 years (%)								
Male	-	-	2.7	3.0	1.2	1.3	3.0	3.5
Female	2.0	2.0	6.8	6.9	2.9	2.9	6.3	6.3
Anaemia in the age group 60 years and above (%)								
Male	74.7	76.6	85.8	84.4	84.3	85.1	88.1	88.1
Female	84.5	87.9	79.8	78.5	85.0	85.4	89.1	89.1
Severe Anemia in the age group 60 years and above (%)								
Male	-	-	3.9	2.6	1.8	1.9	3.3	3.5
Female	-	-	5.7	5.0	4.4	4.5	8.1	8.2

Indicators	Baleshwar		Bhadrak		Kendrapara		Jagatsinghapur	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Blood Sugar Level (18 years and above)								
Blood Sugar Level ≥ 110 mg/dl (%)								
Male	8.6	8.3	7.9	7.8	8.9	8.5	10.1	9.4
Female	7.5	7.5	6.4	6.6	7.4	7.1	8.4	8.6
Person	8.0	7.8	7.0	7.1	8.0	7.7	9.2	9.1
Blood Sugar Level ≥ 130 mg/dl (%)								
Male	3.3	2.8	4.0	3.8	4.6	4.3	5.0	4.5
Female	3.8	3.5	2.5	2.5	3.6	3.5	3.7	3.7
Person	3.6	3.2	3.1	3.0	4.0	3.8	4.3	4.2
Blood Sugar Level ≥ 150 mg/dl (%)								
Male	1.9	1.5	2.4	2.1	3.5	3.4	2.7	2.9
Female	2.2	1.9	1.7	1.7	2.4	2.3	2.0	1.8
Person	2.1	1.7	2.0	1.8	2.8	2.7	2.3	2.4
Hypertension (18 years and above)								
Above Normal Range								
Systolic ≥ 140mm of Hg & Diastolic ≥ 90mm of Hg (%)								
Male	4.0	3.4	3.4	3.4	14.0	14.1	7.0	6.5
Female	4.1	4.0	3.9	4.1	12.4	12.4	6.3	6.4
Person	4.0	3.7	3.7	3.8	13.1	13.1	6.7	6.5
Systolic ≥ 140mm of Hg & Diastolic < 90mm of Hg (%)								
Male	5.5	5.2	6.5	6.7	7.5	7.5	8.9	8.2
Female	5.4	4.4	5.9	5.9	5.8	5.7	7.9	8.0
Person	5.5	4.8	6.1	6.3	6.5	6.5	8.4	8.1
Systolic < 140mm of Hg & Diastolic ≥ 90mm of Hg (%)								
Male	1.9	1.7	3.3	3.6	8.0	8.0	5.1	5.4
Female	1.4	1.3	3.0	3.2	7.4	7.6	5.5	5.4
Person	1.6	1.5	3.1	3.3	7.7	7.8	5.3	5.4
Moderately high								
Systolic ≥ 160mm of Hg & Diastolic ≥ 100mm of Hg (%)								
Male	0.8	0.6	0.8	0.8	5.0	5.1	1.6	1.6
Female	1.2	1.2	1.1	1.0	4.0	4.0	2.2	2.4
Person	1.0	0.9	1.0	0.9	4.4	4.5	1.9	2.1
Systolic ≥ 160mm of Hg & Diastolic < 100mm of Hg (%)								
Male	1.6	1.4	2.1	2.2	3.1	3.1	3.0	2.9
Female	1.9	1.6	1.8	1.9	2.5	2.5	2.2	2.3
Person	1.8	1.5	1.9	2.0	2.7	2.7	2.6	2.5
Systolic < 160mm of Hg & Diastolic ≥ 100mm of Hg								
Male	1.1	0.8	1.3	1.4	3.7	3.8	1.5	1.7
Female	1.1	1.0	1.1	1.2	3.6	3.7	2.0	2.1
Person	1.1	0.9	1.2	1.3	3.7	3.7	1.8	1.9
Very high								
Systolic ≥ 180mm of Hg & Diastolic ≥ 110mm of Hg (%)								
Male	-	-	0.3	0.3	1.2	1.2	0.6	0.7
Female	-	-	-	-	0.5	0.5	0.5	0.6
Person	0.2	-	0.2	0.2	0.8	0.8	0.6	0.6
Systolic ≥ 180mm of Hg & Diastolic < 110mm of Hg (%)								
Male	0.3	0.3	0.3	0.3	1.3	1.3	0.6	0.6
Female	-	-	0.5	0.5	1.3	1.3	0.9	1.0
Person	0.3	0.2	0.4	0.4	1.3	1.3	0.7	0.8
Systolic < 180mm of Hg & Diastolic ≥ 110mm of Hg (%)								
Male	0.5	0.5	-	-	2.0	2.0	0.7	0.5
Female	0.8	0.9	1.0	1.0	1.8	1.8	1.1	1.2
Person	0.7	0.7	0.8	0.8	1.9	1.9	0.9	0.9
Iodine content in Household Salt (more than 15 ppm) (%)	89.7	90.7	93.8	93.7	75.3	77.7	74.1	77.3

Indicators	Cuttack		Jajapur		Dhenkanal		Anugul	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Nutritional status 18 years and above								
BMI ≥25.0 for age 18-59 year (%)								
Male	19.4	16.1	14.9	14.2	9.9	10.3	16.9	13.8
Female	25.9	21.9	15.9	15.4	13.2	12.3	17.2	14.2
Person	22.9	19.2	15.5	14.9	11.7	11.4	17.1	14.0
BMI ≥25.0 for age 60 year and above (%)								
Male	12.8	8.8	10.1	9.7	6.9	6.7	8.2	6.9
Female	12.8	7.9	10.9	10.4	8.6	9.2	13.1	11.9
Person	12.8	8.4	10.5	10.1	7.7	7.9	10.4	9.1
BMI ≥30.0 for age 18-59 year (%)								
Male	2.2	1.5	2.2	2.2	1.1	1.0	2.3	1.3
Female	5.0	3.5	2.4	2.4	2.8	2.5	3.0	2.1
Person	3.7	2.6	2.3	2.3	2.0	1.9	2.7	1.7
BMI ≥30.0 for age 60 year and above (%)								
Male	-	-	1.0	1.0	-	-	-	-
Female	2.4	0.7	3.1	3.0	-	-	-	-
Person	2.1	1.2	2.0	2.0	-	-	-	-
BMI <18.5 for age 18-59 year (%)								
Male	14.8	16.2	21.4	21.9	26.2	27.4	21.9	23.3
Female	20.3	22.4	24.4	24.8	30.1	30.9	25.2	27.1
Person	17.8	19.5	23.1	23.5	28.3	29.3	23.7	25.4
BMI <18.5 for age 60 year and above (%)								
Male	28.3	31.8	33.4	33.6	36.3	37.3	36.7	38.5
Female	34.8	39.2	36.1	36.4	39.4	40.3	39.8	41.1
Person	31.4	35.4	34.7	34.9	37.7	38.7	38.1	39.7
Anaemia status by Haemoglobin Level								
Anaemia in the age group 6-59 months (%)								
Male	71.6	69.3	51.1	52.1	64.4	63.1	77.2	73.2
Female	61.1	67.6	44.6	44.1	65.9	66.7	68.0	65.2
Person	66.8	68.5	47.9	48.2	65.1	64.7	72.6	69.1
Severe Anemia in the age group 6-59 months (%)								
Male	2.5	2.8	0.0	0.0	0.0	0.0	0.0	0.0
Female	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Person	1.3	1.6	0.0	0.0	0.0	0.0	0.0	0.0
Anaemia in the age group 5-9 years (%)								
Male	73.8	75.0	50.3	51.1	79.2	78.8	73.1	69.5
Female	70.1	71.4	55.3	55.0	71.9	72.0	75.8	74.9
Person	72.1	73.3	52.7	52.9	76.2	76.1	74.4	72.2
Severe Anemia in the age group 5-9 years (%)								
Male	3.2	3.6	0.0	0.0	-	-	-	-
Female	-	-	0.0	0.0	-	-	-	-
Person	2.9	3.2	0.0	0.0	-	-	-	-
Anaemia in the age group 10-17 years (%)								
Male	53.2	51.0	29.6	29.8	59.6	60.2	46.8	45.8
Female	67.7	67.7	49.6	49.8	70.2	70.2	69.5	67.6
Person	60.7	59.4	39.0	39.3	64.6	64.7	58.5	57.5
Severe Anemia in the age group 10-17 years (%)								
Male	-	-	0.0	0.0	-	-	0.7	-
Female	-	-	0.0	0.0	-	-	1.2	-
Person	2.2	2.3	0.0	0.0	-	-	0.9	-
Anaemia in the age group 18-59 years (%)								
Male	56.4	56.0	27.2	27.0	49.5	48.7	50.3	48.1
Female	71.2	70.4	48.4	48.6	67.6	66.9	70.8	68.6
Severe Anemia in the age group 18-59 years (%)								
Male	-	-	0.0	0.0	0.6	0.6	0.6	-
Female	2.4	2.8	0.6	0.6	1.5	1.2	1.4	1.4
Anaemia in the age group 60 years and above (%)								
Male	79.1	78.4	47.2	47.7	65.4	64.5	71.6	70.5
Female	77.8	80.3	55.1	55.5	71.5	69.9	76.3	74.7
Severe Anemia in the age group 60 years and above (%)								
Male	2.1	-	1.8	1.8	-	-	-	-
Female	4.1	4.1	-	-	3.0	-	3.3	2.0

Indicators	Cuttack		Jajapur		Dhenkanal		Anugul	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Blood Sugar Level (18 years and above)								
Blood Sugar Level ≥ 110 mg/dl (%)								
Male	11.4	9.2	10.1	9.9	8.9	9.2	10.8	10.6
Female	11.8	9.6	7.8	7.7	7.5	7.4	8.6	8.2
Person	11.6	9.4	8.8	8.7	8.1	8.2	9.6	9.3
Blood Sugar Level ≥ 130 mg/dl (%)								
Male	4.8	3.5	4.3	4.1	3.8	4.1	5.0	5.0
Female	4.9	3.3	2.8	2.8	3.3	3.3	3.5	3.4
Person	4.8	3.4	3.5	3.4	3.5	3.7	4.2	4.1
Blood Sugar Level ≥ 150 mg/dl (%)								
Male	3.3	2.4	2.7	2.6	2.5	2.6	2.5	2.3
Female	3.0	1.8	1.4	1.4	1.8	1.8	1.7	1.8
Person	3.1	2.1	2.0	1.9	2.1	2.2	2.1	2.0
Hypertension (18 years and above)								
Above Normal Range								
Systolic ≥ 140mm of Hg & Diastolic ≥ 90mm of Hg (%)								
Male	8.1	7.3	4.5	4.4	9.2	10.1	6.8	5.8
Female	7.4	5.9	4.8	4.8	9.8	10.3	7.7	7.6
Person	7.7	6.5	4.7	4.6	9.5	10.2	7.3	6.8
Systolic ≥ 140mm of Hg & Diastolic < 90mm of Hg (%)								
Male	8.3	7.7	6.5	6.4	5.9	5.9	7.2	7.3
Female	8.1	8.8	7.3	7.2	6.9	6.4	8.3	8.6
Person	8.2	8.3	6.9	6.9	6.4	6.2	7.8	8.0
Systolic < 140mm of Hg & Diastolic ≥ 90mm of Hg (%)								
Male	6.6	5.9	1.9	1.9	7.2	7.8	2.9	2.6
Female	6.4	6.1	1.7	1.7	5.0	5.3	2.7	2.6
Person	6.5	6.0	1.8	1.7	6.0	6.5	2.8	2.6
Moderately high								
Systolic ≥ 160mm of Hg & Diastolic ≥ 100mm of Hg (%)								
Male	1.5	1.4	1.0	1.1	2.4	2.7	1.4	1.2
Female	1.4	0.8	1.4	1.4	2.2	2.4	1.6	1.2
Person	1.4	1.0	1.2	1.2	2.3	2.5	1.5	1.2
Systolic ≥ 160mm of Hg & Diastolic < 100mm of Hg (%)								
Male	3.9	3.4	2.5	2.5	1.7	2.0	3.0	3.1
Female	2.8	2.8	2.9	2.8	3.2	3.1	3.3	3.5
Person	3.3	3.1	2.7	2.7	2.5	2.6	3.1	3.3
Systolic < 160mm of Hg & Diastolic ≥ 100mm of Hg								
Male	1.6	1.3	0.9	0.9	3.0	3.2	1.0	0.8
Female	1.0	0.6	1.0	1.0	3.4	3.6	1.5	1.3
Person	1.3	0.9	0.9	0.9	3.2	3.4	1.3	1.1
Very high								
Systolic ≥ 180mm of Hg & Diastolic ≥ 110mm of Hg (%)								
Male	-	-	0.3	0.4	0.6	0.7	0.5	-
Female	0.4	-	-	-	0.5	0.6	0.3	-
Person	0.4	-	0.2	0.2	0.5	0.6	0.4	0.3
Systolic ≥ 180mm of Hg & Diastolic < 110mm of Hg (%)								
Male	0.9	-	0.3	0.4	0.9	1.0	0.7	0.8
Female	0.9	0.7	0.9	0.9	0.5	0.5	0.9	0.9
Person	0.9	0.8	0.6	0.6	0.7	0.8	0.8	0.8
Systolic < 180mm of Hg & Diastolic ≥ 110mm of Hg (%)								
Male	0.6	0.6	0.4	0.4	1.1	1.2	0.7	0.6
Female	-	-	0.3	0.3	2.1	2.0	0.8	0.5
Person	0.5	0.5	0.3	0.3	1.6	1.6	0.8	0.5
Iodine content in Household Salt (more than 15 ppm) (%)	69.0	66.2	40.3	39.2	94.5	95.5	43.7	42.6

Indicators	Nayagarh		Khordha		Puri		Ganjam	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Nutritional status below 5 years								
Below -2 SD Wasting (Weight for Height) (%)								
Male	19.3	18.2	22.8	13.7	22.8	22.0	14.3	13.6
Female	12.8	11.7	20.7	15.8	24.6	26.5	22.8	25.1
Person	16.4	15.2	21.9	14.6	23.6	24.2	17.8	18.4
Below -3 SD Wasting (Weight for Height) (%)								
Male	8.6	8.3	3.7	-	11.2	10.8	-	-
Female	-	-	-	-	12.1	13.0	-	-
Person	6.4	6.1	2.7	-	11.6	11.9	-	-
Below -2 SD Stunting (Height for Age) (%)								
Male	27.0	27.0	23.0	27.1	20.8	20.9	39.9	42.5
Female	36.1	36.9	25.5	29.6	29.5	26.7	43.9	47.4
Person	31.0	31.3	24.1	28.1	25.2	23.8	41.6	44.5
Below -3SD Stunting (Height for Age) (%)								
Male	8.7	8.9	-	-	8.4	8.0	18.9	21.2
Female	11.5	11.5	9.8	9.7	14.4	12.6	18.5	20.4
Person	9.9	10.0	11.1	11.9	11.4	10.3	18.7	20.8
Below -2 SD Underweight (Weight for Age) (%)								
Male	24.7	23.8	26.3	27.3	31.7	31.6	45.4	48.8
Female	21.0	21.1	20.3	20.9	35.3	35.9	48.5	53.2
Person	23.0	22.6	23.7	24.5	33.5	33.7	46.7	50.6
Below -3 SD Underweight (Weight for Age) (%)								
Male	7.2	6.6	4.9	4.3	16.1	16.8	23.9	26.4
Female	6.1	6.3	6.1	9.0	17.7	17.6	23.6	25.9
Person	6.7	6.5	5.4	6.3	16.9	17.2	23.8	26.2
Below -2 SD Undernourished (BMI for Age) (%)								
Male	19.0	17.6	20.5	12.6	33.1	33.0	11.9	-
Female	13.9	12.8	19.1	13.6	36.2	37.6	21.8	23.9
Person	16.7	15.5	19.9	13.0	34.6	35.2	16.0	16.4
Below -3 SD Undernourished (BMI for Age) (%)								
Male	9.9	9.0	7.5	4.2	23.9	24.1	-	-
Female	6.9	6.5	-	-	24.5	25.0	3.9	4.3
Person	8.6	7.9	5.3	2.6	24.1	24.5	6.9	6.8
Above 2 SD Overnourished (BMI for Age) (%)								
Male	8.0	8.1	3.2	3.5	3.9	3.3	-	-
Female	4.1	4.3	3.0	0.0	9.4	8.7	-	-
Person	6.2	6.4	3.1	2.0	6.6	5.9	-	-
Above 3 SD Overnourished (BMI for Age) (%)								
Male	3.4	3.3	-	-	2.6	2.0	-	-
Female	-	-	-	-	7.2	6.3	-	-
Person	3.0	3.0	-	-	4.9	4.1	-	-
Nutritional status 5-18 years								
Below -2 SD Undernourished (BMI for Age) (%)								
Male	25.3	25.6	33.9	38.7	30.1	31.9	41.2	43.7
Female	19.8	19.6	25.4	28.3	26.2	27.3	29.7	31.2
Person	22.7	22.8	29.8	33.6	28.2	29.6	35.3	37.2
Below -3 SD Undernourished (BMI for Age) (%)								
Male	9.2	9.3	11.6	10.8	13.9	15.0	13.2	13.8
Female	6.6	6.5	8.5	8.5	9.4	10.0	8.0	8.7
Person	8.0	8.0	10.1	9.7	11.7	12.5	10.5	11.1
Above 2 SD Overnourished (BMI for Age) (%)								
Male	1.3	1.2	4.1	-	3.8	-	-	-
Female	-	-	1.9	-	2.1	-	1.4	0.3
Person	0.8	0.7	3.1	1.5	3.0	2.4	0.9	0.4
Above 3 SD Overnourished (BMI for Age) (%)								
Male	-	-	-	-	0.9	-	-	-
Female	-	-	-	-	-	-	-	-
Person	-	-	-	-	0.7	0.6	0.2	0.2

Indicators	Nayagarh		Khordha		Puri		Ganjam	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Nutritional status 18 years and above								
BMI ≥25.0 for age 18-59 year (%)								
Male	18.7	18.1	24.7	12.7	16.6	15.5	18.9	13.2
Female	21.6	20.9	24.3	19.2	16.5	16.9	17.3	13.3
Person	20.2	19.6	24.5	16.4	16.5	16.2	17.9	13.3
BMI ≥25.0 for age 60 year and above (%)								
Male	11.9	11.3	17.1	11.3	10.6	9.5	13.1	11.3
Female	13.0	12.5	12.9	5.1	15.2	15.0	18.0	14.5
Person	12.4	11.8	15.1	8.2	12.7	12.0	15.5	12.8
BMI ≥30.0 for age 18-59 year (%)								
Male	4.4	4.1	2.9	1.3	2.6	2.5	3.6	2.2
Female	4.5	4.1	4.6	3.4	2.6	2.7	3.7	2.3
Person	4.4	4.1	3.8	2.5	2.6	2.6	3.7	2.3
BMI ≥30.0 for age 60 year and above (%)								
Male	3.3	3.3	-	-	-	-	1.9	1.4
Female	2.9	2.5	-	-	3.6	3.0	3.7	2.1
Person	3.1	3.0	3.7	-	2.3	1.9	2.8	1.7
BMI <18.5 for age 18-59 year (%)								
Male	20.3	20.5	14.5	20.9	10.7	10.8	21.0	23.9
Female	18.9	19.2	16.2	21.5	17.7	18.3	24.8	26.7
Person	19.6	19.8	15.4	21.2	14.4	14.8	23.3	25.6
BMI <18.5 for age 60 year and above (%)								
Male	31.3	31.7	34.3	43.7	24.4	25.0	30.4	31.8
Female	32.5	32.8	27.7	35.6	30.0	30.8	27.4	29.1
Person	31.9	32.2	31.1	39.7	26.9	27.6	29.0	30.5
Anaemia status by Haemoglobin Level								
Anaemia in the age group 6-59 months (%)								
Male	73.1	73.3	63.7	61.4	74.6	72.8	65.2	61.3
Female	73.2	73.6	75.6	75.3	79.1	77.8	68.7	67.7
Person	73.2	73.5	68.5	66.8	76.6	75.0	66.7	64.1
Severe Anemia in the age group 6-59 months (%)								
Male	-	-	-	-	-	-	0.0	0.0
Female	-	-	-	-	-	-	0.0	0.0
Person	-	-	-	-	1.0	1.1	0.0	0.0
Anaemia in the age group 5-9 years (%)								
Male	89.9	89.6	77.9	72.9	86.9	85.3	77.4	76.5
Female	81.8	81.1	74.6	74.2	85.3	84.1	82.1	81.9
Person	86.2	85.8	76.3	73.5	86.1	84.7	79.6	79.0
Severe Anemia in the age group 5-9 years (%)								
Male	6.5	6.5	4.5	-	4.5	5.0	-	-
Female	6.8	7.0	-	-	4.1	3.1	-	-
Person	6.6	6.7	3.3	2.0	4.3	4.1	-	-
Anaemia in the age group 10-17 years (%)								
Male	68.4	68.1	67.4	68.4	82.9	82.4	64.2	65.5
Female	68.2	67.7	73.7	71.6	84.5	84.6	74.3	74.0
Person	68.3	67.9	70.3	69.9	83.7	83.5	69.5	70.0
Severe Anemia in the age group 10-17 years (%)								
Male	3.6	3.7	-	-	4.2	4.3	-	-
Female	2.8	2.9	-	-	3.5	-	1.1	-
Person	3.2	3.3	3.9	-	3.8	3.9	0.8	0.6
Anaemia in the age group 18-59 years (%)								
Male	62.8	62.4	68.8	64.6	86.1	84.9	64.6	63.1
Female	75.1	74.9	72.4	72.7	83.5	82.9	73.6	72.3
Severe Anemia in the age group 18-59 years (%)								
Male	2.3	2.4	2.0	2.4	2.7	2.7	1.1	0.9
Female	2.7	2.7	2.8	-	3.9	4.1	2.0	1.6
Anaemia in the age group 60 years and above (%)								
Male	85.4	85.5	82.1	85.1	89.2	88.6	77.0	75.8
Female	83.4	83.9	80.1	83.0	85.7	84.7	79.9	79.3
Severe Anemia in the age group 60 years and above (%)								
Male	4.6	4.7	-	-	2.4	2.5	3.3	3.0
Female	4.3	4.2	5.2	7.6	4.9	4.9	3.7	3.8

Indicators	Nayagarh		Khordha		Puri		Ganjam	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Blood Sugar Level (18 years and above)								
Blood Sugar Level ≥110 mg/dl (%)								
Male	8.8	8.5	15.1	13.8	8.2	7.1	9.6	8.2
Female	8.2	8.0	12.8	12.3	6.7	6.1	6.6	5.2
Person	8.5	8.1	14.0	13.0	7.4	6.5	7.9	6.4
Blood Sugar Level ≥130 mg/dl (%)								
Male	3.9	3.8	5.7	4.9	3.0	2.7	4.6	3.9
Female	4.3	4.2	4.3	4.0	1.9	2.0	3.3	2.6
Person	4.1	3.9	5.0	4.4	2.4	2.3	3.9	3.1
Blood Sugar Level ≥150 mg/dl (%)								
Male	2.4	2.3	3.5	3.0	1.6	1.4	2.8	2.3
Female	2.8	2.8	2.9	2.7	0.8	0.9	2.0	1.7
Person	2.6	2.5	3.2	2.8	1.2	1.1	2.4	1.9
Hypertension (18 years and above)								
Above Normal Range								
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)								
Male	8.5	8.3	7.0	5.1	9.5	9.9	8.4	7.8
Female	11.6	11.5	8.8	8.6	7.1	7.6	8.8	8.3
Person	10.1	10.0	8.0	7.1	8.2	8.7	8.6	8.1
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)								
Male	6.1	6.1	6.9	4.7	5.9	6.1	3.4	3.3
Female	5.0	5.0	4.7	3.8	4.7	4.7	4.4	4.3
Person	5.5	5.5	5.7	4.2	5.3	5.4	4.0	3.9
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)								
Male	8.9	8.8	8.0	5.5	7.5	7.0	4.0	3.3
Female	6.8	6.9	4.7	5.2	6.4	6.0	4.8	4.5
Person	7.8	7.7	6.2	5.3	6.9	6.5	4.4	4.0
Moderately high								
Systolic ≥160mm of Hg & Diastolic ≥100mm of Hg (%)								
Male	1.8	1.8	1.8	2.3	1.6	1.8	2.4	2.4
Female	3.2	3.2	2.2	2.1	1.2	1.3	2.6	2.4
Person	2.6	2.6	2.0	2.2	1.4	1.6	2.5	2.4
Systolic ≥160mm of Hg & Diastolic <100mm of Hg (%)								
Male	2.9	2.9	1.6	1.0	2.4	2.6	1.7	1.4
Female	2.7	2.7	0.9	0.9	1.9	2.0	2.0	2.0
Person	2.8	2.8	1.2	0.9	2.1	2.3	1.9	1.7
Systolic <160mm of Hg & Diastolic ≥100mm of Hg								
Male	2.0	1.9	1.1	1.7	1.0	0.9	2.1	1.8
Female	2.6	2.6	1.7	2.0	0.8	0.8	2.5	2.4
Person	2.3	2.3	1.4	1.9	0.9	0.8	2.4	2.2
Very high								
Systolic ≥180mm of Hg & Diastolic ≥110mm of Hg (%)								
Male	0.8	0.8	-	-	0.5	0.6	-	-
Female	1.4	1.4	0.6	0.6	0.4	0.5	1.0	1.0
Person	1.1	1.1	0.5	0.4	0.5	0.5	0.7	0.8
Systolic ≥180mm of Hg & Diastolic <110mm of Hg (%)								
Male	1.2	1.2	0.5	-	0.5	0.5	1.0	1.1
Female	0.8	0.8	-	-	0.5	0.5	0.6	0.7
Person	1.0	1.0	0.4	-	0.5	0.5	0.8	0.8
Systolic <180mm of Hg & Diastolic ≥110mm of Hg (%)								
Male	0.7	0.7	1.0	1.3	0.7	-	0.6	0.7
Female	1.5	1.5	-	-	-	-	1.3	1.2
Person	1.1	1.1	0.9	1.1	0.6	-	1.0	1.0
Iodine content in Household Salt (more than 15 ppm) (%)	74.5	74.5	71.0	88.1	70.7	73.2	67.9	66.4

Indicators	Gajapati		Kandhamal		Baudh		Sonapur	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Nutritional status below 5 years								
Below -2 SD Wasting (Weight for Height) (%)								
Male	25.5	26.2	24.4	24.9	28.6	28.6	19.2	18.6
Female	20.2	20.9	29.3	30.0	28.7	28.8	17.7	17.6
Person	23.0	23.7	26.8	27.4	28.7	28.7	18.5	18.1
Below -3 SD Wasting (Weight for Height) (%)								
Male	7.9	8.0	6.7	6.6	10.3	10.3	5.2	4.7
Female	3.4	3.5	9.3	9.4	9.4	9.5	3.1	3.0
Person	5.8	5.9	8.0	8.0	9.9	9.9	4.2	3.9
Below -2 SD Stunting (Height for Age) (%)								
Male	44.3	45.0	30.2	30.3	43.0	42.8	43.7	43.7
Female	42.3	43.2	28.1	27.4	35.0	34.9	44.6	45.0
Person	43.4	44.2	29.2	28.9	39.2	39.0	44.1	44.3
Below -3SD Stunting (Height for Age) (%)								
Male	19.7	20.5	17.3	17.8	16.5	16.5	16.6	16.7
Female	17.4	17.7	14.5	13.4	17.3	17.3	13.5	13.1
Person	18.6	19.2	15.9	15.6	16.9	16.9	15.1	15.0
Below -2 SD Underweight (Weight for Age) (%)								
Male	43.2	44.1	22.1	22.4	51.8	51.9	41.1	40.9
Female	40.0	41.1	24.1	24.6	46.9	46.9	44.5	44.4
Person	41.7	42.6	23.0	23.5	49.5	49.4	42.7	42.6
Below -3 SD Underweight (Weight for Age) (%)								
Male	16.7	17.3	6.0	5.9	24.9	24.9	15.5	15.2
Female	17.0	17.6	10.3	10.3	21.2	21.3	14.2	13.8
Person	16.8	17.4	8.1	8.1	23.2	23.1	14.9	14.6
Below -2 SD Undernourished (BMI for Age) (%)								
Male	21.9	22.3	24.2	24.7	29.2	29.3	20.6	20.1
Female	16.6	17.3	32.7	33.5	33.2	33.4	22.0	21.4
Person	19.5	19.9	28.4	29.0	31.0	31.2	21.2	20.7
Below -3 SD Undernourished (BMI for Age) (%)								
Male	8.2	8.1	11.8	12.1	19.2	19.3	10.9	10.1
Female	4.1	4.3	18.0	18.4	17.2	17.2	9.7	9.1
Person	6.3	6.3	14.8	15.2	18.2	18.3	10.3	9.7
Above 2 SD Overnourished (BMI for Age) (%)								
Male	-	-	4.4	-	-	-	-	-
Female	-	-	3.8	3.4	-	-	-	-
Person	-	-	4.1	3.9	3.1	3.0	1.2	1.2
Above 3 SD Overnourished (BMI for Age) (%)								
Male	-	-	2.2	-	-	-	-	-
Female	-	-	-	-	-	-	-	-
Person	-	-	2.1	-	-	-	-	-
Nutritional status 5-18 years								
Below -2 SD Undernourished (BMI for Age) (%)								
Male	34.8	35.2	27.6	29.6	47.6	47.6	41.8	42.2
Female	21.9	22.2	25.8	26.8	34.5	34.6	30.6	31.0
Person	28.7	29.1	26.8	28.3	41.2	41.2	36.3	36.7
Below -3 SD Undernourished (BMI for Age) (%)								
Male	10.4	10.6	14.7	15.5	20.1	20.3	13.8	14.2
Female	7.5	7.8	13.2	13.6	11.5	11.5	9.8	9.6
Person	9.0	9.3	14.0	14.6	15.9	16.0	11.8	11.9
Above 2 SD Overnourished (BMI for Age) (%)								
Male	-	-	6.0	5.8	-	-	-	-
Female	0.9	-	4.1	3.8	-	-	-	-
Person	0.7	-	5.0	4.8	-	-	0.4	-
Above 3 SD Overnourished (BMI for Age) (%)								
Male	-	-	1.2	1.1	-	-	-	-
Female	-	-	0.8	0.9	-	-	-	-
Person	-	-	1.0	1.0	-	-	-	-

Indicators	Gajapati		Kandhamal		Baudh		Sonapur	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Nutritional status 18 years and above								
BMI ≥25.0 for age 18-59 year (%)								
Male	13.4	12.3	12.4	11.6	10.7	10.6	9.4	9.2
Female	10.4	8.7	13.4	12.8	10.3	10.1	9.7	9.1
Person	11.8	10.3	12.9	12.3	10.5	10.3	9.6	9.1
BMI ≥25.0 for age 60 year and above (%)								
Male	11.8	11.3	11.1	10.8	2.9	2.4	4.4	4.0
Female	14.4	13.0	7.2	6.5	11.2	10.8	6.9	6.5
Person	13.2	12.2	9.3	8.9	6.4	6.0	5.6	5.2
BMI ≥30.0 for age 18-59 year (%)								
Male	1.8	1.6	3.2	3.2	1.6	1.5	0.6	0.5
Female	1.8	-	2.7	2.4	2.6	2.5	1.5	1.5
Person	1.8	1.4	2.9	2.8	2.2	2.1	1.1	1.0
BMI ≥30.0 for age 60 year and above (%)								
Male	-	-	-	-	-	-	0.8	-
Female	-	-	0.4	-	3.1	2.7	1.7	1.6
Person	-	-	0.8	-	1.6	1.3	1.2	1.0
BMI <18.5 for age 18-59 year (%)								
Male	19.4	19.9	20.1	20.9	27.7	27.9	27.7	27.9
Female	30.9	32.3	28.3	29.3	35.6	36.2	38.3	39.2
Person	25.7	26.7	24.6	25.5	31.8	32.3	33.1	33.6
BMI <18.5 for age 60 year and above (%)								
Male	32.5	32.8	35.5	36.4	52.0	53.2	42.9	42.8
Female	42.5	44.1	45.9	47.1	48.0	48.8	50.4	51.3
Person	37.8	38.9	40.1	41.2	50.3	51.3	46.5	46.8
Anaemia status by Haemoglobin Level								
Anaemia in the age group 6-59 months (%)								
Male	85.8	85.7	82.2	83.1	76.5	76.4	73.1	72.6
Female	82.2	81.9	72.1	72.3	80.9	80.9	76.4	75.8
Person	84.1	83.9	77.1	77.6	78.6	78.5	74.7	74.1
Severe Anemia in the age group 6-59 months (%)								
Male	0.0	0.0	-	-	-	-	-	-
Female	0.0	0.0	-	-	-	-	-	-
Person	0.0	0.0	-	-	-	-	-	-
Anaemia in the age group 5-9 years (%)								
Male	90.1	90.3	83.1	83.6	88.1	87.9	68.7	68.1
Female	87.6	87.4	86.6	87.8	84.6	84.2	74.3	73.3
Person	88.9	88.9	84.9	85.7	86.4	86.2	71.3	70.5
Severe Anemia in the age group 5-9 years (%)								
Male	-	-	4.7	4.7	4.5	4.5	2.7	2.8
Female	-	-	8.3	8.3	3.5	-	2.6	2.7
Person	-	-	6.5	6.5	4.0	4.0	2.6	2.8
Anaemia in the age group 10-17 years (%)								
Male	83.9	84.6	77.5	78.5	77.0	76.7	58.9	57.5
Female	86.6	86.7	80.0	80.1	81.7	81.4	66.8	65.9
Person	85.2	85.6	78.7	79.3	79.2	78.9	62.8	61.7
Severe Anemia in the age group 10-17 years (%)								
Male	3.0	3.1	4.1	4.3	3.6	3.5	2.1	2.2
Female	2.3	2.4	-	-	1.5	1.5	3.1	3.2
Person	2.7	2.8	4.1	4.2	2.6	2.6	2.6	2.7
Anaemia in the age group 18-59 years (%)								
Male	85.0	84.8	80.0	80.3	80.4	80.1	52.9	52.0
Female	86.2	86.2	74.2	74.7	82.7	82.5	68.9	68.0
Severe Anemia in the age group 18-59 years (%)								
Male	1.7	1.5	2.2	2.2	1.8	1.7	1.4	1.4
Female	1.8	1.6	3.8	3.9	2.9	2.9	2.5	2.4
Anaemia in the age group 60 years and above (%)								
Male	93.8	93.7	90.8	91.2	93.6	93.8	75.6	75.0
Female	86.8	86.3	84.0	84.1	91.8	91.7	79.1	78.7
Severe Anemia in the age group 60 years and above (%)								
Male	3.6	3.6	3.9	4.1	5.7	5.9	4.0	4.1
Female	3.5	3.0	6.3	6.5	6.5	6.5	6.1	6.4

Indicators	Gajapati		Kandhamal		Baudh		Sonapur	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Blood Sugar Level (18 years and above)								
Blood Sugar Level ≥110 mg/dl (%)								
Male	6.2	5.8	11.1	10.9	8.2	8.2	4.1	3.7
Female	6.9	6.5	10.5	10.4	6.7	6.7	2.9	2.7
Person	6.6	6.2	10.7	10.8	7.4	7.4	3.5	3.3
Blood Sugar Level ≥130 mg/dl (%)								
Male	1.9	1.6	5.1	5.0	2.9	2.8	3.9	3.5
Female	2.4	2.1	3.1	2.9	2.3	2.2	2.8	2.6
Person	2.2	1.9	4.0	4.0	2.6	2.5	3.3	3.1
Blood Sugar Level ≥150 mg/dl (%)								
Male	1.2	1.0	3.3	3.3	1.6	1.5	2.4	2.2
Female	1.7	1.5	1.8	1.7	1.1	1.0	1.6	1.5
Person	1.5	1.3	2.5	2.5	1.3	1.2	2.0	1.9
Hypertension (18 years and above)								
Above Normal Range								
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)								
Male	7.5	7.2	5.8	5.8	8.5	8.3	4.3	4.3
Female	7.9	7.1	5.8	5.9	7.7	7.5	5.8	5.8
Person	7.7	7.2	5.8	5.8	8.1	7.9	5.1	5.1
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)								
Male	5.2	5.1	12.2	12.3	5.4	5.3	5.9	6.0
Female	5.4	5.0	8.9	8.9	4.9	4.9	5.3	5.5
Person	5.3	5.0	10.4	10.5	5.1	5.1	5.6	5.7
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)								
Male	-	-	6.7	6.5	4.7	4.5	1.8	1.8
Female	-	-	6.8	6.5	3.9	3.7	2.2	2.1
Person	-	-	6.7	6.5	4.3	4.1	2.0	2.0
Moderately high								
Systolic ≥160mm of Hg & Diastolic ≥100mm of Hg (%)								
Male	-	-	2.3	2.4	2.9	2.9	1.2	1.2
Female	-	-	1.5	1.5	2.4	2.4	1.9	1.8
Person	-	-	1.9	1.9	2.6	2.6	1.5	1.5
Systolic ≥160mm of Hg & Diastolic <100mm of Hg (%)								
Male	1.8	1.8	3.6	3.7	2.1	2.2	2.3	2.4
Female	2.3	2.2	3.5	3.6	2.3	2.1	2.2	2.3
Person	2.1	2.0	3.5	3.6	2.2	2.2	2.3	2.4
Systolic <160mm of Hg & Diastolic ≥100mm of Hg								
Male	-	-	2.0	2.0	0.9	0.8	1.1	1.1
Female	-	-	3.0	3.1	1.3	1.4	1.1	1.1
Person	-	-	2.6	2.6	1.1	1.1	1.1	1.1
Very high								
Systolic ≥180mm of Hg & Diastolic ≥110mm of Hg (%)								
Male	-	-	0.8	0.9	1.0	1.1	0.4	0.4
Female	-	-	0.6	0.6	1.0	1.0	0.6	0.6
Person	-	-	0.7	0.7	1.0	1.0	0.5	0.5
Systolic ≥180mm of Hg & Diastolic <110mm of Hg (%)								
Male	-	-	2.0	2.1	-	-	1.0	1.0
Female	0.8	0.8	1.4	1.5	1.3	1.2	0.8	0.8
Person	0.6	0.6	1.7	1.8	1.0	1.0	0.9	0.9
Systolic <180mm of Hg & Diastolic ≥110mm of Hg (%)								
Male	-	-	1.0	1.0	0.7	0.7	-	-
Female	-	-	-	-	0.6	0.6	0.7	0.7
Person	-	-	1.1	1.1	0.6	0.6	0.6	0.6
Iodine content in Household Salt (more than 15 ppm) (%)	67.6	68.7	72.4	72.8	82.8	84.4	68.4	67.1

Indicators	Balangir		Nuapada		Kalahandi		Rayagada	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Nutritional status below 5 years								
Below -2 SD Wasting (Weight for Height) (%)								
Male	27.8	27.3	26.1	26.7	29.7	30.6	30.0	31.6
Female	27.3	26.0	9.3	8.8	23.9	24.6	31.6	31.2
Person	27.5	26.7	18.2	18.3	26.9	27.7	30.6	31.4
Below -3 SD Wasting (Weight for Height) (%)								
Male	10.2	10.2	5.2	5.3	5.8	6.2	15.0	15.8
Female	10.1	9.7	-	-	5.8	6.2	10.6	10.0
Person	10.1	10.0	3.7	3.6	5.8	6.2	13.1	13.3
Below -2 SD Stunting (Height for Age) (%)								
Male	51.1	51.2	48.9	48.9	43.4	44.1	51.3	51.8
Female	51.3	49.4	42.4	42.8	45.9	47.0	44.3	45.0
Person	51.2	50.4	45.8	46.1	44.6	45.5	48.5	49.0
Below -3SD Stunting (Height for Age) (%)								
Male	26.7	25.8	17.4	17.1	14.3	14.5	23.3	22.8
Female	24.9	23.0	18.0	18.1	17.7	18.3	24.6	25.2
Person	25.9	24.6	17.7	17.6	15.9	16.3	23.9	23.8
Below -2 SD Underweight (Weight for Age) (%)								
Male	45.3	44.5	51.5	51.7	55.6	57.9	56.2	57.0
Female	46.6	45.2	47.9	48.4	49.7	51.3	50.7	51.9
Person	45.9	44.8	49.8	50.2	52.8	54.7	53.9	54.9
Below -3 SD Underweight (Weight for Age) (%)								
Male	16.8	15.9	17.5	17.6	16.7	17.8	28.8	29.8
Female	18.5	17.1	10.9	10.8	18.6	19.6	23.2	22.9
Person	17.6	16.5	14.4	14.4	17.6	18.7	26.5	26.9
Below -2 SD Undernourished (BMI for Age) (%)								
Male	24.8	24.8	21.7	22.2	25.5	26.9	29.5	31.1
Female	24.8	22.9	11.2	10.8	20.1	20.5	31.4	31.8
Person	24.8	23.9	16.7	16.8	22.9	23.8	30.4	31.4
Below -3 SD Undernourished (BMI for Age) (%)								
Male	14.3	14.2	-	-	6.7	7.2	20.8	21.6
Female	8.9	8.0	-	-	6.9	7.3	14.0	13.7
Person	11.9	11.4	-	-	6.8	7.2	18.0	18.3
Above 2 SD Overnourished (BMI for Age) (%)								
Male	6.5	6.8	-	-	1.0	-	7.2	6.3
Female	6.8	6.9	-	-	-	-	6.4	7.0
Person	6.7	6.9	-	-	0.7	-	7.0	6.6
Above 3 SD Overnourished (BMI for Age) (%)								
Male	3.0	3.2	-	-	-	-	2.2	2.4
Female	-	-	-	-	-	-	-	-
Person	2.4	2.5	-	-	-	-	2.6	2.8
Nutritional status 5-18 years								
Below -2 SD Undernourished (BMI for Age) (%)								
Male	43.8	45.7	36.6	37.1	55.6	56.2	33.3	36.1
Female	35.2	35.7	26.2	26.4	43.8	44.2	26.9	29.9
Person	39.4	40.7	31.6	31.9	49.6	50.1	30.2	33.2
Below -3 SD Undernourished (BMI for Age) (%)								
Male	20.3	21.2	9.6	9.7	25.3	25.8	13.5	14.0
Female	16.3	16.3	5.3	5.4	14.8	14.9	9.5	10.6
Person	18.3	18.8	7.5	7.6	20.0	20.3	11.6	12.4
Above 2 SD Overnourished (BMI for Age) (%)								
Male	-	-	-	-	-	-	2.9	2.3
Female	0.5	-	-	-	-	-	2.2	1.6
Person	1.0	-	-	-	-	-	2.6	2.0
Above 3 SD Overnourished (BMI for Age) (%)								
Male	-	-	-	-	-	-	0.8	-
Female	-	-	-	-	-	-	0.8	0.9
Person	-	-	-	-	-	-	0.8	0.7

Indicators	Balangir		Nuapada		Kalahandi		Rayagada	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Nutritional status 18 years and above								
BMI ≥25.0 for age 18-59 year (%)								
Male	9.1	8.0	9.3	8.3	5.5	4.1	8.3	6.3
Female	8.4	7.5	12.5	11.3	4.9	2.9	7.3	6.4
Person	8.7	7.8	11.0	9.9	5.2	3.5	7.8	6.3
BMI ≥25.0 for age 60 year and above (%)								
Male	5.6	3.2	4.5	3.8	5.8	3.7	6.1	5.6
Female	7.2	6.3	4.6	3.8	3.7	2.3	5.2	2.9
Person	6.4	4.7	4.6	3.8	4.8	3.0	5.6	4.1
BMI ≥30.0 for age 18-59 year (%)								
Male	1.6	1.5	1.1	0.7	0.9	-	1.7	1.5
Female	2.0	1.9	3.0	2.6	0.9	-	1.3	1.3
Person	1.8	1.7	2.1	1.7	0.9	0.4	1.5	1.4
BMI ≥30.0 for age 60 year and above (%)								
Male	-	-	0.0	-	0.9	-	-	-
Female	2.5	2.2	0.9	-	0.8	-	-	-
Person	1.5	1.4	0.5	-	0.8	-	-	-
BMI <18.5 for age 18-59 year (%)								
Male	31.0	31.7	27.9	28.4	40.9	42.9	18.9	22.6
Female	45.5	47.1	28.2	29.0	44.4	46.4	28.1	33.0
Person	38.8	39.9	28.0	28.7	42.8	44.7	23.7	28.0
BMI <18.5 for age 60 year and above (%)								
Male	46.9	49.2	48.2	48.6	56.2	59.8	32.5	34.9
Female	59.0	60.5	44.9	45.6	59.7	63.1	42.1	48.3
Person	52.6	54.6	46.4	47.0	57.9	61.4	37.7	42.2
Anaemia status by Haemoglobin Level								
Anaemia in the age group 6-59 months (%)								
Male	83.6	84.7	72.6	73.0	76.1	76.3	68.6	69.1
Female	89.0	91.0	67.6	68.0	72.3	72.7	76.9	76.6
Person	86.1	87.6	70.2	70.6	74.3	74.6	72.0	72.1
Severe Anemia in the age group 6-59 months (%)								
Male	0.0	0.0	0.0	0.0	0.0	0.0	-	-
Female	0.0	0.0	0.0	0.0	0.0	0.0	-	-
Person	0.0	0.0	0.0	0.0	0.0	0.0	-	-
Anaemia in the age group 5-9 years (%)								
Male	89.0	89.5	86.7	87.5	84.2	83.6	89.4	91.5
Female	91.1	92.1	80.7	80.4	72.7	72.6	90.0	91.6
Person	90.0	90.6	83.9	84.1	78.6	78.3	89.7	91.6
Severe Anemia in the age group 5-9 years (%)								
Male	-	-	4.4	4.5	3.2	3.3	-	-
Female	-	-	3.8	3.6	-	-	4.7	3.9
Person	-	-	4.1	4.1	3.0	3.1	4.8	4.7
Anaemia in the age group 10-17 years (%)								
Male	75.7	77.0	66.9	67.4	67.8	68.4	89.9	91.0
Female	87.5	88.7	79.3	79.0	81.6	82.2	91.8	93.4
Person	82.2	83.3	72.7	72.9	74.8	75.4	90.7	92.1
Severe Anemia in the age group 10-17 years (%)								
Male	-	-	3.0	3.1	1.8	1.8	7.3	7.6
Female	-	-	3.2	3.1	2.0	2.1	9.5	10.6
Person	-	-	3.1	3.1	1.9	2.0	8.3	8.9
Anaemia in the age group 18-59 years (%)								
Male	79.2	80.1	56.9	57.7	64.6	65.3	95.3	96.4
Female	88.4	89.0	73.3	74.2	76.6	76.9	89.9	92.7
Severe Anemia in the age group 18-59 years (%)								
Male	-	-	2.5	2.5	1.4	1.4	4.8	5.8
Female	3.7	3.8	2.5	2.5	2.3	2.4	5.7	6.9
Anaemia in the age group 60 years and above (%)								
Male	93.3	94.8	81.7	81.9	83.3	84.1	98.2	98.9
Female	92.2	91.8	86.3	86.9	84.3	84.6	90.9	92.2
Severe Anemia in the age group 60 years and above (%)								
Male	2.8	3.1	-	-	1.9	-	11.7	13.5
Female	2.2	1.7	-	-	4.3	4.3	-	-

Indicators	Balangir		Nuapada		Kalahandi		Rayagada	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Blood Sugar Level (18 years and above)								
Blood Sugar Level ≥ 110 mg/dl (%)								
Male	9.7	9.8	6.8	6.5	8.9	8.1	-	-
Female	7.2	6.8	5.5	5.2	7.0	6.4	-	-
Person	8.4	8.2	6.1	5.8	7.9	7.2	-	-
Blood Sugar Level ≥ 130 mg/dl (%)								
Male	4.3	4.4	1.9	1.8	3.7	2.9	-	-
Female	1.9	1.8	1.5	1.4	2.9	2.4	-	-
Person	3.0	3.0	1.7	1.6	3.3	2.7	-	-
Blood Sugar Level ≥ 150 mg/dl (%)								
Male	2.9	2.9	1.0	0.9	2.1	1.4	-	-
Female	1.4	1.2	1.0	0.9	1.7	1.3	-	-
Person	2.1	2.0	1.0	0.9	1.9	1.4	-	-
Hypertension (18 years and above)								
Above Normal Range								
Systolic ≥ 140mm of Hg & Diastolic ≥ 90mm of Hg (%)								
Male	6.4	5.8	3.4	3.1	5.5	4.2	5.3	4.0
Female	5.8	5.9	3.4	3.2	6.8	6.0	4.6	4.2
Person	6.1	5.9	3.4	3.1	6.2	5.2	4.9	4.1
Systolic ≥ 140mm of Hg & Diastolic < 90mm of Hg (%)								
Male	8.1	8.4	2.7	2.6	3.4	3.4	3.8	4.1
Female	7.7	7.6	3.8	3.8	4.2	4.1	3.3	3.4
Person	7.9	8.0	3.3	3.2	3.8	3.8	3.5	3.7
Systolic < 140mm of Hg & Diastolic ≥ 90mm of Hg (%)								
Male	3.8	4.0	3.2	3.2	5.6	5.0	15.1	15.0
Female	4.5	4.9	3.0	2.9	3.3	3.0	12.2	12.6
Person	4.2	4.5	3.1	3.0	4.4	3.9	13.5	13.7
Moderately high								
Systolic ≥ 160mm of Hg & Diastolic ≥ 100mm of Hg (%)								
Male	1.8	1.7	0.0	0.0	1.7	1.2	0.9	0.7
Female	1.7	1.6	0.1	0.1	2.3	2.0	-	-
Person	1.8	1.7	0.1	0.1	2.0	1.6	0.9	0.8
Systolic ≥ 160mm of Hg & Diastolic < 100mm of Hg (%)								
Male	2.2	2.3	-	-	1.0	0.9	1.9	1.7
Female	2.5	2.5	-	-	2.0	1.8	1.4	1.6
Person	2.4	2.4	-	-	1.6	1.4	1.6	1.6
Systolic < 160mm of Hg & Diastolic ≥ 100mm of Hg								
Male	1.9	1.7	1.3	1.2	1.3	1.0	1.7	1.7
Female	1.3	1.4	1.3	1.3	0.9	0.8	1.8	1.5
Person	1.6	1.6	1.3	1.3	1.1	0.9	1.7	1.6
Very high								
Systolic ≥ 180mm of Hg & Diastolic ≥ 110mm of Hg (%)								
Male	-	-	-	-	-	-	-	-
Female	-	-	-	-	0.9	0.9	-	-
Person	0.1	0.2	-	-	0.7	0.6	-	-
Systolic ≥ 180mm of Hg & Diastolic < 110mm of Hg (%)								
Male	-	-	-	-	0.4	-	0.9	0.8
Female	0.8	0.8	-	-	0.6	0.5	0.5	-
Person	0.6	0.6	-	-	0.5	0.4	0.7	0.6
Systolic < 180mm of Hg & Diastolic ≥ 110mm of Hg (%)								
Male	1.2	1.1	-	-	1.0	0.7	0.8	0.8
Female	1.1	1.1	-	-	0.7	0.5	0.6	0.6
Person	1.1	1.1	-	-	0.8	0.6	0.7	0.7
Iodine content in Household Salt (more than 15 ppm) (%)	52.6	51.0	80.6	80.5	47.3	47.0	75.9	82.5

Indicators	Nabarangapur		Koraput		Malkanagiri	
	Total	Rural	Total	Rural	Total	Rural
Nutritional status below 5 years						
Below -2 SD Wasting (Weight for Height) (%)						
Male	27.9	28.4	21.6	21.2	32.5	34.5
Female	19.3	19.5	20.0	21.6	34.1	35.2
Person	23.8	24.3	20.8	21.4	33.4	34.9
Below -3 SD Wasting (Weight for Height) (%)						
Male	4.6	4.7	6.5	6.1	15.8	17.0
Female	3.6	3.6	4.6	4.6	16.1	16.8
Person	4.1	4.2	5.6	5.4	16.0	16.9
Below -2 SD Stunting (Height for Age) (%)						
Male	54.2	54.4	57.7	58.2	53.0	52.7
Female	51.2	51.7	57.6	59.1	48.0	47.0
Person	52.8	53.1	57.7	58.6	50.2	49.6
Below -3SD Stunting (Height for Age) (%)						
Male	24.7	25.1	35.5	37.0	27.2	26.6
Female	24.3	24.6	33.6	34.5	28.9	28.9
Person	24.5	24.9	34.6	35.8	28.1	27.9
Below -2 SD Underweight (Weight for Age) (%)						
Male	54.3	54.6	50.6	52.4	66.2	68.2
Female	51.1	51.3	54.8	54.9	68.3	69.7
Person	52.8	53.1	52.6	53.6	67.4	68.9
Below -3 SD Underweight (Weight for Age) (%)						
Male	21.6	21.9	19.0	20.2	39.9	42.1
Female	18.5	18.8	26.9	27.2	29.8	30.6
Person	20.1	20.5	22.8	23.5	34.5	35.8
Below -2 SD Undernourished (BMI for Age) (%)						
Male	19.4	19.7	18.9	18.6	29.1	30.1
Female	16.5	16.9	19.3	20.5	40.1	41.4
Person	18.1	18.4	19.1	19.5	35.0	36.2
Below -3 SD Undernourished (BMI for Age) (%)						
Male	3.3	3.4	7.7	7.4	22.0	22.9
Female	3.5	3.6	8.5	8.8	23.2	24.4
Person	3.4	3.5	8.1	8.1	22.6	23.7
Above 2 SD Overnourished (BMI for Age) (%)						
Male	-	-	5.8	5.7	1.3	1.4
Female	1.5	1.5	3.0	2.8	-	-
Person	0.9	0.9	4.4	4.2	0.7	0.8
Above 3 SD Overnourished (BMI for Age) (%)						
Male	-	-	2.7	2.8	0.9	0.9
Female	-	-	1.9	1.9	-	-
Person	-	-	2.3	2.3	0.4	0.4
Nutritional status 5-18 years						
Below -2 SD Undernourished (BMI for Age) (%)						
Male	44.1	44.2	48.8	49.2	45.1	46.8
Female	34.5	34.7	38.2	40.1	38.8	39.4
Person	39.4	39.6	43.4	44.7	41.6	42.7
Below -3 SD Undernourished (BMI for Age) (%)						
Male	14.8	14.9	20.9	21.2	16.1	16.6
Female	9.1	9.1	13.7	14.6	15.4	15.9
Person	12.0	12.1	17.3	17.9	15.7	16.2
Above 2 SD Overnourished (BMI for Age) (%)						
Male	0.4	-	0.6	0.4	-	-
Female	-	-	1.2	1.3	-	-
Person	0.2	-	0.9	0.9	1.0	1.0
Above 3 SD Overnourished (BMI for Age) (%)						
Male	-	-	0.3	0.4	-	-
Female	-	-	0.7	0.8	-	-
Person	-	-	0.5	0.6	-	-

Indicators	Nabarangapur		Koraput		Malkanagiri	
	Total	Rural	Total	Rural	Total	Rural
Nutritional status 18 years and above						
BMI ≥25.0 for age 18-59 year (%)						
Male	4.6	4.0	6.5	5.6	5.4	3.7
Female	4.5	3.5	5.6	4.4	3.7	2.3
Person	4.5	3.7	6.1	5.0	4.5	2.9
BMI ≥25.0 for age 60 year and above (%)						
Male	3.4	-	5.6	5.3	3.8	-
Female	4.6	4.5	3.8	-	-	-
Person	4.0	3.3	4.7	4.4	4.7	-
BMI ≥30.0 for age 18-59 year (%)						
Male	0.7	0.4	1.4	1.3	2.0	1.7
Female	0.6	0.3	1.1	0.8	0.6	0.1
Person	0.6	0.4	1.3	1.0	1.3	0.9
BMI ≥30.0 for age 60 year and above (%)						
Male	-	-	1.3	1.5	-	-
Female	-	-	-	-	-	-
Person	-	-	1.0	1.1	-	-
BMI <18.5 for age 18-59 year (%)						
Male	41.5	42.2	29.4	30.4	40.5	42.3
Female	48.5	49.6	43.9	46.2	49.7	51.5
Person	45.0	45.9	37.1	38.7	45.3	47.1
BMI <18.5 for age 60 year and above (%)						
Male	56.6	58.0	49.6	49.4	48.4	51.4
Female	51.1	51.9	53.6	57.0	62.0	63.3
Person	53.9	55.0	51.6	53.3	55.9	58.1
Anaemia status by Haemoglobin Level						
Anaemia in the age group 6-59 months (%)						
Male	88.7	89.1	57.6	58.1	86.6	86.4
Female	88.4	88.6	56.9	56.0	79.7	79.4
Person	88.6	88.9	57.3	57.1	82.7	82.4
Severe Anemia in the age group 6-59 months (%)						
Male	0.0	0.0	0.0	0.0	-	-
Female	0.0	0.0	0.0	0.0	3.9	4.1
Person	0.0	0.0	0.0	0.0	3.3	3.4
Anaemia in the age group 5-9 years (%)						
Male	93.7	94.0	83.7	84.5	81.3	80.6
Female	91.6	91.7	81.2	82.0	92.8	92.9
Person	92.7	92.8	82.4	83.2	87.3	87.1
Severe Anemia in the age group 5-9 years (%)						
Male	1.9	1.8	2.4	2.6	-	-
Female	1.8	1.9	1.6	1.8	-	-
Person	1.9	1.8	2.0	2.2	-	-
Anaemia in the age group 10-17 years (%)						
Male	83.9	84.0	76.1	76.5	87.7	88.0
Female	90.8	91.2	81.1	81.6	89.0	88.5
Person	87.3	87.5	78.7	79.2	88.4	88.3
Severe Anemia in the age group 10-17 years (%)						
Male	1.9	1.9	2.7	2.8	8.9	9.0
Female	4.0	4.1	1.8	2.0	-	-
Person	2.9	3.0	2.2	2.4	7.4	7.5
Anaemia in the age group 18-59 years (%)						
Male	76.2	77.0	85.1	85.2	90.7	90.7
Female	84.7	85.2	79.4	80.8	87.8	87.3
Severe Anemia in the age group 18-59 years (%)						
Male	0.8	0.8	1.6	1.6	6.9	6.9
Female	3.8	3.9	2.0	1.5	-	-
Anaemia in the age group 60 years and above (%)						
Male	89.1	89.6	87.2	87.0	94.7	95.6
Female	90.2	90.5	77.4	76.4	89.7	89.1
Severe Anemia in the age group 60 years and above (%)						
Male	3.6	3.7	2.1	2.0	-	-
Female	6.0	6.1	-	-	-	-

Indicators	Nabarangapur		Koraput		Malkanagiri	
	Total	Rural	Total	Rural	Total	Rural
Blood Sugar Level (18 years and above)						
Blood Sugar Level ≥110 mg/dl (%)						
Male	5.4	5.1	7.1	6.2	10.2	-
Female	4.4	4.0	6.7	6.0	-	-
Person	4.8	4.5	6.9	6.1	9.3	-
Blood Sugar Level ≥130 mg/dl (%)						
Male	1.1	0.9	2.5	1.9	4.5	-
Female	1.1	0.9	2.7	2.3	-	-
Person	1.1	0.9	2.6	2.1	3.4	-
Blood Sugar Level ≥150 mg/dl (%)						
Male	0.8	0.7	1.6	1.1	2.3	-
Female	0.4	-	1.0	0.9	-	-
Person	0.6	0.5	1.3	1.0	1.7	-
Hypertension (18 years and above)						
Above Normal Range						
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)						
Male	6.8	6.7	4.8	4.6	4.9	4.8
Female	8.8	8.7	6.6	6.7	4.7	4.7
Person	7.8	7.8	5.7	5.7	4.8	4.8
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)						
Male	4.9	5.0	3.8	3.8	3.4	3.4
Female	4.3	4.3	3.1	2.8	2.5	2.3
Person	4.6	4.6	3.4	3.2	2.9	2.8
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)						
Male	2.9	2.8	5.4	5.7	7.7	7.7
Female	2.2	2.2	4.7	5.0	6.0	6.2
Person	2.5	2.5	5.0	5.3	6.8	6.9
Moderately high						
Systolic ≥160mm of Hg & Diastolic ≥100mm of Hg (%)						
Male	0.9	0.9	1.5	1.4	1.0	0.8
Female	1.0	1.0	2.6	2.8	1.3	-
Person	1.0	1.0	2.1	2.1	1.2	1.0
Systolic ≥160mm of Hg & Diastolic <100mm of Hg (%)						
Male	0.6	0.6	2.1	2.1	1.2	1.3
Female	0.9	0.9	2.2	1.9	1.7	1.7
Person	0.7	0.7	2.1	2.0	1.5	1.5
Systolic <160mm of Hg & Diastolic ≥100mm of Hg						
Male	1.6	1.6	1.4	1.5	2.4	2.5
Female	1.8	1.8	1.6	1.6	-	-
Person	1.7	1.7	1.5	1.6	2.2	2.4
Very high						
Systolic ≥180mm of Hg & Diastolic ≥110mm of Hg (%)						
Male	-	-	0.8	0.8	-	-
Female	-	-	1.1	1.2	-	-
Person	-	-	1.0	1.0	-	-
Systolic ≥180mm of Hg & Diastolic <110mm of Hg (%)						
Male	-	-	0.8	0.7	-	-
Female	-	-	1.1	0.9	0.9	0.8
Person	-	-	0.9	0.8	0.6	0.6
Systolic <180mm of Hg & Diastolic ≥110mm of Hg (%)						
Male	0.2	0.2	0.7	0.7	1.2	1.1
Female	-	-	0.8	0.8	-	-
Person	0.1	0.1	0.7	0.7	0.8	0.8
Iodine content in Household Salt (more than 15 ppm) (%)	54.3	53.2	76.9	76.7	71.1	72.8

Note: "-" Indicate Inadequate Sample Size.

Anemia Cut-off.

Children (6-59 months) - Anemia Hb < 11 g/dL and Severe Anemia Hb < 5 g/dL

Male and Female aged 5-17 years- Anemia Hb < 12g/dL and Severe Anemia Hb < 7g/dL

Men (18 years and above)- Anemia Hb < 13 g/dL and Severe Anemia Hb < 7g/dL

Non-Pregnant Women (18 years and above)- Anemia Hb < 12g/dL and Severe Anemia Hb < 7g/dL