

Indicators	Odisha									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	12015	0.8	3.8	18.7	21.8	10617	0.8	4.1	18.8	22.1
Below -2 SD Stunting (Height for Age) (%)										
Person	12282	1.1	2.7	39.3	43.7	10853	1.2	2.8	40.1	44.8
Below -2 SD Underweight (Weight for Age) (%)										
Person	12494	1.2	3.1	36.6	41.3	11047	1.3	3.1	37.6	42.6
Below -2 SD Undernourished (BMI for Age) (%)										
Person	12540	0.8	3.8	18.4	21.4	11077	0.8	4.1	18.5	21.8
Above 2 SD Overnourished (BMI for Age) (%)										
Person	12540	0.5	10.0	3.9	5.7	11077	0.5	11.3	3.5	5.5
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	38368	0.9	2.8	30.4	33.9	33567	0.9	2.8	31.3	35.0
Above 2 SD Overnourished (BMI for Age) (%)										
Person	38368	0.1	9.0	1.2	1.7	33567	0.1	10.2	0.9	1.3
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	89387	0.7	4.7	12.7	15.7	76522	0.5	4.5	10.5	12.8
BMI ≥25.0 for age 60 year and above (%)										
Person	17705	0.6	5.9	9.4	12.3	15767	0.4	4.8	7.8	9.7
BMI <18.5 for age 18-59 year (%)										
Person	89387	0.8	2.9	25.4	29.0	76522	0.8	2.7	27.5	31.0
BMI <18.5 for age 60 year and above (%)										
Person	17705	1.0	2.7	35.4	40.1	15767	1.0	2.5	37.8	42.4
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	9643	1.2	1.7	68.3	73.2	8600	1.4	1.9	67.8	73.2
Anaemia in the age group 5-9 years (%)										
Person	11872	1.0	1.2	79.2	83.1	10537	1.1	1.3	78.9	83.2
Anaemia in the age group 10-17 years (%)										
Person	20438	1.0	1.4	72.3	76.5	17947	1.1	1.5	72.4	76.9
Anaemia in the age group 18-59 years (%)										
Male	36001	1.3	1.8	69.3	74.2	30829	1.4	2.0	69.0	74.6
Female	44232	0.8	1.0	76.3	79.5	38249	0.9	1.2	75.9	79.5
Anaemia in the age group 60 years and above (%)										
Male	8370	0.9	1.1	80.9	84.4	7488	0.9	1.1	81.0	84.7
Female	7848	0.9	1.1	79.5	83.1	7002	1.0	1.2	79.8	83.7
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	104716	0.3	3.9	7.7	9.0	90632	0.3	4.2	7.1	8.4
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	107101	0.4	4.9	7.7	9.4	92298	0.4	5.5	7.3	9.1
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	107101	0.2	3.3	6.0	6.8	92298	0.2	3.7	5.8	6.7
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	107101	0.3	4.7	5.3	6.4	92298	0.3	5.1	5.0	6.1
Iodine content in Household Salt (more than 15 ppm) (%)	43488	1.8	2.5	68.6	75.9	37495	2.1	2.9	67.6	75.7

Indicators	Bargarh									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	313	2.5	10.1	19.4	30.6	283	2.5	9.9	20.3	31.8
Below -2 SD Stunting (Height for Age) (%)										
Person	322	2.6	5.4	41.4	52.9	290	2.6	5.4	42.0	53.6
Below -2 SD Underweight (Weight for Age) (%)										
Person	320	5.8	12.6	33.7	59.5	289	6.2	13.1	34.0	61.5
Below -2 SD Undernourished (BMI for Age) (%)										
Person	319	3.2	14.7	15.5	30.0	288	3.4	14.8	16.0	31.2
Above 2 SD Overnourished (BMI for Age) (%)										
Person	319	0.6	40.1	0.6	3.9	288	0.7	39.7	0.7	4.2
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1063	2.3	8.3	22.6	32.8	968	2.4	8.6	22.7	33.5
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1063	0.2	25.3	0.4	1.2	968	0.1	24.5	0.3	1.0
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	2821	2.3	13.0	12.8	23.0	2534	2.3	14.4	11.7	22.3
BMI ≥25.0 for age 60 year and above (%)										
Person	585	2.2	18.0	8.1	18.1	530	2.2	19.9	6.9	17.0
BMI <18.5 for age 18-59 year (%)										
Person	2821	1.8	6.7	22.7	30.6	2534	1.8	6.6	23.3	31.5
BMI <18.5 for age 60 year and above (%)										
Person	585	2.6	6.5	33.7	45.2	530	2.5	6.1	35.3	46.4
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	271	6.4	8.7	56.6	85.1	246	6.7	9.0	56.8	86.4
Anaemia in the age group 5-9 years (%)										
Person	290	6.5	8.5	59.0	88.2	259	6.9	9.0	58.2	89.3
Anaemia in the age group 10-17 years (%)										
Person	522	5.9	7.9	59.5	85.9	482	6.1	8.0	59.6	86.9
Anaemia in the age group 18-59 years (%)										
Male	1066	5.8	8.4	55.1	80.9	956	6.2	8.6	56.3	83.6
Female	1253	5.8	7.4	62.0	87.8	1123	6.2	7.9	61.3	89.1
Anaemia in the age group 60 years and above (%)										
Male	266	5.8	7.2	64.5	91.1	241	6.2	7.5	64.0	92.5
Female	228	6.2	7.5	64.2	93.0	207	6.6	8.0	62.8	93.5
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3236	0.9	12.2	5.4	9.3	2922	0.9	12.7	5.4	9.7
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3429	1.0	14.2	5.1	9.6	3085	1.1	15.5	4.8	9.8
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3429	0.5	7.4	6.0	8.3	3085	0.5	7.5	5.9	8.3
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3429	0.4	9.1	4.0	6.0	3085	0.5	9.5	4.0	6.1
Iodine content in Household Salt (more than 15 ppm) (%)	1223	2.9	3.4	77.7	90.8	1100	3.0	3.6	77.2	91.1

Indicators	Jharsuguda									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	390	3.8	19.6	12.2	29.5	236	6.5	31.2	9.8	39.4
Below -2 SD Stunting (Height for Age) (%)										
Person	392	2.9	7.6	31.9	44.9	236	1.3	2.9	43.6	49.6
Below -2 SD Underweight (Weight for Age) (%)										
Person	402	3.2	9.6	26.3	40.6	243	6.2	16.8	24.3	51.6
Below -2 SD Undernourished (BMI for Age) (%)										
Person	398	3.0	18.0	10.9	24.4	240	4.7	25.8	9.8	31.3
Above 2 SD Overnourished (BMI for Age) (%)										
Person	398	0.8	15.3	3.8	7.6	240	1.0	18.2	3.7	8.5
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1318	2.6	8.5	24.4	36.0	768	2.7	9.6	22.6	35.0
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1318	0.5	23.6	1.1	3.3	768	0.2	13.5	0.8	1.5
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	3502	1.9	9.0	17.4	26.2	2152	2.1	15.0	9.8	19.3
BMI ≥25.0 for age 60 year and above (%)										
Person	578	1.9	11.0	13.2	21.7	411	2.7	40.7	2.6	16.3
BMI <18.5 for age 18-59 year (%)										
Person	3502	1.2	5.0	22.3	27.9	2152	2.8	8.8	25.8	38.3
BMI <18.5 for age 60 year and above (%)										
Person	578	1.6	4.9	30.2	37.7	411	3.1	7.2	36.6	50.7
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	251	4.2	5.0	71.1	90.1	130	3.9	4.5	75.2	93.2
Anaemia in the age group 5-9 years (%)										
Person	336	2.9	3.1	82.8	96.7	184	3.1	3.3	81.5	98.5
Anaemia in the age group 10-17 years (%)										
Person	577	3.5	3.9	77.6	93.8	282	1.9	2.0	88.2	97.6
Anaemia in the age group 18-59 years (%)										
Male	1268	3.4	4.1	74.2	89.8	700	0.9	1.0	89.8	93.9
Female	1355	2.4	2.6	84.2	95.5	754	2.8	3.0	83.6	97.7
Anaemia in the age group 60 years and above (%)										
Male	217	4.1	4.4	76.7	97.6	137	5.0	5.3	67.1	99.3
Female	190	3.1	3.4	80.7	95.3	133	4.2	4.6	76.0	96.7
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3946	0.7	11.6	4.6	7.8	2518	0.3	7.9	3.4	4.9
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4094	0.9	13.4	5.0	9.2	2575	1.1	17.6	4.2	9.2
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	4094	0.5	8.8	4.2	6.2	2575	0.6	12.1	3.8	6.6
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4094	0.5	11.9	3.4	5.9	2575	0.8	17.6	3.0	6.5
Iodine content in Household Salt (more than 15 ppm) (%)	1488	4.9	6.4	64.5	86.7	937	9.5	13.1	47.3	88.6

Indicators	Sambalpur									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	352	4.1	16.0	17.4	35.7	202	5.2	18.5	17.9	41.0
Below -2 SD Stunting (Height for Age) (%)										
Person	358	3.2	6.9	39.1	53.4	204	3.8	8.3	37.2	54.1
Below -2 SD Underweight (Weight for Age) (%)										
Person	363	3.4	7.7	36.5	51.7	208	5.4	11.5	35.2	59.1
Below -2 SD Undernourished (BMI for Age) (%)										
Person	363	3.9	17.0	15.5	33.3	207	3.9	15.4	17.8	35.5
Above 2 SD Overnourished (BMI for Age) (%)										
Person	-	-	-	-	-	-	-	-	-	-
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1177	1.8	6.4	23.8	31.7	697	3.2	10.9	22.9	37.4
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1177	0.6	27.5	1.2	4.1	697	0.1	20.2	0.3	0.8
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	2897	1.6	9.6	13.6	21.1	1833	1.6	15.2	7.5	14.9
BMI ≥25.0 for age 60 year and above (%)										
Person	477	2.2	16.2	9.4	19.5	336	2.5	27.9	4.6	16.2
BMI <18.5 for age 18-59 year (%)										
Person	2897	2.5	8.8	23.3	34.7	1833	4.0	11.2	27.1	45.0
BMI <18.5 for age 60 year and above (%)										
Person	477	2.1	5.2	36.5	46.2	336	2.9	6.1	41.1	54.1
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	300	2.4	3.5	62.2	73.0	182	2.9	3.9	65.6	78.4
Anaemia in the age group 5-9 years (%)										
Person	389	5.4	7.9	54.8	78.8	223	6.0	8.4	56.0	82.6
Anaemia in the age group 10-17 years (%)										
Person	528	5.4	10.1	41.5	65.6	320	7.1	12.2	42.1	73.3
Anaemia in the age group 18-59 years (%)										
Male	1130	3.7	7.5	41.1	57.7	736	4.1	7.2	47.9	66.3
Female	1276	3.5	5.0	61.4	77.1	812	5.1	6.7	62.8	85.7
Anaemia in the age group 60 years and above (%)										
Male	195	3.2	4.3	66.9	81.5	148	4.3	5.2	69.9	89.4
Female	224	3.1	4.4	61.7	75.4	147	3.5	4.3	71.2	86.9
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3244	1.4	12.2	8.5	14.8	2114	1.9	17.1	7.5	16.1
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3376	1.3	16.4	5.4	11.4	2168	1.2	15.5	5.3	10.8
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3376	0.6	9.0	5.5	8.2	2168	0.7	9.8	5.7	8.9
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3376	0.7	16.3	3.1	6.4	2168	0.8	17.2	3.0	6.5
Iodine content in Household Salt (more than 15 ppm) (%)	1250	6.3	7.1	65.2	97.3	796	10.7	12.9	46.7	96.4

Indicators	Debagarh									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	422	4.0	13.3	21.8	39.7	356	4.3	14.6	20.5	39.7
Below -2 SD Stunting (Height for Age) (%)										
Person	441	5.3	14.1	26.4	49.8	378	5.6	14.5	27.1	52.1
Below -2 SD Underweight (Weight for Age) (%)										
Person	468	3.3	7.8	34.6	49.3	400	3.5	8.1	35.2	50.7
Below -2 SD Undernourished (BMI for Age) (%)										
Person	467	4.7	13.7	24.5	45.5	398	5.0	15.0	23.2	45.5
Above 2 SD Overnourished (BMI for Age) (%)										
Person	467	1.2	17.9	4.4	10.0	398	1.3	18.6	4.5	10.4
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1410	1.7	5.2	29.3	37.1	1222	1.8	5.5	29.4	37.6
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1410	0.2	14.2	0.9	1.7	1222	0.2	13.8	0.8	1.5
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	3107	0.9	9.0	8.4	12.7	2679	1.0	10.3	7.4	11.9
BMI ≥25.0 for age 60 year and above (%)										
Person	603	0.9	10.2	7.2	11.4	558	0.8	9.6	6.6	10.2
BMI <18.5 for age 18-59 year (%)										
Person	3107	1.1	3.5	29.7	34.7	2679	1.1	3.5	30.4	35.6
BMI <18.5 for age 60 year and above (%)										
Person	603	2.9	6.8	36.4	49.4	558	2.9	6.8	36.6	49.7
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	374	6.2	7.9	61.3	89.1	321	6.6	8.3	60.6	90.2
Anaemia in the age group 5-9 years (%)										
Person	372	4.9	5.9	69.2	92.0	320	5.2	6.3	68.4	92.6
Anaemia in the age group 10-17 years (%)										
Person	681	5.2	6.8	63.1	86.4	589	5.5	7.1	62.5	87.1
Anaemia in the age group 18-59 years (%)										
Male	1133	4.7	6.5	60.1	81.0	959	5.0	6.9	59.9	82.2
Female	1521	5.3	6.6	65.5	89.5	1319	5.6	6.9	64.9	90.3
Anaemia in the age group 60 years and above (%)										
Male	283	4.1	4.5	76.1	95.6	263	4.2	4.6	76.0	96.1
Female	265	2.5	2.9	81.9	93.7	244	2.6	2.9	82.0	94.2
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3552	0.8	9.0	6.9	10.4	3104	0.8	9.7	6.6	10.3
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3711	0.9	15.2	4.4	8.7	3241	1.0	16.4	4.2	8.8
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3711	1.0	13.8	5.5	10.2	3241	1.1	14.7	5.3	10.3
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3711	0.4	8.4	3.9	5.7	3241	0.4	9.0	3.8	5.8
Iodine content in Household Salt (more than 15 ppm) (%)	1646	5.6	7.1	62.8	87.8	1452	5.9	7.7	60.8	87.3

Indicators	Sundargarh									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	467	2.5	18.0	9.3	20.9	383	3.2	22.7	8.3	23.0
Below -2 SD Stunting (Height for Age) (%)										
Person	467	6.5	13.5	33.9	62.4	380	7.6	13.9	37.8	70.9
Below -2 SD Underweight (Weight for Age) (%)										
Person	490	3.5	8.9	31.7	47.5	399	3.6	8.2	35.6	51.7
Below -2 SD Undernourished (BMI for Age) (%)										
Person	484	2.2	14.7	10.7	20.6	393	2.8	18.6	9.6	22.3
Above 2 SD Overnourished (BMI for Age) (%)										
Person	484	1.9	27.7	3.5	12.3	393	2.4	36.9	2.7	14.3
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1298	3.3	14.6	16.1	31.1	976	3.6	15.9	15.4	31.6
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1298	0.3	17.0	1.1	2.3	976	0.1	21.0	0.4	1.1
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	3457	2.6	16.3	10.8	22.5	2485	1.1	14.8	5.1	9.9
BMI ≥25.0 for age 60 year and above (%)										
Person	577	6.1	36.9	6.8	35.2	422	1.3	22.8	3.5	9.7
BMI <18.5 for age 18-59 year (%)										
Person	3457	2.3	8.6	22.2	32.7	2485	2.1	6.3	28.1	37.4
BMI <18.5 for age 60 year and above (%)										
Person	577	4.8	13.8	24.7	46.0	422	2.4	5.0	42.0	52.6
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	369	3.3	4.8	61.5	76.4	310	3.5	5.3	58.3	74.1
Anaemia in the age group 5-9 years (%)										
Person	400	3.2	3.9	74.1	88.8	328	3.9	4.8	71.3	89.0
Anaemia in the age group 10-17 years (%)										
Person	576	2.9	3.7	71.6	84.8	433	3.4	4.4	70.1	85.7
Anaemia in the age group 18-59 years (%)										
Male	1246	3.0	3.5	78.0	91.7	936	3.3	3.7	78.7	93.9
Female	1546	2.1	2.5	78.3	87.9	1101	2.7	3.2	75.6	87.7
Anaemia in the age group 60 years and above (%)										
Male	249	2.7	3.1	80.5	93.1	174	3.1	3.4	80.9	95.5
Female	224	3.2	3.9	73.1	87.4	171	3.3	4.0	73.9	89.1
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3889	0.9	13.2	5.2	9.4	2866	1.0	13.5	5.2	9.5
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4039	1.8	12.5	10.7	18.9	2910	2.2	16.9	8.7	18.6
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	4039	0.7	7.0	8.4	11.5	2910	0.8	8.0	8.0	11.5
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4039	0.7	6.7	8.5	11.5	2910	0.7	7.4	7.9	11.1
Iodine content in Household Salt (more than 15 ppm) (%)	1697	8.1	11.7	48.7	84.3	1199	10.6	16.0	40.3	85.3

Indicators	Kendujhar									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	420	3.3	13.2	18.0	32.7	314	4.2	16.1	17.6	36.3
Below -2 SD Stunting (Height for Age) (%)										
Person	436	1.7	3.6	44.2	51.9	327	2.3	4.9	41.2	51.6
Below -2 SD Underweight (Weight for Age) (%)										
Person	443	4.1	8.6	38.6	57.0	329	2.6	5.4	42.3	54.1
Below -2 SD Undernourished (BMI for Age) (%)										
Person	449	2.9	11.6	19.1	32.4	333	3.4	12.6	19.8	34.9
Above 2 SD Overnourished (BMI for Age) (%)										
Person	449	1.7	31.9	2.5	10.5	333	1.1	25.1	2.4	7.3
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1283	4.0	10.4	29.6	47.4	896	5.4	14.4	26.2	50.1
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1283	0.3	34.0	0.4	1.7	896	0.3	45.8	0.2	1.9
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	3085	2.2	18.5	7.8	18.0	2278	1.5	17.3	5.7	12.4
BMI ≥25.0 for age 60 year and above (%)										
Person	495	2.1	22.4	5.5	15.0	420	2.2	35.1	2.8	13.6
BMI <18.5 for age 18-59 year (%)										
Person	3085	3.1	9.1	27.4	41.3	2278	2.7	7.0	32.6	44.7
BMI <18.5 for age 60 year and above (%)										
Person	495	3.9	9.4	33.1	50.6	420	3.9	8.5	37.7	55.3
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	339	5.2	6.5	65.8	89.2	257	7.0	8.7	60.1	91.6
Anaemia in the age group 5-9 years (%)										
Person	360	2.4	2.5	85.7	97.2	259	2.3	2.4	86.2	97.6
Anaemia in the age group 10-17 years (%)										
Person	664	2.0	2.4	80.8	90.1	465	2.4	2.7	81.6	92.7
Anaemia in the age group 18-59 years (%)										
Male	1201	1.9	2.3	76.5	85.0	888	2.4	3.0	75.4	86.4
Female	1406	2.8	3.2	80.6	93.8	1048	3.2	3.6	79.4	94.4
Anaemia in the age group 60 years and above (%)										
Male	221	2.6	2.8	84.2	97.1	189	3.1	3.3	81.6	96.4
Female	205	2.5	2.8	82.4	93.9	170	3.0	3.3	81.2	95.4
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3534	1.4	13.9	7.3	13.7	2674	1.8	19.7	5.7	13.7
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3578	1.7	8.6	16.3	24.1	2700	2.3	11.2	15.8	26.3
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3578	0.9	10.9	6.4	10.5	2700	1.1	12.7	6.6	11.7
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3578	0.6	5.2	10.2	12.9	2700	0.7	7.1	9.0	12.4
Iodine content in Household Salt (more than 15 ppm) (%)	1389	8.7	11.7	51.1	89.6	1029	7.2	9.5	56.1	88.1

Indicators	Mayurbhanj									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	510	4.3	22.4	11.4	31.2	465	4.6	23.4	11.2	31.9
Below -2 SD Stunting (Height for Age) (%)										
Person	533	5.0	10.9	34.9	57.0	487	5.2	11.4	34.3	57.4
Below -2 SD Underweight (Weight for Age) (%)										
Person	536	4.0	9.9	32.0	50.0	490	4.2	10.3	31.7	50.5
Below -2 SD Undernourished (BMI for Age) (%)										
Person	539	5.7	28.7	9.9	35.6	493	5.9	29.4	9.9	36.8
Above 2 SD Overnourished (BMI for Age) (%)										
Person	539	0.7	19.6	2.3	5.5	493	0.7	19.8	2.3	5.6
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1451	1.4	4.9	26.0	32.4	1315	1.4	4.9	26.1	32.7
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1451	0.3	31.8	0.5	1.9	1315	0.3	38.0	0.3	1.9
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	3635	1.3	13.1	7.5	13.6	3257	1.4	14.6	6.8	13.1
BMI ≥25.0 for age 60 year and above (%)										
Person	674	1.2	18.9	4.1	9.7	612	1.3	22.3	3.4	9.3
BMI <18.5 for age 18-59 year (%)										
Person	3635	2.0	6.6	26.5	35.7	3257	2.2	6.8	26.9	36.6
BMI <18.5 for age 60 year and above (%)										
Person	674	3.4	7.9	36.1	51.5	612	3.6	8.2	35.9	52.1
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	442	4.2	6.7	52.8	71.5	414	4.3	6.9	52.2	71.5
Anaemia in the age group 5-9 years (%)										
Person	434	3.7	4.4	72.8	89.5	402	3.8	4.7	71.9	89.3
Anaemia in the age group 10-17 years (%)										
Person	757	3.1	4.1	68.4	82.4	690	3.2	4.3	67.5	82.1
Anaemia in the age group 18-59 years (%)										
Male	1526	5.0	6.4	65.1	87.7	1398	5.2	6.6	64.9	88.6
Female	1777	1.9	2.5	71.4	80.1	1647	2.0	2.6	71.0	80.0
Anaemia in the age group 60 years and above (%)										
Male	309	2.3	2.7	78.4	89.0	289	2.4	2.8	78.4	89.3
Female	318	3.4	4.5	67.8	83.2	292	3.5	4.6	67.6	83.5
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	4266	0.8	8.7	7.5	11.1	3843	0.8	9.4	7.2	11.1
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4298	2.4	22.0	6.4	17.3	3859	2.5	22.6	6.5	18.1
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	4298	1.1	14.9	5.1	10.0	3859	1.1	15.6	5.1	10.3
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4298	1.5	25.0	3.3	10.2	3859	1.6	25.5	3.4	10.7
Iodine content in Household Salt (more than 15 ppm) (%)	1661	1.9	2.0	88.5	98.3	1497	2.0	2.1	88.1	98.5



Indicators	Baleshwar									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	400	1.4	6.8	18.0	24.3	382	1.6	7.2	18.5	25.5
Below -2 SD Stunting (Height for Age) (%)										
Person	409	2.4	5.4	39.6	50.3	391	2.4	5.2	40.0	50.5
Below -2 SD Underweight (Weight for Age) (%)										
Person	409	2.8	6.5	37.1	49.5	391	2.8	6.4	37.4	49.7
Below -2 SD Undernourished (BMI for Age) (%)										
Person	408	1.3	7.3	15.3	21.2	390	1.3	7.1	15.6	21.5
Above 2 SD Overnourished (BMI for Age) (%)										
Person	408	1.3	40.9	1.3	7.7	390	1.3	47.6	0.9	7.8
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1210	1.9	5.1	33.9	42.5	1137	2.1	5.2	35.5	44.7
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1210	0.5	45.7	0.4	2.7	-	-	-	-	-
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	2508	2.7	16.5	11.1	23.2	2297	1.3	10.6	9.5	15.3
BMI ≥25.0 for age 60 year and above (%)										
Person	511	3.5	23.7	8.4	24.3	461	2.5	20.8	7.3	18.7
BMI <18.5 for age 18-59 year (%)										
Person	2508	2.0	8.5	19.4	28.4	2297	1.8	7.2	21.6	29.9
BMI <18.5 for age 60 year and above (%)										
Person	511	2.5	7.2	28.8	40.0	461	2.2	6.1	31.7	41.7
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	313	5.3	7.5	56.9	80.0	301	5.6	7.9	56.9	81.4
Anaemia in the age group 5-9 years (%)										
Person	340	4.2	5.4	66.7	85.2	323	4.4	5.6	66.8	86.2
Anaemia in the age group 10-17 years (%)										
Person	655	5.5	8.1	54.6	78.8	618	5.9	8.5	55.0	80.8
Anaemia in the age group 18-59 years (%)										
Male	919	4.3	7.2	49.1	67.9	844	4.7	7.9	49.0	69.9
Female	1287	3.4	4.5	67.2	82.4	1193	3.8	4.9	67.5	84.2
Anaemia in the age group 60 years and above (%)										
Male	259	3.2	4.2	67.0	81.0	236	3.2	4.2	68.8	83.0
Female	198	3.1	3.7	76.3	90.2	177	3.2	3.6	78.8	93.4
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2914	0.8	10.2	6.4	10.0	2691	0.8	10.2	6.2	9.8
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3029	0.5	12.2	3.1	5.3	2766	0.5	13.2	2.8	5.0
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3029	0.6	11.1	4.3	7.0	2766	0.6	12.9	3.6	6.3
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3029	0.3	20.7	1.0	2.5	2766	0.3	19.0	1.0	2.3
Iodine content in Household Salt (more than 15 ppm) (%)	1252	2.5	2.7	82.8	94.0	1146	2.2	2.4	84.5	94.5

Indicators	Bhadrak									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	346	2.4	12.6	13.9	24.5	327	2.5	13.5	13.5	24.8
Below -2 SD Stunting (Height for Age) (%)										
Person	347	4.0	11.1	27.8	45.9	327	4.3	11.4	28.4	47.4
Below -2 SD Underweight (Weight for Age) (%)										
Person	352	4.6	13.7	24.2	44.9	333	4.9	14.6	23.5	45.5
Below -2 SD Undernourished (BMI for Age) (%)										
Person	353	1.7	10.4	13.0	20.7	333	1.8	11.0	12.6	20.7
Above 2 SD Overnourished (BMI for Age) (%)										
Person	353	1.7	31.4	2.7	11.0	333	1.5	30.1	2.5	9.5
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1224	1.9	5.1	32.6	41.1	1149	2.0	5.5	32.1	41.2
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1224	0.6	31.2	0.9	3.6	1149	0.5	33.1	0.7	3.1
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	2526	1.8	13.8	9.5	17.7	2349	1.9	15.5	8.6	17.3
BMI ≥25.0 for age 60 year and above (%)										
Person	526	2.2	18.6	7.8	18.1	494	2.4	20.6	7.2	18.1
BMI <18.5 for age 18-59 year (%)										
Person	2526	2.3	8.1	23.2	33.5	2349	2.4	8.5	23.3	34.2
BMI <18.5 for age 60 year and above (%)										
Person	526	2.2	6.4	29.4	39.3	494	2.4	6.8	29.9	40.6
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	210	6.6	9.2	55.2	84.7	199	7.0	9.8	53.7	84.7
Anaemia in the age group 5-9 years (%)										
Person	296	5.9	7.4	63.0	89.6	278	6.0	7.8	61.4	88.6
Anaemia in the age group 10-17 years (%)										
Person	529	2.6	3.4	69.6	81.4	492	2.6	3.4	68.1	79.6
Anaemia in the age group 18-59 years (%)										
Male	758	4.2	5.9	60.5	79.2	689	4.5	6.5	58.2	78.5
Female	1257	3.6	4.5	70.2	86.3	1164	3.8	4.8	68.6	85.6
Anaemia in the age group 60 years and above (%)										
Male	218	3.1	3.6	77.4	91.5	200	3.3	3.9	75.6	90.5
Female	207	3.8	4.7	69.9	87.0	195	3.8	4.8	68.7	85.8
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2953	0.9	13.2	5.2	9.4	2750	1.0	13.6	5.2	9.6
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3016	0.9	23.3	2.2	6.2	2813	0.9	22.9	2.3	6.3
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3016	0.9	14.0	4.4	8.4	2813	0.8	13.3	4.6	8.4
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3016	1.1	33.7	1.4	6.6	2813	1.1	33.8	1.5	7.1
Iodine content in Household Salt (more than 15 ppm) (%)	1211	4.4	4.7	73.0	98.8	1136	4.7	5.0	70.8	98.9

Indicators	Kendrapara									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	514	2.1	12.4	12.5	21.8	465	2.1	12.7	12.7	22.4
Below -2 SD Stunting (Height for Age) (%)										
Person	522	4.0	16.6	16.4	34.7	474	4.2	16.8	16.6	35.4
Below -2 SD Underweight (Weight for Age) (%)										
Person	531	1.5	7.2	17.4	24.1	481	1.4	6.8	18.0	24.5
Below -2 SD Undernourished (BMI for Age) (%)										
Person	525	2.5	14.0	13.1	24.6	475	2.7	14.2	13.3	25.4
Above 2 SD Overnourished (BMI for Age) (%)										
Person	525	0.6	16.0	2.8	5.8	475	0.6	17.3	2.5	5.4
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1818	1.4	5.9	20.9	27.4	1669	1.5	6.1	20.8	27.5
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1818	0.5	23.9	1.2	3.6	1669	0.5	26.6	1.1	3.5
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	4127	1.8	10.3	13.6	21.7	3659	1.9	11.1	13.1	21.7
BMI ≥25.0 for age 60 year and above (%)										
Person	1053	1.1	10.3	8.5	13.5	975	1.1	10.7	8.3	13.4
BMI <18.5 for age 18-59 year (%)										
Person	4127	1.4	6.1	19.8	26.2	3659	1.5	6.4	20.0	26.7
BMI <18.5 for age 60 year and above (%)										
Person	1053	1.8	6.0	26.3	34.4	975	1.9	6.1	26.2	34.6
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	433	2.9	4.3	61.1	74.1	393	2.8	4.1	61.9	74.8
Anaemia in the age group 5-9 years (%)										
Person	519	4.8	6.2	64.7	86.2	479	4.9	6.4	64.4	86.6
Anaemia in the age group 10-17 years (%)										
Person	913	4.0	5.2	66.2	84.2	829	4.0	5.2	66.9	85.0
Anaemia in the age group 18-59 years (%)										
Male	1379	4.2	5.9	61.6	80.7	1201	4.4	6.0	62.3	82.2
Female	2090	3.1	3.8	73.0	87.1	1855	3.2	3.9	73.2	87.7
Anaemia in the age group 60 years and above (%)										
Male	459	3.1	3.7	76.0	90.1	413	3.2	3.8	76.3	91.0
Female	458	3.9	4.6	73.9	91.9	411	4.1	4.8	73.6	92.4
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	5087	0.8	9.6	6.5	10.0	4551	0.8	10.6	6.0	9.7
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	5234	2.1	15.9	9.0	18.5	4667	2.2	16.6	8.9	18.9
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	5234	0.5	7.7	5.5	7.7	4667	0.5	8.1	5.4	7.7
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	5234	1.0	13.4	5.6	10.3	4667	1.1	13.9	5.6	10.6
Iodine content in Household Salt (more than 15 ppm) (%)	1984	8.7	11.5	51.5	89.8	1802	9.0	11.6	51.9	91.8

Indicators	Jagatsinghapur									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	397	2.6	13.3	14.4	25.9	366	2.6	13.6	14.1	25.7
Below -2 SD Stunting (Height for Age) (%)										
Person	389	2.8	13.0	15.8	28.0	358	3.0	14.2	15.3	28.6
Below -2 SD Underweight (Weight for Age) (%)										
Person	399	2.2	15.8	9.8	19.7	368	2.3	16.3	10.0	20.4
Below -2 SD Undernourished (BMI for Age) (%)										
Person	402	2.2	11.0	15.7	25.4	371	2.2	11.1	15.5	25.2
Above 2 SD Overnourished (BMI for Age) (%)										
Person	402	1.8	30.6	3.0	11.4	371	1.8	35.6	2.3	10.9
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	425	3.3	10.3	25.2	39.7	396	3.3	9.8	26.3	40.6
Above 2 SD Overnourished (BMI for Age) (%)										
Person	425	0.7	36.9	0.9	4.3	396	0.8	41.5	0.7	4.5
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	3899	1.7	7.4	19.2	26.9	3293	1.7	8.1	17.9	25.6
BMI ≥25.0 for age 60 year and above (%)										
Person	852	3.3	19.4	10.8	25.8	816	3.4	20.6	10.2	25.7
BMI <18.5 for age 18-59 year (%)										
Person	3899	1.9	15.5	8.8	17.5	3293	2.3	16.1	9.6	20.0
BMI <18.5 for age 60 year and above (%)										
Person	852	2.0	8.6	18.7	27.7	816	2.0	8.4	19.7	28.7
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	230	5.0	6.5	63.6	85.3	214	5.2	7.0	61.7	84.5
Anaemia in the age group 5-9 years (%)										
Person	379	4.0	4.5	75.4	93.9	346	4.4	5.0	73.5	93.8
Anaemia in the age group 10-17 years (%)										
Person	652	3.3	3.9	76.6	91.5	582	3.8	4.4	75.1	91.9
Anaemia in the age group 18-59 years (%)										
Male	1742	3.9	4.9	70.8	87.9	1440	4.8	6.0	67.2	87.9
Female	1942	3.3	3.9	75.6	89.9	1702	3.7	4.5	73.2	89.4
Anaemia in the age group 60 years and above (%)										
Male	445	3.2	3.6	79.4	93.4	421	3.3	3.8	78.8	93.6
Female	408	2.5	2.8	82.5	93.4	403	2.4	2.7	82.6	93.4
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	4752	1.5	16.8	6.3	13.1	4115	1.7	19.1	5.9	13.6
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4793	0.6	9.2	5.4	8.1	4153	0.6	8.7	5.3	7.8
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	4793	1.0	11.9	6.5	10.8	4153	1.0	12.7	6.1	10.6
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4793	0.2	4.5	4.8	5.9	4153	0.3	4.8	4.9	6.0
Iodine content in Household Salt (more than 15 ppm) (%)										
	1725	5.3	7.2	60.9	84.0	1478	5.9	7.6	61.9	87.7

Indicators	Cuttack									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	324	1.7	12.8	10.1	17.7	277	1.0	6.8	12.1	16.3
Below -2 SD Stunting (Height for Age) (%)										
Person	321	3.4	9.7	27.6	42.4	273	3.0	8.3	30.1	43.4
Below -2 SD Underweight (Weight for Age) (%)										
Person	324	3.6	15.2	16.7	32.5	276	3.5	13.5	19.0	34.4
Below -2 SD Undernourished (BMI for Age) (%)										
Person	329	1.6	11.5	10.9	18.1	281	1.4	9.9	11.7	18.0
Above 2 SD Overnourished (BMI for Age) (%)										
Person	329	3.1	33.1	4.5	18.9	281	3.4	41.6	3.2	19.5
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	737	1.9	7.9	20.2	28.7	656	2.0	8.1	20.4	29.2
Above 2 SD Overnourished (BMI for Age) (%)										
Person	737	0.7	40.5	0.7	4.5	656	0.8	47.9	0.6	4.9
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	1908	1.9	8.5	18.9	27.5	1639	1.9	9.9	15.3	23.9
BMI ≥25.0 for age 60 year and above (%)										
Person	472	2.0	15.3	8.9	18.0	414	1.4	16.4	5.7	12.2
BMI <18.5 for age 18-59 year (%)										
Person	1908	1.4	8.0	14.9	21.2	1639	1.3	6.6	16.8	22.7
BMI <18.5 for age 60 year and above (%)										
Person	472	2.7	8.6	25.6	37.8	414	2.7	7.6	29.6	41.7
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	191	4.3	6.4	56.8	75.5	170	4.3	6.3	58.3	77.2
Anaemia in the age group 5-9 years (%)										
Person	228	4.0	5.5	62.3	80.1	213	3.8	5.2	63.9	81.0
Anaemia in the age group 10-17 years (%)										
Person	431	4.1	6.8	51.3	69.4	379	4.0	6.8	50.2	68.1
Anaemia in the age group 18-59 years (%)										
Male	826	3.3	5.9	49.0	63.5	712	3.5	6.2	48.4	63.4
Female	1059	3.7	5.2	62.3	78.7	908	4.5	6.4	59.4	79.3
Anaemia in the age group 60 years and above (%)										
Male	242	3.1	3.9	71.5	85.0	209	3.7	4.7	69.3	85.4
Female	234	3.9	5.0	67.9	85.4	209	4.2	5.2	69.4	88.0
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2357	1.4	12.0	8.9	15.1	2037	1.4	15.0	6.7	13.0
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2376	1.2	15.9	5.4	10.9	2050	1.4	21.7	4.0	10.5
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2376	0.5	6.1	7.1	9.4	2050	0.6	6.7	7.1	9.6
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2376	0.6	8.7	5.4	7.9	2050	0.6	10.0	4.8	7.5
Iodine content in Household Salt (more than 15 ppm) (%)	1023	12.3	17.9	38.1	88.9	869	14.5	21.8	31.7	89.2

Indicators	Jajapur									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	386	1.2	15.5	5.4	10.9	362	1.2	15.3	5.6	11.2
Below -2 SD Stunting (Height for Age) (%)										
Person	389	3.6	9.4	30.8	47.0	365	3.7	9.6	31.0	47.8
Below -2 SD Underweight (Weight for Age) (%)										
Person	391	2.7	11.8	17.6	30.0	367	2.8	12.1	17.8	30.6
Below -2 SD Undernourished (BMI for Age) (%)										
Person	391	1.2	16.6	5.1	10.8	367	1.3	16.4	5.3	11.1
Above 2 SD Overnourished (BMI for Age) (%)										
Person	391	0.9	21.1	2.7	6.9	367	0.9	22.1	2.5	6.7
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1185	1.3	5.0	22.3	28.0	1111	1.3	5.1	22.6	28.4
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1185	0.5	31.4	0.8	3.3	1111	0.5	33.3	0.7	3.2
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	2796	1.7	10.7	12.1	19.7	2625	1.6	11.1	11.6	19.0
BMI ≥25.0 for age 60 year and above (%)										
Person	580	1.4	13.7	7.6	14.1	553	1.4	14.1	7.2	13.7
BMI <18.5 for age 18-59 year (%)										
Person	2796	1.4	6.1	20.1	26.5	2625	1.4	6.0	20.5	26.9
BMI <18.5 for age 60 year and above (%)										
Person	580	2.7	7.9	28.7	41.0	553	2.8	8.0	28.9	41.4
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	261	7.6	15.9	31.6	64.7	247	7.8	16.1	31.5	65.3
Anaemia in the age group 5-9 years (%)										
Person	292	8.1	15.3	34.8	69.8	272	8.3	15.7	34.6	70.5
Anaemia in the age group 10-17 years (%)										
Person	555	7.4	19.1	24.0	56.5	529	7.6	19.3	23.9	57.0
Anaemia in the age group 18-59 years (%)										
Male	979	5.3	19.6	16.9	40.7	921	5.5	20.3	16.4	40.9
Female	1354	5.5	11.3	36.7	61.3	1281	5.7	11.5	36.6	61.7
Anaemia in the age group 60 years and above (%)										
Male	258	6.4	13.6	33.3	61.5	244	6.5	13.7	33.5	62.3
Female	246	8.6	15.7	35.8	72.9	233	8.8	15.9	35.7	73.6
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3243	0.8	9.1	7.1	10.8	3057	0.8	9.5	7.0	10.7
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3396	0.5	10.0	3.7	5.8	3198	0.5	10.4	3.6	5.8
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3396	0.5	7.0	5.9	8.1	3198	0.5	7.2	5.8	8.1
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3396	0.3	16.0	1.2	2.6	3198	0.3	16.6	1.2	2.5
Iodine content in Household Salt (more than 15 ppm) (%)	1270	6.8	16.7	26.4	56.1	1190	6.9	17.6	25.1	55.4

Indicators	Dhenkanal									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	398	2.3	23.6	5.7	16.6	369	2.5	23.2	6.3	17.9
Below -2 SD Stunting (Height for Age) (%)										
Person	401	3.1	9.0	27.8	41.8	371	3.4	9.8	27.6	42.9
Below -2 SD Underweight (Weight for Age) (%)										
Person	406	4.1	14.5	19.8	38.0	376	4.3	15.3	19.2	38.3
Below -2 SD Undernourished (BMI for Age) (%)										
Person	405	2.5	23.6	6.1	17.7	375	2.7	23.9	6.5	19.0
Above 2 SD Overnourished (BMI for Age) (%)										
Person	405	1.3	38.9	1.4	7.9	375	1.4	41.2	1.3	8.3
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1213	1.0	3.6	25.8	30.3	1101	1.2	4.1	26.1	31.5
Above 2 SD Overnourished (BMI for Age) (%)										
Person	-	-	-	-	-	-	-	-	-	-
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	2943	1.3	11.5	8.9	15.0	2666	1.2	10.8	8.8	14.4
BMI ≥25.0 for age 60 year and above (%)										
Person	647	1.3	17.2	5.2	11.2	572	1.4	18.5	5.1	11.8
BMI <18.5 for age 18-59 year (%)										
Person	2943	1.1	3.8	25.9	30.8	2666	1.2	4.1	26.6	32.0
BMI <18.5 for age 60 year and above (%)										
Person	647	3.2	8.4	30.9	45.2	572	3.5	9.2	31.0	46.9
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	319	5.4	8.4	52.0	76.3	296	5.8	8.9	50.8	76.5
Anaemia in the age group 5-9 years (%)										
Person	346	4.3	5.7	65.1	84.6	319	4.7	6.2	63.8	85.1
Anaemia in the age group 10-17 years (%)										
Person	576	4.2	6.5	54.6	73.4	530	4.5	7.0	54.0	74.2
Anaemia in the age group 18-59 years (%)										
Male	1039	4.4	9.0	39.6	59.4	934	4.7	9.6	38.3	59.2
Female	1308	5.2	7.7	55.3	78.6	1214	5.6	8.3	53.7	78.5
Anaemia in the age group 60 years and above (%)										
Male	287	4.7	7.1	54.2	75.0	259	5.2	8.0	52.1	75.2
Female	255	5.4	7.6	57.9	82.0	227	6.0	8.6	54.8	81.6
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3469	0.7	9.0	6.6	9.9	3134	0.8	9.5	6.6	10.1
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3599	1.4	15.0	6.7	13.2	3242	1.6	15.3	7.2	14.3
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3599	0.6	9.3	5.2	7.9	3242	0.6	10.3	4.9	7.8
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3599	0.5	8.1	5.0	7.3	3242	0.5	8.4	5.3	7.8
Iodine content in Household Salt (more than 15 ppm) (%)	1307	1.1	1.1	91.5	96.4	1194	1.0	1.1	92.6	97.3

Indicators	Anugul									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	365	2.3	15.0	10.7	21.0	315	2.7	15.5	12.0	24.1
Below -2 SD Stunting (Height for Age) (%)										
Person	375	3.1	8.9	28.7	42.8	323	3.2	8.9	29.3	43.8
Below -2 SD Underweight (Weight for Age) (%)										
Person	378	3.1	10.9	22.1	36.1	328	3.5	11.4	23.5	39.3
Below -2 SD Undernourished (BMI for Age) (%)										
Person	376	2.3	15.3	10.5	21.0	324	2.7	15.5	11.9	24.0
Above 2 SD Overnourished (BMI for Age) (%)										
Person	376	0.9	17.8	3.5	7.9	324	1.1	21.5	3.0	7.9
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1366	1.6	6.0	22.6	29.7	1186	1.5	5.6	24.1	31.1
Above 2 SD Overnourished (BMI for Age) (%)										
Person	-	-	-	-	-	-	-	-	-	-
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	3074	2.8	16.2	11.6	24.2	2670	1.1	7.9	11.7	16.7
BMI ≥25.0 for age 60 year and above (%)										
Person	562	2.0	19.9	6.5	15.9	515	1.4	15.9	6.3	12.8
BMI <18.5 for age 18-59 year (%)										
Person	3074	1.4	6.0	20.8	27.3	2670	1.4	5.4	22.6	28.8
BMI <18.5 for age 60 year and above (%)										
Person	562	2.3	6.1	33.2	43.7	515	2.4	5.9	34.8	45.5
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	290	4.2	5.8	62.2	81.0	248	5.1	7.4	56.6	79.3
Anaemia in the age group 5-9 years (%)										
Person	370	5.4	7.2	60.5	84.7	318	6.4	8.8	55.8	84.2
Anaemia in the age group 10-17 years (%)										
Person	689	4.6	7.9	47.8	68.5	587	5.4	9.4	45.1	69.1
Anaemia in the age group 18-59 years (%)										
Male	1199	3.3	6.6	42.8	57.7	1025	4.1	8.5	39.0	57.4
Female	1473	6.0	8.4	56.4	83.1	1277	7.1	10.3	51.5	83.0
Anaemia in the age group 60 years and above (%)										
Male	272	7.0	9.7	53.7	84.6	250	7.7	10.9	50.8	84.7
Female	237	7.9	10.4	54.4	89.7	216	8.7	11.7	50.9	89.3
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3505	1.6	17.0	6.5	14.0	3078	1.7	18.3	6.1	13.9
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3639	0.5	6.9	6.2	8.5	3190	0.5	8.0	5.7	8.1
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3639	0.8	10.3	6.1	9.8	3190	0.9	11.2	6.2	10.3
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3639	0.3	11.5	2.1	3.6	3190	0.4	14.4	1.9	3.6
Iodine content in Household Salt (more than 15 ppm) (%)	1351	6.4	14.7	30.1	58.4	1177	7.5	17.6	27.1	59.8



Indicators	Nayagarh									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	307	2.8	17.2	10.9	23.7	277	2.9	18.7	9.8	22.9
Below -2 SD Stunting (Height for Age) (%)										
Person	314	3.2	10.3	24.3	38.6	282	3.3	10.5	24.4	39.3
Below -2 SD Underweight (Weight for Age) (%)										
Person	318	2.5	10.9	17.9	29.2	285	2.5	11.0	17.5	28.7
Below -2 SD Undernourished (BMI for Age) (%)										
Person	319	2.7	16.0	11.5	23.6	286	2.7	17.2	10.3	22.5
Above 2 SD Overnourished (BMI for Age) (%)										
Person	319	1.2	19.6	4.0	9.7	286	1.3	19.8	4.1	9.9
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	928	1.6	6.9	19.4	26.4	845	1.6	7.1	19.4	26.7
Above 2 SD Overnourished (BMI for Age) (%)										
Person	928	0.2	29.2	0.4	1.5	845	0.2	30.7	0.4	1.5
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	2141	2.0	9.9	16.0	25.0	1930	2.0	10.2	15.3	24.3
BMI ≥25.0 for age 60 year and above (%)										
Person	591	2.1	16.9	8.4	18.0	537	2.1	18.1	7.8	17.4
BMI <18.5 for age 18-59 year (%)										
Person	2141	1.3	7.0	16.3	22.2	1930	1.4	7.1	16.4	22.8
BMI <18.5 for age 60 year and above (%)										
Person	591	3.5	10.9	24.5	40.3	537	3.6	11.1	24.6	40.8
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	257	5.5	7.5	59.1	83.7	238	5.6	7.7	59.0	84.2
Anaemia in the age group 5-9 years (%)										
Person	309	5.0	5.8	70.7	94.2	284	5.2	6.1	69.7	94.0
Anaemia in the age group 10-17 years (%)										
Person	542	8.2	12.0	47.8	83.6	492	8.5	12.5	46.7	83.7
Anaemia in the age group 18-59 years (%)										
Male	940	8.6	13.7	42.4	79.5	842	9.0	14.4	41.1	79.8
Female	1199	6.4	8.6	57.3	85.8	1089	6.6	9.0	56.4	86.0
Anaemia in the age group 60 years and above (%)										
Male	320	4.6	5.4	71.8	93.1	294	4.8	5.6	71.2	93.3
Female	273	4.5	5.4	70.5	91.3	245	4.7	5.6	70.4	91.9
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2735	0.9	10.1	6.8	10.7	2470	0.9	10.7	6.4	10.4
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2734	1.7	16.6	6.9	14.6	2469	1.7	17.4	6.7	14.7
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2734	0.5	9.9	4.4	6.9	2469	0.6	10.3	4.4	7.0
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2734	1.2	15.7	5.4	11.0	2469	1.3	16.4	5.3	11.1
Iodine content in Household Salt (more than 15 ppm) (%)	<b>1311</b>	<b>3.6</b>	<b>4.9</b>	<b>65.5</b>	<b>81.8</b>	<b>1195</b>	<b>3.8</b>	<b>5.0</b>	<b>65.1</b>	<b>82.0</b>

Indicators	Khordha									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	273	5.1	23.4	12.7	35.2	202	4.1	28.2	7.6	26.1
Below -2 SD Stunting (Height for Age) (%)										
Person	267	4.0	16.7	16.4	34.0	198	3.5	12.6	21.0	36.5
Below -2 SD Underweight (Weight for Age) (%)										
Person	270	3.4	14.3	17.1	32.0	200	2.7	11.1	19.1	31.0
Below -2 SD Undernourished (BMI for Age) (%)										
Person	275	4.3	21.8	12.0	31.1	203	2.5	19.2	8.4	19.6
Above 2 SD Overnourished (BMI for Age) (%)										
Person	275	0.8	24.7	1.8	5.3	203	0.6	31.5	1.0	4.0
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	826	3.2	10.9	23.1	37.5	606	5.1	15.2	23.3	45.7
Above 2 SD Overnourished (BMI for Age) (%)										
Person	826	0.7	23.7	1.8	5.2	606	0.4	27.3	0.8	2.8
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	1924	3.3	13.4	18.2	33.1	1187	2.5	15.0	11.9	23.2
BMI ≥25.0 for age 60 year and above (%)										
Person	374	3.8	25.4	8.3	25.8	270	1.6	19.9	5.2	12.6
BMI <18.5 for age 18-59 year (%)										
Person	1924	2.3	15.1	10.8	21.3	1187	3.5	16.4	14.3	30.2
BMI <18.5 for age 60 year and above (%)										
Person	374	3.9	12.4	23.0	40.5	270	4.1	10.3	30.9	49.2
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	167	4.0	5.8	59.2	76.6	139	4.7	7.1	55.7	76.3
Anaemia in the age group 5-9 years (%)										
Person	254	5.3	7.0	62.3	86.3	220	6.2	8.4	57.6	85.0
Anaemia in the age group 10-17 years (%)										
Person	418	6.2	8.7	55.1	82.1	327	8.4	12.0	48.9	84.9
Anaemia in the age group 18-59 years (%)										
Male	760	6.0	8.8	54.5	80.3	475	10.8	16.7	39.6	83.6
Female	954	3.9	5.4	63.3	80.2	667	5.9	8.1	58.3	83.7
Anaemia in the age group 60 years and above (%)										
Male	188	4.3	5.3	70.8	89.7	141	5.3	6.2	69.7	93.4
Female	168	2.5	3.2	74.0	85.1	126	3.4	4.1	74.3	89.2
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2173	1.0	6.9	12.0	16.2	1451	1.0	7.7	10.9	15.3
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2294	0.5	6.8	6.8	9.2	1457	0.6	7.9	6.0	8.4
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2294	0.7	11.6	4.4	7.4	1457	0.3	7.7	3.5	5.0
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2294	0.7	10.7	4.9	7.8	1457	0.5	9.7	4.3	6.5
Iodine content in Household Salt (more than 15 ppm) (%)	1109	8.5	11.9	49.7	85.8	632	9.2	10.4	51.8	98.1

Indicators	Puri									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	314	2.6	11.0	18.3	29.9	300	2.8	11.5	18.5	30.9
Below -2 SD Stunting (Height for Age) (%)										
Person	357	2.7	10.9	19.6	31.8	341	2.9	12.2	17.9	30.8
Below -2 SD Underweight (Weight for Age) (%)										
Person	367	2.4	7.0	28.5	38.9	350	2.5	7.4	28.4	39.5
Below -2 SD Undernourished (BMI for Age) (%)										
Person	370	4.1	11.7	26.2	44.1	353	4.4	12.4	26.3	45.5
Above 2 SD Overnourished (BMI for Age) (%)										
Person	370	1.6	24.8	3.8	11.3	353	1.7	28.0	3.1	10.9
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1281	3.4	12.1	21.1	36.4	1174	3.6	12.2	22.1	38.4
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1281	0.9	31.8	1.4	6.0	1174	1.0	41.5	0.9	5.9
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	3294	2.1	13.1	12.2	21.7	3068	2.4	14.6	11.5	22.4
BMI ≥25.0 for age 60 year and above (%)										
Person	724	2.6	20.5	7.9	19.8	692	2.7	22.7	7.1	19.6
BMI <18.5 for age 18-59 year (%)										
Person	3294	2.0	14.4	10.2	19.3	3068	2.2	15.2	10.2	20.2
BMI <18.5 for age 60 year and above (%)										
Person	724	4.4	16.3	18.2	37.9	692	4.6	16.6	18.5	39.1
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	221	3.0	3.9	69.2	82.6	209	3.0	4.1	67.6	81.2
Anaemia in the age group 5-9 years (%)										
Person	357	3.4	4.0	76.4	92.2	325	3.8	4.5	73.9	91.5
Anaemia in the age group 10-17 years (%)										
Person	765	3.1	3.7	75.4	89.6	697	3.5	4.1	74.1	89.9
Anaemia in the age group 18-59 years (%)										
Male	1450	3.7	4.3	75.6	92.5	1348	4.1	4.8	73.4	92.0
Female	1682	3.0	3.6	75.9	89.0	1559	3.2	3.9	74.6	88.9
Anaemia in the age group 60 years and above (%)										
Male	391	2.9	3.2	80.9	94.2	375	3.0	3.4	80.0	93.8
Female	326	3.1	3.6	77.4	91.3	310	3.2	3.7	76.4	90.4
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	4015	0.8	10.8	5.8	9.4	3758	0.8	11.5	5.1	8.5
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4034	1.4	17.2	5.6	12.0	3776	1.5	17.8	5.8	12.8
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	4034	0.9	17.9	3.5	7.8	3776	1.0	19.1	3.5	8.1
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4034	0.6	8.3	5.7	8.3	3776	0.5	8.4	5.4	7.8
Iodine content in Household Salt (more than 15 ppm) (%)	1418	5.8	8.3	56.3	81.9	1316	6.4	8.8	56.8	85.0

Indicators	Ganjam									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	293	3.2	17.8	11.7	26.2	268	3.5	18.9	11.8	27.7
Below -2 SD Stunting (Height for Age) (%)										
Person	292	6.6	15.9	27.7	56.8	266	7.2	16.1	29.4	60.8
Below -2 SD Underweight (Weight for Age) (%)										
Person	319	4.3	9.2	37.2	56.4	293	4.6	9.0	40.4	60.8
Below -2 SD Undernourished (BMI for Age) (%)										
Person	321	3.4	21.6	9.6	25.3	295	3.8	23.2	9.5	26.8
Above 2 SD Overnourished (BMI for Age) (%)										
Person	-	-	-	-	-	-	-	-	-	-
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1274	2.2	6.2	30.5	40.3	1176	2.2	5.8	32.5	42.2
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1274	0.4	41.4	0.3	2.2	1176	0.2	46.1	0.1	1.0
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	2560	1.8	9.9	14.7	22.8	2265	0.7	5.0	12.2	15.4
BMI ≥25.0 for age 60 year and above (%)										
Person	635	2.9	18.8	10.0	23.2	562	2.3	18.2	8.4	19.0
BMI <18.5 for age 18-59 year (%)										
Person	2560	1.4	6.0	20.1	26.4	2265	1.3	5.2	22.7	28.6
BMI <18.5 for age 60 year and above (%)										
Person	635	2.9	9.9	22.9	36.0	562	3.1	10.1	24.0	37.9
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	253	2.9	4.3	59.9	72.8	229	2.9	4.5	57.4	70.3
Anaemia in the age group 5-9 years (%)										
Person	377	1.1	1.4	77.0	82.0	353	1.1	1.4	76.4	81.3
Anaemia in the age group 10-17 years (%)										
Person	797	2.7	3.9	63.1	75.3	735	2.6	3.7	63.8	75.6
Anaemia in the age group 18-59 years (%)										
Male	957	4.5	7.0	53.8	74.1	824	5.0	8.0	51.2	73.5
Female	1562	2.1	2.9	69.1	78.7	1403	2.1	2.8	67.9	77.3
Anaemia in the age group 60 years and above (%)										
Male	333	3.0	3.8	69.7	83.0	298	3.1	4.1	68.2	82.1
Female	308	2.9	3.7	72.5	85.7	271	2.4	3.0	73.4	84.2
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3184	0.8	10.2	6.2	9.9	2822	0.6	9.0	5.2	7.8
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3186	1.0	11.5	6.6	11.1	2824	1.0	12.1	6.1	10.6
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3186	0.5	11.5	3.1	5.2	2824	0.5	13.3	2.9	5.3
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3186	0.5	10.7	3.5	5.7	2824	0.5	12.1	3.1	5.3
Iodine content in Household Salt (more than 15 ppm) (%)	1408	4.7	6.9	56.5	77.5	1268	5.0	7.5	54.3	76.7

Indicators	Gajapati									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	396	4.3	18.8	14.8	34.0	365	4.5	18.9	15.2	35.0
Below -2 SD Stunting (Height for Age) (%)										
Person	402	3.7	8.5	35.4	51.7	370	3.8	8.6	35.9	52.7
Below -2 SD Underweight (Weight for Age) (%)										
Person	403	5.0	12.0	31.1	53.1	372	5.2	12.1	31.7	54.3
Below -2 SD Undernourished (BMI for Age) (%)										
Person	405	3.7	19.2	12.4	29.1	373	3.9	19.6	12.6	29.9
Above 2 SD Overnourished (BMI for Age) (%)										
Person	-	-	-	-	-	-	-	-	-	-
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1334	3.5	12.2	21.5	37.3	1242	3.7	12.6	21.6	38.0
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1334	0.2	35.4	0.3	1.5	-	-	-	-	-
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	2850	3.0	25.8	6.3	20.2	2604	3.0	29.8	5.1	19.2
BMI ≥25.0 for age 60 year and above (%)										
Person	568	4.2	32.0	6.2	25.8	510	4.5	36.5	5.1	26.4
BMI <18.5 for age 18-59 year (%)										
Person	2850	6.6	26.6	13.0	42.4	2604	6.9	26.8	13.4	44.1
BMI <18.5 for age 60 year and above (%)										
Person	568	10.3	27.3	18.4	62.1	510	11.0	28.3	18.3	64.5
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	348	1.7	2.0	80.1	87.4	319	1.7	2.1	79.6	87.4
Anaemia in the age group 5-9 years (%)										
Person	397	2.4	2.7	82.2	93.3	370	2.5	2.8	81.8	93.5
Anaemia in the age group 10-17 years (%)										
Person	798	1.5	1.8	81.4	88.4	744	1.4	1.7	82.1	88.5
Anaemia in the age group 18-59 years (%)										
Male	1194	3.9	4.6	74.1	91.8	1092	4.1	4.9	73.2	92.0
Female	1545	2.2	2.5	80.5	90.4	1413	2.3	2.7	80.1	90.5
Anaemia in the age group 60 years and above (%)										
Male	258	1.2	1.2	90.7	96.0	233	1.2	1.3	90.3	95.9
Female	286	3.1	3.6	78.1	92.4	255	3.3	3.8	77.2	92.2
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3412	1.7	25.7	3.7	11.5	3106	1.8	28.6	3.2	11.5
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3415	3.2	41.3	3.0	18.5	3109	3.4	47.0	2.4	19.2
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3415	0.9	17.9	3.6	7.9	3109	0.9	18.8	3.3	7.6
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	-	-	-	-	-	-	-	-	-	-
Iodine content in Household Salt (more than 15 ppm) (%)	1433	13.4	19.8	34.8	89.1	1306	14.1	20.6	33.7	90.5

Indicators	Kandhamal									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	320	3.2	12.0	20.2	34.6	296	3.3	12.2	20.5	35.5
Below -2 SD Stunting (Height for Age) (%)										
Person	307	6.1	20.9	17.4	44.5	283	6.3	21.8	16.9	44.8
Below -2 SD Underweight (Weight for Age) (%)										
Person	320	5.0	21.7	13.7	36.2	296	5.1	21.8	13.9	36.9
Below -2 SD Undernourished (BMI for Age) (%)										
Person	323	4.0	14.1	20.3	38.2	298	4.1	14.3	20.6	39.2
Above 2 SD Overnourished (BMI for Age) (%)										
Person	323	1.2	28.9	2.1	7.8	298	1.2	31.6	1.9	7.8
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	988	3.1	11.4	21.1	35.3	893	3.3	11.6	21.5	36.2
Above 2 SD Overnourished (BMI for Age) (%)										
Person	988	1.6	31.0	2.6	10.5	893	1.7	32.7	2.4	10.7
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	2471	1.8	13.9	9.2	17.4	2139	1.9	15.3	8.4	17.1
BMI ≥25.0 for age 60 year and above (%)										
Person	588	2.4	25.3	5.1	16.3	538	2.4	27.3	4.8	16.0
BMI <18.5 for age 18-59 year (%)										
Person	2471	2.9	11.7	18.6	31.7	2139	3.0	12.0	19.3	32.9
BMI <18.5 for age 60 year and above (%)										
Person	588	3.0	7.6	33.5	47.0	538	3.1	7.5	34.4	48.3
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	277	5.1	6.6	63.8	86.5	254	5.1	6.6	64.0	87.1
Anaemia in the age group 5-9 years (%)										
Person	306	4.1	4.8	73.3	92.0	274	4.2	4.9	73.5	92.9
Anaemia in the age group 10-17 years (%)										
Person	547	5.3	6.7	64.4	88.3	496	5.5	7.0	64.2	89.1
Anaemia in the age group 18-59 years (%)										
Male	1054	3.0	3.8	72.5	85.9	900	3.1	3.9	72.5	86.3
Female	1351	4.8	6.4	63.1	84.3	1192	5.1	6.7	62.9	85.0
Anaemia in the age group 60 years and above (%)										
Male	301	2.5	2.7	83.7	95.0	275	2.5	2.8	83.8	95.4
Female	257	3.2	3.8	75.6	89.9	235	3.3	4.0	75.3	90.1
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3043	1.2	11.0	8.4	13.7	2662	1.2	11.5	8.3	13.7
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3044	1.1	19.0	3.8	8.8	2663	1.2	20.0	3.7	9.0
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3044	0.8	7.5	8.8	12.3	2663	0.8	7.9	8.8	12.4
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3044	1.4	20.2	4.3	10.4	2663	1.4	22.1	3.9	10.4
Iodine content in Household Salt (more than 15 ppm) (%)	1329	7.8	10.7	52.4	86.2	1168	8.1	11.1	51.8	87.0

Indicators	Baudh									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	335	4.9	17.1	18.9	40.8	319	5.0	17.3	18.8	41.0
Below -2 SD Stunting (Height for Age) (%)										
Person	360	3.3	8.3	32.4	47.0	343	3.3	8.3	32.2	46.8
Below -2 SD Underweight (Weight for Age) (%)										
Person	362	3.1	6.4	42.2	56.3	345	3.2	6.4	42.1	56.4
Below -2 SD Undernourished (BMI for Age) (%)										
Person	367	2.8	9.1	25.0	37.7	350	2.8	9.1	25.1	37.9
Above 2 SD Overnourished (BMI for Age) (%)										
Person	367	1.2	40.3	1.2	7.4	350	1.2	41.3	1.2	7.5
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1140	3.7	9.1	33.1	49.8	1048	3.8	9.2	33.0	50.1
Above 2 SD Overnourished (BMI for Age) (%)										
Person	-	-	-	-	-	-	-	-	-	-
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	2500	1.5	13.7	7.7	14.6	2209	1.5	14.4	7.7	14.5
BMI ≥25.0 for age 60 year and above (%)										
Person	483	0.8	12.3	4.8	8.5	427	0.7	12.4	4.6	7.8
BMI <18.5 for age 18-59 year (%)										
Person	2500	1.8	5.7	27.8	35.9	2209	1.9	5.8	28.0	36.5
BMI <18.5 for age 60 year and above (%)										
Person	483	2.8	5.6	44.0	56.6	427	3.0	5.8	44.5	58.0
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	307	4.2	5.3	67.7	86.5	294	4.2	5.4	67.5	86.5
Anaemia in the age group 5-9 years (%)										
Person	368	4.4	5.1	73.1	93.7	343	4.5	5.2	72.7	93.6
Anaemia in the age group 10-17 years (%)										
Person	675	5.7	7.2	63.4	89.3	625	5.9	7.4	62.8	89.2
Anaemia in the age group 18-59 years (%)										
Male	1139	6.2	7.7	62.8	90.8	1020	6.4	7.9	62.0	90.9
Female	1345	3.1	3.7	74.6	88.5	1183	3.2	3.8	74.0	88.4
Anaemia in the age group 60 years and above (%)										
Male	271	1.9	2.1	87.5	96.8	239	2.0	2.1	87.4	97.1
Female	208	2.4	2.6	84.5	95.9	187	2.5	2.7	84.1	95.8
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2981	1.2	16.7	5.1	10.8	2634	1.3	17.4	5.0	10.9
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2983	0.8	9.4	6.5	10.0	2636	0.8	9.9	6.3	9.9
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2983	0.7	13.5	3.8	6.9	2636	0.7	14.0	3.7	7.0
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2983	0.8	17.6	2.9	6.3	2636	0.8	18.9	2.7	6.2
Iodine content in Household Salt (more than 15 ppm) (%)	1254	5.4	6.5	67.2	91.8	1105	5.5	6.5	67.9	93.3

Indicators	Sonapur									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	477	2.7	14.2	13.6	25.5	436	2.8	15.1	13.1	25.6
Below -2 SD Stunting (Height for Age) (%)										
Person	509	3.5	7.9	36.2	51.5	462	3.6	8.2	36.0	52.0
Below -2 SD Underweight (Weight for Age) (%)										
Person	517	3.0	7.0	36.1	49.3	471	3.1	7.4	35.6	49.5
Below -2 SD Undernourished (BMI for Age) (%)										
Person	520	2.4	11.4	16.4	27.3	472	2.5	12.2	15.7	27.0
Above 2 SD Overnourished (BMI for Age) (%)										
Person	520	0.5	48.4	0.4	3.3	472	0.6	48.6	0.4	3.4
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1639	2.0	5.4	32.0	40.8	1494	2.0	5.6	32.2	41.4
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1639	0.2	48.8	0.1	1.1	-	-	-	-	-
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	3595	1.1	11.5	7.4	12.4	3305	1.2	12.8	6.8	12.3
BMI ≥25.0 for age 60 year and above (%)										
Person	860	1.1	20.3	3.6	8.7	799	1.2	22.4	3.1	8.7
BMI <18.5 for age 18-59 year (%)										
Person	3595	1.3	4.0	29.9	35.8	3305	1.4	4.2	30.2	36.5
BMI <18.5 for age 60 year and above (%)										
Person	860	2.8	6.1	40.3	52.9	799	2.9	6.2	40.3	53.4
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	433	4.1	5.4	64.5	82.7	396	4.2	5.7	63.5	82.5
Anaemia in the age group 5-9 years (%)										
Person	563	5.7	8.0	57.0	82.3	518	5.9	8.4	55.7	81.9
Anaemia in the age group 10-17 years (%)										
Person	916	5.8	9.2	49.4	74.6	829	6.0	9.7	47.8	73.9
Anaemia in the age group 18-59 years (%)										
Male	1727	5.0	9.5	41.6	64.0	1603	5.2	9.9	40.4	63.4
Female	1867	4.2	6.2	58.5	77.3	1714	4.4	6.6	57.3	76.9
Anaemia in the age group 60 years and above (%)										
Male	448	5.1	6.7	62.5	85.2	424	5.2	6.9	61.5	84.9
Female	412	3.6	4.5	70.0	86.0	379	3.8	4.8	69.1	85.9
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	4449	0.5	15.0	2.5	4.8	4099	0.5	16.6	2.3	4.7
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4457	0.4	8.8	4.2	6.2	4107	0.5	8.9	4.2	6.2
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	4457	0.8	14.6	4.1	7.8	4107	0.9	15.1	4.1	8.0
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4457	0.3	14.9	1.4	2.8	4107	0.3	15.7	1.4	2.8
Iodine content in Household Salt (more than 15 ppm) (%)	1837	2.8	4.0	61.9	74.2	1687	2.8	4.2	60.5	73.0



Indicators	Balangir									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	352	3.0	11.1	21.2	34.9	327	3.2	12.0	20.1	34.6
Below -2 SD Stunting (Height for Age) (%)										
Person	362	3.8	7.4	42.7	59.6	335	3.9	7.7	41.6	59.1
Below -2 SD Underweight (Weight for Age) (%)										
Person	368	3.5	7.6	38.1	53.8	342	3.7	8.3	36.6	53.3
Below -2 SD Undernourished (BMI for Age) (%)										
Person	368	2.9	11.8	18.8	31.9	341	2.8	11.8	18.1	30.9
Above 2 SD Overnourished (BMI for Age) (%)										
Person	368	1.2	18.6	4.3	10.1	341	1.3	18.5	4.5	10.3
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1097	1.7	4.3	35.7	43.3	981	1.8	4.4	36.7	44.8
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1097	0.4	40.1	0.4	2.5	-	-	-	-	-
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	2609	1.3	15.0	6.1	12.0	2368	1.3	16.7	5.2	11.1
BMI ≥25.0 for age 60 year and above (%)										
Person	478	1.8	27.6	3.4	11.7	440	0.8	17.4	3.2	7.0
BMI <18.5 for age 18-59 year (%)										
Person	2609	1.9	5.0	34.4	43.2	2368	2.0	5.0	35.3	44.4
BMI <18.5 for age 60 year and above (%)										
Person	478	3.0	5.6	46.0	59.3	440	2.8	5.1	48.2	60.9
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	256	2.8	3.2	78.6	91.2	235	2.6	3.0	80.2	92.4
Anaemia in the age group 5-9 years (%)										
Person	295	3.5	3.9	78.7	95.6	267	3.8	4.1	78.0	96.3
Anaemia in the age group 10-17 years (%)										
Person	481	4.8	5.9	68.6	90.7	432	5.3	6.4	67.7	92.2
Anaemia in the age group 18-59 years (%)										
Male	900	5.0	6.4	65.6	88.4	821	5.3	6.6	65.6	89.4
Female	1136	2.8	3.2	80.6	93.6	1020	2.9	3.2	80.6	94.0
Anaemia in the age group 60 years and above (%)										
Male	197	2.3	2.5	85.8	97.0	178	1.6	1.7	89.5	97.5
Female	183	2.6	2.8	83.9	96.4	174	2.8	3.0	82.9	96.3
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2938	0.6	7.3	7.1	9.9	2698	0.7	8.2	6.8	9.8
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3084	0.5	8.9	5.0	7.5	2806	0.6	10.5	4.6	7.4
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3084	0.6	8.1	6.5	9.5	2806	0.6	7.4	6.7	9.4
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3084	0.5	12.4	3.2	5.5	2806	0.6	12.4	3.4	5.9
Iodine content in Household Salt (more than 15 ppm) (%)	<b>1186</b>	<b>5.4</b>	<b>10.2</b>	<b>40.6</b>	<b>64.4</b>	<b>1084</b>	<b>5.3</b>	<b>10.3</b>	<b>39.2</b>	<b>62.6</b>

Indicators	Nuapada									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	336	4.0	22.0	10.8	29.0	322	4.1	22.5	10.7	29.4
Below -2 SD Stunting (Height for Age) (%)										
Person	340	4.6	10.1	35.7	56.3	326	4.7	10.3	35.6	56.8
Below -2 SD Underweight (Weight for Age) (%)										
Person	340	4.7	9.5	39.3	60.3	326	4.8	9.7	39.4	60.9
Below -2 SD Undernourished (BMI for Age) (%)										
Person	341	4.5	27.0	8.8	29.5	327	4.6	27.5	8.7	29.9
Above 2 SD Overnourished (BMI for Age) (%)										
Person	-	-	-	-	-	-	-	-	-	-
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1064	2.0	6.5	27.2	36.3	1010	2.1	6.7	27.4	36.9
Above 2 SD Overnourished (BMI for Age) (%)										
Person	-	-	-	-	-	-	-	-	-	-
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	2058	1.7	15.4	8.0	15.8	1890	1.9	18.6	6.7	15.5
BMI ≥25.0 for age 60 year and above (%)										
Person	455	1.0	22.7	2.8	7.5	437	1.0	27.0	2.1	6.8
BMI <18.5 for age 18-59 year (%)										
Person	2058	1.9	7.0	23.4	32.0	1890	2.1	7.3	23.7	33.2
BMI <18.5 for age 60 year and above (%)										
Person	455	5.1	10.9	35.2	57.9	437	5.2	11.0	35.6	58.7
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	289	6.2	8.8	54.6	82.2	276	6.4	9.0	54.6	82.8
Anaemia in the age group 5-9 years (%)										
Person	370	4.1	4.9	72.4	91.2	354	4.2	5.0	72.3	91.5
Anaemia in the age group 10-17 years (%)										
Person	611	7.3	10.0	54.1	85.8	582	7.5	10.2	53.7	86.2
Anaemia in the age group 18-59 years (%)										
Male	931	4.3	7.5	47.2	66.0	857	4.5	7.8	47.4	67.3
Female	1116	4.5	6.0	63.8	84.0	1024	4.6	6.1	64.3	84.8
Anaemia in the age group 60 years and above (%)										
Male	224	3.6	4.4	72.4	88.4	217	3.6	4.4	72.5	88.6
Female	229	5.1	6.0	70.5	94.3	218	5.3	6.1	70.2	94.9
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2473	1.0	17.1	4.1	8.8	2289	1.1	18.9	3.8	8.8
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2483	0.7	19.1	2.2	5.2	2297	0.6	20.8	2.0	4.9
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2483	0.5	15.5	2.3	4.6	2297	0.5	15.4	2.3	4.5
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2483	0.7	21.6	1.9	5.0	2297	0.7	22.5	1.8	5.0
Iodine content in Household Salt (more than 15 ppm) (%)	1172	7.0	8.7	60.4	91.9	1086	7.4	9.1	59.3	92.1

Indicators	Kalahandi									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	468	2.4	9.0	22.0	32.6	435	2.5	9.2	22.4	33.6
Below -2 SD Stunting (Height for Age) (%)										
Person	473	5.0	11.3	34.0	55.8	440	5.3	11.6	34.3	57.1
Below -2 SD Underweight (Weight for Age) (%)										
Person	477	4.0	7.6	44.0	61.4	443	4.2	7.7	45.4	63.7
Below -2 SD Undernourished (BMI for Age) (%)										
Person	482	2.7	11.9	17.5	29.5	447	2.9	12.1	18.1	30.7
Above 2 SD Overnourished (BMI for Age) (%)										
Person	482	0.2	39.4	0.3	1.5	-	-	-	-	-
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1463	2.1	4.2	45.1	54.1	1387	2.1	4.2	45.6	54.7
Above 2 SD Overnourished (BMI for Age) (%)										
Person	-	-	-	-	-	-	-	-	-	-
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	3089	1.2	22.0	3.2	8.8	2843	0.7	19.8	2.3	5.6
BMI ≥25.0 for age 60 year and above (%)										
Person	637	1.1	24.0	2.8	8.0	585	1.0	34.5	1.4	6.3
BMI <18.5 for age 18-59 year (%)										
Person	3089	1.9	4.5	38.5	47.0	2843	1.6	3.5	41.0	48.2
BMI <18.5 for age 60 year and above (%)										
Person	637	4.3	7.4	48.0	67.2	585	4.4	7.1	51.1	70.8
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	389	3.8	5.1	65.2	81.7	363	3.9	5.3	65.0	82.3
Anaemia in the age group 5-9 years (%)										
Person	458	3.9	5.0	68.8	85.9	435	4.1	5.2	68.0	85.9
Anaemia in the age group 10-17 years (%)										
Person	847	4.0	5.3	65.1	82.6	804	4.1	5.4	65.3	83.3
Anaemia in the age group 18-59 years (%)										
Male	1356	4.3	6.6	55.1	73.1	1250	4.5	6.9	55.3	74.2
Female	1614	3.5	4.5	69.3	84.0	1491	3.7	4.7	69.0	84.6
Anaemia in the age group 60 years and above (%)										
Male	306	2.2	2.6	78.2	87.4	282	2.2	2.6	78.8	88.3
Female	298	3.0	3.5	76.9	89.6	275	3.1	3.7	76.8	90.2
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3694	0.8	10.7	6.3	9.9	3399	0.7	10.4	5.8	9.0
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3691	0.9	14.2	4.6	8.4	3397	0.7	13.2	3.9	6.9
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3691	0.7	17.1	2.7	5.5	3397	0.7	18.3	2.6	5.6
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3691	0.6	12.7	3.3	5.7	3397	0.5	12.5	3.0	5.1
Iodine content in Household Salt (more than 15 ppm) (%)	1766	3.0	6.3	41.1	53.6	1644	3.1	6.6	40.5	53.6

Indicators	Rayagada									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	324	2.6	8.6	25.0	36.8	297	2.9	9.2	25.3	38.2
Below -2 SD Stunting (Height for Age) (%)										
Person	344	3.7	7.6	40.3	56.8	316	4.0	8.1	40.1	57.9
Below -2 SD Underweight (Weight for Age) (%)										
Person	349	3.6	6.7	45.7	61.9	321	3.8	6.9	46.3	63.2
Below -2 SD Undernourished (BMI for Age) (%)										
Person	352	3.6	12.0	22.7	39.1	324	4.0	12.7	23.1	41.1
Above 2 SD Overnourished (BMI for Age) (%)										
Person	352	1.7	24.5	3.9	11.9	324	1.9	28.2	3.4	12.2
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1343	2.8	9.2	24.3	36.9	1163	2.7	8.0	27.5	39.5
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1343	0.6	22.2	1.5	4.2	1163	0.6	29.4	1.0	3.8
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	3131	1.2	15.0	5.4	10.9	2575	1.5	24.3	3.6	10.6
BMI ≥25.0 for age 60 year and above (%)										
Person	536	1.4	24.2	3.2	9.7	462	1.0	24.2	2.3	7.1
BMI <18.5 for age 18-59 year (%)										
Person	3131	2.4	10.4	18.5	29.4	2575	2.9	10.4	21.7	34.8
BMI <18.5 for age 60 year and above (%)										
Person	536	3.4	9.1	30.4	45.6	462	3.5	8.2	34.5	50.3
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	289	5.2	7.2	58.9	82.2	262	5.8	8.0	57.4	83.2
Anaemia in the age group 5-9 years (%)										
Person	413	3.1	3.4	80.5	94.9	356	2.3	2.5	84.8	95.5
Anaemia in the age group 10-17 years (%)										
Person	806	2.1	2.3	84.8	94.5	695	2.2	2.4	85.5	95.8
Anaemia in the age group 18-59 years (%)										
Male	1434	1.6	1.7	89.9	97.9	1169	1.6	1.7	90.3	98.7
Female	1595	2.2	2.5	83.9	94.0	1305	1.6	1.7	88.5	95.6
Anaemia in the age group 60 years and above (%)										
Male	231	1.0	1.0	94.3	99.5	199	0.6	0.6	96.1	99.7
Female	284	2.0	2.2	85.4	94.4	243	2.5	2.7	84.6	96.2
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	-	-	-	-	-	-	-	-	-	-
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3667	1.0	20.4	3.1	7.7	3038	1.2	30.0	2.1	7.9
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3667	1.1	30.9	1.8	6.9	3038	1.3	35.6	1.7	8.0
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3667	2.0	15.1	9.6	18.8	3038	2.4	17.8	9.1	20.1
Iodine content in Household Salt (more than 15 ppm) (%)	1454	4.4	5.9	64.7	84.4	1224	5.2	6.3	67.9	91.3

Indicators	Nabarangapur									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	689	2.5	10.3	18.7	29.8	667	2.5	10.2	19.1	30.3
Below -2 SD Stunting (Height for Age) (%)										
Person	689	2.6	4.9	47.0	58.6	667	2.6	4.9	47.2	59.0
Below -2 SD Underweight (Weight for Age) (%)										
Person	691	3.6	6.8	44.7	60.8	669	3.6	6.8	44.9	61.1
Below -2 SD Undernourished (BMI for Age) (%)										
Person	694	1.9	10.5	14.2	22.8	672	1.9	10.4	14.5	23.1
Above 2 SD Overnourished (BMI for Age) (%)										
Person	694	0.4	41.4	0.3	2.2	672	0.4	41.4	0.3	2.2
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1938	1.6	4.0	35.9	43.0	1865	1.6	4.1	36.0	43.3
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1938	0.1	46.0	0.1	0.7	-	-	-	-	-
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	3545	0.8	17.6	3.0	6.7	3383	0.8	21.1	2.3	6.0
BMI ≥25.0 for age 60 year and above (%)										
Person	465	0.7	18.5	2.7	5.9	444	0.7	20.8	2.0	5.3
BMI <18.5 for age 18-59 year (%)										
Person	3545	1.7	3.7	41.3	49.0	3383	1.6	3.5	42.3	49.5
BMI <18.5 for age 60 year and above (%)										
Person	465	1.8	3.4	49.8	57.9	444	1.9	3.4	50.7	59.3
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	592	2.1	2.4	82.9	92.6	574	2.1	2.4	83.1	92.8
Anaemia in the age group 5-9 years (%)										
Person	711	1.9	2.1	86.9	96.0	691	2.0	2.1	87.0	96.2
Anaemia in the age group 10-17 years (%)										
Person	1005	2.1	2.4	81.7	91.3	966	2.1	2.4	81.8	91.6
Anaemia in the age group 18-59 years (%)										
Male	1595	2.9	3.8	69.0	82.1	1524	2.9	3.8	69.7	82.9
Female	1771	1.9	2.2	81.6	90.1	1683	1.9	2.2	82.0	90.7
Anaemia in the age group 60 years and above (%)										
Male	219	2.1	2.4	83.3	93.1	207	2.2	2.5	83.4	93.6
Female	219	1.6	1.7	86.0	93.2	209	1.6	1.8	86.1	93.6
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3900	0.4	7.9	4.0	5.8	3719	0.4	8.5	3.7	5.5
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3986	1.5	18.9	5.1	11.9	3802	1.5	19.5	5.0	12.0
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3986	0.5	10.6	3.6	5.8	3802	0.5	10.6	3.7	5.9
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3986	0.4	14.8	1.8	3.5	3802	0.4	15.4	1.8	3.5
Iodine content in Household Salt (more than 15 ppm) (%)	1764	8.7	16.0	35.0	72.4	1679	8.9	16.8	33.6	71.9

Indicators	Koraput									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	632	2.3	11.3	16.0	26.6	546	2.6	12.2	16.1	27.9
Below -2 SD Stunting (Height for Age) (%)										
Person	646	5.1	8.8	46.0	68.6	559	5.7	9.7	45.5	70.6
Below -2 SD Underweight (Weight for Age) (%)										
Person	653	2.6	4.9	46.8	58.4	566	2.0	3.8	49.0	58.2
Below -2 SD Undernourished (BMI for Age) (%)										
Person	663	1.5	8.0	15.9	22.8	574	1.7	8.5	16.0	23.5
Above 2 SD Overnourished (BMI for Age) (%)										
Person	663	1.0	22.0	2.7	7.3	574	1.1	24.8	2.4	7.5
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	2170	2.0	4.7	39.0	48.0	1888	2.2	5.0	39.8	49.6
Above 2 SD Overnourished (BMI for Age) (%)										
Person	2170	0.1	13.9	0.7	1.3	1888	0.1	14.2	0.6	1.2
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	4151	1.0	16.3	4.3	8.9	3481	0.8	14.9	3.7	7.3
BMI ≥25.0 for age 60 year and above (%)										
Person	681	1.4	30.3	2.4	9.1	569	1.5	34.8	2.0	9.3
BMI <18.5 for age 18-59 year (%)										
Person	4151	2.2	5.9	32.0	41.9	3481	2.6	6.7	32.7	44.4
BMI <18.5 for age 60 year and above (%)										
Person	681	2.6	5.0	45.7	57.4	569	2.1	3.9	48.5	58.0
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	556	3.2	5.6	50.0	64.3	487	3.5	6.2	49.0	64.8
Anaemia in the age group 5-9 years (%)										
Person	769	2.0	2.5	77.3	86.6	685	2.2	2.7	77.6	87.7
Anaemia in the age group 10-17 years (%)										
Person	1061	2.9	3.7	71.5	84.4	925	3.2	4.1	71.1	85.4
Anaemia in the age group 18-59 years (%)										
Male	1752	2.7	3.2	78.0	90.2	1508	3.0	3.5	77.3	90.7
Female	2050	2.2	2.8	73.3	83.1	1721	2.2	2.7	74.7	84.5
Anaemia in the age group 60 years and above (%)										
Male	304	1.9	2.2	82.2	90.9	269	1.8	2.0	82.5	90.5
Female	304	1.7	2.2	73.4	81.0	255	1.8	2.3	72.2	80.1
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	4532	0.9	12.6	5.2	9.1	3825	0.6	10.6	4.8	7.7
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4813	1.1	19.1	3.7	8.7	4039	1.3	22.4	3.4	9.3
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	4813	0.4	13.0	2.6	4.6	4039	0.5	15.0	2.3	4.5
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4813	1.1	21.7	3.1	8.1	4039	1.3	23.6	3.1	8.9
Iodine content in Household Salt (more than 15 ppm) (%)	2012	5.7	7.3	62.1	87.2	1701	6.6	8.6	59.1	88.2

Indicators	Malkangiri									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	495	1.9	5.8	29.2	37.9	458	2.0	5.9	30.4	39.7
Below -2 SD Stunting (Height for Age) (%)										
Person	518	5.2	10.3	38.7	61.8	481	5.4	10.9	37.6	61.6
Below -2 SD Underweight (Weight for Age) (%)										
Person	528	4.9	7.3	55.5	77.4	490	5.0	7.3	56.6	79.1
Below -2 SD Undernourished (BMI for Age) (%)										
Person	532	6.9	19.7	21.4	51.7	494	7.4	20.3	21.6	53.8
Above 2 SD Overnourished (BMI for Age) (%)										
Person	532	0.3	40.4	0.3	1.8	494	0.3	40.6	0.3	1.9
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1705	4.7	11.2	31.6	52.4	1548	5.1	11.9	31.8	54.4
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1705	0.5	45.9	0.4	2.8	1548	0.5	47.3	0.4	3.0
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	3184	0.8	18.4	2.9	6.6	2859	0.7	24.8	1.7	5.0
BMI ≥25.0 for age 60 year and above (%)										
Person	438	1.9	40.4	1.9	11.4	-	-	-	-	-
BMI <18.5 for age 18-59 year (%)										
Person	3184	4.9	10.8	34.8	56.6	2859	5.5	11.6	35.3	59.7
BMI <18.5 for age 60 year and above (%)										
Person	438	3.7	6.6	47.4	64.0	406	3.6	6.2	49.8	66.0
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	416	9.2	11.2	52.6	95.3	397	9.6	11.7	51.1	95.5
Anaemia in the age group 5-9 years (%)										
Person	574	5.8	6.7	67.7	95.7	539	6.1	7.0	66.4	95.8
Anaemia in the age group 10-17 years (%)										
Person	864	2.6	2.9	81.2	93.1	791	2.8	3.1	80.5	93.2
Anaemia in the age group 18-59 years (%)										
Male	1401	5.1	5.6	71.3	97.5	1257	5.6	6.1	68.7	97.7
Female	1541	2.3	2.6	82.9	93.6	1387	2.5	2.8	82.1	93.5
Anaemia in the age group 60 years and above (%)										
Male	199	1.6	1.7	89.5	97.4	184	1.3	1.4	91.4	97.8
Female	196	4.9	5.5	72.4	96.7	185	5.3	5.9	70.5	96.6
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3570	4.4	46.9	3.1	24.9	-	-	-	-	-
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3623	1.8	37.2	2.0	10.9	3261	1.9	39.9	1.9	11.5
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3623	0.6	19.5	1.9	4.5	3261	0.6	21.6	1.7	4.6
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3623	1.4	21.1	4.2	10.8	3261	1.6	22.5	4.1	11.4
Iodine content in Household Salt (more than 15 ppm) (%)	1558	10.2	14.3	44.6	88.3	1398	11.0	15.1	43.2	90.4

Note: Confidence Intervals are computed by logit transformation method using SPSS application.