

Indicators	Rajasthan		Ganganagar		Hanumangarh		Bikaner	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Nutritional status below 5 years								
Below -2 SD Wasting (Weight for Height) (%)								
Male	23.0	23.9	11.6	14.5	20.4	19.1	16.0	20.3
Female	21.8	22.2	9.3	11.2	21.4	21.7	15.5	18.1
Person	22.5	23.1	10.5	13.0	20.9	20.3	15.8	19.1
Below -3 SD Wasting (Weight for Height) (%)								
Male	9.7	9.8	4.5	6.0	9.3	10.2	7.4	7.7
Female	9.2	9.2	5.8	-	6.7	6.0	3.5	3.7
Person	9.5	9.5	5.1	6.3	8.1	8.2	5.5	5.6
Below -2 SD Stunting (Height for Age) (%)								
Male	44.7	46.1	46.7	46.8	29.8	34.9	46.9	44.9
Female	43.3	45.1	39.7	33.7	37.7	39.3	32.5	30.8
Person	44.0	45.6	43.4	40.7	33.4	37.0	39.8	37.5
Below -3SD Stunting (Height for Age) (%)								
Male	24.9	26.2	24.1	25.6	13.7	15.9	18.4	18.5
Female	23.9	24.9	25.8	17.3	18.5	18.2	11.6	11.3
Person	24.4	25.6	24.9	21.7	15.9	17.0	15.0	14.7
Below -2 SD Underweight (Weight for Age) (%)								
Male	36.4	38.6	32.3	33.6	24.9	30.4	24.0	29.2
Female	36.9	39.2	25.2	27.4	27.9	29.5	15.7	15.9
Person	36.6	38.9	29.0	30.7	26.3	30.0	19.9	22.2
Below -3 SD Underweight (Weight for Age) (%)								
Male	15.1	16.1	-	-	8.5	9.1	6.8	8.3
Female	14.9	15.9	9.3	11.3	9.0	8.8	2.7	3.8
Person	15.0	16.0	9.6	12.3	8.7	9.0	4.8	6.0
Below -2 SD Undernourished (BMI for Age) (%)								
Male	23.0	23.3	10.3	11.6	21.2	20.0	15.0	21.6
Female	22.3	22.6	9.8	12.1	18.9	18.7	14.7	17.0
Person	22.7	22.9	10.1	11.8	20.1	19.4	14.8	19.2
Below -3 SD Undernourished (BMI for Age) (%)								
Male	12.6	12.6	-	-	9.8	10.8	7.4	9.2
Female	11.7	11.6	5.4	-	6.6	5.9	3.9	4.3
Person	12.2	12.1	4.7	5.8	8.3	8.5	5.7	6.6
Above 2 SD Overnourished (BMI for Age) (%)								
Male	9.6	9.3	10.3	11.6	2.5	3.2	14.8	15.5
Female	8.1	7.7	10.5	6.1	4.7	5.7	13.3	13.8
Person	8.9	8.5	10.4	9.1	3.5	4.4	14.0	14.6
Above 3 SD Overnourished (BMI for Age) (%)								
Male	5.1	5.0	-	-	-	-	8.6	9.7
Female	3.9	3.6	4.1	-	-	-	8.8	8.7
Person	4.5	4.3	3.9	2.2	-	-	8.7	9.2
Nutritional status 5-18 years								
Below -2 SD Undernourished (BMI for Age) (%)								
Male	35.9	37.3	36.5	36.1	35.6	36.0	33.9	36.1
Female	28.7	30.0	32.6	35.6	26.1	29.1	25.3	31.9
Person	32.5	33.8	34.6	35.9	31.0	32.6	29.8	34.1
Below -3 SD Undernourished (BMI for Age) (%)								
Male	17.2	17.8	17.0	18.4	14.4	15.1	15.6	19.4
Female	11.6	12.2	17.1	17.8	9.0	10.1	9.0	12.1
Person	14.5	15.1	17.0	18.1	11.8	12.7	12.5	15.9
Above 2 SD Overnourished (BMI for Age) (%)								
Male	2.1	1.5	2.2	1.9	-	-	-	-
Female	1.1	0.8	-	-	-	-	-	-
Person	1.7	1.2	1.2	1.0	-	-	-	-
Above 3 SD Overnourished (BMI for Age) (%)								
Male	0.7	0.5	-	-	-	-	-	-
Female	0.5	0.3	-	-	-	-	-	-
Person	0.6	0.4	-	-	-	-	-	-

Indicators	Rajasthan		Ganganagar		Hanumangarh		Bikaner	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Nutritional status 18 years and above								
BMI ≥25.0 for age 18-59 year (%)								
Male	11.1	7.8	12.6	8.9	14.2	8.6	10.1	8.5
Female	14.4	10.5	16.6	10.7	18.6	11.7	16.2	13.6
Person	12.9	9.3	14.8	9.9	16.5	10.2	13.1	10.9
BMI ≥25.0 for age 60 year and above (%)								
Male	12.0	7.8	12.6	7.1	13.8	10.5	13.7	6.6
Female	16.4	11.0	17.4	9.3	19.5	12.9	15.3	11.5
Person	14.3	9.5	15.0	8.2	16.7	11.7	14.5	9.1
BMI ≥30.0 for age 18-59 year (%)								
Male	1.7	1.1	2.0	1.0	1.6	0.7	1.2	1.1
Female	3.4	2.0	3.5	1.6	5.6	2.2	4.5	3.7
Person	2.6	1.6	2.8	1.3	3.7	1.4	2.9	2.3
BMI ≥30.0 for age 60 year and above (%)								
Male	2.2	1.1	-	-	-	-	2.1	-
Female	4.4	2.5	-	-	7.5	3.3	-	-
Person	3.4	1.9	2.4	-	4.7	1.7	3.1	-
BMI <18.5 for age 18-59 year (%)								
Male	26.2	28.2	30.1	31.0	21.8	24.3	27.0	28.7
Female	28.1	30.6	35.0	38.7	26.4	29.7	31.1	38.7
Person	27.2	29.5	32.7	35.2	24.2	27.1	29.0	33.3
BMI <18.5 for age 60 year and above (%)								
Male	32.6	36.8	37.8	41.9	24.1	27.5	24.6	32.7
Female	30.3	33.9	33.2	41.5	22.9	30.1	31.4	39.8
Person	31.4	35.3	35.4	41.7	23.5	28.8	28.0	36.3
Anaemia status by Haemoglobin Level								
Anaemia in the age group 6-59 months (%)								
Male	77.7	77.8	86.8	81.8	74.1	75.0	92.9	95.0
Female	76.1	77.8	85.4	81.2	82.9	82.4	89.0	92.0
Person	77.0	77.8	86.2	81.5	78.0	78.4	91.0	93.4
Severe Anemia in the age group 6-59 months (%)								
Male	6.2	6.5	11.2	-	6.4	6.2	29.8	31.1
Female	5.9	6.1	16.5	10.2	4.0	4.7	15.5	13.9
Person	6.0	6.3	13.6	10.8	5.4	5.5	22.6	22.0
Anaemia in the age group 5-9 years (%)								
Male	84.9	84.6	91.2	88.2	82.4	82.5	90.9	96.8
Female	86.6	87.2	93.1	91.3	87.8	88.3	94.9	94.2
Person	85.7	85.8	92.1	89.8	85.2	85.2	92.6	95.6
Severe Anemia in the age group 5-9 years (%)								
Male	15.6	15.8	30.2	17.7	10.7	11.0	40.2	53.9
Female	16.6	16.8	29.3	15.4	13.9	14.0	39.8	42.0
Person	16.1	16.3	29.7	16.5	12.4	12.4	40.0	48.5
Anaemia in the age group 10-17 years (%)								
Male	79.4	80.3	84.4	79.0	75.0	73.9	89.3	94.7
Female	83.7	84.4	84.1	80.1	84.9	85.2	88.1	92.5
Person	81.4	82.2	84.3	79.5	79.3	79.0	88.7	93.7
Severe Anemia in the age group 10-17 years (%)								
Male	12.0	12.4	19.8	16.7	7.5	8.4	36.5	48.0
Female	13.5	13.9	26.3	21.0	9.6	10.1	32.5	42.4
Person	12.7	13.1	22.8	18.7	8.4	9.2	34.6	45.3
Anaemia in the age group 18-59 years (%)								
Male	83.0	83.8	89.0	84.2	71.9	70.5	90.6	95.2
Female	82.6	83.4	91.1	87.9	81.0	80.6	89.1	96.6
Severe Anemia in the age group 18-59 years (%)								
Male	9.7	10.1	17.1	13.3	7.1	6.0	32.0	40.8
Female	13.6	14.2	26.4	20.0	10.9	9.9	37.9	50.8
Anaemia in the age group 60 years and above (%)								
Male	85.6	86.0	90.9	87.0	81.9	78.3	88.8	95.1
Female	82.4	82.7	86.7	81.6	77.0	78.5	91.8	97.5
Severe Anemia in the age group 60 years and above (%)								
Male	10.1	10.7	21.8	19.6	7.3	7.0	31.0	42.7
Female	12.7	13.1	25.2	18.7	12.9	9.9	39.1	54.0

Indicators	Rajasthan		Ganganagar		Hanumangarh		Bikaner	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Blood Sugar Level (18 years and above)								
Blood Sugar Level ≥110 mg/dl (%)								
Male	10.2	8.3	10.2	9.2	8.7	7.6	9.1	6.0
Female	8.8	7.5	9.8	9.2	9.6	7.9	8.7	6.1
Person	9.5	7.9	10.0	9.2	9.2	7.7	8.9	6.0
Blood Sugar Level ≥130 mg/dl (%)								
Male	3.6	2.6	4.7	4.5	3.3	2.6	3.2	2.1
Female	3.2	2.4	3.8	4.1	5.0	3.5	3.3	2.2
Person	3.4	2.5	4.2	4.3	4.2	3.1	3.3	2.2
Blood Sugar Level ≥150 mg/dl (%)								
Male	1.8	1.1	3.5	3.0	1.8	1.5	1.6	1.3
Female	1.6	1.1	2.6	2.6	3.6	2.2	1.8	1.4
Person	1.7	1.1	3.0	2.8	2.8	1.9	1.7	1.3
Hypertension (18 years and above)								
Above Normal Range								
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)								
Male	10.4	8.9	15.0	16.0	11.8	9.5	11.5	11.2
Female	8.1	7.2	10.8	10.9	11.0	8.1	8.7	8.8
Person	9.1	8.0	12.7	13.2	11.4	8.8	10.1	10.1
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)								
Male	6.2	5.9	6.4	7.5	7.8	8.0	6.1	6.4
Female	5.4	5.2	5.7	4.5	6.3	6.0	6.4	6.2
Person	5.7	5.5	6.0	5.8	7.0	7.0	6.3	6.3
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)								
Male	9.9	9.1	10.7	11.5	9.7	9.1	12.3	11.0
Female	6.8	6.3	7.2	8.3	5.3	5.7	9.1	8.4
Person	8.2	7.5	8.8	9.7	7.4	7.4	10.7	9.8
Moderately high								
Systolic ≥160mm of Hg & Diastolic ≥100mm of Hg (%)								
Male	2.2	1.9	3.7	3.9	2.7	2.2	2.4	2.2
Female	2.2	1.8	3.0	2.5	3.1	1.9	1.5	1.8
Person	2.2	1.8	3.3	3.1	2.9	2.1	2.0	2.0
Systolic ≥160mm of Hg & Diastolic <100mm of Hg (%)								
Male	1.9	1.8	2.3	2.8	2.0	1.9	1.2	1.0
Female	2.1	2.1	1.9	1.8	2.9	2.7	1.8	1.9
Person	2.0	2.0	2.1	2.2	2.5	2.3	1.5	1.4
Systolic <160mm of Hg & Diastolic ≥100mm of Hg								
Male	2.8	2.5	3.5	3.8	3.9	2.4	4.2	-
Female	2.4	2.2	3.6	4.3	2.5	1.8	3.5	2.9
Person	2.6	2.3	3.5	4.1	3.2	2.1	3.8	3.6
Very high								
Systolic ≥180mm of Hg & Diastolic ≥110mm of Hg (%)								
Male	0.7	0.6	0.8	0.8	-	-	0.6	0.5
Female	0.7	0.6	1.1	0.9	1.2	0.7	-	-
Person	0.7	0.6	0.9	0.9	0.9	0.6	0.4	0.3
Systolic ≥180mm of Hg & Diastolic <110mm of Hg (%)								
Male	0.6	0.5	0.7	0.6	-	-	0.4	0.4
Female	0.7	0.7	0.4	0.3	1.2	1.0	0.6	0.7
Person	0.7	0.6	0.5	0.5	0.9	0.7	0.5	0.5
Systolic <180mm of Hg & Diastolic ≥110mm of Hg (%)								
Male	1.2	1.1	1.4	1.5	0.9	0.8	1.5	1.1
Female	1.1	0.9	1.6	1.9	1.0	0.6	1.3	1.3
Person	1.1	1.0	1.5	1.7	0.9	0.7	1.4	1.2
Iodine content in Household Salt (more than 15 ppm) (%)	59.6	56.9	45.1	38.5	52.2	46.8	53.0	42.7

Indicators	Churu		Jhunjunun		Alwar		Bharatpur	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Nutritional status below 5 years								
Below -2 SD Wasting (Weight for Height) (%)								
Male	26.5	20.1	24.6	26.5	32.5	31.6	21.6	23.1
Female	29.4	20.6	25.1	29.5	25.2	24.0	29.2	25.6
Person	27.9	20.4	24.8	27.9	28.7	27.8	25.1	24.3
Below -3 SD Wasting (Weight for Height) (%)								
Male	14.8	6.9	-	-	17.0	15.8	10.7	12.6
Female	19.9	13.7	-	-	12.3	9.8	13.7	12.2
Person	17.3	10.2	-	-	14.6	12.8	12.1	12.4
Below -2 SD Stunting (Height for Age) (%)								
Male	39.9	47.9	35.8	34.9	38.7	38.9	45.1	49.1
Female	28.5	39.1	34.9	36.5	42.7	42.8	31.3	36.3
Person	34.2	43.7	35.4	35.6	40.7	40.8	38.7	43.0
Below -3SD Stunting (Height for Age) (%)								
Male	23.7	28.1	23.0	20.6	17.8	17.8	27.3	30.6
Female	14.0	22.7	13.4	12.1	16.4	16.0	14.5	16.7
Person	18.9	25.5	18.6	17.0	17.1	16.9	21.3	24.0
Below -2 SD Underweight (Weight for Age) (%)								
Male	29.7	26.7	32.1	34.9	33.9	34.8	30.4	33.7
Female	25.7	18.9	28.5	32.1	31.7	31.5	30.3	33.0
Person	27.7	23.0	30.4	33.7	32.8	33.2	30.4	33.4
Below -3 SD Underweight (Weight for Age) (%)								
Male	14.4	9.6	-	-	16.1	16.3	9.3	10.2
Female	10.2	-	-	-	8.6	8.9	6.6	6.1
Person	12.3	8.4	-	-	12.4	12.7	8.1	8.3
Below -2 SD Undernourished (BMI for Age) (%)								
Male	30.0	21.2	30.9	32.5	30.9	29.5	22.0	22.3
Female	31.9	24.2	27.3	31.9	27.7	25.9	29.0	25.4
Person	31.0	22.6	29.2	32.2	29.3	27.8	25.3	23.8
Below -3 SD Undernourished (BMI for Age) (%)								
Male	22.4	12.8	22.5	23.0	19.5	17.9	13.8	15.0
Female	23.2	16.4	-	-	18.5	16.4	16.6	13.1
Person	22.8	14.5	22.4	24.1	19.0	17.2	15.1	14.1
Above 2 SD Overnourished (BMI for Age) (%)								
Male	16.3	18.8	15.2	14.9	13.4	13.8	11.7	10.0
Female	15.8	25.7	15.1	-	9.0	8.9	8.0	7.1
Person	16.1	22.1	15.2	13.6	11.2	11.4	10.0	8.6
Above 3 SD Overnourished (BMI for Age) (%)								
Male	9.1	11.0	-	-	6.9	6.9	4.5	4.9
Female	8.9	14.6	10.8	-	-	-	2.7	-
Person	9.0	12.7	9.9	-	5.6	5.8	3.7	3.7
Nutritional status 5-18 years								
Below -2 SD Undernourished (BMI for Age) (%)								
Male	22.3	23.9	20.0	19.7	29.8	30.2	36.9	38.1
Female	17.5	19.2	20.4	18.6	23.9	24.4	27.3	29.4
Person	20.0	21.5	20.2	19.2	27.1	27.6	32.4	34.0
Below -3 SD Undernourished (BMI for Age) (%)								
Male	10.7	12.2	8.9	8.0	15.4	15.8	18.7	19.0
Female	6.5	7.9	6.7	6.0	10.4	10.8	12.6	13.4
Person	8.7	10.0	7.9	7.1	13.2	13.6	15.8	16.4
Above 2 SD Overnourished (BMI for Age) (%)								
Male	2.3	2.1	4.0	2.9	-	-	2.0	1.9
Female	1.3	1.5	2.3	-	-	-	1.0	0.9
Person	1.8	1.7	3.3	2.3	-	-	1.5	1.4
Above 3 SD Overnourished (BMI for Age) (%)								
Male	-	-	1.4	0.6	-	-	-	-
Female	-	-	1.4	-	-	-	-	-
Person	-	-	1.4	0.4	-	-	-	-

Indicators	Churu		Jhunjhunun		Alwar		Bharatpur	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Nutritional status 18 years and above								
BMI ≥25.0 for age 18-59 year (%)								
Male	12.1	12.2	11.3	9.5	8.5	6.6	14.8	11.3
Female	14.5	10.0	15.5	13.4	13.1	12.2	15.4	10.9
Person	13.5	11.0	13.7	11.8	11.0	9.6	15.1	11.1
BMI ≥25.0 for age 60 year and above (%)								
Male	12.8	12.9	12.6	9.0	9.5	6.8	11.5	-
Female	15.3	10.2	14.2	12.5	12.6	9.1	19.0	14.2
Person	14.1	11.5	13.5	11.0	11.0	8.0	15.1	10.0
BMI ≥30.0 for age 18-59 year (%)								
Male	1.5	1.8	2.2	1.2	0.7	0.5	1.9	1.0
Female	2.8	2.1	3.5	2.9	3.2	2.8	3.2	2.7
Person	2.2	1.9	3.0	2.2	2.1	1.7	2.6	1.9
BMI ≥30.0 for age 60 year and above (%)								
Male	-	-	-	-	-	-	2.9	-
Female	3.4	-	4.7	-	3.2	2.5	5.3	3.1
Person	2.9	2.2	3.6	-	2.0	1.6	4.0	2.0
BMI <18.5 for age 18-59 year (%)								
Male	10.8	13.5	17.9	17.4	17.9	18.7	27.3	29.4
Female	17.3	19.8	21.9	21.4	18.6	18.7	29.2	33.0
Person	14.4	17.0	20.2	19.7	18.3	18.7	28.3	31.3
BMI <18.5 for age 60 year and above (%)								
Male	24.1	23.1	32.5	38.9	30.0	31.4	31.0	33.6
Female	28.3	32.3	32.1	34.4	24.0	24.8	18.5	21.8
Person	26.2	27.8	32.3	36.4	27.1	28.1	25.0	27.8
Anaemia status by Haemoglobin Level								
Anaemia in the age group 6-59 months (%)								
Male	66.0	61.7	92.6	91.7	60.5	61.9	92.4	94.9
Female	75.3	76.1	86.0	86.8	53.7	54.0	95.3	96.5
Person	70.6	69.1	89.4	89.5	57.0	57.8	93.8	95.7
Severe Anemia in the age group 6-59 months (%)								
Male	7.4	7.3	13.5	15.1	-	-	19.4	23.5
Female	4.2	5.6	11.4	14.7	-	-	20.4	21.8
Person	5.8	6.4	12.5	14.9	-	-	19.8	22.7
Anaemia in the age group 5-9 years (%)								
Male	85.2	86.9	92.0	91.7	65.2	62.8	93.6	93.8
Female	88.3	88.3	93.6	95.3	77.5	77.0	93.0	93.9
Person	86.5	87.6	92.7	93.3	71.0	69.6	93.3	93.9
Severe Anemia in the age group 5-9 years (%)								
Male	13.7	14.8	29.4	32.2	5.6	4.5	41.3	45.7
Female	9.8	9.2	30.5	34.0	12.2	11.7	37.0	38.7
Person	12.0	12.2	29.9	33.0	8.7	7.9	39.3	42.4
Anaemia in the age group 10-17 years (%)								
Male	73.3	74.6	85.3	86.6	62.2	61.9	85.2	87.3
Female	79.4	80.2	89.8	92.1	64.5	63.6	92.6	93.7
Person	76.5	77.6	87.3	88.9	63.2	62.6	88.7	90.3
Severe Anemia in the age group 10-17 years (%)								
Male	6.1	7.3	22.6	23.3	7.0	6.7	21.2	23.0
Female	5.5	4.6	22.0	24.5	6.5	6.6	24.5	27.5
Person	5.8	5.8	22.4	23.8	6.8	6.7	22.7	25.1
Anaemia in the age group 18-59 years (%)								
Male	76.6	76.5	84.8	85.3	78.7	77.7	87.4	88.9
Female	79.5	80.9	88.4	89.3	68.8	67.9	90.1	92.3
Severe Anemia in the age group 18-59 years (%)								
Male	6.0	5.6	17.9	18.8	8.2	7.9	11.9	12.4
Female	7.8	8.3	24.7	25.3	6.8	6.1	21.3	24.3
Anaemia in the age group 60 years and above (%)								
Male	79.5	78.4	88.5	87.6	72.8	69.9	91.1	92.5
Female	77.1	77.0	84.5	86.2	64.0	62.2	93.3	93.8
Severe Anemia in the age group 60 years and above (%)								
Male	5.6	6.3	15.1	16.5	-	-	18.3	20.6
Female	6.7	5.8	24.1	26.5	5.8	4.5	22.9	25.4

Indicators	Churu		Jhunjunun		Alwar		Bharatpur	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Blood Sugar Level (18 years and above)								
Blood Sugar Level ≥110 mg/dl (%)								
Male	9.2	5.5	9.6	7.7	7.0	4.7	9.8	7.7
Female	7.8	6.5	9.1	7.8	5.2	3.1	5.3	4.6
Person	8.4	6.0	9.3	7.8	6.1	3.8	7.5	6.0
Blood Sugar Level ≥130 mg/dl (%)								
Male	4.3	2.3	4.1	2.8	2.9	2.1	3.3	1.9
Female	3.1	2.5	3.6	2.9	1.8	1.2	1.7	1.3
Person	3.6	2.4	3.8	2.9	2.3	1.7	2.5	1.6
Blood Sugar Level ≥150 mg/dl (%)								
Male	2.0	-	1.8	0.9	1.4	1.0	1.5	0.7
Female	1.3	1.4	1.9	1.3	0.8	0.6	0.9	0.7
Person	1.6	1.2	1.9	1.1	1.1	0.8	1.2	0.7
Hypertension (18 years and above)								
Above Normal Range								
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)								
Male	17.0	14.8	9.7	9.6	11.4	11.3	11.0	8.3
Female	10.3	8.3	9.6	9.1	6.2	5.9	7.6	7.0
Person	13.3	11.2	9.6	9.3	8.6	8.4	9.2	7.6
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)								
Male	7.6	6.9	8.1	8.6	9.7	8.7	4.1	3.4
Female	5.7	5.9	6.9	7.1	5.6	5.7	4.9	5.2
Person	6.6	6.3	7.4	7.7	7.5	7.1	4.5	4.4
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)								
Male	13.9	15.4	10.0	7.9	8.5	8.4	10.6	9.1
Female	9.6	10.2	5.2	4.8	4.7	4.5	7.2	6.4
Person	11.5	12.6	7.2	6.1	6.5	6.3	8.8	7.6
Moderately high								
Systolic ≥160mm of Hg & Diastolic ≥100mm of Hg (%)								
Male	3.3	2.8	1.7	1.6	2.4	2.3	2.7	2.0
Female	2.3	2.0	2.8	2.4	1.5	1.3	2.5	2.5
Person	2.8	2.4	2.3	2.1	1.9	1.7	2.6	2.3
Systolic ≥160mm of Hg & Diastolic <100mm of Hg (%)								
Male	3.1	1.9	2.1	2.3	3.9	-	2.4	2.2
Female	2.1	2.2	2.7	2.7	2.8	3.0	2.2	2.2
Person	2.5	2.1	2.4	2.5	3.3	3.3	2.3	2.2
Systolic <160mm of Hg & Diastolic ≥100mm of Hg								
Male	3.4	2.6	2.4	1.9	2.5	2.6	1.9	1.6
Female	2.6	2.4	1.4	1.5	1.2	1.2	1.8	1.4
Person	3.0	2.5	1.9	1.7	1.8	1.8	1.8	1.5
Very high								
Systolic ≥180mm of Hg & Diastolic ≥110mm of Hg (%)								
Male	0.8	1.0	-	-	0.9	0.9	0.7	0.6
Female	0.9	0.8	0.9	1.0	0.4	0.4	0.9	0.8
Person	0.8	0.9	0.6	0.6	0.6	0.7	0.8	0.7
Systolic ≥180mm of Hg & Diastolic <110mm of Hg (%)								
Male	1.1	0.7	0.7	0.8	0.6	0.6	0.7	0.7
Female	-	-	1.6	1.2	0.7	0.7	0.7	1.0
Person	0.6	0.5	1.2	1.1	0.7	0.7	0.7	0.8
Systolic <180mm of Hg & Diastolic ≥110mm of Hg (%)								
Male	1.5	1.5	0.9	1.0	1.1	1.2	1.2	1.0
Female	1.0	1.4	0.7	0.5	0.6	0.6	0.8	0.7
Person	1.2	1.4	0.8	0.7	0.8	0.9	1.0	0.8
Iodine content in Household Salt (more than 15 ppm) (%)	53.2	42.4	44.3	43.7	48.0	47.4	44.2	48.2

Indicators	Dhaulpur		Karauli		Sawai Madhopur		Dausa	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Nutritional status below 5 years								
Below -2 SD Wasting (Weight for Height) (%)								
Male	25.3	26.8	18.4	19.6	12.1	11.9	15.5	15.8
Female	30.7	31.2	18.0	17.9	7.3	7.3	15.8	17.4
Person	27.8	28.8	18.2	18.9	9.9	9.8	15.6	16.5
Below -3 SD Wasting (Weight for Height) (%)								
Male	15.3	16.8	2.0	2.2	2.9	3.6	8.8	9.4
Female	16.7	16.4	-	-	1.8	1.6	7.9	9.0
Person	16.0	16.6	1.4	1.5	2.4	2.7	8.4	9.2
Below -2 SD Stunting (Height for Age) (%)								
Male	51.9	54.2	49.7	49.5	52.8	53.2	35.5	36.2
Female	54.6	54.4	50.5	49.8	34.2	34.6	37.2	37.9
Person	53.2	54.3	50.1	49.6	44.2	44.8	36.2	36.9
Below -3SD Stunting (Height for Age) (%)								
Male	38.8	39.5	31.8	31.4	29.0	30.6	15.7	16.5
Female	35.9	32.9	34.0	34.6	20.1	20.9	17.2	17.1
Person	37.5	36.5	32.8	32.8	24.9	26.2	16.4	16.8
Below -2 SD Underweight (Weight for Age) (%)								
Male	56.5	60.8	40.5	41.9	25.8	26.5	28.6	30.0
Female	53.4	55.1	44.4	44.6	16.4	17.7	28.5	29.9
Person	55.2	58.2	42.2	43.1	21.5	22.6	28.6	30.0
Below -3 SD Underweight (Weight for Age) (%)								
Male	35.2	39.9	17.2	18.2	5.3	6.0	7.2	8.0
Female	34.6	34.8	22.0	23.1	5.7	5.1	7.8	8.8
Person	35.0	37.6	19.3	20.3	5.5	5.6	7.5	8.4
Below -2 SD Undernourished (BMI for Age) (%)								
Male	28.4	28.3	15.0	15.6	12.3	13.5	15.4	14.9
Female	30.6	33.0	14.4	14.6	8.9	9.4	16.2	17.2
Person	29.4	30.4	14.7	15.2	10.7	11.7	15.8	15.9
Below -3 SD Undernourished (BMI for Age) (%)								
Male	22.1	21.7	3.4	3.7	5.6	6.4	11.0	11.3
Female	18.2	20.8	1.0	1.2	3.2	3.5	7.8	8.2
Person	20.3	21.3	2.3	2.6	4.5	5.1	9.6	10.0
Above 2 SD Overnourished (BMI for Age) (%)								
Male	13.2	11.8	13.0	11.7	8.9	8.5	8.0	8.0
Female	12.0	9.8	8.7	7.5	9.0	8.6	-	-
Person	12.7	10.9	11.1	9.9	9.0	8.5	8.4	8.8
Above 3 SD Overnourished (BMI for Age) (%)								
Male	9.0	8.6	7.0	6.8	4.0	3.7	3.0	3.3
Female	6.1	4.6	4.1	3.7	3.9	-	-	-
Person	7.7	6.8	5.7	5.4	4.0	3.6	3.4	3.8
Nutritional status 5-18 years								
Below -2 SD Undernourished (BMI for Age) (%)								
Male	37.0	40.8	49.3	50.7	49.4	52.8	38.7	40.7
Female	27.8	30.8	34.2	34.6	36.6	39.5	29.3	30.5
Person	32.6	36.0	41.9	42.8	43.3	46.4	34.3	35.8
Below -3 SD Undernourished (BMI for Age) (%)								
Male	20.0	21.4	24.5	25.3	24.4	27.6	17.3	17.8
Female	10.5	12.0	16.2	16.0	16.7	16.7	10.6	10.9
Person	15.5	17.0	20.4	20.8	20.7	22.4	14.1	14.5
Above 2 SD Overnourished (BMI for Age) (%)								
Male	1.6	1.4	1.8	1.6	1.5	0.6	-	-
Female	1.2	1.4	1.3	1.2	1.0	0.8	-	-
Person	1.4	1.4	1.6	1.4	1.3	0.6	-	-
Above 3 SD Overnourished (BMI for Age) (%)								
Male	-	-	1.0	0.9	-	-	-	-
Female	0.8	1.1	-	-	-	-	-	-
Person	0.5	0.7	0.8	0.7	0.6	-	-	-

Indicators	Dhaulpur		Karauli		Sawai Madhopur		Dausa	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Nutritional status 18 years and above								
BMI ≥25.0 for age 18-59 year (%)								
Male	12.0	8.3	7.7	4.9	8.0	4.0	9.5	7.5
Female	14.1	9.0	9.6	6.5	11.0	7.5	11.3	9.2
Person	13.2	8.7	8.8	5.8	9.6	5.8	10.5	8.4
BMI ≥25.0 for age 60 year and above (%)								
Male	9.1	6.7	7.9	5.1	10.4	5.0	7.8	6.3
Female	10.2	5.7	8.6	6.5	18.6	10.2	11.7	8.8
Person	9.7	6.1	8.3	5.9	14.5	7.5	9.7	7.5
BMI ≥30.0 for age 18-59 year (%)								
Male	2.9	2.2	1.2	0.8	1.7	-	1.0	0.9
Female	4.1	2.6	2.0	1.1	3.0	1.7	1.9	1.4
Person	3.6	2.4	1.7	1.0	2.4	1.3	1.5	1.2
BMI ≥30.0 for age 60 year and above (%)								
Male	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	1.8	-
Person	-	-	-	-	-	-	1.7	1.1
BMI <18.5 for age 18-59 year (%)								
Male	21.2	28.0	39.1	41.2	27.1	31.5	20.9	22.4
Female	25.4	31.5	36.1	38.5	27.4	31.0	20.6	20.9
Person	23.5	29.9	37.4	39.7	27.3	31.2	20.7	21.6
BMI <18.5 for age 60 year and above (%)								
Male	40.5	43.4	43.4	47.8	32.2	37.0	34.0	35.7
Female	48.2	49.7	44.0	47.7	28.6	35.0	26.5	26.9
Person	44.9	47.2	43.7	47.8	30.4	36.0	30.3	31.3
Anaemia status by Haemoglobin Level								
Anaemia in the age group 6-59 months (%)								
Male	87.6	87.6	83.3	82.8	83.6	83.4	83.6	84.0
Female	87.6	88.5	81.1	78.5	90.6	90.1	81.7	85.4
Person	87.6	88.0	82.3	80.9	86.8	86.2	82.8	84.6
Severe Anemia in the age group 6-59 months (%)								
Male	-	-	-	-	0.0	0.0	7.9	8.6
Female	-	-	-	-	0.0	0.0	11.9	13.6
Person	-	-	-	-	0.0	0.0	9.6	10.7
Anaemia in the age group 5-9 years (%)								
Male	95.5	95.2	94.2	94.2	93.9	97.5	87.4	88.2
Female	97.5	97.8	94.4	93.5	93.4	98.0	88.3	88.7
Person	96.5	96.4	94.3	93.9	93.7	97.7	87.8	88.4
Severe Anemia in the age group 5-9 years (%)								
Male	5.8	7.7	7.6	7.7	12.6	10.9	17.4	16.4
Female	11.5	11.2	9.9	10.8	13.0	12.4	15.7	17.7
Person	8.5	9.3	8.7	9.2	12.8	11.6	16.6	17.0
Anaemia in the age group 10-17 years (%)								
Male	89.8	88.7	91.7	92.4	91.6	93.3	85.4	85.1
Female	93.2	93.3	93.5	94.4	95.4	96.6	88.9	89.2
Person	91.5	90.9	92.5	93.3	93.3	94.8	87.1	87.1
Severe Anemia in the age group 10-17 years (%)								
Male	3.8	4.3	6.7	7.0	7.6	6.3	15.1	16.0
Female	7.7	8.6	9.1	9.8	7.5	7.4	13.9	15.0
Person	5.7	6.4	7.8	8.3	7.6	6.8	14.5	15.5
Anaemia in the age group 18-59 years (%)								
Male	93.1	92.9	89.0	90.2	91.5	95.8	90.1	89.2
Female	91.2	90.4	92.1	92.3	90.3	94.7	86.4	87.5
Severe Anemia in the age group 18-59 years (%)								
Male	5.4	4.6	5.5	5.7	6.6	5.7	12.0	13.2
Female	9.3	9.4	8.8	8.7	11.6	12.0	15.3	16.4
Anaemia in the age group 60 years and above (%)								
Male	91.6	93.4	96.8	97.0	93.8	96.7	89.5	89.7
Female	93.5	92.1	91.5	92.6	91.0	95.7	89.3	90.1
Severe Anemia in the age group 60 years and above (%)								
Male	5.8	4.6	5.2	5.5	3.9	3.8	12.7	13.2
Female	6.1	7.4	10.6	10.6	9.3	6.5	17.9	18.7

Indicators	Dhaulpur		Karauli		Sawai Madhopur		Dausa	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Blood Sugar Level (18 years and above)								
Blood Sugar Level ≥110 mg/dl (%)								
Male	7.5	7.1	8.2	4.7	7.2	5.2	9.4	10.2
Female	4.8	4.9	5.9	3.5	7.4	5.1	6.8	7.2
Person	5.9	5.7	6.9	4.1	7.3	5.2	8.0	8.5
Blood Sugar Level ≥130 mg/dl (%)								
Male	-	-	3.0	1.5	3.4	1.9	1.4	1.2
Female	1.6	-	2.5	1.3	2.7	2.2	1.1	1.2
Person	1.9	1.4	2.7	1.5	3.0	2.1	1.2	1.2
Blood Sugar Level ≥150 mg/dl (%)								
Male	-	-	0.9	-	-	-	1.0	0.7
Female	-	-	0.8	0.4	1.3	0.8	0.7	0.7
Person	-	-	0.8	0.5	1.3	0.6	0.8	0.7
Hypertension (18 years and above)								
Above Normal Range								
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)								
Male	5.3	4.4	4.5	2.9	5.8	3.8	4.5	4.4
Female	5.9	5.8	2.8	2.3	6.2	4.6	3.7	3.4
Person	5.7	5.2	3.6	2.5	6.0	4.2	4.1	3.8
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)								
Male	3.7	2.9	3.8	3.4	5.1	4.4	4.7	4.5
Female	3.9	3.8	3.2	2.9	4.7	3.7	3.4	3.5
Person	3.8	3.5	3.5	3.1	4.9	4.0	4.0	3.9
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)								
Male	10.1	10.5	6.5	5.4	10.6	8.6	4.3	4.2
Female	7.2	7.0	5.8	4.7	6.9	6.0	2.9	2.9
Person	8.4	8.5	6.1	5.0	8.6	7.2	3.5	3.5
Moderately high								
Systolic ≥160mm of Hg & Diastolic ≥100mm of Hg (%)								
Male	1.0	1.1	-	-	1.5	-	0.8	0.8
Female	1.8	1.6	0.9	0.5	1.4	1.2	0.7	0.7
Person	1.5	1.4	0.6	0.4	1.4	1.1	0.7	0.7
Systolic ≥160mm of Hg & Diastolic <100mm of Hg (%)								
Male	0.8	-	1.0	0.7	1.5	1.1	0.8	0.7
Female	2.0	2.2	0.3	0.2	1.5	1.1	1.4	1.4
Person	1.5	1.4	0.6	0.4	1.5	1.1	1.1	1.1
Systolic <160mm of Hg & Diastolic ≥100mm of Hg								
Male	2.6	2.9	-	-	1.1	1.1	1.3	1.4
Female	1.7	1.8	-	-	1.8	1.9	1.0	0.9
Person	2.1	2.3	-	-	1.5	1.5	1.2	1.1
Very high								
Systolic ≥180mm of Hg & Diastolic ≥110mm of Hg (%)								
Male	-	-	-	-	-	-	-	-
Female	0.4	0.5	-	-	0.3	-	-	-
Person	0.4	0.5	-	-	0.3	0.3	-	-
Systolic ≥180mm of Hg & Diastolic <110mm of Hg (%)								
Male	-	-	-	-	0.6	-	-	-
Female	-	-	0.3	-	0.7	-	0.4	0.4
Person	-	-	0.2	-	0.7	0.3	0.3	0.3
Systolic <180mm of Hg & Diastolic ≥110mm of Hg (%)								
Male	1.2	1.5	-	-	0.6	0.7	0.6	-
Female	0.8	0.8	-	-	0.6	0.8	0.2	-
Person	1.0	1.1	-	-	0.6	0.7	0.4	0.4
Iodine content in Household Salt (more than 15 ppm) (%)	78.9	77.0	75.3	71.0	89.0	86.1	32.4	30.7

Indicators	Jaipur		Sikar		Nagaur		Jodhpur	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Nutritional status below 5 years								
Below -2 SD Wasting (Weight for Height) (%)								
Male	23.8	23.4	24.5	28.8	17.8	-	21.2	30.2
Female	16.6	11.5	22.0	21.9	22.9	-	26.7	31.1
Person	20.5	17.6	23.5	26.1	20.1	-	23.9	30.6
Below -3 SD Wasting (Weight for Height) (%)								
Male	7.4	-	13.2	14.4	-	-	14.5	19.8
Female	6.7	-	9.1	10.3	12.8	-	14.8	20.2
Person	7.1	-	11.6	12.8	10.4	-	14.6	20.0
Below -2 SD Stunting (Height for Age) (%)								
Male	30.0	33.5	34.9	30.2	32.9	34.0	36.7	27.9
Female	31.1	31.3	37.9	34.6	44.5	41.7	32.4	27.4
Person	30.5	32.4	36.1	31.9	38.1	37.5	34.6	27.7
Below -3SD Stunting (Height for Age) (%)								
Male	12.2	16.7	19.2	17.9	17.9	16.6	22.7	13.2
Female	13.4	-	20.7	20.6	23.7	21.0	12.8	15.3
Person	12.8	11.5	19.8	18.9	20.5	18.6	17.9	14.2
Below -2 SD Underweight (Weight for Age) (%)								
Male	24.9	28.0	28.5	27.1	21.6	21.0	30.5	29.2
Female	29.0	29.0	27.4	24.5	25.1	26.7	31.1	34.8
Person	26.8	28.4	28.1	26.1	23.1	23.6	30.8	31.9
Below -3 SD Underweight (Weight for Age) (%)								
Male	9.9	5.3	10.7	10.6	6.7	6.2	13.2	11.6
Female	7.8	5.8	7.9	5.4	6.2	6.1	11.9	11.9
Person	8.9	5.5	9.6	8.6	6.5	6.2	12.6	11.7
Below -2 SD Undernourished (BMI for Age) (%)								
Male	26.8	26.5	27.3	30.9	19.6	-	26.3	34.7
Female	17.9	15.3	28.8	29.6	22.1	-	29.7	34.8
Person	22.8	21.1	27.9	30.4	20.7	-	28.0	34.7
Below -3 SD Undernourished (BMI for Age) (%)								
Male	9.4	-	19.4	20.7	-	-	20.8	26.5
Female	7.6	-	18.0	20.4	12.9	-	19.7	23.7
Person	8.6	6.1	18.9	20.6	12.5	-	20.2	25.2
Above 2 SD Overnourished (BMI for Age) (%)								
Male	8.1	-	10.9	10.8	5.4	4.7	10.5	9.6
Female	2.7	-	13.9	15.0	9.5	6.1	6.7	8.1
Person	5.7	-	12.1	12.4	7.2	5.3	8.6	8.9
Above 3 SD Overnourished (BMI for Age) (%)								
Male	-	-	6.6	6.3	2.9	-	6.1	8.9
Female	-	-	7.0	7.5	2.1	1.4	1.9	2.9
Person	4.4	-	6.7	6.8	2.5	2.1	4.0	6.0
Nutritional status 5-18 years								
Below -2 SD Undernourished (BMI for Age) (%)								
Male	29.8	31.3	33.8	32.1	36.0	36.7	38.9	37.4
Female	27.1	27.7	26.8	24.2	22.3	22.9	26.3	26.0
Person	28.6	29.7	30.3	28.3	29.6	30.2	32.9	32.0
Below -3 SD Undernourished (BMI for Age) (%)								
Male	13.5	11.7	16.9	15.7	16.4	16.7	21.8	20.8
Female	9.0	8.3	11.5	11.5	7.8	8.0	12.5	12.9
Person	11.5	10.3	14.2	13.6	12.4	12.7	17.4	17.1
Above 2 SD Overnourished (BMI for Age) (%)								
Male	4.3	-	-	-	1.0	1.2	2.0	2.0
Female	-	-	-	-	-	-	-	-
Person	3.8	2.2	-	-	0.8	0.9	1.3	1.4
Above 3 SD Overnourished (BMI for Age) (%)								
Male	-	-	-	-	0.5	0.6	-	-
Female	-	-	-	-	-	-	-	-
Person	-	-	-	-	0.3	0.4	-	-

Indicators	Jaipur		Sikar		Nagaur		Jodhpur	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Nutritional status 18 years and above								
BMI ≥25.0 for age 18-59 year (%)								
Male	13.3	5.5	11.0	9.4	7.3	7.3	12.2	9.9
Female	15.9	8.4	14.5	11.1	14.7	13.0	13.7	10.2
Person	14.7	7.1	13.1	10.4	11.4	10.4	13.0	10.1
BMI ≥25.0 for age 60 year and above (%)								
Male	10.2	-	13.2	9.4	9.7	10.1	13.9	10.6
Female	20.4	-	15.2	12.8	11.8	12.7	16.8	9.1
Person	15.5	-	14.3	11.3	10.9	11.6	15.4	9.8
BMI ≥30.0 for age 18-59 year (%)								
Male	1.7	-	2.1	2.0	0.6	0.7	1.3	1.2
Female	3.2	-	3.4	2.2	2.9	2.9	2.7	0.9
Person	2.5	0.8	2.8	2.1	1.9	1.9	2.1	1.0
BMI ≥30.0 for age 60 year and above (%)								
Male	-	-	-	-	1.0	1.0	-	-
Female	5.4	-	-	-	2.0	2.2	-	-
Person	3.5	-	1.7	-	1.5	1.7	2.2	1.7
BMI <18.5 for age 18-59 year (%)								
Male	28.6	37.0	26.3	25.3	26.3	26.7	26.5	27.5
Female	33.6	41.7	30.7	31.2	23.2	26.4	38.2	42.1
Person	31.3	39.6	28.9	28.7	24.6	26.5	33.0	36.1
BMI <18.5 for age 60 year and above (%)								
Male	33.6	54.6	21.2	25.7	35.4	35.0	26.6	29.8
Female	37.7	64.8	23.1	25.3	25.2	25.6	45.4	50.2
Person	35.7	59.8	22.2	25.4	29.5	29.8	36.5	40.3
Anaemia status by Haemoglobin Level								
Anaemia in the age group 6-59 months (%)								
Male	77.6	80.7	73.2	73.3	88.6	86.8	65.6	60.1
Female	75.0	89.5	66.2	70.3	88.8	89.3	68.4	65.7
Person	76.4	84.9	70.5	72.1	88.7	87.9	67.0	62.7
Severe Anemia in the age group 6-59 months (%)								
Male	2.5	-	-	-	-	-	3.0	3.9
Female	-	-	5.8	6.4	10.8	10.2	-	-
Person	2.4	-	3.7	4.2	13.9	12.5	2.8	3.8
Anaemia in the age group 5-9 years (%)								
Male	88.7	90.6	80.4	82.6	95.1	95.5	79.7	74.7
Female	88.7	92.2	82.0	81.3	96.6	96.1	79.9	79.5
Person	88.7	91.2	81.2	82.0	95.8	95.8	79.8	77.0
Severe Anemia in the age group 5-9 years (%)								
Male	11.4	13.0	10.8	11.7	34.4	31.5	8.8	9.8
Female	8.4	11.9	13.8	13.7	-	-	8.9	6.0
Person	10.1	12.6	12.2	12.6	36.6	34.1	8.8	7.9
Anaemia in the age group 10-17 years (%)								
Male	83.2	84.8	75.0	74.1	87.3	86.3	65.6	69.0
Female	86.7	89.1	76.1	77.7	89.5	89.4	77.7	73.2
Person	84.7	86.7	75.5	75.9	88.3	87.7	71.4	70.9
Severe Anemia in the age group 10-17 years (%)								
Male	7.6	6.6	11.3	11.0	21.8	19.7	5.4	5.9
Female	10.9	12.3	9.5	10.9	25.8	25.3	8.6	7.1
Person	9.1	9.2	10.4	11.0	23.6	22.2	7.0	6.5
Anaemia in the age group 18-59 years (%)								
Male	85.0	86.4	81.3	79.0	86.7	85.8	70.3	71.0
Female	83.8	87.9	77.0	77.7	90.5	90.9	73.2	71.1
Severe Anemia in the age group 18-59 years (%)								
Male	6.6	7.2	7.1	8.0	19.9	18.6	4.0	3.9
Female	8.5	11.1	12.1	12.6	24.0	22.2	7.4	7.8
Anaemia in the age group 60 years and above (%)								
Male	86.9	91.7	83.6	82.8	85.5	86.2	74.5	76.3
Female	86.3	92.5	71.0	71.8	89.8	88.6	76.8	75.2
Severe Anemia in the age group 60 years and above (%)								
Male	7.8	5.2	6.6	6.7	10.6	10.5	5.2	5.5
Female	-	-	11.9	10.5	21.7	18.2	10.1	6.5

Indicators	Jaipur		Sikar		Nagaur		Jodhpur	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Blood Sugar Level (18 years and above)								
Blood Sugar Level ≥110 mg/dl (%)								
Male	9.4	7.9	9.0	4.7	7.5	8.1	9.8	10.7
Female	9.8	9.6	10.8	4.9	8.7	9.2	7.8	8.7
Person	9.6	8.8	10.1	4.8	8.2	8.7	8.7	9.5
Blood Sugar Level ≥130 mg/dl (%)								
Male	3.2	1.7	2.8	1.6	1.1	1.1	4.4	4.2
Female	3.4	-	3.8	1.7	1.8	2.0	3.2	3.2
Person	3.4	1.7	3.4	1.7	1.5	1.6	3.7	3.6
Blood Sugar Level ≥150 mg/dl (%)								
Male	2.1	0.8	2.0	1.0	0.6	0.5	3.0	2.5
Female	2.0	-	1.7	0.8	1.3	1.4	2.3	2.0
Person	2.0	0.7	1.8	0.9	1.0	1.0	2.6	2.2
Hypertension (18 years and above)								
Above Normal Range								
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)								
Male	14.2	8.8	12.2	10.7	9.3	9.3	14.6	14.0
Female	8.7	6.3	10.1	9.0	8.0	8.4	10.8	10.1
Person	11.2	7.4	11.0	9.7	8.6	8.8	12.5	11.7
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)								
Male	5.8	5.6	6.2	6.1	5.7	5.6	9.4	11.0
Female	3.7	2.6	4.7	5.0	4.4	4.4	8.4	8.4
Person	4.6	4.0	5.3	5.5	5.0	4.9	8.8	9.5
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)								
Male	17.2	12.5	12.1	12.8	10.6	10.5	10.8	10.2
Female	11.8	6.0	7.4	8.7	8.5	8.7	7.5	8.7
Person	14.2	8.9	9.3	10.4	9.4	9.5	8.9	9.3
Moderately high								
Systolic ≥160mm of Hg & Diastolic ≥100mm of Hg (%)								
Male	1.9	1.7	2.3	1.9	1.3	1.1	3.0	1.9
Female	2.8	1.7	2.8	2.5	1.6	1.7	3.5	3.0
Person	2.4	1.7	2.6	2.2	1.5	1.5	3.3	2.5
Systolic ≥160mm of Hg & Diastolic <100mm of Hg (%)								
Male	1.5	1.1	2.2	1.8	1.3	1.4	3.1	4.0
Female	1.8	1.4	1.9	1.6	1.9	1.9	2.9	3.3
Person	1.7	1.2	2.1	1.7	1.6	1.7	3.0	3.6
Systolic <160mm of Hg & Diastolic ≥100mm of Hg								
Male	3.7	4.0	3.9	3.9	2.1	2.1	3.4	3.4
Female	3.1	2.6	3.0	2.9	1.5	1.8	3.0	2.2
Person	3.4	3.2	3.3	3.3	1.8	1.9	3.2	2.7
Very high								
Systolic ≥180mm of Hg & Diastolic ≥110mm of Hg (%)								
Male	0.9	0.8	-	-	0.7	0.7	1.0	0.6
Female	1.1	0.4	0.7	0.8	-	-	1.0	-
Person	1.0	0.5	0.6	0.6	0.5	0.5	1.0	0.9
Systolic ≥180mm of Hg & Diastolic <110mm of Hg (%)								
Male	-	-	0.8	0.5	0.5	0.4	0.8	0.5
Female	0.9	-	0.8	0.5	0.7	0.7	0.4	0.6
Person	0.6	-	0.8	0.5	0.6	0.6	0.6	0.5
Systolic <180mm of Hg & Diastolic ≥110mm of Hg (%)								
Male	1.3	1.4	1.6	1.4	-	-	1.1	1.3
Female	2.0	1.0	1.2	1.1	0.6	0.6	1.5	1.1
Person	1.7	1.2	1.3	1.3	0.4	0.5	1.3	1.1
Iodine content in Household Salt (more than 15 ppm) (%)	71.3	63.9	54.9	51.7	32.1	30.2	50.2	49.4

Indicators	Jaisalmer		Barmer		Jalore		Sirohi	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Nutritional status below 5 years								
Below -2 SD Wasting (Weight for Height) (%)								
Male	26.7	27.8	22.8	23.3	22.8	23.9	25.1	23.7
Female	28.0	27.7	22.1	22.8	18.2	17.9	16.4	17.9
Person	27.3	27.8	22.4	23.0	20.5	20.8	20.8	20.9
Below -3 SD Wasting (Weight for Height) (%)								
Male	12.1	11.9	9.4	9.7	9.7	10.1	11.1	11.4
Female	11.0	9.9	7.8	7.9	9.7	9.8	7.7	7.4
Person	11.7	11.1	8.6	8.8	9.7	9.9	9.4	9.5
Below -2 SD Stunting (Height for Age) (%)								
Male	31.7	35.5	55.9	57.8	62.3	61.5	55.0	55.7
Female	29.1	29.5	49.5	50.8	65.5	67.1	56.7	59.9
Person	30.6	33.0	52.7	54.5	63.8	64.2	55.8	57.6
Below -3SD Stunting (Height for Age) (%)								
Male	24.1	26.8	33.5	34.8	40.3	39.3	30.5	32.4
Female	16.9	17.2	27.2	27.7	46.0	46.9	34.8	36.9
Person	21.0	22.8	30.4	31.4	43.1	43.0	32.6	34.5
Below -2 SD Underweight (Weight for Age) (%)								
Male	35.2	38.0	47.8	49.3	48.8	49.7	50.7	48.4
Female	30.0	31.5	43.5	44.5	55.5	56.2	48.4	49.8
Person	33.0	35.2	45.7	46.9	52.1	52.9	49.5	49.0
Below -3 SD Underweight (Weight for Age) (%)								
Male	13.1	14.3	23.5	24.4	27.3	28.7	23.1	22.4
Female	10.3	9.5	24.1	25.4	29.9	30.1	23.6	23.3
Person	11.9	12.3	23.8	24.9	28.6	29.4	23.3	22.8
Below -2 SD Undernourished (BMI for Age) (%)								
Male	26.1	27.0	20.9	20.7	23.3	24.0	23.0	21.3
Female	28.4	28.2	24.2	24.8	20.8	19.8	16.4	17.4
Person	27.1	27.5	22.6	22.7	22.0	22.0	19.8	19.4
Below -3 SD Undernourished (BMI for Age) (%)								
Male	13.4	13.2	9.7	9.4	13.8	14.1	12.9	11.4
Female	12.4	-	13.1	13.3	12.9	12.6	9.2	9.5
Person	13.0	12.3	11.4	11.3	13.3	13.4	11.1	10.5
Above 2 SD Overnourished (BMI for Age) (%)								
Male	24.0	20.9	8.5	8.4	14.8	13.4	5.5	5.5
Female	15.5	14.9	8.2	8.5	14.4	15.0	6.1	7.4
Person	20.4	18.3	8.4	8.5	14.6	14.2	5.8	6.3
Above 3 SD Overnourished (BMI for Age) (%)								
Male	14.5	-	-	-	7.7	7.2	2.5	2.1
Female	10.1	-	3.6	3.6	5.0	5.1	2.7	3.3
Person	12.6	11.9	4.2	4.2	6.4	6.2	2.6	2.6
Nutritional status 5-18 years								
Below -2 SD Undernourished (BMI for Age) (%)								
Male	15.9	16.8	31.4	32.1	41.0	41.1	49.1	48.2
Female	12.7	12.8	27.7	28.6	30.5	30.8	35.4	37.1
Person	14.3	14.9	29.6	30.4	35.6	35.8	42.6	42.8
Below -3 SD Undernourished (BMI for Age) (%)								
Male	7.1	7.2	11.1	11.4	19.8	20.2	24.7	24.3
Female	5.4	5.9	6.4	6.4	11.9	12.4	16.0	16.5
Person	6.3	6.6	8.8	9.0	15.7	16.2	20.6	20.5
Above 2 SD Overnourished (BMI for Age) (%)								
Male	1.6	-	1.5	1.2	2.6	2.8	0.7	1.0
Female	-	-	0.8	-	2.2	2.0	-	-
Person	1.3	-	1.1	0.9	2.4	2.4	0.6	0.7
Above 3 SD Overnourished (BMI for Age) (%)								
Male	-	-	-	-	1.2	1.3	-	-
Female	-	-	-	-	0.8	0.5	-	-
Person	-	-	0.5	0.5	1.0	0.9	-	-

Indicators	Jaisalmer		Barmer		Jalore		Sirohi	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Nutritional status 18 years and above								
BMI ≥25.0 for age 18-59 year (%)								
Male	12.0	2.9	9.6	5.7	13.1	10.6	10.2	6.3
Female	9.8	2.3	14.6	9.2	16.2	13.9	12.1	7.7
Person	10.8	2.6	12.4	7.7	14.9	12.5	11.2	7.1
BMI ≥25.0 for age 60 year and above (%)								
Male	10.1	3.6	8.2	4.2	16.3	15.3	14.6	9.1
Female	11.0	-	10.8	7.8	20.1	19.2	15.8	10.0
Person	10.6	2.6	9.7	6.2	18.4	17.5	15.2	9.6
BMI ≥30.0 for age 18-59 year (%)								
Male	2.0	-	-	1.0	3.4	2.9	1.4	0.7
Female	2.0	-	-	0.9	3.7	2.5	2.4	1.3
Person	2.0	0.5	-	0.9	3.6	2.7	2.0	1.0
BMI ≥30.0 for age 60 year and above (%)								
Male	-	-	2.2	1.3	3.6	-	4.9	-
Female	-	-	3.1	1.7	6.2	5.4	1.6	-
Person	1.4	-	2.7	1.5	5.0	4.3	3.3	1.9
BMI <18.5 for age 18-59 year (%)								
Male	13.2	16.8	20.6	21.6	25.2	27.5	32.9	33.5
Female	19.2	21.8	20.9	22.6	26.6	28.0	33.8	36.3
Person	16.4	19.5	20.8	22.2	26.0	27.8	33.4	35.1
BMI <18.5 for age 60 year and above (%)								
Male	22.2	30.9	27.2	28.5	31.1	32.6	31.0	34.8
Female	30.4	37.3	25.9	27.6	26.1	26.5	35.3	37.4
Person	26.3	34.2	26.5	28.0	28.2	29.2	33.1	36.1
Anaemia status by Haemoglobin Level								
Anaemia in the age group 6-59 months (%)								
Male	77.1	77.7	68.7	68.2	79.1	78.6	79.3	80.3
Female	75.0	77.0	72.4	72.3	83.5	85.8	84.3	83.2
Person	76.2	77.4	70.5	70.2	81.2	82.0	81.7	81.6
Severe Anemia in the age group 6-59 months (%)								
Male	2.0	2.4	-	-	-	-	-	-
Female	-	-	-	-	-	-	4.4	-
Person	1.7	2.0	-	-	1.8	2.0	6.5	-
Anaemia in the age group 5-9 years (%)								
Male	80.8	80.0	80.6	80.2	93.5	93.1	88.6	92.3
Female	84.5	84.0	80.1	79.5	92.2	92.5	93.5	96.2
Person	82.6	81.9	80.4	79.9	92.9	92.8	90.6	93.8
Severe Anemia in the age group 5-9 years (%)								
Male	15.4	14.6	8.5	8.6	21.4	21.2	13.7	10.5
Female	17.6	17.6	16.1	16.0	16.4	18.0	13.8	15.3
Person	16.5	16.1	12.1	12.1	19.2	19.8	13.8	12.3
Anaemia in the age group 10-17 years (%)								
Male	83.0	82.3	82.9	82.4	92.2	92.6	78.3	84.3
Female	83.4	81.7	81.3	81.0	93.6	93.9	94.8	96.0
Person	83.2	82.1	82.1	81.7	93.0	93.3	86.2	90.0
Severe Anemia in the age group 10-17 years (%)								
Male	14.7	14.4	10.4	11.0	14.2	14.4	9.9	12.1
Female	13.1	12.2	10.4	10.2	14.3	14.5	17.4	16.1
Person	13.9	13.4	10.4	10.6	14.3	14.5	13.5	14.0
Anaemia in the age group 18-59 years (%)								
Male	86.6	84.1	89.0	89.2	92.8	92.8	82.8	85.5
Female	81.6	79.2	86.0	85.1	90.7	90.0	83.4	87.2
Severe Anemia in the age group 18-59 years (%)								
Male	13.0	10.8	8.9	9.6	9.0	8.9	8.0	8.1
Female	16.2	14.6	14.6	15.0	14.1	13.6	12.5	12.6
Anaemia in the age group 60 years and above (%)								
Male	91.3	88.5	90.3	90.3	93.2	92.6	84.6	90.2
Female	77.7	78.9	83.6	82.9	94.5	94.5	88.7	90.2
Severe Anemia in the age group 60 years and above (%)								
Male	17.1	14.6	12.5	13.4	7.4	7.0	10.7	12.0
Female	14.9	14.8	17.0	17.7	13.6	13.3	10.8	10.2

Indicators	Jaisalmer		Barmer		Jalore		Sirohi	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Blood Sugar Level (18 years and above)								
Blood Sugar Level ≥110 mg/dl (%)								
Male	11.3	9.2	7.3	6.6	14.2	13.8	13.7	10.0
Female	7.2	7.0	6.4	5.9	12.5	11.9	8.8	6.8
Person	9.1	8.0	6.8	6.2	13.3	12.7	10.9	8.2
Blood Sugar Level ≥130 mg/dl (%)								
Male	2.6	1.8	2.0	1.5	2.4	2.0	5.5	3.4
Female	1.4	0.8	1.6	1.2	3.3	2.7	2.9	-
Person	2.0	1.3	1.8	1.3	3.0	2.4	4.0	2.3
Blood Sugar Level ≥150 mg/dl (%)								
Male	1.7	1.0	-	-	1.1	0.9	3.1	1.8
Female	0.9	-	-	-	1.7	1.2	1.0	-
Person	1.3	0.8	0.6	-	1.5	1.1	1.9	1.0
Hypertension (18 years and above)								
Above Normal Range								
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)								
Male	14.6	11.7	6.5	4.6	9.1	8.5	9.1	6.9
Female	8.7	5.6	5.2	3.7	7.6	7.4	6.6	5.2
Person	11.5	8.4	5.8	4.1	8.2	7.8	7.7	5.9
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)								
Male	9.1	5.9	4.8	4.5	5.7	5.6	4.6	4.5
Female	5.4	3.4	4.8	4.5	5.0	5.1	5.0	4.2
Person	7.1	4.5	4.8	4.5	5.3	5.3	4.8	4.3
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)								
Male	10.1	9.9	11.9	11.3	7.3	6.9	8.8	10.4
Female	4.6	4.6	10.6	10.1	5.1	5.1	6.1	6.4
Person	7.1	7.0	11.2	10.6	6.0	5.8	7.3	8.1
Moderately high								
Systolic ≥160mm of Hg & Diastolic ≥100mm of Hg (%)								
Male	1.5	-	2.8	1.8	2.3	2.0	1.9	1.5
Female	1.1	0.9	1.8	1.1	2.1	2.0	1.9	1.4
Person	1.3	0.8	2.2	1.4	2.2	2.0	1.9	1.5
Systolic ≥160mm of Hg & Diastolic <100mm of Hg (%)								
Male	3.0	2.2	0.4	0.3	1.4	1.5	2.3	1.7
Female	1.9	1.0	1.7	1.4	2.5	2.7	1.7	1.1
Person	2.4	1.6	1.2	0.9	2.1	2.2	1.9	1.4
Systolic <160mm of Hg & Diastolic ≥100mm of Hg								
Male	3.0	2.8	1.8	1.2	2.6	2.4	4.1	4.0
Female	1.9	1.7	1.8	1.2	2.0	2.0	2.7	3.1
Person	2.4	2.2	1.8	1.2	2.3	2.2	3.3	3.5
Very high								
Systolic ≥180mm of Hg & Diastolic ≥110mm of Hg (%)								
Male	-	-	0.9	0.5	0.8	-	-	-
Female	-	-	0.4	0.2	0.5	0.6	0.9	0.5
Person	0.2	-	0.7	0.4	0.6	0.6	0.8	0.5
Systolic ≥180mm of Hg & Diastolic <110mm of Hg (%)								
Male	-	-	0.3	0.2	0.6	0.6	0.7	0.4
Female	-	-	0.5	0.2	1.1	1.2	0.8	0.4
Person	-	-	0.4	0.2	0.9	1.0	0.7	0.4
Systolic <180mm of Hg & Diastolic ≥110mm of Hg (%)								
Male	0.5	-	1.1	0.8	1.0	0.9	1.3	-
Female	0.5	0.4	1.0	0.6	1.3	1.1	0.9	-
Person	0.5	0.4	1.0	0.7	1.2	1.0	1.1	-
Iodine content in Household Salt (more than 15 ppm) (%)	43.7	42.0	63.3	60.1	58.5	54.8	60.5	56.5

Indicators	Pali		Ajmer		Tonk		Bundi	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Nutritional status below 5 years								
Below -2 SD Wasting (Weight for Height) (%)								
Male	24.1	22.2	35.9	39.9	28.1	31.7	24.1	21.2
Female	24.9	23.9	27.7	31.2	23.9	25.6	19.7	23.1
Person	24.5	23.0	31.7	35.7	26.1	28.6	22.2	22.0
Below -3 SD Wasting (Weight for Height) (%)								
Male	12.4	11.2	21.4	22.4	10.5	10.4	-	-
Female	10.5	9.4	16.8	18.3	9.1	9.5	-	-
Person	11.5	10.4	19.0	20.5	9.8	9.9	-	-
Below -2 SD Stunting (Height for Age) (%)								
Male	55.7	55.7	40.4	36.7	42.0	44.5	39.5	40.6
Female	55.0	57.7	42.9	35.3	46.3	47.1	42.1	45.3
Person	55.3	56.6	41.7	36.1	44.0	45.8	40.6	42.6
Below -3SD Stunting (Height for Age) (%)								
Male	31.0	30.3	26.8	22.3	19.4	21.9	13.3	17.9
Female	36.4	36.9	24.4	18.8	27.1	27.3	12.8	11.4
Person	33.5	33.4	25.6	20.7	23.1	24.6	13.1	15.2
Below -2 SD Underweight (Weight for Age) (%)								
Male	47.2	47.2	32.1	32.2	41.4	46.0	42.4	41.5
Female	46.3	48.7	29.7	32.3	45.2	46.1	47.4	52.0
Person	46.8	47.9	30.8	32.2	43.2	46.1	44.5	45.8
Below -3 SD Underweight (Weight for Age) (%)								
Male	22.0	22.5	10.0	8.7	17.2	17.9	14.6	17.0
Female	26.1	28.2	11.8	10.8	23.8	24.5	13.6	16.6
Person	24.0	25.2	10.9	9.7	20.4	21.2	14.1	16.8
Below -2 SD Undernourished (BMI for Age) (%)								
Male	24.0	22.9	38.8	42.4	24.0	25.1	25.7	22.3
Female	25.3	24.4	29.8	33.6	20.5	21.6	23.3	27.3
Person	24.6	23.6	34.2	38.3	22.3	23.3	24.7	24.4
Below -3 SD Undernourished (BMI for Age) (%)								
Male	13.2	12.9	25.1	26.1	13.5	14.4	-	-
Female	14.8	13.7	18.8	19.3	10.2	10.7	-	-
Person	14.0	13.3	21.9	22.9	11.9	12.6	-	-
Above 2 SD Overnourished (BMI for Age) (%)								
Male	3.7	3.4	17.6	13.4	4.0	3.9	-	-
Female	6.3	5.8	14.5	9.5	-	-	-	-
Person	5.0	4.6	16.0	11.6	2.7	2.7	-	-
Above 3 SD Overnourished (BMI for Age) (%)								
Male	-	-	9.0	6.6	-	-	-	-
Female	-	-	8.1	-	-	-	-	-
Person	1.0	1.1	8.5	5.3	1.1	1.3	-	-
Nutritional status 5-18 years								
Below -2 SD Undernourished (BMI for Age) (%)								
Male	47.2	48.2	29.3	32.5	46.8	49.0	45.9	51.1
Female	38.1	39.3	27.8	30.8	38.2	39.8	29.9	31.3
Person	42.8	43.9	28.6	31.7	42.6	44.6	37.5	40.5
Below -3 SD Undernourished (BMI for Age) (%)								
Male	24.6	24.6	15.9	16.3	16.2	17.1	21.2	22.1
Female	13.8	13.9	16.6	18.4	10.1	11.3	11.0	11.3
Person	19.3	19.4	16.2	17.3	13.2	14.3	15.9	16.3
Above 2 SD Overnourished (BMI for Age) (%)								
Male	1.2	1.0	2.5	2.0	1.0	0.9	1.2	0.9
Female	0.6	0.7	1.0	0.9	1.4	1.7	0.7	0.8
Person	0.9	0.9	1.8	1.5	1.2	1.3	0.9	0.8
Above 3 SD Overnourished (BMI for Age) (%)								
Male	0.8	0.9	-	-	-	-	-	-
Female	0.4	0.5	0.0	-	-	-	-	-
Person	0.6	0.7	0.3	-	-	-	0.3	0.4

Indicators	Pali		Ajmer		Tonk		Bundi	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Nutritional status 18 years and above								
BMI ≥25.0 for age 18-59 year (%)								
Male	11.1	7.4	11.3	6.5	11.7	8.4	10.6	9.0
Female	15.8	12.5	15.2	9.7	12.5	10.7	13.9	10.3
Person	13.8	10.3	13.3	8.2	12.2	9.6	12.4	9.7
BMI ≥25.0 for age 60 year and above (%)								
Male	10.2	5.2	10.8	6.7	13.3	10.2	7.1	4.6
Female	20.1	17.2	14.6	9.0	17.4	13.2	17.3	16.1
Person	15.4	11.5	12.9	8.1	15.6	11.8	12.5	10.8
BMI ≥30.0 for age 18-59 year (%)								
Male	2.5	1.2	1.8	0.5	1.7	1.3	1.8	1.8
Female	3.9	2.6	3.9	1.9	2.1	1.2	3.1	0.9
Person	3.3	2.0	2.9	1.3	1.9	1.3	2.5	1.3
BMI ≥30.0 for age 60 year and above (%)								
Male	-	-	-	-	-	-	-	-
Female	4.9	-	3.4	3.2	4.2	1.6	5.4	4.2
Person	3.0	-	2.6	2.2	3.9	1.8	3.4	2.6
BMI <18.5 for age 18-59 year (%)								
Male	35.9	39.7	32.1	39.6	34.7	38.4	24.2	27.7
Female	34.0	35.7	29.9	35.3	37.3	40.5	29.3	37.3
Person	34.8	37.4	30.9	37.3	36.1	39.5	26.8	32.9
BMI <18.5 for age 60 year and above (%)								
Male	49.5	54.5	45.5	56.1	44.5	44.5	29.7	37.3
Female	28.8	31.0	42.7	49.7	28.4	31.7	30.3	36.1
Person	38.7	42.2	44.0	52.3	35.7	37.8	30.0	36.7
Anaemia status by Haemoglobin Level								
Anaemia in the age group 6-59 months (%)								
Male	81.4	84.2	59.7	58.3	78.2	79.4	82.4	84.9
Female	85.4	86.8	52.6	59.3	79.8	83.4	78.1	76.3
Person	83.3	85.4	56.0	58.8	79.0	81.3	80.6	81.7
Severe Anemia in the age group 6-59 months (%)								
Male	5.8	6.7	-	-	-	-	7.5	9.4
Female	8.2	7.7	-	-	-	-	6.6	5.9
Person	6.9	7.2	-	-	0.8	-	7.2	8.1
Anaemia in the age group 5-9 years (%)								
Male	90.9	90.8	65.0	60.1	85.0	84.8	87.1	90.1
Female	91.6	92.6	63.7	64.2	84.3	88.8	77.8	82.7
Person	91.2	91.6	64.4	62.0	84.7	86.5	82.8	86.7
Severe Anemia in the age group 5-9 years (%)								
Male	13.8	14.5	6.4	6.1	6.4	6.9	20.9	23.4
Female	13.4	12.0	6.6	7.2	5.7	5.7	13.8	17.1
Person	13.6	13.4	6.5	6.6	6.1	6.4	17.6	20.5
Anaemia in the age group 10-17 years (%)								
Male	85.4	85.8	58.7	62.7	77.7	79.2	81.1	85.7
Female	89.4	90.8	62.8	67.4	85.9	88.2	83.6	87.4
Person	87.2	88.1	60.5	64.8	81.7	83.5	82.4	86.6
Severe Anemia in the age group 10-17 years (%)								
Male	7.5	8.2	5.3	6.8	5.5	-	16.0	16.4
Female	11.4	11.5	6.1	7.1	8.7	8.4	16.9	17.4
Person	9.3	9.7	5.7	6.9	7.1	6.8	16.5	17.0
Anaemia in the age group 18-59 years (%)								
Male	81.4	83.2	70.1	73.5	84.4	84.3	88.0	92.1
Female	87.5	88.5	64.5	65.3	82.3	85.4	84.4	85.2
Severe Anemia in the age group 18-59 years (%)								
Male	7.7	8.2	4.2	4.2	4.0	3.7	11.3	13.9
Female	11.5	11.7	6.8	6.4	6.6	5.8	20.1	22.8
Anaemia in the age group 60 years and above (%)								
Male	92.2	94.2	75.0	79.9	87.7	86.0	90.2	94.7
Female	90.9	92.7	65.1	66.3	77.4	80.4	79.5	78.9
Severe Anemia in the age group 60 years and above (%)								
Male	7.0	7.8	3.7	-	7.8	8.0	15.2	14.0
Female	14.6	15.9	7.2	5.6	5.2	5.3	15.7	18.8

Indicators	Pali		Ajmer		Tonk		Bundi	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Blood Sugar Level (18 years and above)								
Blood Sugar Level ≥110 mg/dl (%)								
Male	5.5	4.4	10.9	4.6	13.9	10.9	7.1	5.3
Female	4.5	4.1	7.3	4.0	8.1	6.7	6.1	3.7
Person	4.9	4.2	8.9	4.2	10.8	8.5	6.7	4.5
Blood Sugar Level ≥130 mg/dl (%)								
Male	4.8	3.6	3.0	-	4.2	3.5	3.0	2.0
Female	2.4	1.9	2.6	1.5	4.0	3.4	2.8	1.5
Person	3.4	2.6	2.7	1.4	4.1	3.4	3.0	1.8
Blood Sugar Level ≥150 mg/dl (%)								
Male	2.2	1.5	1.9	-	2.1	1.4	-	-
Female	1.4	0.8	1.5	1.0	2.3	2.3	-	-
Person	1.7	1.1	1.7	0.9	2.2	1.9	-	-
Hypertension (18 years and above)								
Above Normal Range								
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)								
Male	11.3	11.6	10.2	7.8	8.1	6.1	6.4	5.0
Female	11.8	11.6	7.6	6.7	7.0	5.8	5.7	6.1
Person	11.6	11.6	8.8	7.2	7.5	6.0	6.0	5.6
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)								
Male	7.1	7.0	5.6	6.0	6.4	5.6	4.9	4.4
Female	6.9	7.1	5.3	4.1	6.4	5.4	5.3	5.4
Person	7.0	7.1	5.4	4.9	6.4	5.5	5.1	5.0
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)								
Male	9.2	8.0	7.3	6.4	8.2	6.5	7.2	8.7
Female	6.7	6.3	4.5	4.1	3.5	3.2	5.6	6.1
Person	7.8	7.0	5.8	5.1	5.6	4.7	6.4	7.3
Moderately high								
Systolic ≥160mm of Hg & Diastolic ≥100mm of Hg (%)								
Male	3.6	3.5	2.0	1.4	2.3	1.7	1.3	1.0
Female	3.7	3.5	2.2	1.4	2.7	2.5	2.0	2.3
Person	3.7	3.5	2.1	1.4	2.5	2.2	1.6	1.7
Systolic ≥160mm of Hg & Diastolic <100mm of Hg (%)								
Male	2.3	2.0	1.0	0.8	2.0	1.6	1.0	1.4
Female	4.7	4.7	1.2	1.2	2.9	2.8	1.5	1.4
Person	3.7	3.6	1.1	1.0	2.5	2.3	1.3	1.4
Systolic <160mm of Hg & Diastolic ≥100mm of Hg								
Male	4.9	5.0	1.7	0.7	2.7	1.9	1.3	1.1
Female	4.0	4.1	1.8	1.2	1.7	1.3	1.6	1.6
Person	4.4	4.5	1.7	1.0	2.2	1.6	1.5	1.3
Very high								
Systolic ≥180mm of Hg & Diastolic ≥110mm of Hg (%)								
Male	1.2	0.9	0.7	0.7	0.6	0.6	0.5	-
Female	1.1	1.1	0.7	0.5	0.8	0.9	-	-
Person	1.1	1.1	0.7	0.6	0.7	0.8	0.4	0.5
Systolic ≥180mm of Hg & Diastolic <110mm of Hg (%)								
Male	1.0	1.0	-	-	0.5	0.5	0.2	-
Female	2.4	2.2	0.5	0.4	1.2	0.9	-	-
Person	1.8	1.7	0.4	0.3	0.9	0.7	0.4	-
Systolic <180mm of Hg & Diastolic ≥110mm of Hg (%)								
Male	2.1	2.2	0.8	-	0.9	0.7	0.8	-
Female	1.7	1.6	0.6	-	0.8	0.7	0.9	0.7
Person	1.9	1.8	0.7	0.4	0.8	0.7	0.8	0.7
Iodine content in Household Salt (more than 15 ppm) (%)	68.0	65.0	51.9	48.1	83.3	80.3	60.9	53.5

Indicators	Bhilwara		Rajasmad		Udaipur		Dungarpur	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Nutritional status below 5 years								
Below -2 SD Wasting (Weight for Height) (%)								
Male	28.6	28.5	16.5	16.8	23.5	24.9	27.7	28.9
Female	24.3	22.9	21.1	22.0	25.0	24.9	29.3	29.1
Person	26.4	25.8	18.8	19.3	24.2	25.0	28.5	28.9
Below -3 SD Wasting (Weight for Height) (%)								
Male	10.0	10.2	-	-	7.6	8.4	9.8	10.4
Female	10.1	11.6	-	-	7.6	9.0	8.8	8.9
Person	10.0	10.9	-	-	7.6	8.7	9.3	9.6
Below -2 SD Stunting (Height for Age) (%)								
Male	55.3	56.0	55.4	54.2	42.2	42.2	45.2	44.8
Female	53.8	56.3	50.7	51.9	36.0	42.9	39.1	39.8
Person	54.5	56.1	53.1	53.1	39.2	42.5	42.2	42.1
Below -3SD Stunting (Height for Age) (%)								
Male	32.9	34.5	33.9	34.0	18.5	21.0	31.8	32.9
Female	33.3	36.2	34.2	34.3	16.2	20.7	26.9	27.4
Person	33.1	35.3	34.0	34.1	17.4	20.8	29.4	30.0
Below -2 SD Underweight (Weight for Age) (%)								
Male	49.5	50.1	45.7	45.6	33.7	36.8	44.8	45.4
Female	52.0	54.1	44.7	45.3	34.1	38.9	42.9	43.0
Person	50.8	52.0	45.3	45.5	33.9	37.8	43.9	44.1
Below -3 SD Underweight (Weight for Age) (%)								
Male	25.4	26.6	17.4	17.8	10.2	10.8	21.1	21.6
Female	25.6	27.5	20.5	21.3	11.7	11.2	22.8	23.2
Person	25.5	27.0	18.9	19.5	10.9	11.0	22.0	22.4
Below -2 SD Undernourished (BMI for Age) (%)								
Male	23.2	23.5	12.7	13.2	21.7	22.4	25.9	27.2
Female	23.2	21.8	16.4	16.8	24.5	23.2	28.7	28.6
Person	23.2	22.7	14.4	14.9	23.0	22.7	27.3	27.8
Below -3 SD Undernourished (BMI for Age) (%)								
Male	11.9	12.9	-	-	8.3	8.2	12.0	12.7
Female	12.8	14.3	-	-	9.5	9.4	11.0	11.2
Person	12.4	13.6	2.6	2.9	8.9	8.7	11.5	11.9
Above 2 SD Overnourished (BMI for Age) (%)								
Male	4.7	5.2	7.7	7.8	7.3	9.0	5.7	6.2
Female	3.0	3.0	4.8	5.4	1.6	2.4	4.4	4.5
Person	3.8	4.1	6.3	6.7	4.6	6.0	5.1	5.3
Above 3 SD Overnourished (BMI for Age) (%)								
Male	-	-	3.0	3.3	3.7	4.0	-	-
Female	-	-	1.4	1.6	-	-	2.6	2.7
Person	-	-	2.2	2.5	2.5	3.0	2.4	2.5
Nutritional status 5-18 years								
Below -2 SD Undernourished (BMI for Age) (%)								
Male	40.7	39.5	40.7	39.8	42.0	41.4	42.5	43.0
Female	36.6	35.3	33.2	32.3	36.2	37.9	38.1	38.6
Person	38.6	37.3	36.7	35.8	39.0	39.6	40.5	41.0
Below -3 SD Undernourished (BMI for Age) (%)								
Male	17.2	17.2	18.9	19.1	23.2	26.3	25.9	26.4
Female	12.0	11.4	17.1	17.4	16.8	18.8	21.1	21.3
Person	14.5	14.2	18.0	18.2	19.9	22.4	23.7	24.1
Above 2 SD Overnourished (BMI for Age) (%)								
Male	1.8	1.9	1.5	1.4	2.1	1.4	1.6	1.6
Female	-	-	0.6	0.6	1.4	-	1.0	1.1
Person	1.1	1.2	1.0	1.0	1.7	1.4	1.3	1.3
Above 3 SD Overnourished (BMI for Age) (%)								
Male	0.7	0.6	-	-	1.2	0.9	0.8	0.8
Female	-	-	-	-	-	-	-	-
Person	0.4	0.4	-	-	1.0	1.0	0.6	0.6

Indicators	Bhilwara		Rajasmad		Udaipur		Dungarpur	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Nutritional status 18 years and above								
BMI ≥25.0 for age 18-59 year (%)								
Male	12.2	11.7	8.8	6.9	15.7	7.6	6.2	5.1
Female	15.1	12.9	11.7	9.8	16.8	7.8	7.0	5.5
Person	13.7	12.3	10.4	8.5	16.3	7.7	6.6	5.3
BMI ≥25.0 for age 60 year and above (%)								
Male	15.3	13.4	12.8	9.0	18.2	6.2	9.2	9.1
Female	16.0	13.2	19.1	16.2	22.9	6.8	8.6	7.4
Person	15.6	13.3	16.0	12.8	20.8	6.5	8.9	8.2
BMI ≥30.0 for age 18-59 year (%)								
Male	1.9	2.0	0.8	0.5	4.0	1.2	1.1	0.9
Female	3.9	2.9	2.5	1.1	5.1	-	2.0	1.4
Person	3.0	2.5	1.8	0.9	4.6	1.4	1.6	1.2
BMI ≥30.0 for age 60 year and above (%)								
Male	4.4	4.7	2.1	-	3.5	-	-	-
Female	5.6	5.0	6.9	6.3	9.8	-	-	-
Person	5.0	4.8	4.6	3.9	6.9	-	-	-
BMI <18.5 for age 18-59 year (%)								
Male	32.0	33.0	25.0	24.9	18.8	19.0	23.0	23.2
Female	28.9	29.4	28.0	28.0	22.1	24.1	33.0	34.0
Person	30.3	31.1	26.7	26.6	20.5	21.7	28.3	28.9
BMI <18.5 for age 60 year and above (%)								
Male	39.6	40.3	31.6	34.9	20.3	24.4	27.0	28.3
Female	29.0	30.8	29.3	30.3	20.3	26.8	35.2	36.6
Person	34.2	35.4	30.4	32.5	20.3	25.7	31.2	32.5
Anaemia status by Haemoglobin Level								
Anaemia in the age group 6-59 months (%)								
Male	51.4	53.2	75.0	73.1	78.1	81.4	64.6	63.8
Female	50.9	52.8	73.2	75.7	77.8	76.0	69.1	69.1
Person	51.2	53.0	74.1	74.4	78.0	78.9	66.9	66.6
Severe Anemia in the age group 6-59 months (%)								
Male	-	-	-	-	-	-	-	-
Female	-	-	6.3	5.7	-	-	-	-
Person	-	-	4.0	3.8	-	-	-	-
Anaemia in the age group 5-9 years (%)								
Male	86.4	86.2	83.7	83.6	84.6	84.5	75.9	76.1
Female	89.0	88.9	91.9	90.9	79.1	79.8	80.7	80.0
Person	87.8	87.6	88.0	87.3	81.8	82.0	78.0	77.8
Severe Anemia in the age group 5-9 years (%)								
Male	15.5	16.8	9.2	10.0	-	-	6.4	6.7
Female	19.5	18.5	19.8	19.8	11.2	10.4	12.6	12.9
Person	17.6	17.7	14.7	15.1	7.7	7.4	9.1	9.3
Anaemia in the age group 10-17 years (%)								
Male	80.6	81.6	82.4	83.0	78.1	82.1	79.1	78.9
Female	87.2	89.0	86.5	85.8	81.5	82.3	75.5	75.4
Person	83.8	85.1	84.6	84.4	79.8	82.2	77.4	77.3
Severe Anemia in the age group 10-17 years (%)								
Male	6.0	5.9	15.8	17.0	5.0	6.3	10.1	10.4
Female	11.0	9.4	19.6	18.5	7.6	9.2	7.1	7.4
Person	8.5	7.6	17.8	17.8	6.3	7.7	8.7	9.0
Anaemia in the age group 18-59 years (%)								
Male	78.6	79.4	87.3	88.2	84.5	86.2	82.5	82.8
Female	84.5	84.5	86.6	86.4	84.7	84.5	76.7	76.7
Severe Anemia in the age group 18-59 years (%)								
Male	5.6	5.2	10.2	11.1	4.2	4.4	7.5	7.6
Female	10.6	10.2	13.3	13.4	8.9	10.0	9.1	9.5
Anaemia in the age group 60 years and above (%)								
Male	83.7	80.7	91.2	92.7	84.2	83.8	84.7	84.5
Female	81.6	81.9	85.7	86.3	84.6	82.8	78.8	78.9
Severe Anemia in the age group 60 years and above (%)								
Male	7.9	8.0	10.9	12.1	6.3	6.5	6.8	7.1
Female	8.9	7.4	14.6	13.3	7.7	10.2	7.8	8.3

Indicators	Bhilwara		Rajasmad		Udaipur		Dungarpur	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Blood Sugar Level (18 years and above)								
Blood Sugar Level ≥110 mg/dl (%)								
Male	16.6	15.4	17.0	16.7	15.3	10.3	8.9	8.9
Female	15.1	14.7	15.2	14.8	12.8	9.4	8.4	8.2
Person	15.8	15.0	16.0	15.6	13.9	9.9	8.7	8.5
Blood Sugar Level ≥130 mg/dl (%)								
Male	5.0	4.7	4.4	4.1	6.6	3.5	2.2	2.1
Female	3.8	3.6	4.4	4.2	4.5	2.7	2.5	2.5
Person	4.3	4.1	4.4	4.1	5.4	3.1	2.4	2.3
Blood Sugar Level ≥150 mg/dl (%)								
Male	2.2	2.2	2.4	1.9	3.3	1.6	0.9	0.8
Female	1.7	1.5	2.0	1.8	2.3	1.1	0.9	0.9
Person	1.9	1.8	2.2	1.8	2.7	1.3	0.9	0.9
Hypertension (18 years and above)								
Above Normal Range								
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)								
Male	8.1	7.7	11.1	10.4	7.3	6.1	5.8	5.6
Female	7.3	7.0	9.5	9.4	7.0	5.4	5.0	4.7
Person	7.7	7.3	10.2	9.8	7.1	5.7	5.4	5.1
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)								
Male	5.4	5.1	5.9	5.8	5.9	5.7	3.5	3.4
Female	6.1	5.6	8.6	8.0	5.4	5.4	2.9	2.9
Person	5.8	5.3	7.4	7.1	5.7	5.5	3.2	3.1
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)								
Male	6.0	6.1	9.9	10.5	6.7	5.9	12.8	13.2
Female	4.0	4.1	7.1	6.6	5.1	5.4	10.0	10.3
Person	4.9	5.0	8.3	8.3	5.8	5.6	11.2	11.6
Moderately high								
Systolic ≥160mm of Hg & Diastolic ≥100mm of Hg (%)								
Male	2.3	2.2	3.0	2.7	1.1	0.9	1.5	1.4
Female	2.1	2.0	2.4	2.2	1.3	0.7	1.1	1.1
Person	2.2	2.1	2.7	2.4	1.2	0.8	1.3	1.2
Systolic ≥160mm of Hg & Diastolic <100mm of Hg (%)								
Male	2.1	1.6	2.2	1.8	-	-	0.9	0.7
Female	2.1	1.7	2.5	2.4	1.8	1.6	1.3	1.2
Person	2.1	1.7	2.4	2.2	1.5	1.3	1.1	1.0
Systolic <160mm of Hg & Diastolic ≥100mm of Hg								
Male	2.8	3.0	2.8	2.6	2.3	1.6	3.9	4.0
Female	2.3	2.4	2.2	2.3	2.5	2.1	4.3	4.5
Person	2.5	2.7	2.5	2.4	2.4	1.9	4.1	4.3
Very high								
Systolic ≥180mm of Hg & Diastolic ≥110mm of Hg (%)								
Male	0.5	0.6	1.4	1.1	-	-	-	-
Female	0.6	-	0.7	0.7	0.7	-	0.3	-
Person	0.6	0.6	1.0	0.8	0.5	-	0.3	0.3
Systolic ≥180mm of Hg & Diastolic <110mm of Hg (%)								
Male	1.2	0.9	0.5	0.4	0.5	-	0.5	0.5
Female	0.9	0.9	0.8	0.6	-	-	-	-
Person	1.0	0.9	0.7	0.5	0.5	-	0.3	0.3
Systolic <180mm of Hg & Diastolic ≥110mm of Hg (%)								
Male	1.8	1.9	1.7	1.5	0.6	-	1.6	1.6
Female	0.9	0.8	1.3	1.4	0.8	0.6	1.7	1.9
Person	1.3	1.3	1.5	1.4	0.7	0.5	1.7	1.7
Iodine content in Household Salt (more than 15 ppm) (%)	68.0	63.5	78.9	78.3	73.2	84.5	59.8	58.4

Indicators	Banswara		Chittaurgarh		Kota		Baran		Jhalawar	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Male	21.5	21.8	10.4	10.5	26.9	31.8	17.3	19.2	22.4	23.2
Female	22.9	23.5	13.0	13.5	12.7	18.0	20.4	22.0	19.5	19.9
Person	22.2	22.6	11.7	12.1	20.3	25.5	18.8	20.6	20.9	21.6
Below -3 SD Wasting (Weight for Height) (%)										
Male	2.2	2.2	-	-	8.2	9.0	3.3	3.8	9.3	10.1
Female	1.4	1.5	-	-	2.1	3.3	2.2	2.5	9.7	10.2
Person	1.8	1.8	3.5	-	5.4	6.4	2.8	3.2	9.5	10.1
Below -2 SD Stunting (Height for Age) (%)										
Male	58.6	58.4	64.4	68.2	49.1	55.0	55.1	53.6	47.0	47.7
Female	56.9	57.7	54.6	55.7	49.7	52.3	50.3	50.7	48.8	49.0
Person	57.7	58.1	59.6	61.8	49.4	53.8	52.8	52.2	47.9	48.3
Below -3SD Stunting (Height for Age) (%)										
Male	34.0	33.8	38.1	40.7	25.4	29.6	32.4	32.6	23.3	23.6
Female	33.4	34.3	38.8	40.2	31.9	32.4	28.0	28.3	25.3	26.3
Person	33.7	34.1	38.5	40.5	28.5	30.9	30.3	30.6	24.3	24.9
Below -2 SD Underweight (Weight for Age) (%)										
Male	47.5	47.8	42.2	46.8	45.9	54.6	39.9	38.3	44.2	45.6
Female	52.7	53.8	51.9	54.9	44.0	46.3	48.5	51.2	44.7	45.4
Person	50.2	50.7	47.1	51.0	45.1	50.9	43.9	44.6	44.4	45.5
Below -3 SD Underweight (Weight for Age) (%)										
Male	20.8	20.8	16.7	18.1	20.2	26.3	15.9	15.9	15.1	16.2
Female	20.9	21.5	20.9	20.7	17.2	19.4	17.9	18.4	13.5	14.4
Person	20.9	21.1	18.8	19.4	18.8	23.2	16.8	17.1	14.3	15.3
Below -2 SD Undernourished (BMI for Age) (%)										
Male	15.8	15.9	8.2	10.1	23.3	27.8	16.0	16.5	22.9	23.2
Female	17.5	18.0	10.6	10.9	13.7	17.7	19.0	21.0	20.0	20.7
Person	16.7	17.0	9.4	10.5	18.8	23.2	17.4	18.6	21.5	22.0
Below -3 SD Undernourished (BMI for Age) (%)										
Male	-	-	-	-	8.0	8.6	-	-	13.4	14.4
Female	-	-	6.0	5.7	4.1	6.4	-	-	10.3	10.9
Person	-	-	4.7	5.0	6.2	7.6	-	-	11.9	12.7
Above 2 SD Overnourished (BMI for Age) (%)										
Male	8.6	8.0	10.2	-	-	-	11.6	12.1	4.7	4.6
Female	4.8	5.0	6.4	-	-	-	7.8	7.0	9.0	8.9
Person	6.7	6.5	8.3	-	-	-	9.8	9.7	6.8	6.7
Above 3 SD Overnourished (BMI for Age) (%)										
Male	3.6	3.3	7.5	-	-	-	-	-	2.0	1.7
Female	1.2	1.3	3.4	-	-	-	4.1	4.1	7.5	7.3
Person	2.4	2.3	5.5	-	-	-	4.9	5.0	4.7	4.4
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Male	48.8	49.8	30.5	30.4	37.6	45.2	40.6	42.2	36.7	37.7
Female	37.4	38.2	25.2	25.4	29.6	36.7	34.5	35.2	26.5	26.7
Person	43.2	44.1	27.7	27.8	33.5	40.9	37.7	39.0	31.6	32.2
Below -3 SD Undernourished (BMI for Age) (%)										
Male	21.7	21.8	10.0	8.9	15.3	19.7	20.6	20.7	14.7	14.9
Female	13.0	13.2	8.5	8.7	9.9	12.4	14.0	14.9	9.4	9.7
Person	17.4	17.6	9.2	8.8	12.5	16.0	17.5	18.0	12.1	12.4
Above 2 SD Overnourished (BMI for Age) (%)										
Male	1.6	1.5	1.6	-	-	-	1.2	1.3	1.3	1.1
Female	-	-	-	-	-	-	-	-	0.8	0.7
Person	1.4	1.3	0.9	0.6	-	-	0.6	0.8	1.1	0.9
Above 3 SD Overnourished (BMI for Age) (%)										
Male	-	-	-	-	-	-	-	-	0.4	-
Female	0.6	0.6	-	-	-	-	-	-	-	-
Person	0.7	0.7	0.1	0.1	-	-	-	-	0.4	-

Indicators	Banswara		Chittaurgarh		Kota		Baran		Jhalawar	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Male	6.6	5.0	12.6	10.5	18.9	8.6	6.6	5.5	10.0	7.9
Female	9.4	7.0	21.0	15.8	23.5	11.7	9.4	7.4	10.6	8.9
Person	8.1	6.1	17.1	13.3	21.3	10.2	8.0	6.4	10.3	8.4
BMI ≥25.0 for age 60 year and above (%)										
Male	14.6	9.6	-	-	21.3	5.0	8.6	7.2	12.1	10.8
Female	16.1	11.6	30.1	21.7	25.8	14.4	11.9	9.5	14.0	11.5
Person	15.5	10.7	18.9	13.1	23.4	9.5	10.3	8.4	13.1	11.1
BMI ≥30.0 for age 18-59 year (%)										
Male	1.6	1.1	1.9	-	3.5	0.5	1.3	1.2	2.0	1.2
Female	2.2	1.3	4.9	2.8	7.6	2.5	1.3	0.8	2.5	2.0
Person	1.9	1.2	3.5	2.3	5.6	1.5	1.3	1.0	2.3	1.6
BMI ≥30.0 for age 60 year and above (%)										
Male	-	-	-	-	10.6	0.0	1.2	-	2.9	2.2
Female	4.4	-	9.8	7.4	7.0	3.5	1.6	1.4	4.4	3.5
Person	3.3	-	5.4	4.0	8.9	1.7	1.4	0.8	3.7	2.9
BMI <18.5 for age 18-59 year (%)										
Male	49.2	51.0	26.0	27.1	26.3	32.5	27.2	28.4	29.8	30.8
Female	46.9	49.1	24.1	28.0	23.4	30.8	27.4	29.2	30.8	32.4
Person	48.0	50.0	25.0	27.6	24.7	31.6	27.3	28.8	30.3	31.6
BMI <18.5 for age 60 year and above (%)										
Male	55.1	61.7	33.0	35.4	25.7	35.9	36.4	41.4	35.9	38.4
Female	43.3	46.6	21.7	27.9	27.1	34.0	35.3	38.4	23.8	25.1
Person	48.5	53.1	26.7	31.4	26.4	35.0	35.9	39.9	29.5	31.4
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Male	84.5	84.8	87.4	87.4	80.0	88.3	84.2	83.0	76.3	76.3
Female	80.2	80.9	81.3	80.3	80.0	80.8	86.2	87.2	74.2	72.8
Person	82.4	82.8	84.1	83.6	80.0	85.1	85.1	85.0	75.4	74.7
Severe Anemia in the age group 6-59 months (%)										
Male	3.1	3.2	-	-	11.3	13.3	9.1	10.3	-	-
Female	1.3	1.3	4.8	4.0	8.8	11.2	-	-	-	-
Person	2.2	2.2	3.1	2.7	10.1	12.4	9.2	10.3	-	-
Anaemia in the age group 5-9 years (%)										
Male	91.5	92.3	94.0	93.2	85.8	85.3	94.4	93.8	86.9	86.3
Female	95.4	95.3	95.5	95.0	92.5	91.2	94.8	94.9	89.9	88.9
Person	93.3	93.7	94.6	93.9	88.9	88.0	94.6	94.3	88.3	87.6
Severe Anemia in the age group 5-9 years (%)										
Male	4.5	4.6	9.5	-	11.9	15.7	-	-	21.7	23.2
Female	7.0	7.2	5.2	5.8	11.9	18.1	13.9	13.4	14.9	13.9
Person	5.6	5.8	7.8	7.1	11.9	16.8	13.8	13.9	18.5	18.8
Anaemia in the age group 10-17 years (%)										
Male	80.0	81.1	76.3	75.9	79.2	85.6	88.3	88.4	78.6	78.1
Female	88.6	88.9	91.0	90.4	81.7	87.2	89.5	89.7	86.8	85.9
Person	84.1	84.9	83.6	83.3	80.5	86.5	88.9	89.0	82.6	81.9
Severe Anemia in the age group 10-17 years (%)										
Male	4.5	4.7	4.5	5.3	10.3	13.1	10.4	10.2	13.3	13.9
Female	4.5	4.7	5.5	6.3	14.3	17.2	8.5	8.0	15.5	15.9
Person	4.5	4.7	5.0	5.8	12.4	15.3	9.5	9.2	14.4	14.8
Anaemia in the age group 18-59 years (%)										
Male	81.7	82.3	75.1	77.5	82.0	89.1	87.1	87.1	87.0	86.0
Female	86.9	87.4	86.9	87.9	83.8	86.2	93.1	94.2	83.7	82.9
Severe Anemia in the age group 18-59 years (%)										
Male	5.8	6.1	3.2	3.7	8.2	11.3	6.1	6.4	12.6	13.6
Female	8.2	8.5	8.1	10.0	13.2	18.1	12.6	13.2	15.8	16.6
Anaemia in the age group 60 years and above (%)										
Male	83.6	83.7	84.9	89.0	92.2	92.0	92.1	90.8	92.0	92.1
Female	83.8	84.3	89.2	89.4	80.9	81.2	93.0	94.4	81.8	80.8
Severe Anemia in the age group 60 years and above (%)										
Male	-	-	5.2	6.5	11.0	13.1	9.2	10.0	14.7	16.1
Female	6.9	7.4	4.0	5.0	14.3	19.0	11.7	13.9	12.5	12.0

Indicators	Banswara		Chittaurgarh		Kota		Baran		Jhalawar	
	Total	Rural	Total	Rural	Total	Rural	Total	Rural	Total	Rural
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Male	14.7	13.4	18.1	18.7	14.0	12.6	10.5	9.0	10.4	7.1
Female	12.0	10.9	20.1	21.4	12.3	12.3	7.7	7.0	7.7	6.1
Person	13.1	12.1	19.2	20.2	13.0	12.4	9.1	8.0	8.9	6.5
Blood Sugar Level ≥130 mg/dl (%)										
Male	7.7	7.3	8.0	8.0	4.4	3.1	-	-	3.6	2.0
Female	6.3	5.5	11.6	11.6	5.1	3.5	2.4	-	2.9	2.5
Person	6.9	6.4	10.0	10.0	4.7	3.3	2.4	-	3.2	2.2
Blood Sugar Level ≥150 mg/dl (%)										
Male	2.2	2.1	1.9	1.4	2.3	1.0	-	-	2.2	1.1
Female	2.0	1.5	3.4	3.0	2.4	1.2	1.2	-	1.4	1.2
Person	2.1	1.8	2.7	2.3	2.3	1.1	1.0	-	1.8	1.1
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Male	9.5	8.5	11.2	10.3	13.5	8.3	4.8	4.5	9.6	9.1
Female	9.2	8.8	11.7	10.8	10.1	7.8	4.8	3.5	9.5	9.3
Person	9.3	8.6	11.5	10.6	11.6	8.0	4.8	4.0	9.5	9.2
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Male	5.8	5.4	8.2	8.1	5.6	4.2	2.4	2.4	3.4	3.0
Female	6.2	5.9	8.5	9.3	5.7	6.6	3.3	3.4	4.6	4.6
Person	6.0	5.7	8.3	8.7	5.7	5.5	2.9	2.9	4.0	3.9
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Male	7.0	7.0	12.9	10.7	7.7	7.2	12.4	12.7	4.5	4.4
Female	4.8	4.8	10.7	9.3	6.0	4.8	8.9	8.1	2.9	3.0
Person	5.8	5.8	11.7	9.9	6.8	5.9	10.6	10.4	3.7	3.6
Moderately high										
Systolic ≥160mm of Hg & Diastolic ≥100mm of Hg (%)										
Male	2.4	2.3	3.5	2.6	3.8	1.3	0.9	-	3.4	3.3
Female	1.8	1.7	3.6	3.1	2.9	1.6	1.0	0.8	2.9	2.6
Person	2.1	2.0	3.6	2.9	3.3	1.5	1.0	0.8	3.1	2.9
Systolic ≥160mm of Hg & Diastolic <100mm of Hg (%)										
Male	1.3	1.2	2.2	1.6	3.0	2.2	0.8	0.7	1.8	1.8
Female	2.4	2.1	3.1	2.9	2.7	3.1	0.6	0.7	2.8	2.9
Person	1.9	1.7	2.7	2.3	2.8	2.7	0.7	0.7	2.3	2.4
Systolic <160mm of Hg & Diastolic ≥100mm of Hg										
Male	3.3	2.8	3.2	1.6	3.7	-	1.9	1.7	2.8	2.5
Female	2.3	2.4	5.3	4.8	2.1	-	2.2	1.2	2.8	2.9
Person	2.7	2.6	4.4	3.3	2.8	-	2.0	1.4	2.8	2.7
Very high										
Systolic ≥180mm of Hg & Diastolic ≥110mm of Hg (%)										
Male	0.7	0.7	1.0	-	-	-	-	-	0.9	0.8
Female	0.4	0.3	0.7	0.4	1.0	0.6	-	-	1.2	1.2
Person	0.5	0.5	0.8	0.5	0.9	0.4	-	-	1.1	1.0
Systolic ≥180mm of Hg & Diastolic <110mm of Hg (%)										
Male	0.5	0.5	0.6	-	1.6	0.7	-	-	0.6	0.6
Female	1.0	1.0	1.3	0.9	-	-	-	-	0.8	0.8
Person	0.8	0.8	1.0	0.6	1.0	0.6	0.2	-	0.7	0.7
Systolic <180mm of Hg & Diastolic ≥110mm of Hg (%)										
Male	1.3	1.3	2.1	1.6	1.6	-	0.6	-	2.0	2.1
Female	1.1	1.2	3.0	3.1	0.5	-	0.9	0.7	1.5	1.1
Person	1.2	1.2	2.6	2.4	1.0	-	0.8	0.6	1.7	1.6
Iodine content in Household Salt (more than 15 ppm) (%)	66.9	65.9	89.2	87.2	70.2	58.8	79.1	77.1	79.7	80.5

Note: "-" Indicate Inadequate Sample Size.

Anemia Cut-off.

Children (6-59 months) - Anemia Hb < 11 g/dL and Severe Anemia Hb < 5 g/dL

Male and Female aged 5-17 years- Anemia Hb < 12g/dL and Severe Anemia Hb < 7g/dL

Men (18 years and above)- Anemia Hb < 13 g/dL and Severe Anemia Hb < 7g/dL

Non-Pregnant Women (18 years and above)- Anemia Hb < 12g/dL and Severe Anemia Hb < 7g/dL