

Indicators	Rajasthan									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	12592	0.9	4.0	20.7	24.3	10896	1.0	4.3	21.2	25.1
Below -2 SD Stunting (Height for Age) (%)										
Person	12638	1.2	2.6	41.7	46.4	10915	1.3	2.9	43.1	48.2
Below -2 SD Underweight (Weight for Age) (%)										
Person	13201	1.0	2.8	34.5	38.7	11428	1.1	2.8	36.7	41.0
Below -2 SD Undernourished (BMI for Age) (%)										
Person	13334	1.0	4.3	20.8	24.7	11546	1.1	4.7	20.9	25.1
Above 2 SD Overnourished (BMI for Age) (%)										
Person	13334	0.5	5.5	8.0	9.9	11546	0.5	6.3	7.5	9.7
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	47153	0.6	1.9	31.2	33.7	40543	0.7	1.9	32.5	35.1
Above 2 SD Overnourished (BMI for Age) (%)										
Person	47153	0.2	14.3	1.2	2.2	40543	0.1	8.5	1.0	1.4
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	80912	0.6	4.8	11.5	14.2	66930	0.4	4.1	8.3	10.1
BMI ≥25.0 for age 60 year and above (%)										
Person	14357	0.9	6.5	12.4	16.5	12028	0.5	4.9	8.4	10.7
BMI <18.5 for age 18-59 year (%)										
Person	80912	0.9	3.3	25.2	29.3	66930	1.0	3.3	27.3	31.8
BMI <18.5 for age 60 year and above (%)										
Person	14357	1.1	3.6	29.0	33.9	12028	1.1	3.0	32.9	37.8
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	7936	1.5	1.9	73.9	79.8	6948	1.4	1.8	74.8	80.5
Anaemia in the age group 5-9 years (%)										
Person	10493	1.1	1.3	83.3	87.8	9069	1.3	1.6	83.0	88.3
Anaemia in the age group 10-17 years (%)										
Person	23327	1.1	1.4	79.1	83.5	20313	1.3	1.6	79.5	84.7
Anaemia in the age group 18-59 years (%)										
Male	30458	0.8	1.0	81.2	84.6	25196	1.0	1.2	81.7	85.6
Female	37906	0.9	1.1	81.0	84.7	31519	1.1	1.3	81.4	85.8
Anaemia in the age group 60 years and above (%)										
Male	5912	1.2	1.4	83.1	87.7	4933	1.4	1.6	83.0	88.6
Female	6529	1.1	1.4	80.1	84.5	5531	1.3	1.6	80.0	85.2
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	81934	0.5	5.3	8.5	10.5	68190	0.4	5.6	7.1	8.9
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	94879	0.3	3.3	8.6	9.7	78686	0.3	3.7	7.4	8.6
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	94879	0.2	3.4	5.4	6.1	78686	0.2	4.3	5.1	6.0
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	94879	0.4	4.8	7.5	9.0	78686	0.3	3.4	7.0	8.1
<b>Iodine content in Household Salt (more than 15 ppm) (%)</b>	<b>38717</b>	<b>2.9</b>	<b>4.9</b>	<b>53.7</b>	<b>65.2</b>	<b>32459</b>	<b>3.5</b>	<b>6.2</b>	<b>49.8</b>	<b>63.6</b>

Indicators	Ganganagar									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	243	3.2	30.1	5.2	20.1	188	4.4	33.9	5.8	26.5
Below -2 SD Stunting (Height for Age) (%)										
Person	247	7.7	17.8	27.4	61.0	190	7.1	17.5	26.0	57.2
Below -2 SD Underweight (Weight for Age) (%)										
Person	243	6.0	20.9	17.4	44.3	189	7.5	24.5	16.6	49.7
Below -2 SD Undernourished (BMI for Age) (%)										
Person	248	3.2	31.9	4.8	20.0	191	4.5	37.9	4.8	26.2
Above 2 SD Overnourished (BMI for Age) (%)										
Person	248	2.6	25.5	5.7	18.1	191	3.3	36.7	3.8	19.9
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	995	3.3	9.5	27.6	42.4	767	1.8	5.1	31.9	40.1
Above 2 SD Overnourished (BMI for Age) (%)										
Person	995	0.4	31.4	0.6	2.5	767	0.4	40.8	0.4	2.5
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	2018	3.0	20.9	8.9	22.7	1509	1.5	15.2	6.8	13.5
BMI ≥25.0 for age 60 year and above (%)										
Person	368	5.0	33.4	6.8	30.1	277	3.1	38.2	3.4	18.7
BMI <18.5 for age 18-59 year (%)										
Person	2018	4.9	14.8	22.8	44.6	1509	3.0	8.4	28.9	42.3
BMI <18.5 for age 60 year and above (%)										
Person	368	4.9	13.8	25.3	47.0	277	4.1	9.8	32.8	51.1
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	207	4.7	5.5	71.9	93.9	154	5.8	7.1	64.9	91.3
Anaemia in the age group 5-9 years (%)										
Person	242	2.6	2.8	83.8	96.3	166	3.3	3.7	79.7	95.2
Anaemia in the age group 10-17 years (%)										
Person	572	5.3	6.3	68.3	93.0	446	7.6	9.6	57.4	91.8
Anaemia in the age group 18-59 years (%)										
Male	791	2.7	3.1	81.1	93.8	556	4.0	4.8	72.9	91.4
Female	981	2.5	2.7	83.6	95.3	725	3.0	3.4	79.3	93.4
Anaemia in the age group 60 years and above (%)										
Male	152	3.6	4.0	78.7	96.5	111	5.1	5.8	70.8	94.9
Female	181	3.4	3.9	76.9	92.8	133	4.3	5.2	70.1	89.4
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2350	1.5	14.8	7.1	13.8	1752	1.6	17.0	6.2	13.4
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2374	1.6	12.3	9.6	16.7	1769	1.7	13.2	9.7	17.6
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2374	0.8	13.8	4.4	8.2	1769	0.7	11.5	4.5	7.6
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2374	1.2	13.8	6.4	12.0	1769	1.1	10.9	7.6	12.4
<b>Iodine content in Household Salt (more than 15 ppm) (%)</b>	<b>1083</b>	<b>14.9</b>	<b>32.9</b>	<b>17.5</b>	<b>76.2</b>	<b>847</b>	<b>16.6</b>	<b>43.1</b>	<b>11.4</b>	<b>75.4</b>

Indicators	Hanumangarh									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	250	3.0	14.3	14.9	28.4	224	3.3	16.0	13.9	28.7
Below -2 SD Stunting (Height for Age) (%)										
Person	251	4.5	13.5	24.1	44.2	225	5.6	15.3	25.3	50.4
Below -2 SD Underweight (Weight for Age) (%)										
Person	252	2.1	7.9	21.9	31.2	226	2.6	8.7	24.4	36.1
Below -2 SD Undernourished (BMI for Age) (%)										
Person	253	2.4	11.8	15.3	26.1	227	2.4	12.3	14.6	25.3
Above 2 SD Overnourished (BMI for Age) (%)										
Person	253	1.0	29.8	1.8	6.8	227	1.2	28.0	2.3	8.1
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1330	2.9	9.2	24.9	37.8	1231	3.3	10.1	25.6	40.5
Above 2 SD Overnourished (BMI for Age) (%)										
Person	-	-	-	-	-	-	-	-	-	-
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	2633	1.2	7.3	13.8	19.2	2356	0.7	6.9	8.6	11.8
BMI ≥25.0 for age 60 year and above (%)										
Person	446	2.2	13.0	12.3	22.2	380	2.1	18.3	7.6	17.5
BMI <18.5 for age 18-59 year (%)										
Person	2633	3.0	12.3	18.3	31.8	2356	3.8	13.9	19.7	36.8
BMI <18.5 for age 60 year and above (%)										
Person	446	2.4	10.3	18.5	29.5	380	2.8	9.8	23.0	35.8
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	206	5.5	7.0	63.2	87.9	185	4.4	5.6	66.9	86.7
Anaemia in the age group 5-9 years (%)										
Person	340	4.3	5.1	72.6	92.6	307	4.7	5.6	71.1	93.1
Anaemia in the age group 10-17 years (%)										
Person	706	3.5	4.4	70.4	86.1	658	4.0	5.0	68.7	86.6
Anaemia in the age group 18-59 years (%)										
Male	1065	2.6	3.7	65.6	77.4	962	2.8	4.0	63.9	76.3
Female	1136	3.4	4.2	72.3	87.3	1017	3.4	4.3	71.8	87.1
Anaemia in the age group 60 years and above (%)										
Male	185	2.7	3.3	75.1	87.1	160	3.3	4.2	70.1	84.8
Female	207	2.9	3.8	69.8	82.9	177	4.0	5.1	68.4	86.1
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3040	0.6	6.2	8.0	10.5	2703	0.6	7.8	6.5	9.2
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3072	1.6	13.8	8.3	15.4	2728	1.3	14.4	6.3	12.0
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3072	0.5	7.7	5.9	8.3	2728	0.6	9.3	5.7	8.6
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3072	0.7	10.0	5.9	9.2	2728	0.8	10.7	5.8	9.3
<b>Iodine content in Household Salt (more than 15 ppm) (%)</b>	<b>1081</b>	<b>13.2</b>	<b>25.3</b>	<b>25.2</b>	<b>78.0</b>	<b>959</b>	<b>14.9</b>	<b>31.8</b>	<b>18.8</b>	<b>76.9</b>

Indicators	Bikaner									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	329	2.8	17.5	10.5	23.0	254	3.5	18.4	12.4	28.4
Below -2 SD Stunting (Height for Age) (%)										
Person	331	3.8	9.5	31.7	48.6	254	3.4	9.0	30.3	45.4
Below -2 SD Underweight (Weight for Age) (%)										
Person	332	2.5	12.5	14.9	26.2	255	3.1	14.0	16.0	30.0
Below -2 SD Undernourished (BMI for Age) (%)										
Person	336	2.6	17.9	9.8	21.9	259	3.8	20.0	11.9	29.4
Above 2 SD Overnourished (BMI for Age) (%)										
Person	336	2.7	19.5	8.9	21.4	259	3.6	24.6	8.2	24.7
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1594	3.9	13.2	21.7	39.4	1158	2.8	8.2	28.1	40.7
Above 2 SD Overnourished (BMI for Age) (%)										
Person	-	-	-	-	-	-	-	-	-	-
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	2714	2.5	19.5	8.3	19.9	1954	3.1	28.5	5.5	20.0
BMI ≥25.0 for age 60 year and above (%)										
Person	367	3.9	26.6	7.7	25.5	272	2.8	31.3	4.4	17.8
BMI <18.5 for age 18-59 year (%)										
Person	2714	4.5	15.2	20.4	40.4	1954	4.4	12.9	24.8	44.3
BMI <18.5 for age 60 year and above (%)										
Person	367	4.7	16.9	18.6	39.8	272	5.7	15.8	24.5	50.0
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	260	2.6	2.8	83.2	95.3	215	1.4	1.5	89.3	96.0
Anaemia in the age group 5-9 years (%)										
Person	352	2.5	2.7	84.6	96.6	279	1.7	1.8	89.5	98.2
Anaemia in the age group 10-17 years (%)										
Person	897	4.0	4.5	76.3	95.1	684	1.6	1.7	88.9	96.5
Anaemia in the age group 18-59 years (%)										
Male	1240	2.5	2.8	83.2	94.9	957	1.2	1.2	91.8	97.2
Female	1192	4.2	4.7	75.4	95.8	850	1.2	1.2	92.7	98.5
Anaemia in the age group 60 years and above (%)										
Male	167	3.4	3.8	78.7	94.5	125	2.4	2.5	85.9	98.4
Female	163	3.0	3.3	81.8	96.6	126	1.0	1.1	93.8	99.0
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2963	0.8	8.7	7.3	10.8	2185	1.0	17.0	4.1	8.8
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3056	0.9	8.4	8.3	12.2	2209	1.1	11.0	7.8	12.9
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3056	0.9	13.8	4.6	8.5	2209	1.2	19.8	4.0	9.7
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3056	1.4	13.5	7.8	14.4	2209	0.8	8.0	8.1	11.7
<b>Iodine content in Household Salt (more than 15 ppm) (%)</b>	<b>1096</b>	<b>16.8</b>	<b>31.7</b>	<b>19.7</b>	<b>83.9</b>	<b>776</b>	<b>22.7</b>	<b>53.2</b>	<b>8.4</b>	<b>85.9</b>

Indicators	Churu									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	332	5.2	18.7	17.8	40.9	242	1.8	8.9	16.6	24.7
Below -2 SD Stunting (Height for Age) (%)										
Person	336	4.2	12.3	25.5	44.1	242	4.4	10.0	34.3	53.6
Below -2 SD Underweight (Weight for Age) (%)										
Person	362	5.6	20.1	17.1	41.6	265	4.1	17.9	15.1	33.4
Below -2 SD Undernourished (BMI for Age) (%)										
Person	363	5.4	17.5	20.3	44.1	265	1.9	8.5	18.6	27.2
Above 2 SD Overnourished (BMI for Age) (%)										
Person	363	3.3	20.4	10.0	24.7	265	2.7	12.1	16.7	28.6
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1500	2.6	12.9	14.8	26.3	1091	2.5	11.7	16.4	27.6
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1500	0.4	22.2	1.1	3.0	1091	0.4	23.7	1.0	2.9
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	2467	2.2	16.4	9.2	19.2	1830	1.9	17.2	7.4	16.0
BMI ≥25.0 for age 60 year and above (%)										
Person	425	1.8	12.6	10.4	18.5	316	1.6	14.3	8.3	15.8
BMI <18.5 for age 18-59 year (%)										
Person	2467	1.3	8.9	11.9	17.8	1830	1.7	10.0	13.7	21.6
BMI <18.5 for age 60 year and above (%)										
Person	425	2.7	10.2	20.9	33.3	316	1.9	6.9	23.9	32.5
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	165	3.3	4.7	62.4	77.2	141	4.3	6.2	58.6	77.4
Anaemia in the age group 5-9 years (%)										
Person	283	3.0	3.5	77.9	91.8	231	3.1	3.6	78.3	92.7
Anaemia in the age group 10-17 years (%)										
Person	618	2.0	2.6	71.8	80.6	480	2.6	3.4	71.1	83.0
Anaemia in the age group 18-59 years (%)										
Male	853	3.0	4.0	69.3	82.7	646	4.7	6.2	64.6	85.4
Female	1166	2.2	2.7	74.8	84.3	893	2.6	3.2	74.9	86.3
Anaemia in the age group 60 years and above (%)										
Male	167	3.6	4.5	70.4	86.3	125	3.5	4.5	69.7	85.2
Female	175	4.4	5.7	66.0	85.4	140	3.6	4.7	68.2	84.0
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2527	0.9	11.0	6.6	10.7	1889	1.3	21.5	3.7	9.6
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2811	0.9	6.8	11.4	15.4	2083	1.2	11.1	8.8	14.3
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2811	0.5	8.1	5.5	7.8	2083	0.5	7.9	5.3	7.5
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2811	0.9	7.7	9.7	13.6	2083	1.3	10.5	9.9	15.8
<b>Iodine content in Household Salt (more than 15 ppm) (%)</b>	<b>1124</b>	<b>16.9</b>	<b>31.8</b>	<b>20.3</b>	<b>83.5</b>	<b>855</b>	<b>20.5</b>	<b>48.4</b>	<b>10.4</b>	<b>82.3</b>

Indicators	Jhunjhunun									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	304	9.4	38.0	9.7	50.5	279	10.9	39.2	10.3	56.5
Below -2 SD Stunting (Height for Age) (%)										
Person	318	6.5	18.5	22.5	50.9	292	7.7	21.6	20.7	53.8
Below -2 SD Underweight (Weight for Age) (%)										
Person	357	6.4	21.1	18.2	46.3	327	7.4	22.0	19.5	51.5
Below -2 SD Undernourished (BMI for Age) (%)										
Person	353	11.0	37.6	11.2	57.4	323	12.8	39.7	11.4	63.7
Above 2 SD Overnourished (BMI for Age) (%)										
Person	353	5.2	34.4	6.8	30.6	323	6.0	44.4	4.8	33.1
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1511	2.1	10.2	16.0	25.2	1362	2.2	11.3	14.8	24.6
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1511	0.7	21.0	2.0	5.2	1362	0.6	25.8	1.3	4.0
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	3043	1.6	11.6	10.5	17.7	2748	1.6	14.0	8.5	15.9
BMI ≥25.0 for age 60 year and above (%)										
Person	617	2.2	16.4	9.2	19.3	562	2.3	21.3	6.7	17.5
BMI <18.5 for age 18-59 year (%)										
Person	3043	2.1	10.3	16.1	25.6	2748	2.1	10.6	15.6	25.2
BMI <18.5 for age 60 year and above (%)										
Person	617	2.1	6.4	27.9	37.2	562	1.7	4.8	32.6	40.5
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	211	2.9	3.3	80.9	94.4	193	2.5	2.8	82.4	94.0
Anaemia in the age group 5-9 years (%)										
Person	357	1.6	1.8	88.1	95.6	328	2.0	2.2	87.2	96.6
Anaemia in the age group 10-17 years (%)										
Person	776	2.2	2.5	81.6	91.4	701	2.1	2.4	83.3	92.8
Anaemia in the age group 18-59 years (%)										
Male	1119	3.3	3.9	76.0	90.8	1021	3.9	4.5	74.6	91.9
Female	1564	2.0	2.2	83.5	92.2	1437	2.1	2.3	83.8	93.2
Anaemia in the age group 60 years and above (%)										
Male	251	2.8	3.1	80.9	93.3	234	3.1	3.5	79.2	93.0
Female	296	3.4	4.0	75.6	90.6	271	3.8	4.4	75.7	92.6
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3451	1.7	17.9	6.3	13.8	3155	1.8	22.4	4.7	12.7
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3648	0.7	7.4	8.2	11.3	3305	0.7	7.2	7.9	10.9
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3648	0.8	10.2	5.9	9.3	3305	0.9	11.7	5.9	10.0
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3648	1.3	17.8	4.9	10.6	3305	1.2	20.3	3.9	9.5
<b>Iodine content in Household Salt (more than 15 ppm) (%)</b>	<b>1525</b>	<b>15.5</b>	<b>35.0</b>	<b>16.6</b>	<b>76.1</b>	<b>1385</b>	<b>17.8</b>	<b>40.7</b>	<b>13.7</b>	<b>79.2</b>

Indicators	Alwar									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	279	6.0	20.8	17.2	43.8	250	5.9	21.4	16.4	42.9
Below -2 SD Stunting (Height for Age) (%)										
Person	284	7.7	18.8	25.1	58.5	254	8.2	20.1	24.2	59.7
Below -2 SD Underweight (Weight for Age) (%)										
Person	330	6.1	18.7	20.7	47.8	294	6.6	19.9	20.2	49.4
Below -2 SD Undernourished (BMI for Age) (%)										
Person	306	5.0	16.9	19.4	41.6	273	4.8	17.3	18.3	39.8
Above 2 SD Overnourished (BMI for Age) (%)										
Person	306	2.6	23.5	6.5	18.7	273	2.8	25.0	6.4	19.6
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1445	2.4	8.9	22.0	33.0	1300	2.6	9.4	22.1	33.8
Above 2 SD Overnourished (BMI for Age) (%)										
Person	-	-	-	-	-	-	-	-	-	-
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	2758	1.3	11.4	8.5	14.2	2386	0.8	7.8	8.0	11.4
BMI ≥25.0 for age 60 year and above (%)										
Person	475	2.9	26.6	5.9	19.6	401	1.2	15.5	5.6	11.2
BMI <18.5 for age 18-59 year (%)										
Person	2758	3.0	16.6	12.4	26.1	2386	3.3	17.9	12.2	27.4
BMI <18.5 for age 60 year and above (%)										
Person	475	2.5	9.0	22.0	33.0	401	2.1	7.3	23.8	33.1
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	151	3.0	5.2	50.2	63.6	137	3.2	5.5	50.6	64.8
Anaemia in the age group 5-9 years (%)										
Person	325	5.0	7.1	58.5	81.0	290	5.3	7.6	56.5	80.1
Anaemia in the age group 10-17 years (%)										
Person	648	6.4	10.2	47.9	76.3	576	6.8	10.8	46.6	76.3
Anaemia in the age group 18-59 years (%)										
Male	1000	5.1	6.4	65.1	88.0	856	5.5	7.0	63.0	87.7
Female	1208	4.1	6.1	58.2	76.7	1026	4.3	6.4	56.9	76.3
Anaemia in the age group 60 years and above (%)										
Male	195	9.6	13.3	47.0	88.9	158	10.4	14.9	43.2	87.6
Female	197	4.5	7.0	53.3	73.4	170	4.3	7.0	52.0	71.4
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3012	1.8	29.4	3.1	11.6	2585	0.5	13.0	2.8	5.1
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3170	1.5	17.8	5.7	12.7	2734	1.7	20.1	5.3	13.1
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3170	1.8	23.8	4.3	12.6	2734	2.0	27.4	3.8	13.0
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3170	0.8	13.1	4.8	8.7	2734	0.8	12.4	4.8	8.3
<b>Iodine content in Household Salt (more than 15 ppm) (%)</b>	<b>1217</b>	<b>20.6</b>	<b>43.0</b>	<b>12.5</b>	<b>85.7</b>	<b>1056</b>	<b>22.3</b>	<b>47.1</b>	<b>10.6</b>	<b>87.2</b>

Indicators	Bharatpur									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	522	4.1	16.2	17.1	35.4	466	5.0	20.4	14.9	37.1
Below -2 SD Stunting (Height for Age) (%)										
Person	516	5.4	13.8	27.5	51.3	459	6.4	14.8	29.5	57.6
Below -2 SD Underweight (Weight for Age) (%)										
Person	524	3.2	10.5	23.7	38.0	468	3.1	9.4	26.7	40.8
Below -2 SD Undernourished (BMI for Age) (%)										
Person	534	4.9	19.4	15.8	37.8	477	5.9	24.9	12.9	39.5
Above 2 SD Overnourished (BMI for Age) (%)										
Person	534	1.3	13.3	7.4	13.5	477	1.3	15.1	6.1	12.1
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	2094	1.5	4.6	29.2	35.8	1759	1.5	4.3	30.8	37.3
Above 2 SD Overnourished (BMI for Age) (%)										
Person	2094	0.5	32.3	0.7	3.1	1759	0.3	24.6	0.8	2.4
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	3196	2.1	14.1	10.8	20.4	2677	1.5	13.3	8.1	14.8
BMI ≥25.0 for age 60 year and above (%)										
Person	614	2.8	18.8	9.7	22.6	527	2.5	24.7	5.6	17.2
BMI <18.5 for age 18-59 year (%)										
Person	3196	2.0	7.0	24.0	33.0	2677	2.0	6.3	26.9	35.8
BMI <18.5 for age 60 year and above (%)										
Person	614	2.2	8.9	20.3	30.5	527	2.1	7.4	23.5	32.8
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	459	1.4	1.5	89.6	96.3	413	1.0	1.1	92.7	97.5
Anaemia in the age group 5-9 years (%)										
Person	560	0.9	0.9	91.1	95.0	490	1.0	1.1	91.1	95.8
Anaemia in the age group 10-17 years (%)										
Person	1235	0.7	0.8	87.1	90.1	1061	0.8	0.9	88.3	92.0
Anaemia in the age group 18-59 years (%)										
Male	1426	1.4	1.6	83.9	90.2	1183	1.4	1.6	85.4	91.6
Female	1661	1.2	1.3	87.2	92.5	1399	1.1	1.2	89.5	94.2
Anaemia in the age group 60 years and above (%)										
Male	305	1.9	2.1	86.0	94.4	260	2.3	2.5	85.7	96.2
Female	297	1.3	1.4	89.7	95.7	260	1.7	1.8	88.9	96.6
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3696	1.1	15.3	5.3	10.4	3105	1.1	18.2	4.0	9.0
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3783	0.8	8.1	7.7	11.0	3172	0.7	8.8	6.3	9.3
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3783	0.2	4.7	4.1	5.0	3172	0.3	6.3	3.8	5.0
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3783	1.0	11.3	6.9	11.3	3172	1.0	12.9	5.7	10.1
<b>Iodine content in Household Salt (more than 15 ppm) (%)</b>	<b>1488</b>	<b>15.2</b>	<b>34.3</b>	<b>17.0</b>	<b>75.4</b>	<b>1233</b>	<b>15.3</b>	<b>31.7</b>	<b>19.5</b>	<b>78.2</b>



Indicators	Dhaulpur									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	426	5.2	18.5	17.7	40.8	361	5.4	18.9	18.2	42.4
Below -2 SD Stunting (Height for Age) (%)										
Person	446	4.1	7.6	44.0	62.2	372	5.0	9.2	43.0	65.1
Below -2 SD Underweight (Weight for Age) (%)										
Person	484	2.9	5.2	48.6	61.5	414	3.6	6.2	49.9	66.2
Below -2 SD Undernourished (BMI for Age) (%)										
Person	503	5.1	17.3	19.3	42.1	427	6.0	19.7	18.7	45.3
Above 2 SD Overnourished (BMI for Age) (%)										
Person	503	2.9	23.3	7.3	20.9	427	3.2	29.0	5.5	20.4
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1656	1.8	5.5	28.8	36.7	1310	2.2	6.0	31.4	41.0
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1656	0.3	19.4	0.9	2.2	1310	0.4	26.0	0.8	2.5
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	2389	1.5	11.4	9.8	16.6	1838	1.4	16.3	5.7	12.2
BMI ≥25.0 for age 60 year and above (%)										
Person	321	2.1	21.4	5.9	15.6	274	1.4	23.5	3.6	10.1
BMI <18.5 for age 18-59 year (%)										
Person	2389	1.9	8.1	19.5	28.1	1838	2.3	7.9	25.0	35.3
BMI <18.5 for age 60 year and above (%)										
Person	321	3.9	8.8	36.3	53.8	274	3.3	7.0	39.9	54.7
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	200	3.1	3.5	78.9	93.0	171	3.6	4.1	77.3	94.0
Anaemia in the age group 5-9 years (%)										
Person	335	0.8	0.8	94.4	97.8	272	0.7	0.7	94.5	97.6
Anaemia in the age group 10-17 years (%)										
Person	794	1.3	1.4	88.1	94.0	629	1.7	1.9	86.3	94.1
Anaemia in the age group 18-59 years (%)										
Male	830	1.3	1.4	89.7	95.4	631	1.6	1.7	88.5	95.7
Female	1174	1.2	1.3	88.6	93.8	883	1.3	1.5	88.0	93.9
Anaemia in the age group 60 years and above (%)										
Male	123	2.8	3.0	83.3	96.0	101	2.8	3.0	84.2	97.4
Female	153	1.4	1.4	89.8	95.9	134	1.5	1.6	88.3	94.8
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2457	1.9	32.2	2.9	11.7	1907	1.7	29.3	3.0	10.8
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2700	0.5	8.4	4.7	6.8	2112	0.6	12.3	4.0	6.8
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2700	0.6	16.0	2.7	5.4	2112	0.7	19.9	2.2	5.3
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2700	0.8	9.4	6.9	10.3	2112	1.0	12.0	6.5	11.0
<b>Iodine content in Household Salt (more than 15 ppm) (%)</b>	<b>1163</b>	<b>5.9</b>	<b>7.4</b>	<b>63.4</b>	<b>89.0</b>	<b>931</b>	<b>8.1</b>	<b>10.5</b>	<b>55.3</b>	<b>90.1</b>

Indicators	Karauli									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	591	1.7	9.6	14.6	22.4	543	1.8	9.7	15.2	23.3
Below -2 SD Stunting (Height for Age) (%)										
Person	574	3.2	6.3	43.1	57.1	527	3.4	6.8	42.2	57.1
Below -2 SD Underweight (Weight for Age) (%)										
Person	606	3.5	8.4	34.6	50.3	557	3.9	9.0	34.8	51.8
Below -2 SD Undernourished (BMI for Age) (%)										
Person	618	1.7	11.3	11.4	18.9	567	1.8	11.6	11.6	19.5
Above 2 SD Overnourished (BMI for Age) (%)										
Person	618	1.6	14.6	8.0	15.2	567	1.5	15.2	7.0	13.8
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1939	1.9	4.4	37.9	45.9	1775	1.8	4.3	38.9	46.8
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1939	0.4	26.8	0.9	2.8	1775	0.4	30.7	0.7	2.7
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	2679	1.9	22.2	5.2	14.0	2339	1.3	22.7	3.4	9.5
BMI ≥25.0 for age 60 year and above (%)										
Person	434	0.9	11.2	6.5	10.6	376	0.8	13.0	4.3	8.0
BMI <18.5 for age 18-59 year (%)										
Person	2679	2.6	7.0	31.6	43.3	2339	2.6	6.6	33.9	45.6
BMI <18.5 for age 60 year and above (%)										
Person	434	2.7	6.3	37.7	49.9	376	2.6	5.5	42.0	53.7
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	322	3.1	3.8	74.2	88.3	282	3.7	4.5	71.4	87.8
Anaemia in the age group 5-9 years (%)										
Person	479	1.4	1.5	90.2	96.7	439	1.5	1.6	89.6	96.5
Anaemia in the age group 10-17 years (%)										
Person	969	1.0	1.1	90.0	94.4	876	1.1	1.1	90.6	95.3
Anaemia in the age group 18-59 years (%)										
Male	990	2.2	2.5	83.4	92.9	849	2.0	2.2	85.1	93.7
Female	1302	1.4	1.5	89.1	95.3	1138	1.4	1.5	89.4	95.3
Anaemia in the age group 60 years and above (%)										
Male	170	1.5	1.6	91.4	98.9	144	1.7	1.7	90.6	99.1
Female	207	1.6	1.8	87.4	94.4	179	1.8	1.9	87.8	95.6
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2761	2.2	32.0	3.4	13.2	2430	1.3	32.0	2.0	7.9
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3108	1.0	26.9	2.0	6.3	2712	0.7	29.1	1.4	4.7
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3108	0.5	14.9	2.6	4.8	2712	0.5	16.0	2.2	4.4
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3108	1.3	21.4	3.8	9.5	2712	1.3	26.3	2.8	8.6
<b>Iodine content in Household Salt (more than 15 ppm) (%)</b>	<b>1387</b>	<b>7.1</b>	<b>9.4</b>	<b>57.6</b>	<b>87.3</b>	<b>1208</b>	<b>8.3</b>	<b>11.6</b>	<b>51.1</b>	<b>85.2</b>

Indicators	Sawai Madhopur									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	474	1.6	16.0	6.9	14.0	394	1.8	18.7	6.4	14.7
Below -2 SD Stunting (Height for Age) (%)										
Person	473	2.0	4.6	39.7	48.7	394	2.4	5.2	39.6	50.1
Below -2 SD Underweight (Weight for Age) (%)										
Person	488	1.7	7.7	18.0	25.4	408	1.9	8.5	18.6	27.1
Below -2 SD Undernourished (BMI for Age) (%)										
Person	488	1.5	13.8	7.8	14.5	408	1.8	15.7	8.2	16.4
Above 2 SD Overnourished (BMI for Age) (%)										
Person	488	0.9	10.3	7.1	11.2	408	1.0	12.0	6.6	11.2
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1488	3.4	7.9	36.0	51.0	1253	4.2	9.0	37.4	55.7
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1488	0.3	23.3	0.8	2.2	1253	0.1	21.5	0.4	1.1
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	2711	2.0	21.1	5.9	15.2	2209	1.2	20.9	3.6	9.2
BMI ≥25.0 for age 60 year and above (%)										
Person	458	5.0	34.3	6.4	29.7	371	1.6	20.9	4.6	12.0
BMI <18.5 for age 18-59 year (%)										
Person	2711	3.4	12.5	20.3	35.6	2209	4.4	14.0	22.2	41.9
BMI <18.5 for age 60 year and above (%)										
Person	458	5.3	17.4	19.9	43.5	371	6.3	17.4	23.3	51.1
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	190	2.5	2.9	79.9	91.6	170	2.8	3.3	78.5	91.5
Anaemia in the age group 5-9 years (%)										
Person	260	1.8	1.9	88.4	96.7	226	0.9	1.0	94.4	99.1
Anaemia in the age group 10-17 years (%)										
Person	580	1.5	1.6	89.1	96.0	521	1.6	1.7	90.1	97.3
Anaemia in the age group 18-59 years (%)										
Male	838	2.8	3.1	83.2	95.9	701	1.4	1.5	91.3	98.0
Female	1051	2.7	3.0	82.8	95.2	873	1.5	1.6	90.3	97.3
Anaemia in the age group 60 years and above (%)										
Male	165	1.3	1.4	90.2	96.1	142	1.2	1.2	92.9	98.5
Female	176	4.6	5.1	74.8	97.2	143	1.7	1.8	90.0	98.2
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2132	2.0	27.3	4.0	13.0	1744	1.6	30.6	2.6	9.8
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3192	1.3	21.0	3.8	9.4	2601	0.8	19.0	2.8	6.4
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3192	0.8	16.7	3.4	7.0	2601	0.7	16.8	2.8	5.8
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3192	2.3	26.2	4.8	15.0	2601	2.4	32.9	3.5	14.4
<b>Iodine content in Household Salt (more than 15 ppm) (%)</b>	<b>1242</b>	<b>2.0</b>	<b>2.3</b>	<b>83.8</b>	<b>92.7</b>	<b>1031</b>	<b>2.6</b>	<b>3.0</b>	<b>79.6</b>	<b>90.8</b>

Indicators	Dausa									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	515	2.7	17.3	10.5	22.6	468	3.0	18.3	10.8	24.3
Below -2 SD Stunting (Height for Age) (%)										
Person	509	2.9	7.9	30.1	42.8	463	3.2	8.7	30.1	44.3
Below -2 SD Underweight (Weight for Age) (%)										
Person	521	2.0	7.1	24.3	33.3	474	2.2	7.4	25.3	35.2
Below -2 SD Undernourished (BMI for Age) (%)										
Person	528	3.0	19.2	10.1	23.7	481	3.4	21.3	9.7	24.9
Above 2 SD Overnourished (BMI for Age) (%)										
Person	528	3.1	37.5	3.5	18.5	481	3.3	37.6	3.7	19.5
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1783	3.0	8.6	28.1	41.0	1606	3.3	9.3	28.9	43.4
Above 2 SD Overnourished (BMI for Age) (%)										
Person	-	-	-	-	-	-	-	-	-	-
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	2752	1.3	12.2	7.8	13.5	2432	0.8	9.7	6.6	10.2
BMI ≥25.0 for age 60 year and above (%)										
Person	495	0.9	9.5	7.8	12.0	466	0.9	12.4	5.7	9.9
BMI <18.5 for age 18-59 year (%)										
Person	2752	1.8	8.8	17.0	25.3	2432	2.1	9.5	17.4	26.7
BMI <18.5 for age 60 year and above (%)										
Person	495	2.3	7.6	25.3	35.7	466	2.5	8.0	25.9	37.2
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	453	4.8	5.8	69.3	91.1	414	4.9	5.8	70.3	92.7
Anaemia in the age group 5-9 years (%)										
Person	467	2.2	2.6	81.9	92.0	417	2.5	2.8	81.6	92.9
Anaemia in the age group 10-17 years (%)										
Person	1046	2.2	2.6	81.3	91.3	945	2.5	2.9	80.5	91.7
Anaemia in the age group 18-59 years (%)										
Male	1203	1.9	2.1	85.2	93.5	1046	2.1	2.4	83.6	93.1
Female	1463	2.7	3.1	80.1	92.1	1305	2.7	3.0	81.1	93.0
Anaemia in the age group 60 years and above (%)										
Male	243	2.9	3.3	81.3	94.4	228	3.1	3.4	80.9	94.7
Female	242	3.4	3.8	79.3	94.8	228	3.4	3.8	79.9	95.4
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3171	1.4	17.7	5.4	11.6	2836	1.5	18.1	5.7	12.5
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3225	0.6	14.5	3.0	5.6	2888	0.6	16.0	2.7	5.4
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3225	0.5	11.5	3.1	5.1	2888	0.4	9.1	3.2	4.8
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3225	1.0	27.1	2.0	6.3	2888	1.1	30.5	1.8	6.7
<b>Iodine content in Household Salt (more than 15 ppm) (%)</b>	<b>1403</b>	<b>13.2</b>	<b>40.8</b>	<b>11.4</b>	<b>64.1</b>	<b>1282</b>	<b>14.6</b>	<b>47.5</b>	<b>9.0</b>	<b>66.3</b>

Indicators	Jaipur									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	258	3.2	15.4	14.3	28.6	132	2.0	11.6	13.4	22.7
Below -2 SD Stunting (Height for Age) (%)										
Person	257	3.5	11.5	23.2	39.0	131	4.4	13.5	23.4	43.0
Below -2 SD Underweight (Weight for Age) (%)										
Person	264	5.7	21.1	16.0	41.3	136	3.7	13.1	20.8	37.6
Below -2 SD Undernourished (BMI for Age) (%)										
Person	267	3.3	14.3	16.3	31.0	137	1.9	9.0	17.1	25.7
Above 2 SD Overnourished (BMI for Age) (%)										
Person	267	2.3	40.8	2.2	13.8	-	-	-	-	-
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1208	2.2	7.8	23.8	33.9	748	1.5	5.0	26.5	33.2
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1208	1.8	47.7	1.3	10.8	748	0.8	36.9	0.9	5.0
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	1967	2.5	17.0	9.8	21.2	1188	2.1	30.1	3.5	13.4
BMI ≥25.0 for age 60 year and above (%)										
Person	377	3.6	23.6	8.8	25.3	-	-	-	-	-
BMI <18.5 for age 18-59 year (%)										
Person	1967	4.7	15.1	21.8	43.0	1188	2.1	5.4	35.0	44.6
BMI <18.5 for age 60 year and above (%)										
Person	377	8.2	23.0	19.9	55.5	195	2.9	4.8	52.9	65.7
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	207	10.7	14.0	45.9	92.5	131	1.7	2.1	80.5	88.4
Anaemia in the age group 5-9 years (%)										
Person	277	3.7	4.2	77.1	94.4	183	2.4	2.6	84.2	95.3
Anaemia in the age group 10-17 years (%)										
Person	623	1.3	1.5	81.6	87.5	444	1.6	1.9	82.6	90.0
Anaemia in the age group 18-59 years (%)										
Male	780	2.4	2.9	78.6	89.7	506	2.6	3.0	79.4	91.2
Female	955	2.9	3.4	76.7	89.9	630	1.4	1.6	84.4	90.9
Anaemia in the age group 60 years and above (%)										
Male	168	3.6	4.1	76.7	93.2	93	2.2	2.3	85.4	95.4
Female	186	3.0	3.5	77.9	91.8	102	3.4	3.6	80.4	97.4
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2170	1.5	16.1	6.6	13.7	1370	2.0	22.2	5.3	14.3
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2316	1.3	11.4	8.6	14.4	1381	1.0	13.7	5.4	10.1
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2316	0.4	9.6	3.7	5.7	1381	0.5	13.4	2.9	5.4
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2316	3.7	25.8	7.7	24.7	1381	1.5	17.3	6.0	13.1
<b>Iodine content in Household Salt (more than 15 ppm) (%)</b>	<b>963</b>	<b>13.9</b>	<b>19.4</b>	<b>35.0</b>	<b>92.0</b>	<b>566</b>	<b>24.0</b>	<b>37.6</b>	<b>14.4</b>	<b>94.9</b>

Indicators	Sikar									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	321	4.5	19.3	15.0	34.9	280	5.5	21.0	15.9	39.8
Below -2 SD Stunting (Height for Age) (%)										
Person	342	3.4	9.5	28.9	44.0	298	3.2	10.1	25.3	39.3
Below -2 SD Underweight (Weight for Age) (%)										
Person	364	3.7	13.3	20.6	37.0	318	4.7	17.9	17.2	37.6
Below -2 SD Undernourished (BMI for Age) (%)										
Person	365	5.5	19.8	17.5	41.5	319	6.7	22.0	17.9	46.6
Above 2 SD Overnourished (BMI for Age) (%)										
Person	365	1.5	12.8	9.1	15.9	319	1.8	14.6	8.9	17.0
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1402	3.6	11.9	23.0	38.7	1248	3.9	13.7	20.6	37.5
Above 2 SD Overnourished (BMI for Age) (%)										
Person	-	-	-	-	-	-	-	-	-	-
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	2486	1.6	12.1	9.9	17.0	2138	1.5	14.3	7.4	14.1
BMI ≥25.0 for age 60 year and above (%)										
Person	400	3.2	22.4	8.4	23.1	366	2.6	23.1	6.6	18.7
BMI <18.5 for age 18-59 year (%)										
Person	2486	1.5	5.3	25.9	32.9	2138	1.5	5.2	25.8	32.5
BMI <18.5 for age 60 year and above (%)										
Person	400	1.7	7.5	18.8	26.4	366	1.9	7.4	21.6	30.1
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	213	3.1	4.4	63.2	76.8	198	2.7	3.8	65.7	77.7
Anaemia in the age group 5-9 years (%)										
Person	354	2.2	2.8	75.7	85.6	324	2.4	3.0	76.0	86.8
Anaemia in the age group 10-17 years (%)										
Person	752	1.6	2.1	71.8	78.9	704	1.7	2.3	71.8	79.6
Anaemia in the age group 18-59 years (%)										
Male	919	2.0	2.4	76.6	85.2	811	2.1	2.7	74.0	83.2
Female	1364	2.4	3.1	71.0	81.5	1171	2.5	3.2	71.4	82.1
Anaemia in the age group 60 years and above (%)										
Male	170	3.7	4.4	74.0	90.2	154	3.6	4.3	73.5	89.3
Female	202	2.4	3.4	65.5	76.0	187	2.5	3.5	66.1	76.9
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2720	2.5	25.0	5.8	17.1	2379	0.8	15.7	3.4	6.7
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2857	1.4	13.0	8.2	14.5	2491	1.0	10.3	7.8	12.2
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2857	0.3	6.5	4.6	6.1	2491	0.4	7.0	4.7	6.4
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2857	1.7	18.3	6.2	13.8	2491	2.3	22.1	6.4	16.6
<b>Iodine content in Household Salt (more than 15 ppm) (%)</b>	<b>1116</b>	<b>15.1</b>	<b>27.5</b>	<b>24.3</b>	<b>82.1</b>	<b>970</b>	<b>17.0</b>	<b>32.9</b>	<b>19.5</b>	<b>82.6</b>

Indicators	Nagaur									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	417	8.9	44.4	6.7	46.9	-	-	-	-	-
Below -2 SD Stunting (Height for Age) (%)										
Person	407	3.6	9.3	30.5	46.4	374	4.0	10.7	28.9	46.9
Below -2 SD Underweight (Weight for Age) (%)										
Person	425	4.4	18.9	14.7	34.5	390	4.7	19.9	14.6	35.8
Below -2 SD Undernourished (BMI for Age) (%)										
Person	428	9.1	44.0	6.9	47.8	-	-	-	-	-
Above 2 SD Overnourished (BMI for Age) (%)										
Person	428	1.6	22.2	4.3	11.8	393	1.5	27.4	2.8	9.8
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1898	4.4	15.0	20.7	40.3	1719	5.1	16.8	20.2	42.6
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1898	0.2	31.3	0.4	1.5	1719	0.3	30.6	0.4	1.7
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	3193	1.0	9.2	9.2	13.9	2911	1.1	10.2	8.3	13.1
BMI ≥25.0 for age 60 year and above (%)										
Person	575	1.4	12.8	8.1	14.5	545	1.5	13.2	8.5	15.5
BMI <18.5 for age 18-59 year (%)										
Person	3193	2.8	11.4	18.8	31.3	2911	3.1	11.8	20.0	34.1
BMI <18.5 for age 60 year and above (%)										
Person	575	7.3	24.8	15.9	48.1	545	7.9	26.6	15.3	49.9
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	361	2.9	3.2	80.5	93.8	330	3.0	3.4	79.5	93.3
Anaemia in the age group 5-9 years (%)										
Person	429	1.2	1.3	92.0	97.8	383	1.4	1.5	91.2	98.1
Anaemia in the age group 10-17 years (%)										
Person	1260	3.8	4.3	76.8	94.6	1151	4.4	5.0	74.2	94.7
Anaemia in the age group 18-59 years (%)										
Male	1321	2.7	3.1	79.6	91.6	1226	3.1	3.6	77.6	91.3
Female	1640	1.6	1.8	86.2	93.3	1475	1.5	1.6	86.9	93.5
Anaemia in the age group 60 years and above (%)										
Male	227	2.7	3.1	78.6	90.5	220	2.7	3.2	79.0	91.2
Female	311	2.1	2.3	84.3	93.5	292	2.3	2.5	82.7	92.7
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3669	2.2	26.9	4.5	14.5	3360	2.5	28.7	4.5	16.0
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3745	0.6	7.3	7.3	10.1	3435	0.7	7.6	7.4	10.4
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3745	0.4	8.1	4.2	6.0	3435	0.4	9.0	4.0	6.0
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3745	0.6	6.7	8.1	10.9	3435	0.6	6.8	8.2	11.0
<b>Iodine content in Household Salt (more than 15 ppm) (%)</b>	<b>1420</b>	<b>11.4</b>	<b>35.7</b>	<b>13.0</b>	<b>60.0</b>	<b>1262</b>	<b>11.5</b>	<b>38.0</b>	<b>11.5</b>	<b>58.9</b>

Indicators	Jodhpur									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	237	4.0	16.5	16.2	34.0	193	5.1	16.8	20.3	43.3
Below -2 SD Stunting (Height for Age) (%)										
Person	261	5.4	15.5	23.7	47.5	213	5.5	19.8	17.1	41.6
Below -2 SD Underweight (Weight for Age) (%)										
Person	279	2.7	8.7	25.1	37.2	230	1.6	5.0	28.4	35.6
Below -2 SD Undernourished (BMI for Age) (%)										
Person	279	4.8	17.0	18.5	39.9	230	6.1	17.7	22.4	49.6
Above 2 SD Overnourished (BMI for Age) (%)										
Person	279	1.7	19.8	5.5	13.4	230	2.2	25.0	5.0	15.3
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1446	4.3	13.1	24.0	43.2	1247	4.9	15.3	22.1	43.9
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1446	0.2	18.6	0.9	2.0	1247	0.2	15.8	1.0	2.1
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	2160	1.2	9.6	10.4	16.0	1739	1.0	10.0	7.9	12.4
BMI ≥25.0 for age 60 year and above (%)										
Person	390	3.4	22.1	9.1	24.7	331	2.4	24.1	5.6	16.6
BMI <18.5 for age 18-59 year (%)										
Person	2160	3.5	10.7	25.7	41.6	1739	4.8	13.3	26.0	47.5
BMI <18.5 for age 60 year and above (%)										
Person	390	4.0	11.0	28.0	46.1	331	4.4	10.9	31.0	50.6
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	222	4.2	6.2	57.0	75.6	193	4.5	7.2	52.1	72.3
Anaemia in the age group 5-9 years (%)										
Person	351	1.5	1.9	76.1	83.0	295	2.3	2.9	71.5	81.7
Anaemia in the age group 10-17 years (%)										
Person	862	2.6	3.6	65.2	76.9	755	3.4	4.7	62.8	77.9
Anaemia in the age group 18-59 years (%)										
Male	813	3.1	4.4	62.8	76.9	641	4.6	6.5	59.6	80.3
Female	1145	2.5	3.4	67.5	78.9	959	3.7	5.2	62.1	78.8
Anaemia in the age group 60 years and above (%)										
Male	168	4.9	6.6	62.0	83.9	145	5.8	7.6	61.0	86.8
Female	176	4.2	5.4	66.0	84.9	150	3.8	5.0	65.7	82.7
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2378	1.1	12.2	6.6	11.4	1948	1.3	13.6	7.0	13.0
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2509	1.2	9.7	10.0	15.5	2031	1.6	13.6	8.6	15.9
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2509	1.0	11.2	6.8	11.3	2031	0.6	5.8	8.3	10.9
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2509	0.7	7.8	7.5	10.6	2031	1.1	11.5	7.2	12.1
<b>Iodine content in Household Salt (more than 15 ppm) (%)</b>	<b>990</b>	<b>12.3</b>	<b>24.6</b>	<b>24.9</b>	<b>75.5</b>	<b>821</b>	<b>18.0</b>	<b>36.5</b>	<b>16.0</b>	<b>83.3</b>



Indicators	Jaisalmer									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	354	5.8	21.4	16.3	41.9	293	6.7	24.2	15.4	44.8
Below -2 SD Stunting (Height for Age) (%)										
Person	353	8.6	28.0	15.2	52.0	289	10.2	30.8	15.0	57.8
Below -2 SD Underweight (Weight for Age) (%)										
Person	374	6.8	20.7	19.8	49.5	306	7.6	21.5	20.6	53.2
Below -2 SD Undernourished (BMI for Age) (%)										
Person	376	6.7	24.9	14.8	44.3	308	7.9	28.8	13.5	47.9
Above 2 SD Overnourished (BMI for Age) (%)										
Person	376	6.8	33.5	9.1	39.5	308	7.6	41.3	6.8	40.9
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1630	2.0	13.8	10.5	19.3	1327	2.1	13.8	10.9	20.0
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1630	0.6	45.4	0.5	3.6	-	-	-	-	-
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	2421	3.3	31.1	5.2	20.9	1586	0.6	25.5	1.4	4.5
BMI ≥25.0 for age 60 year and above (%)										
Person	403	4.1	38.4	4.3	23.8	265	1.0	39.2	1.1	6.3
BMI <18.5 for age 18-59 year (%)										
Person	2421	4.6	28.0	8.5	29.8	1586	6.4	32.7	8.9	38.0
BMI <18.5 for age 60 year and above (%)										
Person	403	7.7	29.2	12.7	46.7	265	10.1	29.6	15.8	59.0
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	308	5.1	6.7	63.1	85.7	269	5.8	7.5	62.0	87.8
Anaemia in the age group 5-9 years (%)										
Person	516	4.8	5.8	69.4	90.9	450	5.2	6.4	67.3	90.9
Anaemia in the age group 10-17 years (%)										
Person	946	4.7	5.6	70.3	91.2	768	5.4	6.6	67.0	91.2
Anaemia in the age group 18-59 years (%)										
Male	1050	3.1	3.5	78.3	92.0	685	3.8	4.5	74.0	90.7
Female	1227	3.2	3.9	73.4	87.4	807	3.9	5.0	69.2	86.5
Anaemia in the age group 60 years and above (%)										
Male	200	2.1	2.3	85.5	94.9	129	2.6	3.0	81.3	93.2
Female	189	4.7	6.0	65.8	86.3	130	6.1	7.7	62.6	89.3
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2757	2.7	29.6	4.7	17.0	1816	3.4	42.2	3.1	19.3
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2805	2.1	18.3	7.6	17.0	1837	1.9	22.1	5.1	13.5
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2805	1.6	22.8	4.2	11.6	1837	0.8	17.0	3.1	6.6
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2805	0.9	12.7	5.4	9.4	1837	1.0	14.6	5.1	9.7
<b>Iodine content in Household Salt (more than 15 ppm) (%)</b>	<b>1037</b>	<b>15.9</b>	<b>36.3</b>	<b>15.8</b>	<b>76.3</b>	<b>727</b>	<b>16.5</b>	<b>39.3</b>	<b>14.0</b>	<b>76.2</b>

Indicators	Barmer									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	418	1.6	7.0	19.2	26.2	380	1.6	6.8	19.8	26.7
Below -2 SD Stunting (Height for Age) (%)										
Person	435	3.6	6.8	44.7	60.6	392	3.6	6.6	46.4	62.2
Below -2 SD Underweight (Weight for Age) (%)										
Person	446	2.5	5.4	40.3	51.2	404	2.5	5.3	41.5	52.4
Below -2 SD Undernourished (BMI for Age) (%)										
Person	468	1.1	5.1	20.1	25.2	425	1.2	5.1	20.3	25.5
Above 2 SD Overnourished (BMI for Age) (%)										
Person	468	2.9	34.1	3.8	17.3	425	3.0	35.8	3.7	18.1
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1273	3.0	10.3	23.4	36.6	1176	3.3	10.9	23.7	38.0
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1273	0.4	31.9	0.6	2.3	1176	0.3	35.3	0.4	2.0
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	1742	3.7	30.8	5.9	23.2	1484	1.7	23.0	4.5	12.4
BMI ≥25.0 for age 60 year and above (%)										
Person	272	2.4	24.5	5.5	16.6	243	1.2	19.9	4.0	9.5
BMI <18.5 for age 18-59 year (%)										
Person	1742	3.5	17.1	13.5	29.4	1484	4.0	18.3	13.9	32.0
BMI <18.5 for age 60 year and above (%)										
Person	272	3.9	14.7	18.6	36.2	243	4.3	15.3	19.4	38.7
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	201	3.3	4.7	62.7	77.3	191	3.4	4.8	62.2	77.1
Anaemia in the age group 5-9 years (%)										
Person	225	6.5	8.0	62.2	91.1	216	6.6	8.3	61.4	90.8
Anaemia in the age group 10-17 years (%)										
Person	446	3.3	4.0	73.6	88.2	411	3.4	4.2	72.9	88.2
Anaemia in the age group 18-59 years (%)										
Male	611	2.7	3.1	81.6	93.6	531	3.0	3.3	81.0	94.1
Female	789	2.9	3.4	77.9	90.4	675	3.1	3.6	76.6	89.8
Anaemia in the age group 60 years and above (%)										
Male	97	3.6	4.0	79.3	95.8	86	3.8	4.2	78.5	95.9
Female	124	2.9	3.5	76.4	88.9	109	3.0	3.6	75.5	88.4
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	1521	1.5	22.5	4.2	11.0	1341	1.5	23.8	3.7	10.3
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	1992	1.2	20.9	3.7	9.0	1709	0.6	14.9	3.0	5.6
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	1992	1.0	21.2	3.0	7.5	1709	1.0	23.2	2.7	7.4
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	1992	1.6	14.8	8.1	15.2	1709	1.8	17.0	7.3	15.2
<b>Iodine content in Household Salt (more than 15 ppm) (%)</b>	<b>881</b>	<b>7.7</b>	<b>12.2</b>	<b>45.7</b>	<b>77.9</b>	<b>768</b>	<b>8.0</b>	<b>13.3</b>	<b>42.4</b>	<b>75.5</b>

Indicators	Jalore									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	548	1.2	5.7	18.0	23.3	505	1.2	5.9	18.3	23.8
Below -2 SD Stunting (Height for Age) (%)										
Person	535	2.7	4.3	57.6	69.7	490	2.8	4.4	57.8	70.2
Below -2 SD Underweight (Weight for Age) (%)										
Person	592	4.2	8.1	42.8	61.3	545	4.5	8.5	42.9	62.7
Below -2 SD Undernourished (BMI for Age) (%)										
Person	598	3.0	13.5	16.1	29.3	551	3.2	14.6	15.6	29.9
Above 2 SD Overnourished (BMI for Age) (%)										
Person	598	5.3	36.2	6.2	30.6	551	5.7	40.0	5.5	31.9
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1497	5.6	15.7	24.4	48.6	1393	5.9	16.5	24.1	49.6
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1497	0.7	29.8	1.2	4.5	1393	0.7	31.5	1.2	4.7
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	2577	2.8	19.3	9.1	21.9	2303	3.1	26.1	6.6	20.9
BMI ≥25.0 for age 60 year and above (%)										
Person	612	2.1	11.6	14.1	23.6	565	2.4	13.4	12.7	23.6
BMI <18.5 for age 18-59 year (%)										
Person	2577	2.6	10.0	20.8	32.5	2303	3.0	10.8	21.7	35.3
BMI <18.5 for age 60 year and above (%)										
Person	612	2.7	9.5	22.5	34.7	565	2.7	9.3	23.5	35.7
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	189	3.2	4.0	72.9	87.4	175	3.4	4.1	73.3	88.4
Anaemia in the age group 5-9 years (%)										
Person	225	1.7	1.8	88.1	95.9	208	1.8	2.0	87.5	96.0
Anaemia in the age group 10-17 years (%)										
Person	571	1.3	1.4	89.5	95.3	542	1.3	1.4	89.8	95.7
Anaemia in the age group 18-59 years (%)										
Male	813	2.1	2.3	86.5	96.3	738	2.3	2.4	85.9	96.4
Female	1108	1.6	1.8	87.0	94.2	1016	1.7	1.9	86.2	93.7
Anaemia in the age group 60 years and above (%)										
Male	225	2.2	2.3	86.5	96.7	207	2.4	2.6	85.4	96.4
Female	245	1.7	1.8	89.3	97.3	227	1.8	1.9	89.0	97.4
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2555	2.3	17.6	8.9	19.3	2319	2.4	18.9	8.3	19.0
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3182	0.7	8.4	6.8	9.9	2862	0.6	7.7	6.6	9.3
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3182	0.6	10.8	4.2	6.7	2862	0.6	12.0	4.1	6.9
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3182	0.5	9.1	4.9	7.3	2862	0.6	10.0	4.7	7.3
<b>Iodine content in Household Salt (more than 15 ppm) (%)</b>	<b>1446</b>	<b>8.6</b>	<b>14.7</b>	<b>39.2</b>	<b>75.4</b>	<b>1324</b>	<b>8.9</b>	<b>16.2</b>	<b>35.6</b>	<b>72.7</b>

Indicators	Sirohi									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	424	2.1	9.9	16.6	25.7	388	2.3	10.9	16.3	26.5
Below -2 SD Stunting (Height for Age) (%)										
Person	422	2.8	5.0	49.6	61.9	384	2.8	4.8	51.4	63.7
Below -2 SD Underweight (Weight for Age) (%)										
Person	438	2.4	4.8	44.3	54.8	396	2.7	5.6	43.0	55.2
Below -2 SD Undernourished (BMI for Age) (%)										
Person	443	1.9	9.5	15.9	24.2	401	1.9	9.8	15.5	24.0
Above 2 SD Overnourished (BMI for Age) (%)										
Person	443	1.3	22.5	3.5	9.5	401	1.6	24.4	3.7	10.9
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1199	3.0	6.9	36.1	49.4	1069	3.4	8.0	35.3	50.7
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1199	0.1	18.9	0.4	1.0	1069	0.1	18.6	0.5	1.1
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	2224	1.6	14.1	7.9	15.2	1868	0.7	9.9	5.6	8.8
BMI ≥25.0 for age 60 year and above (%)										
Person	419	2.9	19.0	9.7	23.0	359	1.4	14.3	6.9	13.3
BMI <18.5 for age 18-59 year (%)										
Person	2224	2.1	6.3	28.9	38.4	1868	2.4	6.7	29.9	40.7
BMI <18.5 for age 60 year and above (%)										
Person	419	3.0	9.1	26.7	40.2	359	3.6	9.8	28.4	44.6
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	199	3.6	4.4	72.4	88.4	182	4.0	4.9	70.9	89.0
Anaemia in the age group 5-9 years (%)										
Person	229	3.7	4.0	78.5	96.2	205	3.4	3.6	80.2	98.2
Anaemia in the age group 10-17 years (%)										
Person	580	3.0	3.4	78.1	91.6	523	3.1	3.4	80.7	95.1
Anaemia in the age group 18-59 years (%)										
Male	762	3.4	4.1	73.9	89.1	634	3.0	3.5	77.4	91.0
Female	1056	3.9	4.6	74.0	91.5	917	3.5	4.0	77.5	93.5
Anaemia in the age group 60 years and above (%)										
Male	178	2.6	3.1	77.8	89.7	148	2.0	2.2	84.9	93.8
Female	185	3.8	4.3	77.0	94.9	163	3.4	3.8	79.5	95.7
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2209	3.0	27.1	5.8	19.4	1917	3.0	37.1	3.5	18.0
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2683	0.7	9.7	6.2	9.5	2267	0.7	12.0	4.5	7.7
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2683	1.0	21.2	3.0	7.7	2267	1.2	28.3	2.3	8.0
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2683	2.0	27.8	3.9	13.2	2267	2.6	32.3	3.9	16.1
<b>Iodine content in Household Salt (more than 15 ppm) (%)</b>	<b>1155</b>	<b>5.2</b>	<b>8.6</b>	<b>48.5</b>	<b>71.3</b>	<b>982</b>	<b>6.2</b>	<b>11.0</b>	<b>42.6</b>	<b>69.5</b>

Indicators	Pali									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	380	3.7	15.0	17.3	33.4	341	3.8	16.6	15.7	32.4
Below -2 SD Stunting (Height for Age) (%)										
Person	380	3.0	5.5	48.7	61.9	343	3.4	6.0	49.1	63.9
Below -2 SD Underweight (Weight for Age) (%)										
Person	393	2.7	5.8	40.9	52.7	354	2.7	5.6	42.1	53.8
Below -2 SD Undernourished (BMI for Age) (%)										
Person	397	3.1	12.7	18.4	32.2	358	3.1	13.2	17.4	31.1
Above 2 SD Overnourished (BMI for Age) (%)										
Person	397	1.4	28.8	2.6	9.2	358	1.6	34.2	2.1	9.5
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1405	4.1	9.7	34.0	52.0	1253	4.5	10.3	34.3	53.9
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1405	0.2	27.0	0.5	1.7	1253	0.2	28.1	0.5	1.6
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	1989	3.1	22.6	8.2	22.4	1691	2.1	19.6	6.7	16.4
BMI ≥25.0 for age 60 year and above (%)										
Person	455	4.2	27.3	8.1	27.4	389	2.8	24.4	6.5	19.5
BMI <18.5 for age 18-59 year (%)										
Person	1989	3.4	10.0	27.2	42.4	1691	3.4	9.1	29.6	44.9
BMI <18.5 for age 60 year and above (%)										
Person	455	4.7	12.1	28.7	49.7	389	4.4	10.4	32.7	52.3
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	183	4.0	4.8	72.7	90.3	164	4.2	4.9	73.6	92.4
Anaemia in the age group 5-9 years (%)										
Person	236	4.4	4.8	75.7	97.2	209	5.0	5.4	72.6	97.8
Anaemia in the age group 10-17 years (%)										
Person	611	3.6	4.1	77.2	93.2	550	3.9	4.4	76.6	94.4
Anaemia in the age group 18-59 years (%)										
Male	653	4.1	5.0	70.9	88.7	536	4.4	5.3	71.5	90.7
Female	918	2.5	2.9	81.4	92.6	799	2.9	3.2	81.3	94.1
Anaemia in the age group 60 years and above (%)										
Male	186	2.7	2.9	84.1	96.3	156	2.0	2.1	88.2	97.2
Female	191	1.7	1.9	86.5	94.0	164	1.5	1.6	88.7	95.4
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	1617	1.3	25.7	2.8	8.5	1352	1.4	32.1	2.1	8.4
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2440	2.2	19.3	7.5	17.3	2078	2.5	21.7	7.1	18.2
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2440	0.9	12.2	5.4	9.1	2078	1.0	14.3	5.2	9.6
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2440	0.9	11.8	6.0	10.0	2078	0.9	12.5	5.3	9.2
<b>Iodine content in Household Salt (more than 15 ppm) (%)</b>	<b>1202</b>	<b>10.0</b>	<b>14.7</b>	<b>43.8</b>	<b>85.3</b>	<b>1029</b>	<b>11.7</b>	<b>18.0</b>	<b>37.7</b>	<b>85.0</b>

Indicators	Ajmer									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	473	2.4	7.6	26.5	37.4	367	3.6	10.2	28.0	44.3
Below -2 SD Stunting (Height for Age) (%)										
Person	459	2.4	5.6	36.5	47.1	363	2.7	7.5	30.2	42.4
Below -2 SD Underweight (Weight for Age) (%)										
Person	498	2.8	9.2	24.8	37.6	387	2.1	6.6	27.6	37.2
Below -2 SD Undernourished (BMI for Age) (%)										
Person	501	3.2	9.4	27.3	41.8	389	4.6	12.0	28.6	49.0
Above 2 SD Overnourished (BMI for Age) (%)										
Person	501	1.7	10.8	12.5	20.3	389	1.9	16.3	8.0	16.6
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1493	1.9	6.6	24.6	33.0	1126	2.0	6.4	27.3	36.5
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1493	0.3	18.9	1.2	2.8	1126	0.3	18.9	1.0	2.3
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	2863	1.5	11.6	10.1	17.0	1886	1.6	19.8	5.1	12.5
BMI ≥25.0 for age 60 year and above (%)										
Person	469	1.6	12.8	9.6	17.1	309	1.1	13.7	5.9	11.0
BMI <18.5 for age 18-59 year (%)										
Person	2863	2.2	7.1	26.4	36.4	1886	2.9	7.8	31.1	44.2
BMI <18.5 for age 60 year and above (%)										
Person	469	2.8	6.3	37.8	50.3	309	2.1	4.0	47.5	57.0
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	308	4.7	8.4	45.2	66.2	235	5.0	8.6	47.1	69.5
Anaemia in the age group 5-9 years (%)										
Person	390	2.1	3.2	59.6	68.9	278	2.7	4.4	55.7	68.0
Anaemia in the age group 10-17 years (%)										
Person	716	2.4	3.9	55.1	65.7	521	3.3	5.1	57.0	71.9
Anaemia in the age group 18-59 years (%)										
Male	1122	4.0	5.8	60.4	78.3	696	5.4	7.3	60.0	83.6
Female	1325	3.7	5.6	56.7	73.0	827	4.3	6.5	56.4	75.5
Anaemia in the age group 60 years and above (%)										
Male	188	3.3	4.3	67.1	81.6	110	4.6	5.7	67.9	88.2
Female	228	4.6	7.0	54.4	74.5	154	4.5	6.7	55.8	75.5
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3227	1.8	19.7	5.7	13.7	2151	1.2	28.5	2.2	7.9
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3329	0.8	9.4	7.1	10.8	2197	0.9	13.2	5.3	9.6
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3329	0.4	6.7	4.6	6.3	2197	0.3	5.1	4.4	5.5
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3329	0.5	8.0	4.8	6.9	2197	0.6	11.6	4.0	6.6
<b>Iodine content in Household Salt (more than 15 ppm) (%)</b>	<b>1331</b>	<b>17.2</b>	<b>33.1</b>	<b>18.9</b>	<b>83.3</b>	<b>938</b>	<b>24.2</b>	<b>50.4</b>	<b>9.6</b>	<b>89.0</b>

Indicators	Tonk									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	437	2.5	9.6	20.9	32.1	371	2.8	9.8	22.8	35.2
Below -2 SD Stunting (Height for Age) (%)										
Person	454	2.6	5.9	38.4	49.9	386	2.4	5.3	40.5	51.3
Below -2 SD Underweight (Weight for Age) (%)										
Person	457	4.7	10.8	33.3	53.8	389	4.1	9.0	37.1	55.3
Below -2 SD Undernourished (BMI for Age) (%)										
Person	460	1.8	7.9	18.6	26.5	392	1.9	8.1	19.4	27.8
Above 2 SD Overnourished (BMI for Age) (%)										
Person	460	0.4	16.1	1.9	3.9	392	0.5	17.9	1.8	3.9
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1445	3.5	8.2	35.1	50.5	1279	3.7	8.3	36.6	53.0
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1445	0.3	23.3	0.7	2.0	1279	0.2	19.2	0.8	2.0
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	2673	2.0	16.8	8.2	17.3	2317	2.5	26.7	5.1	16.8
BMI ≥25.0 for age 60 year and above (%)										
Person	441	1.8	11.4	11.9	20.1	391	1.9	15.8	8.1	16.8
BMI <18.5 for age 18-59 year (%)										
Person	2673	3.5	9.8	28.3	44.0	2317	4.2	10.8	30.2	49.0
BMI <18.5 for age 60 year and above (%)										
Person	441	2.9	8.1	29.4	42.5	391	3.3	8.9	30.7	45.5
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	241	4.5	5.8	67.1	87.3	195	4.9	6.1	67.9	90.0
Anaemia in the age group 5-9 years (%)										
Person	302	5.7	6.8	67.4	93.7	255	3.8	4.4	75.6	93.0
Anaemia in the age group 10-17 years (%)										
Person	742	3.3	4.0	73.2	87.9	652	2.8	3.3	76.4	88.8
Anaemia in the age group 18-59 years (%)										
Male	1022	3.3	3.9	75.7	90.4	870	3.4	4.0	75.2	90.4
Female	1199	3.2	3.9	74.6	88.9	1043	3.0	3.5	77.5	90.8
Anaemia in the age group 60 years and above (%)										
Male	178	3.5	4.0	77.6	93.6	162	3.7	4.4	75.4	92.5
Female	209	6.0	7.7	61.5	88.0	181	4.6	5.7	68.2	88.7
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2158	1.3	11.9	8.2	13.9	1852	1.1	12.7	6.4	11.3
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3111	1.0	13.8	5.5	10.2	2707	1.2	20.2	3.8	9.3
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3111	0.6	9.7	5.2	8.0	2707	0.6	10.5	4.3	6.9
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3111	0.7	12.7	4.2	7.5	2707	0.8	17.4	3.2	6.9
<b>Iodine content in Household Salt (more than 15 ppm) (%)</b>	<b>1194</b>	<b>5.9</b>	<b>7.1</b>	<b>65.8</b>	<b>92.8</b>	<b>1031</b>	<b>6.7</b>	<b>8.3</b>	<b>61.5</b>	<b>91.2</b>

Indicators	Bundi									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	471	6.2	28.0	11.4	38.9	387	8.1	36.7	9.0	44.6
Below -2 SD Stunting (Height for Age) (%)										
Person	487	4.9	12.0	30.3	51.7	397	5.8	13.6	30.4	55.7
Below -2 SD Underweight (Weight for Age) (%)										
Person	490	3.9	8.7	36.1	53.2	399	5.8	12.8	33.4	58.9
Below -2 SD Undernourished (BMI for Age) (%)										
Person	498	8.5	34.4	10.6	47.6	407	9.5	39.1	9.3	50.6
Above 2 SD Overnourished (BMI for Age) (%)										
Person	-	-	-	-	-	-	-	-	-	-
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1737	1.2	3.2	34.9	40.2	1395	1.1	2.8	38.0	43.1
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1737	0.3	30.3	0.5	1.8	1395	0.3	39.7	0.3	2.0
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	3505	2.6	21.2	7.4	19.4	2629	1.5	15.1	6.7	13.6
BMI ≥25.0 for age 60 year and above (%)										
Person	542	2.9	23.5	7.3	20.6	442	1.8	16.5	7.4	15.6
BMI <18.5 for age 18-59 year (%)										
Person	3505	3.0	11.2	20.3	33.8	2629	1.9	5.9	28.6	37.1
BMI <18.5 for age 60 year and above (%)										
Person	542	2.3	7.6	25.1	35.4	442	1.9	5.1	32.5	41.1
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	281	5.9	7.3	64.4	90.6	225	7.7	9.5	58.5	93.4
Anaemia in the age group 5-9 years (%)										
Person	409	9.3	11.2	53.1	95.3	320	10.5	12.2	46.0	98.0
Anaemia in the age group 10-17 years (%)										
Person	871	7.8	9.4	58.2	94.0	702	9.9	11.4	48.5	97.8
Anaemia in the age group 18-59 years (%)										
Male	1416	2.5	2.9	81.2	92.6	1027	2.5	2.8	84.3	96.2
Female	1679	6.5	7.7	64.1	93.9	1277	9.4	11.0	51.9	97.0
Anaemia in the age group 60 years and above (%)										
Male	221	3.8	4.2	77.9	96.0	174	1.9	2.0	88.4	97.7
Female	274	11.8	14.8	43.7	95.1	226	16.6	21.0	28.9	97.2
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3440	1.9	29.5	3.4	12.5	2687	1.1	25.9	2.5	7.8
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4058	1.2	19.2	3.9	9.2	3079	0.7	12.6	4.2	7.4
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	4058	0.8	15.4	3.6	7.2	3079	1.2	23.5	2.9	8.4
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4058	0.9	14.5	4.6	8.8	3079	1.5	19.9	4.7	11.3
<b>Iodine content in Household Salt (more than 15 ppm) (%)</b>	<b>1517</b>	<b>16.3</b>	<b>26.7</b>	<b>25.4</b>	<b>87.7</b>	<b>1196</b>	<b>23.7</b>	<b>44.3</b>	<b>12.1</b>	<b>90.6</b>



Indicators	Bhilwara									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	364	3.7	13.9	19.1	35.3	304	4.0	15.5	17.9	35.6
Below -2 SD Stunting (Height for Age) (%)										
Person	376	2.1	3.8	49.9	59.1	316	1.8	3.3	52.0	60.2
Below -2 SD Underweight (Weight for Age) (%)										
Person	386	2.1	4.1	46.2	55.4	326	2.5	4.7	46.5	57.5
Below -2 SD Undernourished (BMI for Age) (%)										
Person	391	4.3	18.5	15.0	34.1	331	4.8	21.1	13.8	34.9
Above 2 SD Overnourished (BMI for Age) (%)										
Person	391	0.7	18.5	2.5	5.7	331	0.8	20.4	2.6	6.5
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1300	4.6	11.9	29.0	49.2	1106	4.8	12.9	27.4	48.5
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1300	0.3	29.2	0.6	2.0	1106	0.3	29.9	0.6	2.2
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	2171	1.5	10.9	10.5	17.4	1806	1.6	13.5	9.0	16.3
BMI ≥25.0 for age 60 year and above (%)										
Person	386	2.3	14.8	11.1	21.5	319	1.5	11.5	10.3	17.1
BMI <18.5 for age 18-59 year (%)										
Person	2171	2.3	7.7	25.6	35.9	1806	2.8	9.1	25.2	37.9
BMI <18.5 for age 60 year and above (%)										
Person	386	2.6	7.7	28.6	40.3	319	2.2	6.3	30.6	40.5
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	199	8.2	16.0	33.6	68.5	171	8.6	16.3	34.3	71.0
Anaemia in the age group 5-9 years (%)										
Person	244	5.3	6.1	70.4	95.6	215	6.0	6.8	67.5	96.0
Anaemia in the age group 10-17 years (%)										
Person	501	4.7	5.6	70.6	91.7	434	4.6	5.4	71.7	92.8
Anaemia in the age group 18-59 years (%)										
Male	728	5.8	7.3	63.4	88.6	617	6.4	8.0	62.1	90.1
Female	875	4.3	5.0	72.6	91.7	712	5.0	5.9	70.3	92.7
Anaemia in the age group 60 years and above (%)										
Male	141	3.1	3.7	75.7	89.4	114	4.1	5.1	70.1	88.2
Female	149	4.4	5.4	69.9	89.4	124	4.9	6.0	68.6	90.4
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	1605	2.1	13.6	11.6	21.1	1327	2.4	16.0	10.5	21.2
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2550	0.8	10.0	6.1	9.5	2117	0.7	9.7	5.9	9.0
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2550	0.8	13.9	4.3	7.9	2117	0.8	15.4	3.8	7.4
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2550	0.6	11.6	3.8	6.3	2117	0.7	13.4	3.7	6.7
<b>Iodine content in Household Salt (more than 15 ppm) (%)</b>	<b>1158</b>	<b>6.6</b>	<b>9.8</b>	<b>52.0</b>	<b>80.6</b>	<b>971</b>	<b>6.8</b>	<b>10.8</b>	<b>47.6</b>	<b>76.9</b>

Indicators	Rajasmand									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	474	3.3	17.8	12.3	27.4	444	3.6	18.6	12.4	28.7
Below -2 SD Stunting (Height for Age) (%)										
Person	462	3.4	6.5	45.3	60.7	432	3.8	7.2	44.5	61.5
Below -2 SD Underweight (Weight for Age) (%)										
Person	481	3.4	7.5	37.8	53.0	451	3.7	8.2	37.2	54.0
Below -2 SD Undernourished (BMI for Age) (%)										
Person	482	2.5	17.3	9.7	21.1	452	2.7	18.1	9.8	22.1
Above 2 SD Overnourished (BMI for Age) (%)										
Person	482	1.0	15.7	4.4	9.0	452	1.1	16.0	4.6	9.5
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1556	2.5	6.9	31.2	42.6	1466	2.7	7.4	30.0	42.0
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1556	0.4	36.2	0.4	2.3	1466	0.4	39.1	0.4	2.4
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	2851	1.6	15.4	7.1	14.4	2651	1.4	16.3	5.7	12.2
BMI ≥25.0 for age 60 year and above (%)										
Person	555	2.1	12.9	11.8	21.3	497	2.5	19.5	8.1	19.6
BMI <18.5 for age 18-59 year (%)										
Person	2851	2.4	9.0	21.5	32.4	2651	2.7	10.0	21.0	33.1
BMI <18.5 for age 60 year and above (%)										
Person	555	2.0	6.6	26.1	35.1	497	2.5	7.6	27.1	38.4
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	222	4.7	6.3	62.2	83.3	204	4.8	6.4	62.3	83.6
Anaemia in the age group 5-9 years (%)										
Person	250	3.5	4.0	77.6	93.9	233	3.9	4.5	75.5	93.9
Anaemia in the age group 10-17 years (%)										
Person	677	3.0	3.5	76.6	90.1	639	2.9	3.5	76.6	90.0
Anaemia in the age group 18-59 years (%)										
Male	919	3.0	3.5	78.7	92.8	855	2.8	3.2	80.1	93.3
Female	1251	1.9	2.2	82.3	91.0	1173	1.8	2.1	82.5	90.7
Anaemia in the age group 60 years and above (%)										
Male	213	1.3	1.5	87.7	93.8	189	1.5	1.6	88.7	95.4
Female	217	4.1	4.8	73.7	92.7	195	2.9	3.4	78.3	91.6
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2739	2.8	17.4	10.7	23.3	2538	3.1	19.8	9.8	23.9
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3395	1.3	12.3	7.7	13.4	3138	1.4	14.4	7.1	13.5
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3395	0.9	12.5	5.6	9.8	3138	1.0	14.7	5.0	9.8
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3395	0.6	7.3	7.1	9.8	3138	0.6	6.6	7.1	9.6
<b>Iodine content in Household Salt (more than 15 ppm) (%)</b>	<b>1279</b>	<b>7.5</b>	<b>9.6</b>	<b>57.3</b>	<b>91.2</b>	<b>1189</b>	<b>8.5</b>	<b>10.8</b>	<b>53.9</b>	<b>91.8</b>

Indicators	Udaipur									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	304	2.7	11.3	18.6	30.9	229	3.5	14.2	17.8	33.8
Below -2 SD Stunting (Height for Age) (%)										
Person	298	4.2	10.7	30.2	49.0	226	5.2	12.2	31.4	54.5
Below -2 SD Underweight (Weight for Age) (%)										
Person	309	4.1	12.2	25.2	43.8	234	5.6	14.8	26.2	51.0
Below -2 SD Undernourished (BMI for Age) (%)										
Person	310	2.7	11.5	17.6	29.6	234	3.5	15.2	15.8	31.5
Above 2 SD Overnourished (BMI for Age) (%)										
Person	310	1.1	24.6	2.6	7.9	234	1.3	20.9	3.8	9.6
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1113	2.4	6.1	33.9	44.4	919	2.9	7.3	33.3	46.2
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1113	0.7	38.0	0.7	4.0	919	0.4	31.0	0.7	2.9
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	1973	2.6	15.8	11.4	23.2	1485	1.6	21.7	4.7	12.1
BMI ≥25.0 for age 60 year and above (%)										
Person	467	5.3	25.5	11.3	35.2	367	1.4	21.6	4.0	10.5
BMI <18.5 for age 18-59 year (%)										
Person	1973	2.4	11.4	16.1	26.9	1485	3.1	14.2	15.9	29.9
BMI <18.5 for age 60 year and above (%)										
Person	467	3.0	14.9	14.3	27.9	367	3.0	11.8	19.5	33.0
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	193	2.9	3.7	70.7	83.9	152	3.5	4.5	69.8	85.8
Anaemia in the age group 5-9 years (%)										
Person	218	4.3	5.2	70.1	89.6	170	5.3	6.5	66.9	91.2
Anaemia in the age group 10-17 years (%)										
Person	448	4.3	5.4	68.4	87.8	375	4.9	6.0	68.6	90.7
Anaemia in the age group 18-59 years (%)										
Male	756	3.1	3.6	76.4	90.1	595	3.5	4.0	76.6	92.2
Female	861	3.8	4.5	73.9	90.9	670	5.1	6.1	68.9	91.7
Anaemia in the age group 60 years and above (%)										
Male	191	4.2	5.0	72.7	91.4	157	3.7	4.5	73.9	90.5
Female	223	3.3	3.9	76.0	90.6	182	3.4	4.2	73.9	89.1
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2130	2.8	20.3	8.8	21.3	1649	2.9	29.1	5.1	18.2
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2447	1.0	14.4	5.2	9.8	1856	1.1	19.2	3.7	8.7
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2447	1.3	22.7	3.4	9.2	1856	1.8	32.3	2.7	11.0
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2447	0.5	7.9	4.9	6.9	1856	0.5	8.2	4.7	6.8
<b>Iodine content in Household Salt (more than 15 ppm) (%)</b>	<b>1120</b>	<b>7.7</b>	<b>10.6</b>	<b>53.4</b>	<b>86.7</b>	<b>902</b>	<b>4.3</b>	<b>5.1</b>	<b>72.5</b>	<b>91.8</b>

Indicators	Dungarpur									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	538	4.3	15.0	20.0	38.9	507	4.5	15.4	20.1	39.8
Below -2 SD Stunting (Height for Age) (%)										
Person	518	6.4	15.3	28.8	56.7	487	6.8	16.0	28.2	57.5
Below -2 SD Underweight (Weight for Age) (%)										
Person	553	4.6	10.5	34.0	54.3	522	4.8	11.0	33.8	55.0
Below -2 SD Undernourished (BMI for Age) (%)										
Person	562	5.0	18.5	17.6	39.8	531	5.3	18.9	17.7	40.9
Above 2 SD Overnourished (BMI for Age) (%)										
Person	562	1.4	28.3	2.7	9.4	531	1.5	28.2	2.8	9.8
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1992	1.6	4.0	36.8	44.2	1897	1.7	4.1	37.3	44.8
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1992	0.3	26.6	0.7	2.3	1897	0.3	26.4	0.7	2.4
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	3072	0.9	14.6	4.7	8.9	2877	0.9	17.4	3.5	7.7
BMI ≥25.0 for age 60 year and above (%)										
Person	539	1.7	18.8	5.7	13.6	497	1.9	22.6	4.8	13.7
BMI <18.5 for age 18-59 year (%)										
Person	3072	3.5	12.1	21.8	37.5	2877	3.7	12.6	21.9	38.5
BMI <18.5 for age 60 year and above (%)										
Person	539	3.9	12.5	23.1	40.6	497	4.3	13.1	23.6	42.9
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	299	4.4	6.6	56.4	75.9	281	4.6	6.8	55.8	75.9
Anaemia in the age group 5-9 years (%)										
Person	469	4.1	5.3	67.3	85.9	442	4.1	5.3	67.2	85.7
Anaemia in the age group 10-17 years (%)										
Person	987	3.5	4.5	68.6	84.3	952	3.5	4.6	68.4	84.3
Anaemia in the age group 18-59 years (%)										
Male	1243	3.7	4.5	72.8	89.3	1194	3.8	4.6	72.7	89.7
Female	1542	3.8	5.0	67.4	84.4	1452	3.8	5.0	67.4	84.4
Anaemia in the age group 60 years and above (%)										
Male	234	3.2	3.7	76.3	90.5	223	3.3	3.9	75.7	90.5
Female	247	3.7	4.7	69.4	85.9	230	3.7	4.7	69.5	86.0
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3317	1.4	16.8	5.9	12.4	3131	1.5	17.8	5.7	12.5
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3590	0.9	17.5	3.6	7.9	3350	1.0	19.4	3.3	7.8
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3590	0.6	18.6	2.1	4.8	3350	0.6	20.0	2.0	4.8
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3590	2.0	17.8	7.5	16.5	3350	2.1	18.0	7.7	17.2
<b>Iodine content in Household Salt (more than 15 ppm) (%)</b>	<b>1500</b>	<b>6.9</b>	<b>11.4</b>	<b>44.1</b>	<b>73.8</b>	<b>1402</b>	<b>7.3</b>	<b>12.4</b>	<b>41.9</b>	<b>73.2</b>

Indicators	Banswara									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	553	1.9	8.5	18.2	26.8	541	1.9	8.4	18.6	27.2
Below -2 SD Stunting (Height for Age) (%)										
Person	542	3.5	6.1	49.6	65.5	530	3.6	6.1	49.8	65.8
Below -2 SD Underweight (Weight for Age) (%)										
Person	561	3.1	6.2	43.1	57.1	549	3.1	6.1	43.8	57.7
Below -2 SD Undernourished (BMI for Age) (%)										
Person	563	2.3	13.6	12.2	22.4	551	2.3	13.5	12.4	22.8
Above 2 SD Overnourished (BMI for Age) (%)										
Person	563	1.8	26.2	3.7	11.9	551	1.8	27.0	3.5	11.8
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1517	2.2	5.1	38.3	48.2	1448	2.3	5.2	39.0	49.3
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1517	0.4	28.5	0.7	2.6	1448	0.4	29.6	0.7	2.5
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	2410	1.8	22.5	4.8	13.1	2267	1.9	31.3	2.9	12.0
BMI ≥25.0 for age 60 year and above (%)										
Person	343	3.4	22.1	9.3	24.8	305	3.1	29.4	5.4	20.0
BMI <18.5 for age 18-59 year (%)										
Person	2410	3.0	6.4	40.8	54.3	2267	3.2	6.5	42.3	56.7
BMI <18.5 for age 60 year and above (%)										
Person	343	4.5	9.2	38.5	58.6	305	4.8	9.0	42.3	63.6
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	476	3.1	3.8	74.2	88.3	469	3.2	3.8	74.5	88.9
Anaemia in the age group 5-9 years (%)										
Person	451	1.5	1.6	88.9	96.0	437	1.6	1.7	89.1	96.4
Anaemia in the age group 10-17 years (%)										
Person	778	2.4	2.8	78.1	88.7	741	2.4	2.9	78.6	89.6
Anaemia in the age group 18-59 years (%)										
Male	939	2.1	2.6	76.5	85.9	892	2.2	2.6	77.0	86.6
Female	1180	1.6	1.9	82.8	90.1	1104	1.6	1.9	83.1	90.5
Anaemia in the age group 60 years and above (%)										
Male	141	6.3	7.5	64.8	93.4	124	6.8	8.1	62.9	94.0
Female	167	2.6	3.1	77.1	88.8	154	2.8	3.3	77.1	89.5
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2279	2.3	17.3	8.9	19.1	2130	2.2	18.4	7.9	18.0
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2748	0.9	9.3	7.6	11.5	2566	0.9	10.5	6.8	10.9
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2748	0.6	10.1	4.8	7.5	2566	0.6	10.6	4.5	7.2
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2748	0.7	12.8	4.3	7.7	2566	0.8	13.4	4.3	7.8
<b>Iodine content in Household Salt (more than 15 ppm) (%)</b>	<b>1141</b>	<b>5.7</b>	<b>8.5</b>	<b>53.2</b>	<b>78.2</b>	<b>1060</b>	<b>5.8</b>	<b>8.8</b>	<b>52.1</b>	<b>77.4</b>

Indicators	Chittaurgarh									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	304	1.9	16.4	8.0	16.9	274	2.2	18.3	7.9	18.0
Below -2 SD Stunting (Height for Age) (%)										
Person	295	2.9	4.9	52.7	65.9	265	2.7	4.4	55.4	67.7
Below -2 SD Underweight (Weight for Age) (%)										
Person	312	5.7	12.1	34.7	59.9	280	6.0	11.7	37.7	64.2
Below -2 SD Undernourished (BMI for Age) (%)										
Person	315	2.0	21.3	5.7	15.0	283	2.2	21.4	6.4	16.7
Above 2 SD Overnourished (BMI for Age) (%)										
Person	315	3.4	40.8	3.2	19.9	-	-	-	-	-
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1062	1.4	5.2	24.6	31.1	923	1.8	6.4	24.0	31.9
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1062	0.4	41.0	0.4	2.3	923	0.3	47.9	0.2	1.7
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	2013	2.3	13.4	12.7	23.1	1754	2.6	19.3	8.6	20.5
BMI ≥25.0 for age 60 year and above (%)										
Person	312	3.7	19.5	11.9	28.7	276	1.6	12.0	9.9	17.2
BMI <18.5 for age 18-59 year (%)										
Person	2013	2.6	10.6	19.2	30.9	1754	3.2	11.7	20.3	34.7
BMI <18.5 for age 60 year and above (%)										
Person	312	3.3	12.3	19.9	34.8	276	3.7	11.8	23.7	40.3
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	192	5.5	6.5	67.8	93.1	175	6.1	7.3	65.0	93.3
Anaemia in the age group 5-9 years (%)										
Person	173	2.1	2.2	87.5	97.8	157	2.3	2.4	86.5	97.4
Anaemia in the age group 10-17 years (%)										
Person	422	3.0	3.6	75.9	89.2	380	3.2	3.8	75.0	89.2
Anaemia in the age group 18-59 years (%)										
Male	664	4.7	6.3	63.2	84.1	578	2.8	3.6	70.7	83.1
Female	836	2.1	2.3	83.1	92.4	717	1.8	2.0	85.0	92.9
Anaemia in the age group 60 years and above (%)										
Male	110	3.2	3.8	76.2	90.8	97	3.6	4.0	78.2	94.8
Female	128	5.5	6.2	69.6	96.7	111	6.0	6.8	67.1	97.2
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	1927	3.6	18.7	12.4	28.5	1676	4.0	19.8	12.7	30.6
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2305	0.7	6.3	10.0	13.2	2011	0.9	8.1	8.8	12.6
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2305	1.1	13.0	6.2	11.1	2011	1.3	15.4	6.1	12.2
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2305	2.0	16.9	7.9	16.8	2011	1.2	12.3	7.5	13.0
<b>Iodine content in Household Salt (more than 15 ppm) (%)</b>	<b>1023</b>	<b>3.7</b>	<b>4.1</b>	<b>77.8</b>	<b>95.1</b>	<b>869</b>	<b>4.9</b>	<b>5.7</b>	<b>71.7</b>	<b>94.8</b>

Indicators	Kota									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	297	4.8	23.4	11.6	33.1	237	6.6	25.7	13.6	42.8
Below -2 SD Stunting (Height for Age) (%)										
Person	298	2.4	4.9	43.9	54.8	239	1.3	2.5	50.7	56.8
Below -2 SD Underweight (Weight for Age) (%)										
Person	304	3.2	7.2	37.9	52.4	244	2.9	5.8	44.3	57.5
Below -2 SD Undernourished (BMI for Age) (%)										
Person	305	4.2	22.1	11.1	30.0	245	5.5	23.6	13.1	37.8
Above 2 SD Overnourished (BMI for Age) (%)										
Person	-	-	-	-	-	-	-	-	-	-
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1106	4.1	12.2	25.1	43.2	891	4.6	11.2	31.1	51.3
Above 2 SD Overnourished (BMI for Age) (%)										
Person	-	-	-	-	-	-	-	-	-	-
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	2096	2.2	10.5	16.8	26.8	1601	1.9	18.8	6.4	15.2
BMI ≥25.0 for age 60 year and above (%)										
Person	414	4.0	16.9	15.6	33.6	311	4.1	42.9	3.4	23.6
BMI <18.5 for age 18-59 year (%)										
Person	2096	1.9	7.6	20.8	29.3	1601	2.3	7.3	27.0	37.4
BMI <18.5 for age 60 year and above (%)										
Person	414	3.3	12.6	19.6	34.5	311	4.4	12.7	25.8	45.5
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	152	4.4	5.5	68.3	88.2	118	4.1	4.8	73.3	92.2
Anaemia in the age group 5-9 years (%)										
Person	195	4.1	4.6	76.0	95.3	152	5.6	6.4	68.8	96.0
Anaemia in the age group 10-17 years (%)										
Person	508	5.9	7.3	63.8	90.7	430	6.7	7.8	63.5	95.9
Anaemia in the age group 18-59 years (%)										
Male	694	4.7	5.8	69.0	90.3	557	5.4	6.1	70.2	96.6
Female	928	4.6	5.4	71.2	91.9	700	7.1	8.2	62.4	95.9
Anaemia in the age group 60 years and above (%)										
Male	170	4.1	4.4	76.9	97.7	130	6.2	6.8	63.5	98.7
Female	166	7.7	9.5	58.4	92.8	130	11.4	14.0	45.0	95.8
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	1858	1.9	14.8	9.3	18.0	1485	2.7	22.0	7.4	19.8
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2512	2.1	18.4	7.7	17.3	1923	1.8	22.5	4.8	13.1
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2512	0.7	11.6	4.4	7.3	1923	0.8	14.1	4.0	7.5
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2512	0.7	10.5	5.4	8.5	1923	0.8	12.8	4.5	7.9
<b>Iodine content in Household Salt (more than 15 ppm) (%)</b>	<b>1032</b>	<b>12.0</b>	<b>17.0</b>	<b>39.7</b>	<b>89.4</b>	<b>775</b>	<b>18.6</b>	<b>31.6</b>	<b>20.6</b>	<b>88.8</b>

Indicators	Baran									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	377	5.1	27.0	9.9	33.0	330	5.7	27.9	10.5	36.4
Below -2 SD Stunting (Height for Age) (%)										
Person	391	9.3	17.6	32.5	72.2	342	10.3	19.7	30.0	73.5
Below -2 SD Underweight (Weight for Age) (%)										
Person	384	6.6	15.0	29.9	59.0	336	7.3	16.3	29.3	61.0
Below -2 SD Undernourished (BMI for Age) (%)										
Person	395	5.4	31.1	8.2	33.1	347	6.1	32.8	8.4	36.3
Above 2 SD Overnourished (BMI for Age) (%)										
Person	395	1.9	19.3	6.3	15.0	347	2.1	22.0	5.8	15.7
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1275	2.3	6.0	32.8	42.9	1114	2.6	6.6	33.4	44.8
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1275	0.2	34.3	0.3	1.5	1114	0.3	34.3	0.4	1.7
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	2457	1.2	15.9	5.5	11.0	2092	1.3	20.4	3.9	10.0
BMI ≥25.0 for age 60 year and above (%)										
Person	429	2.4	23.1	6.0	17.1	368	2.3	27.0	4.5	15.3
BMI <18.5 for age 18-59 year (%)										
Person	2457	4.2	15.8	18.3	37.2	2092	5.0	18.0	18.3	40.6
BMI <18.5 for age 60 year and above (%)										
Person	429	4.6	12.7	26.3	46.8	368	5.1	12.7	29.1	51.8
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	262	2.1	2.5	79.7	89.3	233	2.3	2.8	78.9	89.6
Anaemia in the age group 5-9 years (%)										
Person	290	1.3	1.4	90.7	96.9	258	1.5	1.6	89.9	96.9
Anaemia in the age group 10-17 years (%)										
Person	608	1.5	1.6	85.2	91.7	533	1.7	1.9	84.7	92.2
Anaemia in the age group 18-59 years (%)										
Male	916	3.5	4.0	77.3	93.0	775	4.0	4.6	75.4	93.6
Female	993	1.4	1.5	89.3	95.7	846	1.5	1.6	90.1	96.9
Anaemia in the age group 60 years and above (%)										
Male	167	2.3	2.5	85.4	95.8	145	2.7	3.0	82.9	95.2
Female	183	2.3	2.5	85.8	96.7	155	2.4	2.6	85.8	97.9
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2000	2.6	28.5	4.7	16.5	1679	2.9	36.1	3.5	17.1
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2890	0.7	13.9	3.5	6.4	2463	0.8	18.9	2.6	6.0
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2890	0.4	13.3	2.2	3.9	2463	0.4	15.2	2.1	4.0
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2890	1.9	18.3	7.0	15.7	2463	2.3	21.8	6.3	16.5
<b>Iodine content in Household Salt (more than 15 ppm) (%)</b>	<b>1071</b>	<b>4.1</b>	<b>5.2</b>	<b>68.8</b>	<b>86.7</b>	<b>926</b>	<b>4.7</b>	<b>6.1</b>	<b>65.3</b>	<b>85.8</b>



Indicators	Jhalawar									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
<b>Nutritional status below 5 years</b>										
Below -2 SD Wasting (Weight for Height) (%)										
Person	378	3.0	14.1	15.0	28.4	342	3.2	14.6	15.3	29.6
Below -2 SD Stunting (Height for Age) (%)										
Person	381	3.2	6.7	40.7	55.1	346	3.4	7.1	40.7	56.0
Below -2 SD Underweight (Weight for Age) (%)										
Person	392	2.9	6.5	38.0	51.0	355	3.1	6.9	38.5	52.6
Below -2 SD Undernourished (BMI for Age) (%)										
Person	401	3.0	14.0	15.5	29.0	364	3.2	14.7	15.5	30.1
Above 2 SD Overnourished (BMI for Age) (%)										
Person	401	1.6	23.6	4.0	11.6	364	1.7	25.6	3.7	11.9
<b>Nutritional status 5-18 years</b>										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1264	1.4	4.3	28.7	34.7	1187	1.4	4.4	29.2	35.4
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1264	0.3	23.9	0.6	1.8	1187	0.2	25.5	0.5	1.6
<b>Nutritional status 18 years and above</b>										
BMI ≥25.0 for age 18-59 year (%)										
Person	2709	1.4	13.4	7.6	14.0	2379	1.5	17.3	5.7	12.6
BMI ≥25.0 for age 60 year and above (%)										
Person	537	2.1	16.3	9.0	18.6	466	1.8	16.6	7.6	15.9
BMI <18.5 for age 18-59 year (%)										
Person	2709	2.8	9.4	24.0	36.6	2379	3.1	10.0	24.7	38.7
BMI <18.5 for age 60 year and above (%)										
Person	537	3.8	12.9	21.7	38.7	466	4.3	13.7	22.6	41.8
<b>Anaemia status by Haemoglobin Level</b>										
Anaemia in the age group 6-59 months (%)										
Person	204	6.8	9.1	57.1	87.6	182	7.5	10.0	54.6	87.9
Anaemia in the age group 5-9 years (%)										
Person	260	3.8	4.3	76.8	94.5	234	4.1	4.6	75.2	94.2
Anaemia in the age group 10-17 years (%)										
Person	577	1.3	1.6	79.4	85.3	529	1.3	1.6	78.8	84.6
Anaemia in the age group 18-59 years (%)										
Male	962	4.3	5.0	74.2	93.9	824	4.9	5.7	71.5	93.8
Female	1137	1.5	1.7	80.7	87.1	1003	1.3	1.6	80.2	86.1
Anaemia in the age group 60 years and above (%)										
Male	216	4.0	4.3	77.9	97.4	182	4.6	5.0	74.4	97.9
Female	235	2.1	2.5	76.9	85.9	204	1.9	2.3	76.3	84.6
<b>Blood Sugar Level (18 years and above)</b>										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2098	2.0	22.5	5.3	14.3	1792	1.7	26.3	3.6	11.5
<b>Hypertension (18 years and above)</b>										
<b>Above Normal Range</b>										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3276	1.6	16.9	6.5	13.7	2875	1.8	19.2	6.0	13.9
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3276	0.5	12.5	3.1	5.3	2875	0.5	13.7	2.9	5.2
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3276	0.5	14.9	2.6	5.1	2875	0.6	16.6	2.5	5.2
<b>Iodine content in Household Salt (more than 15 ppm) (%)</b>	<b>1332</b>	<b>4.6</b>	<b>5.8</b>	<b>67.6</b>	<b>88.0</b>	<b>1188</b>	<b>5.1</b>	<b>6.3</b>	<b>67.0</b>	<b>89.4</b>

Note: Confidence Intervals are computed by logit transformation method using SPSS application.