

Indicators	Uttarakhand									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	3953	1.0	6.8	12.8	16.8	3112	1.3	8.1	13.2	18.2
Below -2 SD Stunting (Height for Age) (%)										
Person	3938	1.8	4.5	36.7	43.9	3096	2.3	5.5	37.5	46.6
Below -2 SD Underweight (Weight for Age) (%)										
Person	4170	1.6	5.6	25.0	31.2	3295	1.9	6.4	26.4	34.0
Below -2 SD Undernourished (BMI for Age) (%)										
Person	4135	1.1	8.2	11.7	16.2	3265	1.4	9.5	12.4	18.0
Above 2 SD Overnourished (BMI for Age) (%)										
Person	4135	1.0	10.5	7.8	11.9	3265	1.2	12.2	8.0	13.0
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	15359	0.8	3.8	18.4	21.4	12223	0.8	4.0	18.1	21.3
Above 2 SD Overnourished (BMI for Age) (%)										
Person	15359	0.4	12.5	2.4	4.0	12223	0.5	15.7	2.3	4.3
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	30364	1.1	4.9	19.2	24.0	23719	1.4	7.6	15.3	21.5
BMI ≥25.0 for age 60 year and above (%)										
Person	6539	1.4	6.9	17.5	23.9	5293	1.3	8.2	13.1	19.0
BMI <18.5 for age 18-59 year (%)										
Person	30364	1.0	5.0	17.0	21.3	23719	1.1	5.7	17.7	22.9
BMI <18.5 for age 60 year and above (%)										
Person	6539	1.6	6.9	20.0	27.3	5293	1.9	7.3	22.4	31.1
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	2396	0.9	0.9	92.4	96.0	1944	1.0	1.0	92.5	96.5
Anaemia in the age group 5-9 years (%)										
Person	3295	0.8	0.9	93.3	96.5	2650	0.8	0.9	93.8	97.2
Anaemia in the age group 10-17 years (%)										
Person	7315	1.2	1.3	88.5	93.2	5885	1.0	1.1	90.8	94.9
Anaemia in the age group 18-59 years (%)										
Male	10014	1.5	1.8	82.7	88.8	7597	1.3	1.5	85.3	90.6
Female	14764	0.9	1.0	91.0	94.7	11694	0.8	0.9	92.2	95.6
Anaemia in the age group 60 years and above (%)										
Male	2586	0.9	1.0	89.5	93.1	2073	0.9	1.0	90.0	93.8
Female	2865	0.8	0.9	91.5	94.8	2313	0.7	0.7	93.5	96.4
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	35577	0.8	7.9	8.7	11.9	28022	0.9	10.1	7.3	10.8
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	36651	0.5	4.2	11.8	14.0	28799	0.7	6.1	10.4	13.2
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	36651	0.3	4.9	5.9	7.2	28799	0.4	6.2	5.4	6.9
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	36651	0.5	5.4	7.7	9.5	28799	0.6	7.5	7.0	9.4
Iodine content in Household Salt (more than 15 ppm) (%)	15882	2.7	3.2	77.0	87.7	12737	3.0	3.6	75.8	87.8

Indicators	Uttarkashi									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	417	3.4	24.3	7.9	23.2	405	3.4	24.8	7.8	23.3
Below -2 SD Stunting (Height for Age) (%)										
Person	412	3.4	7.8	36.1	51.0	399	3.4	7.8	36.2	51.3
Below -2 SD Underweight (Weight for Age) (%)										
Person	428	3.6	11.0	24.8	40.6	415	3.6	11.0	25.3	41.3
Below -2 SD Undernourished (BMI for Age) (%)										
Person	424	3.0	23.4	7.5	21.3	411	3.1	23.9	7.4	21.4
Above 2 SD Overnourished (BMI for Age) (%)										
Person	424	1.9	27.4	3.8	12.7	411	2.0	30.5	3.3	12.7
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1399	3.4	13.8	17.9	33.2	1347	3.5	14.0	18.0	33.6
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1399	0.2	33.0	0.3	1.4	-	-	-	-	-
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2432	3.4	21.7	9.3	24.7	2268	3.6	25.8	7.7	24.4
BMI ≥25.0 for age 60 year and above (%)										
Person	478	3.1	33.6	4.2	19.2	452	3.2	36.3	3.8	19.3
BMI <18.5 for age 18-59 year (%)										
Person	2432	2.4	12.1	15.0	25.9	2268	2.6	12.5	15.2	26.7
BMI <18.5 for age 60 year and above (%)										
Person	478	3.4	10.7	24.4	39.5	452	3.4	10.9	24.4	39.9
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	264	7.6	8.7	60.1	96.9	255	7.8	8.8	58.9	97.3
Anaemia in the age group 5-9 years (%)										
Person	358	5.9	6.7	67.9	96.0	347	6.0	6.8	67.4	96.0
Anaemia in the age group 10-17 years (%)										
Person	811	7.0	8.8	60.2	91.6	778	7.2	9.0	59.7	91.9
Anaemia in the age group 18-59 years (%)										
Male	904	6.8	8.9	57.9	87.6	832	7.0	9.4	56.5	87.4
Female	1348	6.5	7.9	63.4	93.1	1261	6.8	8.2	62.3	92.9
Anaemia in the age group 60 years and above (%)										
Male	200	4.9	5.8	70.6	93.2	189	5.1	6.0	69.8	92.9
Female	218	5.9	6.7	67.8	96.3	205	6.1	6.9	66.9	96.6
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2744	1.6	26.8	3.3	11.0	2561	1.8	40.3	1.8	10.6
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2864	1.3	15.5	6.0	11.9	2678	1.4	16.7	5.6	11.8
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2864	0.4	6.1	5.0	6.6	2678	0.4	6.4	4.9	6.5
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2864	0.3	9.6	2.9	4.5	2678	0.4	10.0	2.9	4.5
Iodine content in Household Salt (more than 15 ppm) (%)	1307	7.3	8.4	61.1	96.9	1212	7.7	8.8	59.6	96.7

Indicators	Tehri Garhwal									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	533	2.5	17.2	10.0	21.3	512	2.6	17.2	10.1	21.8
Below -2 SD Stunting (Height for Age) (%)										
Person	537	4.0	7.8	42.1	59.7	516	4.0	7.9	42.2	60.1
Below -2 SD Underweight (Weight for Age) (%)										
Person	541	4.2	12.4	25.6	44.4	520	4.3	12.5	25.9	45.0
Below -2 SD Undernourished (BMI for Age) (%)										
Person	537	2.4	16.6	10.0	20.9	516	2.5	16.7	10.2	21.3
Above 2 SD Overnourished (BMI for Age) (%)										
Person	537	1.0	27.2	2.0	6.9	516	1.1	27.3	2.1	7.1
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1618	2.6	13.3	14.1	25.5	1545	2.6	13.5	14.2	25.9
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1618	0.3	36.4	0.3	1.7	1545	0.3	40.6	0.3	1.8
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2468	4.6	22.9	11.6	32.4	2245	5.0	26.7	9.8	32.5
BMI ≥25.0 for age 60 year and above (%)										
Person	622	2.6	14.5	12.7	24.3	578	2.5	15.0	11.6	22.8
BMI <18.5 for age 18-59 year (%)										
Person	2468	1.9	11.6	12.4	21.0	2245	2.0	11.9	12.8	22.0
BMI <18.5 for age 60 year and above (%)										
Person	622	2.8	12.4	16.7	29.2	578	2.9	12.5	17.0	29.9
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	351	1.0	1.1	93.8	99.4	341	1.1	1.1	93.6	99.4
Anaemia in the age group 5-9 years (%)										
Person	389	0.6	0.6	96.1	99.7	370	0.6	0.6	96.0	99.7
Anaemia in the age group 10-17 years (%)										
Person	789	0.4	0.4	96.6	98.4	754	0.3	0.4	97.0	98.5
Anaemia in the age group 18-59 years (%)										
Male	700	2.1	2.2	86.7	96.5	628	2.2	2.4	86.1	96.6
Female	1614	0.4	0.5	96.8	98.9	1479	0.5	0.5	96.8	99.0
Anaemia in the age group 60 years and above (%)										
Male	254	2.2	2.3	86.8	97.3	233	2.3	2.5	86.1	97.1
Female	329	1.4	1.4	91.9	98.8	308	1.3	1.4	92.0	99.2
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2966	1.8	19.3	5.9	14.0	2705	1.9	20.9	5.6	14.1
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3101	1.2	12.0	7.5	12.7	2829	1.2	13.2	6.9	12.4
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3101	0.5	10.4	3.7	5.9	2829	0.5	11.0	3.6	5.9
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3101	1.0	17.0	4.2	8.9	2829	1.1	18.9	3.9	8.9
Iodine content in Household Salt (more than 15 ppm) (%)	1549	8.2	9.2	56.2	97.9	1422	8.7	9.9	54.1	97.8

Indicators	Dehradun									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	324	1.4	18.0	5.4	11.9	243	1.6	18.7	5.7	13.0
Below -2 SD Stunting (Height for Age) (%)										
Person	323	4.9	17.0	19.1	40.5	243	5.5	17.0	21.5	45.8
Below -2 SD Underweight (Weight for Age) (%)										
Person	326	3.2	19.1	10.7	24.9	245	3.7	21.1	10.7	27.3
Below -2 SD Undernourished (BMI for Age) (%)										
Person	326	1.1	18.2	3.9	8.7	245	1.2	18.8	4.0	9.3
Above 2 SD Overnourished (BMI for Age) (%)										
Person	326	1.9	24.7	4.4	13.1	245	2.2	26.9	4.4	14.6
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1076	1.8	9.2	16.0	24.1	769	2.0	9.4	17.0	25.8
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1076	0.5	24.3	1.1	3.3	769	0.3	18.3	1.2	2.7
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2261	3.3	11.8	20.9	35.6	1443	5.4	22.9	13.6	37.9
BMI ≥25.0 for age 60 year and above (%)										
Person	577	3.2	10.8	22.8	37.1	289	4.7	22.8	11.8	32.9
BMI <18.5 for age 18-59 year (%)										
Person	2261	3.4	15.1	16.0	31.5	1443	5.7	22.4	14.9	40.5
BMI <18.5 for age 60 year and above (%)										
Person	577	3.4	18.1	12.3	27.8	289	6.9	24.8	15.0	45.4
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	250	1.7	1.8	88.7	96.5	197	1.6	1.7	90.4	98.7
Anaemia in the age group 5-9 years (%)										
Person	251	2.1	2.2	87.6	97.7	189	1.0	1.0	92.4	99.9
Anaemia in the age group 10-17 years (%)										
Person	604	3.6	4.0	78.2	95.0	444	1.6	1.7	90.4	98.3
Anaemia in the age group 18-59 years (%)										
Male	826	4.6	5.5	70.2	90.8	525	3.4	3.7	79.5	95.2
Female	1335	1.9	2.0	87.5	96.3	911	0.5	0.5	95.6	97.7
Anaemia in the age group 60 years and above (%)										
Male	275	3.3	3.7	79.9	95.6	139	2.3	2.4	86.6	97.6
Female	281	3.0	3.2	82.3	96.3	149	0.5	0.5	97.0	99.9
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2750	1.3	13.6	7.0	12.9	1724	1.5	26.2	3.1	10.0
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2830	1.8	12.3	11.2	19.4	1729	3.0	24.0	7.3	21.1
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2830	0.7	9.6	6.1	9.3	1729	0.4	7.8	4.7	6.7
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2830	0.7	9.6	6.1	9.4	1729	1.2	17.7	4.6	10.1
Iodine content in Household Salt (more than 15 ppm) (%)	1215	4.7	5.0	72.7	98.6	777	7.4	8.1	55.2	99.1

Indicators	Pauri Garhwal									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	522	1.8	9.3	15.4	23.4	370	2.4	11.7	15.6	26.5
Below -2 SD Stunting (Height for Age) (%)										
Person	516	4.1	12.6	24.0	42.4	364	5.5	17.1	21.1	45.5
Below -2 SD Underweight (Weight for Age) (%)										
Person	568	3.6	13.7	19.1	35.4	414	4.1	16.2	17.4	36.0
Below -2 SD Undernourished (BMI for Age) (%)										
Person	556	2.4	13.1	13.5	24.3	402	3.2	15.2	14.7	29.2
Above 2 SD Overnourished (BMI for Age) (%)										
Person	556	3.1	27.7	5.9	20.6	402	3.9	28.1	7.2	25.4
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	2050	2.9	14.5	14.4	27.8	1614	1.4	7.6	15.1	21.3
Above 2 SD Overnourished (BMI for Age) (%)										
Person	2050	1.2	27.7	2.2	7.7	1614	1.3	26.1	2.7	8.8
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	4064	1.8	8.9	16.5	24.6	3238	2.0	9.8	15.9	24.8
BMI ≥25.0 for age 60 year and above (%)										
Person	876	2.3	12.6	13.4	23.7	750	2.7	16.0	11.7	24.1
BMI <18.5 for age 18-59 year (%)										
Person	4064	2.5	9.2	22.0	33.2	3238	2.5	9.2	21.6	32.6
BMI <18.5 for age 60 year and above (%)										
Person	876	4.7	15.1	21.8	43.1	750	5.8	17.2	22.0	47.7
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	299	1.1	1.2	92.7	98.0	216	1.7	1.8	89.8	98.1
Anaemia in the age group 5-9 years (%)										
Person	435	0.9	0.9	94.4	98.7	369	1.1	1.1	93.3	98.8
Anaemia in the age group 10-17 years (%)										
Person	945	1.2	1.2	90.7	96.1	780	1.4	1.5	89.8	96.4
Anaemia in the age group 18-59 years (%)										
Male	1201	1.7	1.9	82.6	90.2	952	2.2	2.5	81.8	91.7
Female	2263	1.1	1.1	92.6	97.7	1867	1.3	1.4	91.2	97.4
Anaemia in the age group 60 years and above (%)										
Male	348	1.5	1.6	90.6	98.0	304	1.7	1.7	89.9	98.1
Female	398	0.7	0.7	94.6	97.9	336	0.7	0.7	94.5	97.8
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	4714	1.3	16.5	5.3	11.2	3778	1.4	15.9	6.1	12.5
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4919	0.7	6.4	9.2	12.3	3969	0.8	8.1	8.5	12.3
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	4919	0.4	7.0	5.5	7.6	3969	0.4	6.0	5.7	7.4
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4919	0.4	6.9	4.4	6.0	3969	0.4	9.1	3.9	5.9
Iodine content in Household Salt (more than 15 ppm) (%)	2248	4.6	5.1	73.8	97.3	1851	5.9	6.6	67.3	97.2

Indicators	Pithoragarh									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	125	8.6	30.5	13.0	50.6	104	9.9	44.9	7.2	51.1
Below -2 SD Stunting (Height for Age) (%)										
Person	129	3.4	15.8	15.0	30.6	104	4.1	17.7	15.1	33.6
Below -2 SD Underweight (Weight for Age) (%)										
Person	134	2.9	19.1	9.6	22.7	108	3.3	21.2	9.6	24.8
Below -2 SD Undernourished (BMI for Age) (%)										
Person	135	8.1	28.0	14.2	49.7	109	9.2	43.4	7.1	48.2
Above 2 SD Overnourished (BMI for Age) (%)										
Person	135	6.8	41.0	6.1	37.5	109	8.1	44.0	6.2	43.2
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	846	2.2	18.2	7.9	18.0	566	3.0	32.4	4.4	18.8
Above 2 SD Overnourished (BMI for Age) (%)										
Person	846	1.9	36.4	2.3	11.8	566	2.6	37.2	2.9	15.5
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2095	4.8	28.9	8.4	30.5	1518	5.7	36.0	6.7	33.1
BMI ≥25.0 for age 60 year and above (%)										
Person	564	7.6	33.3	10.0	43.9	481	7.7	38.8	7.7	42.7
BMI <18.5 for age 18-59 year (%)										
Person	2095	2.1	35.5	2.6	12.8	1518	2.8	39.7	2.8	16.8
BMI <18.5 for age 60 year and above (%)										
Person	564	5.0	50.0	3.0	27.9	-	-	-	-	-
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	71	7.5	12.1	44.0	76.6	55	8.2	14.0	39.4	74.8
Anaemia in the age group 5-9 years (%)										
Person	174	5.7	6.8	66.2	92.1	108	4.8	5.9	68.7	90.9
Anaemia in the age group 10-17 years (%)										
Person	344	6.0	7.2	65.1	92.5	205	4.1	5.0	70.7	89.5
Anaemia in the age group 18-59 years (%)										
Male	568	4.8	6.4	63.3	84.7	388	4.4	6.0	62.8	82.3
Female	783	3.5	4.2	73.6	89.1	547	2.5	3.0	75.8	86.7
Anaemia in the age group 60 years and above (%)										
Male	183	4.8	6.0	67.8	89.4	149	5.6	7.0	65.0	90.2
Female	172	4.4	5.0	73.8	94.1	148	5.0	5.8	70.9	93.8
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2642	1.6	22.4	4.2	11.5	1985	2.0	27.7	3.9	13.3
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2643	1.9	9.9	15.1	23.4	1985	0.9	4.9	17.0	21.1
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2643	2.7	23.9	6.5	18.6	1985	3.3	28.0	6.2	21.5
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2643	1.9	17.7	7.2	15.8	1985	2.5	23.8	6.1	17.5
Iodine content in Household Salt (more than 15 ppm) (%)	1241	15.3	26.9	24.8	84.3	939	13.9	22.1	31.0	86.4

Indicators	Bageshwar									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	117	3.0	22.2	8.1	21.9	98	3.0	20.9	8.8	22.7
Below -2 SD Stunting (Height for Age) (%)										
Person	120	6.6	19.4	21.0	50.1	98	7.3	21.4	20.0	52.2
Below -2 SD Underweight (Weight for Age) (%)										
Person	146	4.3	13.2	23.7	43.0	122	4.3	12.7	25.2	44.6
Below -2 SD Undernourished (BMI for Age) (%)										
Person	147	2.5	21.9	6.8	18.4	122	2.7	24.2	6.5	19.2
Above 2 SD Overnourished (BMI for Age) (%)										
Person	147	11.4	41.9	9.2	58.0	122	12.6	47.7	7.6	60.8
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1222	5.6	39.6	5.5	32.1	1100	6.0	41.3	5.4	33.8
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1222	3.0	36.8	3.5	18.0	1100	3.2	40.0	3.1	18.6
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2563	6.3	29.2	10.6	39.2	2254	6.8	32.9	9.3	40.2
BMI ≥25.0 for age 60 year and above (%)										
Person	574	4.7	28.9	8.2	29.7	505	5.0	31.5	7.5	30.5
BMI <18.5 for age 18-59 year (%)										
Person	2563	6.4	47.9	4.2	35.0	-	-	-	-	-
BMI <18.5 for age 60 year and above (%)										
Person	574	8.0	36.5	8.9	44.7	505	8.6	37.8	8.9	47.3
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	96	6.5	7.3	64.5	97.0	79	3.1	3.3	81.6	98.4
Anaemia in the age group 5-9 years (%)										
Person	173	3.5	3.8	79.6	96.5	145	1.9	2.0	88.3	97.7
Anaemia in the age group 10-17 years (%)										
Person	502	3.4	3.7	80.3	97.1	441	1.5	1.5	90.6	97.8
Anaemia in the age group 18-59 years (%)										
Male	671	3.2	3.4	81.5	97.5	554	2.3	2.4	86.5	98.5
Female	886	3.2	3.4	81.3	97.2	751	1.6	1.7	90.0	97.9
Anaemia in the age group 60 years and above (%)										
Male	212	4.4	4.9	74.6	95.6	185	4.1	4.5	76.4	96.9
Female	220	3.5	4.0	77.7	94.2	194	2.8	3.0	82.4	95.4
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3111	1.4	18.5	4.8	11.0	2741	1.1	17.4	4.4	9.6
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3120	2.1	20.7	6.3	16.0	2745	2.2	23.4	5.5	15.9
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3120	1.7	32.6	2.4	10.5	2745	1.8	35.2	2.3	11.1
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3120	5.1	26.9	9.9	32.9	2745	5.5	28.5	9.7	34.5
Iodine content in Household Salt (more than 15 ppm) (%)	1412	0.3	0.3	97.7	99.9	1256	0.3	0.3	97.3	99.9

Indicators	Almora									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	107	6.2	24.7	13.8	41.0	93	6.4	24.7	14.2	42.2
Below -2 SD Stunting (Height for Age) (%)										
Person	112	4.3	13.9	22.5	41.7	99	4.6	14.6	22.1	42.3
Below -2 SD Underweight (Weight for Age) (%)										
Person	120	8.8	27.4	16.2	54.0	106	9.3	29.1	15.4	55.1
Below -2 SD Undernourished (BMI for Age) (%)										
Person	121	6.4	26.9	12.4	40.5	107	6.6	27.1	12.6	41.6
Above 2 SD Overnourished (BMI for Age) (%)										
Person	121	10.3	49.2	6.2	51.6	-	-	-	-	-
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	731	2.8	18.4	9.8	22.2	637	2.7	20.6	8.2	20.5
Above 2 SD Overnourished (BMI for Age) (%)										
Person	-	-	-	-	-	-	-	-	-	-
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	-	-	-	-	-	-	-	-	-	-
BMI ≥25.0 for age 60 year and above (%)										
Person	654	2.7	32.1	4.1	17.1	566	2.8	36.0	3.4	16.9
BMI <18.5 for age 18-59 year (%)										
Person	1681	3.1	18.3	10.9	24.9	1420	3.3	19.6	10.7	25.8
BMI <18.5 for age 60 year and above (%)										
Person	654	7.5	25.2	15.9	49.0	566	8.1	25.9	16.3	51.6
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	62	3.8	4.0	78.4	98.2	57	3.9	4.2	77.5	98.1
Anaemia in the age group 5-9 years (%)										
Person	158	3.7	4.0	79.0	97.9	138	4.0	4.3	77.5	97.9
Anaemia in the age group 10-17 years (%)										
Person	398	3.0	3.4	80.9	94.9	346	3.2	3.5	80.3	95.1
Anaemia in the age group 18-59 years (%)										
Male	555	4.7	5.4	72.5	94.2	464	5.1	5.9	70.5	94.0
Female	902	1.7	1.8	88.9	96.8	776	1.7	1.8	88.9	97.0
Anaemia in the age group 60 years and above (%)										
Male	233	2.9	3.2	81.5	94.8	197	3.1	3.4	80.7	94.9
Female	334	1.3	1.4	91.3	97.5	299	1.2	1.3	91.9	97.7
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	2298	5.3	44.5	4.2	29.2	1958	5.7	48.0	3.8	31.0
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2301	2.5	21.5	7.0	18.1	1960	2.7	23.3	6.7	18.8
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	2301	1.1	19.8	3.5	8.3	1960	0.9	21.5	2.6	6.9
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	2301	4.2	31.4	6.5	25.8	1960	4.5	33.8	6.1	27.1
Iodine content in Household Salt (more than 15 ppm) (%)	1166	1.7	1.7	88.8	99.6	1009	1.8	1.9	87.8	99.6

Indicators	Champawat									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	297	3.6	15.1	16.7	33.4	238	4.9	20.3	14.7	37.3
Below -2 SD Stunting (Height for Age) (%)										
Person	290	4.2	11.8	26.8	46.2	235	6.7	22.3	17.0	47.1
Below -2 SD Underweight (Weight for Age) (%)										
Person	301	5.7	16.8	22.3	48.2	241	8.9	33.1	11.5	51.0
Below -2 SD Undernourished (BMI for Age) (%)										
Person	302	4.8	20.5	14.2	36.2	242	6.0	25.5	12.4	39.8
Above 2 SD Overnourished (BMI for Age) (%)										
Person	302	2.8	28.3	5.0	18.4	242	4.2	48.9	2.7	24.4
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1235	1.8	8.2	18.5	26.9	999	1.6	8.8	15.3	22.7
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1235	1.8	46.7	1.3	10.5	999	2.5	48.4	1.7	14.5
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	2689	2.5	12.7	14.7	26.1	2257	2.3	11.2	15.8	26.2
BMI ≥25.0 for age 60 year and above (%)										
Person	437	2.9	15.8	12.9	26.3	380	3.5	17.1	13.5	29.2
BMI <18.5 for age 18-59 year (%)										
Person	2689	2.2	18.0	7.9	17.8	2257	3.0	26.5	6.0	19.8
BMI <18.5 for age 60 year and above (%)										
Person	437	3.4	15.5	15.3	30.7	380	3.8	17.3	14.5	31.6
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	199	1.4	1.4	91.5	99.2	153	1.3	1.3	92.2	98.8
Anaemia in the age group 5-9 years (%)										
Person	353	2.7	2.9	83.9	97.7	267	4.2	4.7	75.8	97.0
Anaemia in the age group 10-17 years (%)										
Person	620	2.2	2.3	86.6	97.5	503	2.8	3.0	83.4	96.8
Anaemia in the age group 18-59 years (%)										
Male	1071	2.8	3.2	81.1	94.3	867	2.4	2.8	79.7	90.5
Female	1261	1.4	1.5	90.2	96.9	1077	1.5	1.6	88.8	95.8
Anaemia in the age group 60 years and above (%)										
Male	167	6.3	6.9	63.8	98.3	148	7.5	8.2	55.1	98.9
Female	187	2.3	2.5	85.1	96.1	158	2.7	3.0	83.2	96.3
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3068	5.3	39.6	5.2	30.4	2599	7.0	42.1	6.0	38.7
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3101	1.4	18.8	4.8	11.1	2618	1.5	22.1	4.1	11.1
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3101	5.3	46.2	3.9	29.9	-	-	-	-	-
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3101	3.2	27.9	6.0	21.1	2618	4.3	31.0	6.7	26.6
Iodine content in Household Salt (more than 15 ppm) (%)	1178	6.2	7.1	66.0	95.9	983	8.0	9.2	57.5	97.0

Indicators	Nainital									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	288	1.7	13.9	8.9	16.6	151	1.7	9.7	14.2	22.0
Below -2 SD Stunting (Height for Age) (%)										
Person	288	8.7	23.8	19.7	57.2	150	14.6	38.1	13.3	71.7
Below -2 SD Underweight (Weight for Age) (%)										
Person	321	4.7	20.5	14.1	35.3	176	6.3	17.9	22.4	50.0
Below -2 SD Undernourished (BMI for Age) (%)										
Person	315	1.7	15.5	7.7	15.4	174	1.7	10.7	12.3	19.9
Above 2 SD Overnourished (BMI for Age) (%)										
Person	315	5.8	27.4	10.9	37.2	174	9.6	25.8	18.9	59.9
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1215	1.7	13.7	9.2	17.1	789	1.9	24.4	4.4	13.3
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1215	2.6	31.1	4.0	16.2	789	5.3	42.0	4.6	29.8
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	3217	3.5	13.2	19.5	35.4	2305	5.6	27.7	10.4	35.8
BMI ≥25.0 for age 60 year and above (%)										
Person	748	4.4	16.4	17.9	37.5	577	5.8	24.3	13.2	39.1
BMI <18.5 for age 18-59 year (%)										
Person	3217	1.3	15.4	5.9	11.9	2305	0.8	12.0	4.9	8.5
BMI <18.5 for age 60 year and above (%)										
Person	748	1.6	18.3	5.7	12.9	577	0.7	10.4	5.6	8.9
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	134	2.8	3.0	83.2	98.4	58	4.7	5.0	68.8	99.3
Anaemia in the age group 5-9 years (%)										
Person	263	1.0	1.1	93.8	99.1	163	1.6	1.7	90.1	99.2
Anaemia in the age group 10-17 years (%)										
Person	546	3.1	3.4	81.1	96.2	375	4.9	5.4	72.6	96.3
Anaemia in the age group 18-59 years (%)										
Male	1110	2.5	2.8	84.2	96.4	793	2.6	2.8	84.2	97.0
Female	1392	2.2	2.4	86.7	98.1	1013	3.5	3.7	79.8	98.3
Anaemia in the age group 60 years and above (%)										
Male	319	3.2	3.4	81.2	98.4	246	4.4	4.6	71.1	99.3
Female	294	3.6	4.0	78.6	96.3	229	5.2	5.7	70.4	98.0
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3815	1.7	16.4	7.2	15.2	2788	2.2	25.4	4.9	15.4
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3897	2.8	18.2	10.2	23.1	2825	3.7	36.8	4.3	22.2
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3897	1.3	15.7	5.6	11.3	2825	2.1	31.4	3.3	13.4
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3897	1.5	14.2	7.7	14.6	2825	2.8	26.1	5.7	18.6
Iodine content in Household Salt (more than 15 ppm) (%)	1691	0.5	0.5	96.7	99.3	1254	0.7	0.7	95.9	99.3

Indicators	Udham Singh Nagar									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	461	3.9	20.5	11.6	29.3	319	6.1	29.1	10.3	37.7
Below -2 SD Stunting (Height for Age) (%)										
Person	460	4.1	11.1	28.1	46.5	317	6.2	18.3	21.4	48.7
Below -2 SD Underweight (Weight for Age) (%)										
Person	500	4.3	15.4	19.3	38.6	348	5.6	18.6	19.2	44.3
Below -2 SD Undernourished (BMI for Age) (%)										
Person	498	4.3	22.0	11.5	30.8	346	6.5	29.9	10.5	39.8
Above 2 SD Overnourished (BMI for Age) (%)										
Person	498	2.7	19.3	8.8	21.0	346	2.3	15.9	9.8	20.1
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	1645	1.3	6.0	19.7	25.8	1155	0.9	3.9	20.7	24.6
Above 2 SD Overnourished (BMI for Age) (%)										
Person	1645	0.8	25.2	1.8	5.6	1155	1.2	31.8	1.8	7.7
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	3108	2.1	8.1	21.0	30.5	2202	3.1	13.0	17.8	31.8
BMI ≥25.0 for age 60 year and above (%)										
Person	408	4.5	17.9	16.6	36.8	315	6.0	25.8	12.5	39.4
BMI <18.5 for age 18-59 year (%)										
Person	3108	0.9	6.8	11.4	15.5	2202	1.1	8.5	10.3	15.3
BMI <18.5 for age 60 year and above (%)										
Person	408	4.0	23.5	9.6	27.9	315	4.0	24.6	9.1	27.4
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	197	1.5	1.6	90.2	97.4	151	1.7	1.8	88.5	96.5
Anaemia in the age group 5-9 years (%)										
Person	312	2.4	2.5	85.6	98.8	217	2.9	3.0	82.5	99.0
Anaemia in the age group 10-17 years (%)										
Person	620	3.6	4.0	78.3	95.3	430	4.6	5.1	74.1	96.9
Anaemia in the age group 18-59 years (%)										
Male	970	6.3	7.6	64.0	92.9	668	5.4	6.1	69.8	95.9
Female	1114	2.9	3.2	81.8	95.4	727	3.1	3.4	81.4	96.7
Anaemia in the age group 60 years and above (%)										
Male	140	3.4	3.7	79.7	95.7	107	3.9	4.2	77.7	97.1
Female	143	3.9	4.3	77.1	95.8	106	2.8	3.0	83.3	97.1
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	3284	2.4	11.9	15.4	26.4	2338	3.4	11.9	11.0	26.5
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3462	2.1	11.9	11.5	21.2	2476	3.2	11.9	11.4	25.7
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	3462	0.8	11.9	4.8	8.2	2476	0.8	11.9	5.3	8.8
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	3462	0.7	11.9	9.8	13.0	2476	0.9	11.9	10.2	14.5
Iodine content in Household Salt (more than 15 ppm) (%)	1244	6.8	8.3	61.7	93.2	897	5.9	6.7	67.6	96.0

Indicators	Haridwar									
	Total					Rural				
	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit	Sample Size	Standard Error	PRSE	Lower Limit	Upper Limit
Nutritional status below 5 years										
Below -2 SD Wasting (Weight for Height) (%)										
Person	766	1.9	18.2	7.0	15.9	582	2.8	24.4	6.6	19.7
Below -2 SD Stunting (Height for Age) (%)										
Person	755	3.2	6.0	45.1	59.2	574	2.0	3.4	52.9	61.7
Below -2 SD Underweight (Weight for Age) (%)										
Person	789	4.0	12.2	24.5	42.4	603	4.3	11.4	28.6	47.8
Below -2 SD Undernourished (BMI for Age) (%)										
Person	778	2.1	23.9	5.0	14.6	594	2.9	28.7	5.2	19.0
Above 2 SD Overnourished (BMI for Age) (%)										
Person	778	1.0	19.4	3.2	7.7	594	1.5	27.4	2.8	9.7
Nutritional status 5-18 years										
Below -2 SD Undernourished (BMI for Age) (%)										
Person	2326	1.8	7.8	18.9	26.8	1706	1.7	6.9	21.7	29.6
Above 2 SD Overnourished (BMI for Age) (%)										
Person	2326	0.5	29.7	0.9	3.4	1706	0.1	34.3	0.2	0.9
Nutritional status 18 years and above										
BMI ≥25.0 for age 18-59 year (%)										
Person	3820	2.3	10.6	16.9	27.3	2588	1.0	8.2	10.6	15.3
BMI ≥25.0 for age 60 year and above (%)										
Person	613	6.7	29.1	11.3	41.3	412	1.5	19.2	4.9	11.6
BMI <18.5 for age 18-59 year (%)										
Person	3820	2.1	8.0	21.4	30.7	2588	1.7	5.2	29.0	36.7
BMI <18.5 for age 60 year and above (%)										
Person	613	5.2	15.8	22.3	45.3	412	3.7	8.6	35.2	51.9
Anaemia status by Haemoglobin Level										
Anaemia in the age group 6-59 months (%)										
Person	474	1.4	1.5	91.5	99.0	383	0.8	0.8	95.3	99.2
Anaemia in the age group 5-9 years (%)										
Person	456	2.0	2.1	88.0	98.9	355	1.4	1.4	91.0	99.5
Anaemia in the age group 10-17 years (%)										
Person	1146	4.1	4.4	76.7	97.5	838	1.4	1.4	91.6	99.0
Anaemia in the age group 18-59 years (%)										
Male	1440	5.5	6.2	69.5	96.4	925	2.9	3.1	83.1	97.9
Female	1869	4.0	4.3	77.1	97.8	1282	2.4	2.5	85.8	98.9
Anaemia in the age group 60 years and above (%)										
Male	258	1.4	1.5	90.1	96.8	179	1.7	1.7	89.9	98.3
Female	297	2.1	2.2	87.3	97.2	189	1.8	1.8	89.0	99.3
Blood Sugar Level (18 years and above)										
Blood Sugar Level ≥110 mg/dl (%)										
Person	4210	0.8	10.9	5.8	9.5	2868	1.2	22.4	3.2	8.8
Hypertension (18 years and above)										
Above Normal Range										
Systolic ≥140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4449	1.2	9.8	10.1	15.8	3009	2.1	20.6	6.4	16.2
Systolic ≥140mm of Hg & Diastolic <90mm of Hg (%)										
Person	4449	0.5	9.5	4.2	6.5	3009	0.6	14.5	3.2	6.1
Systolic <140mm of Hg & Diastolic ≥90mm of Hg (%)										
Person	4449	0.5	6.6	6.9	9.3	3009	0.9	15.0	4.1	8.1
Iodine content in Household Salt (more than 15 ppm) (%)	1627	4.9	6.6	62.3	84.4	1135	7.5	12.7	42.0	74.9

Note: Confidence Intervals are computed by logit transformation method using SPSS application.