



# ANNUAL HEALTH SURVEY 2010-11 FACT SHEET



## MADHYA PRADESH



Office of the Registrar General & Census Commissioner, India  
Ministry of Home Affairs, Government of India  
2/A, Mansingh Road, New Delhi-110 011







Vital Statistics Division  
Office of the Registrar General & Census Commissioner, India  
New Delhi  
Website : [www.censusindia.gov.in](http://www.censusindia.gov.in)





## Index

	Page No.
1. Introduction	i-xvii
2. Sample Particulars	1-5
3. Wealth Index	6
4. Household Characteristics	7-8
5. Sex Ratio	9-10
6. Effective Literacy Rate	11
7. Marriage	12-14
8. Schooling Status	15-16
9. Work Status	17-18
10. Disability	19-20
11. Injury	21-24
12. Acute Illness	25-32
13. Chronic Illness	33-48
14. Personal Habits	49-53
15. Fertility	54-62
16. Abortion	63-66
17. Family Planning Practices	67-71
18. Unmet Need for Family Planning	72
19. Ante Natal Care	73-79
20. Delivery Care	80-85
21. Post Natal Care	86-88
22. Janani Suraksha Yojana (JSY)	89-90
23. Immunization, Vitamin A & Iron Supplement and Birth Weight	91-96
24. Childhood Diseases	97-99
25. Breastfeeding and Supplementation	100-105
26. Birth Registration	106-107
27. Awareness	108-110
28. Mortality	111-120
29. Confidence Interval (95%) for some important Indicators	121-123
30. Housing Characteristics	124-130
31. Annexure	131-151



## Introduction

Decentralized district-based health planning is essential in India because of the large inter-district variations. In the absence of vital data at the district level, the State level estimates are being used for formulating district level plans as well as setting the milestones thereof. In the process, the hotspots (districts requiring special attention) very often get masked by the State average. This statistical fallacy compounds the problems of the districts acutely, more so in the health sector. At present, none of the Surveys provides estimates of core vital indicators on fertility and mortality at district level. The District Level Household Survey conducted with periodicity of five years mainly focuses on indicators pertaining to maternal health and child welfare programmes. There has, therefore, been a surge in demand from various quarters, in recent years, to generate timely and reliable statistics at the district level for informed decision making in the health sector.

## Genesis

2. The Annual Health Survey (AHS) was conceived during a meeting of the National Commission of Population held in 2005 under the Chairmanship of the Prime Minister wherein it was decided that “there should be an Annual Health Survey of all districts which could be published / monitored and compared against benchmarks”. The objective was to monitor the performance and outcome of various health interventions of the Government including those under National Rural Health Mission (NRHM) at closer intervals through these benchmark indicators. The AHS has been made an integral part of the NRHM, Ministry of Health & Family Welfare. The responsibility of the project has been entrusted to the Office of the Registrar General, India on behalf of the Ministry of Health & Family Welfare in view its expertise in handling the Sample Registration System, one of the largest demographic surveys in the world.

## Objective

3. Realizing the need for preparing a comprehensive district health profile on key parameters based on a community set up, the AHS has been designed to yield benchmarks of core vital and health indicators at the district level; prevalence of disabilities, injuries, acute and chronic illness and access to health care for identified morbidities; and access to maternal, child health and family planning services. By virtue of being a panel survey, it has the unique ability to map the rate of change in these indicators on a yearly basis. AHS would, thus, enable better capturing of the health seeking behaviour of the public as compared to other periodic cross-sectional surveys, and also help needed corrections in the strategies.

## Coverage

4. The sample size at the district level has been derived taking Infant Mortality Rate as the decisive indicator and host of other practical issues related to execution of the survey. Keeping in view the mammoth size of the sample, it was a conscious decision of the Government to initially confine the survey to the 284 districts (as per 2001 Census) of the 8 Empowered Action Group States (Bihar, Jharkhand, Uttar Pradesh, Uttarakhand, Madhya Pradesh, Chhattisgarh, Odisha and Rajasthan) and Assam for a three year period starting from 2010-11. These 9 high focus States with relatively high fertility and mortality account for about 48 percent of the total population in the country. A representative sample of 20,694 statistically selected Primary Sample Units (PSUs - Census Enumeration Blocks in case of urban areas and villages or a segment thereof in

case of larger villages in rural areas) based on 2001 Census has been drawn from these AHS States which would cover about 18 million population and 3.6 million households each year. However, during the Base-line Survey, a total of 20.1 million population and 4.14 million households have actually been covered. Despite being restricted to 9 States, the AHS is the largest demographic survey in the world and covers two and a half times that of the Sample Registration System.

### **Fieldwork Strategy**

5. The project is being implemented as a hybrid model wherein the actual field work has been outsourced to seven selected Survey Agencies on the pattern of National Family Health Survey (NFHS) and District Level Household Survey (DLHS). The co-ordination, supervision and monitoring of the fieldwork in the States are being carried out by dedicated staff posted at various levels in the respective Directorate of Census Operations (DCOs). The responsibility for overall co-ordination, supervision and monitoring across the nine AHS States rests with the AHS Division of ORGI. For smooth and effective execution of the survey, the AHS States have been divided into 18 mutually exclusive and exhaustive zones, each having a group of contiguous districts with more or less equal workload.

### **Technical Consultation**

6. The outline of the survey such as approach, periodicity, coverage, sampling strategy, sample size, permissible levels of relative standard errors, and levels of aggregation, was finalized after a series of deliberations with the representatives from Ministry of Health & Family Welfare, National Sample Survey Office (NSSO), Central Statistics Office (CSO), Ministry of Woman & Child Development, Indian Council of Medical Research, Planning Commission, International Institute for Population Sciences and other subject experts. Based on the recommendations, various technical details including preparation of sample design, derivation of sample size etc. were worked out and vetted by the Technical Advisory Group (TAG) constituted for the purpose.

### **Sample Design**

7. The Sample design adopted for Annual Health Survey is a uni-stage stratified simple random sample without replacement except in case of larger villages in rural areas (population more than or equal to 2000 as per 2001 Census), wherein a two stage stratified sampling has been applied. The sample units are Census Enumeration Blocks (CEBs) in urban areas and villages in rural areas. In rural areas, the villages have been divided into two strata. Stratum I comprises villages with population less than 2000 and Stratum II contains villages with population 2000 or more. Smaller villages with population less than 200 were excluded from the sampling frame in such a manner that the total population of villages so excluded did not exceed 2 per cent of the total population of the district. In case of Stratum I, the entire village is the sample unit. In case of Stratum II, the village has been divided into mutually exclusive (non-overlapping) and geographically contiguous units comprising group of EBs called segments of more or less equal size and population not exceeding 2000 in any case. One segment from the frame of segments thus prepared was selected in a random manner to represent the selected village at the second stage of sampling.

8. The number of sample villages in each district was allocated between the two strata proportionally to their size (population). The villages within each size stratum were further ordered by the female literacy rate based on the Census 2001 data, and three

disjoint and equal size substrata were established. The sample villages within each substratum were selected by simple random sampling without replacement. Similarly, in urban areas, the Census Enumeration Blocks within a district were ordered by the female literacy rate based on the Census 2001 data, and three disjoint and equal size substrata were established. The sample Census Enumeration Blocks within each substratum were selected by simple random sampling without replacement. Thus, female literacy which has a direct bearing on the fertility behaviour was used for implicit stratification. Further, the process of selection ensured equal representation across three sub-strata both in rural as well as in urban areas of a district besides rendering the sample design as self-weighting.

### **Sample Size**

9. Generating robust estimates of Infant Mortality Rate at the district level has become an utmost necessity as reduction in Infant Mortality constitutes one of the key targets in the Reproductive & Child Health Programme (RCH) under the umbrella of NRHM. This would also facilitate effective tracking of the Millennium Development Goal 4 on Child Mortality. The Infant Mortality Rate has therefore been taken as the decisive indicator for estimation of sample size at the district level. The permissible level of error has been taken as 10 percentage relative standard error (prse) at the district level. The sample size so worked out would yield relatively better estimates of Crude Birth Rate / Crude Death Rate and may also enable generation of rarer indicators like MMR (for a group of districts) with good precision. In the absence of district level estimates from any other reliable source, the district level derived estimates of IMR based on SRS pooled data have been used for estimation of sample size for each district.

### **Sample Identification Work**

10. One of the essential prerequisites for the commencement of the survey was to uniquely identify the sample units on ground. This was done in all the sample units across the nine AHS States by the regular staff of ORGI. The work involved firming up of the boundary of the selected villages / Enumeration Blocks; resorting to segmentation in case of villages exceeding the population 2000, random selection of segment thereof and drawing of appropriate notional maps of the sample units to serve as the base map for the survey work.

### **Survey Tools**

11. The Baseline Survey in all the nine AHS States was carried out during July 2010 to March 2011 and four Schedules, in all, were administered. These are: (i) House-listing Schedule, (ii) Household Schedule, (iii) Woman Schedule and (iv) Mortality Schedule. In the House-listing Schedule, besides the mapping and listing of all the houses and households in a sample unit, some key particulars relating to the housing characteristics (type and ownership), basic amenities available to the household and assets possessed by them were collected. In the Household Schedule, all Usual Residents as on 01.01.2010 were listed and for each listed member, information on background characteristics like Name, Sex, Relationship to Head, Date of Birth, Age, Religion, Social Group, Marital Status, Date at first Marriage, Education and Occupation/Activity Status was captured. Besides, information in respect of Disability, Morbidity (Injuries, Acute Illness, and Chronic Illness) and Personal Habits (like Chewing, Smoking and Consumption of Alcohol) was also collected wherever applicable. Woman Schedule comprised two sections. Section-I was administered to all Ever Married Women (EMW) aged 15-49 years and information relating to the outcome of pregnancy(s) (live birth/still

birth/abortion); birth history; type of medical attention at delivery; details of maternal health care(ante-natal/natal/post-natal); immunization of children; breast feeding practices including supplements; occurrence of child diseases (Pneumonia, Diarrhoea and fever); registration of births, etc. taken place during the reference period i.e. 01.01.2007 to 31.12.2009 was collected. Section II focused on information on pregnancy; use, sources and practices of family planning methods; details relating to future use of contraceptives and unmet need; awareness about RTI/STI, HIV/AIDS, administration of HAF/ORT/ORS during diarrhoea and danger signs of ARI/Pneumonia; and these details were collected from all Currently Married Women aged 15-49 years.

12. Through the Mortality Schedule, details relating to death occurred to usual residents of sample household during 01.01.2007 to 31.12.2009 were captured and it included information on name & sex of deceased, date of death, age at death, registration of death and source of medical attention received before death. For infant deaths, a question on symptoms leading to death was also probed. In case of deaths associated with pregnancy, information on a variety of questions on factors leading/contributing to death, symptoms leading to death, time between onset of complications and death, etc. was asked to yield data on various determinants of maternal mortality. These schedules were finalized after a series of deliberations in the TAG and thereafter piloting in the field situation. The fieldwork in sample units was carried out by teams of field enumerators which had at least one female in each team. This was done to ensure that besides canvassing of woman schedule, questions on morbidity for female members in household schedule and questions relating to infant deaths as well as deaths associated with pregnancy in the mortality schedule were also probed and recorded only by the female enumerator.

### **Training**

13. Since information on morbidity, disability and few specific details in case of infant and maternal deaths etc. were collected at the district level in such a large survey setup for the first time, adequate emphasis was given to training. An exhaustive training manual for the field staff was prepared with inputs from various stakeholders and subject experts. A three day 'Training of Trainers' programme was organized at New Delhi prior to commencement of State/Zone level training sessions wherein experts imparted training on concepts, definitions and how best to collect data on different parameters. A pool of medical doctors was arranged with the help of National Institute of Health & Family Welfare (NIHFW) who imparted training to the field staff on disability and morbidity during State/Zone level training programmes. A standardized Video Training Module was specially developed for the purpose. Officers from ORGI and DCOs were deputed to observe the training programmes conducted at State level by Survey Agencies.

### **Supervision and Third Party Audit**

14. In addition to the multilayer supervision mechanism adopted by the Survey Agencies, regular inspections were carried out by the officers/officials of respective DCOs and those from ORGI headquarters to ensure the data quality. The inspections were a judicious mix of concurrent as well as post survey audit. Over and above, a component of Third Party Audit was included to verify and authenticate the surveyed data through an independent mechanism. The Third Party Audit work was carried out in 20 randomly selected AHS units in each of the districts covering every fourth household thereof by following a standard protocol prescribed by ORGI. Truncated versions of Household, Women and Mortality Schedules were filled in afresh by the field staff of the Third Party



Audit Agencies. The findings in respect of key indicators were matched and re-survey was undertaken by the Survey Agencies in units where the variation was outside the permissible limit. The third party audit also helped in netting of missed vital events, particularly rarer ones like infant and maternal deaths.

### **Dissemination of Results**

15. In view of the large volume of data collected under AHS and significant time required for validation and processing, dissemination of AHS results is done in two phases. The first set of data was released in August 2011 in the form of State-wise bulletins, which contained the district level data on crude birth rate, crude death rate, natural growth rate, infant mortality rate, neo-natal and post neo-natal mortality rates, under 5 mortality rate, sex ratio at birth, sex ratio (0-4 years) and overall sex ratio. In addition, the Maternal Mortality Ratio (MMR), Maternal Mortality Rate and life time risk were released for a group of districts. In order to facilitate direct intervention, the maternal mortality indicators were combined and released for a group of districts on the basis of existing administrative divisions in the respective AHS States.

16. Under the present phase of dissemination, data on host of other important parameters covered in AHS under Household and Woman Schedules are being released in the form of State and District Level Factsheets. Though the sample size has been calculated for the district as a whole, the rural and urban estimates at the district level have also been published as byproduct. Users are advised to keep the above fact into consideration while using the rural / urban estimates of a district. In order to ward off unusual sampling fluctuations, the urban estimates have not been published in respect of some indicators for the districts where the number of urban sample units was less than six. To begin with, number of PSUs, Households, Population, Ever Married Women, Currently Married Women, Children aged 12-23 months (as on date of survey) covered in the sample of each district and the State along with their rural-urban breakup have been given to provide the users requisite insight on the metadata. The indicators contained in the AHS Bulletin have also been reproduced in these Factsheets so that the users may have access to complete set of indicators at one place. However, they may refer to the AHS Bulletin for details on metadata.

### **Wealth Index**

17. A few relevant indicators based on House-listing Schedule, which would help in assessing the economic profile of the households such as, structure of the house where the household is residing, i.e. Pucca/Kachcha; Ownership status of the house, i.e. Owned/Rented; Improved source of drinking water; Treatment of water by the households to make it safer for drinking; Access to toilet facility; Access to electricity; Main Source of lighting; Main source of fuel used for cooking; Availability of kitchen; and Possession of Computer/Telephone/Mobile have also been tabulated. In the absence of income and expenditure measures of economic status, household wealth Index has been constructed at State level for each of the nine study States using the assets possessed and the facilities availed by the households as mentioned above to determine a household's relative economic status and also to assess the differential impact with respect to health outcomes or health service utilization thereof. The technique of Principal Component Analysis (PCA) has been used to determine variable weightings. Similar approach was also followed in NFHS and DLHS Household Wealth Index.

18. The list of variables used for the development of wealth index along with their coding structure is given below:

List of Variables selected for the development of HH Wealth Index	
Assets	Coded Categories
Type of Structure of the House	Pucca House=1 Otherwise=0
Main Source of drinking water	Piped water into dwelling/yard/plot, Public tap/stand pipe, Hand pump, Tube well or bore well , Protected dug well = 1 Otherwise=0
Type of Toilet Facility mainly Used	Flush/Pour Flush Latrine – connected : to piped sewer line /septic tank/ pit latrine/somewhere else, Pit Latrine (Without flush/pour flush): Ventilated improved pit, Pit latrine with slab = 1 Otherwise=0
Household having Electricity	Yes=1, No= 0
Main Source of lighting	Electricity, Solar=1, Otherwise=0
Main Source of Fuel used for Cooking	LPG/PNG, Electricity, Biogas= 1, Otherwise=0
Number of Dwelling rooms exclusively in the possession of household	Household having no dwelling room exclusively in possession = 0, 1 dwelling room exclusively in possession = 1, 2 dwelling rooms exclusively in possession = 2, 3 dwelling rooms exclusively in possession = 3, 4 dwelling rooms exclusively in possession = 4, 5 dwelling rooms exclusively in possession = 5, 6 dwelling rooms exclusively in possession = 6, 7 dwelling rooms exclusively in possession = 7, 8 dwelling rooms exclusively in possession = 8, 9 or more dwelling rooms exclusively in possession=9
Availability of Kitchen	Cooking inside or Outside House - Has Kitchen=1, Otherwise=0
Possession of Radio/Transistor	Yes=1, No= 0
Possession of Television	Yes=1, No= 0
Possession of Computer/Laptop	Computer/Laptop with or without internet connection = 1, No =0
Possession of Telephone/Mobile Phone	Telephone, Mobile Phone or both = 1, No=0
Possession of Washing Machine	Yes=1, No= 0
Possession of Refrigerator	Yes=1, No= 0
Possession of Sewing Machine	Yes=1, No= 0
Possession of Bicycle	Yes=1, No= 0
Possession of Two wheeler (Scooter/Motorcycle/Moped)	Yes=1, No= 0
Possession of Car/Jeep/Van	Yes=1, No= 0
Possession of Tractor	Yes=1, No= 0
Possession of Water Pump/Tube well	Yes=1, No= 0
Possession of Cart (Driven by animal/machine/other)	Cart-Driven by animal/machine/other=1, Doesn't have =0
Land Possessed (in hectares)	No land= 0, Less than 0.02 hectare = 1, 0.02 to less than 1.00 hectare = 49, 1.00 to less than 4.00 hectares = 250, 4.00 to less than 10.00 hectares =700, 10.00 hectares or more=1000



Considering these variables, principal component analysis technique was applied and each of the above household assets/ facilities was assigned a weight or a factor loading. The Asset Scores have then been computed for each single household by using the following formula:

$$\text{HH Asset Score (AS)} = \frac{[\text{Value of Asset Variable} - \text{Mean of Asset Variable}]}{\text{Standard Deviation of Asset Variable}} \times \text{Weight of component I}$$

Subsequently, the Asset Scores of all the variables were added at the household level to get the Total Asset Score for each of the households. Thereafter the households were ranked according to their individual Household Asset Score (HHAS) and then divided into five quintiles with the same number of households in each. This provided the cut off points or the ranges for each quintile. The highest (20%) and the lowest (20%) quintiles have been published for each of the districts in a State to highlight the extreme disparity in the household's relative economic well being. The value of the indicators corresponding to these quintiles is outside the purview of this factsheet and would be presented in State level reports.

### Marriage

19. The information on marital status as on 01.01.2010 was probed in respect of all household members (Usual Residents) irrespective of their age. For those who were married, the date of first marriage was recorded. Using this, age at first marriage, which has a direct impact on child bearing as women marrying early have on an average a longer period of exposure to pregnancy and a greater number of lifetime births, was obtained. Using the age data, the mean age at marriage for males and females has been worked out and included in the Factsheet. The mean age at marriage is based on the marriages to the members of the household (Usual Residents as on 1.1.2010) taken place during 2007-09. The proportion of marriages among males and females taking place below the legal age, i.e., 21 and 18 years respectively, has also been tabulated. Such proportions are also based on the marriages to the members of the household (Usual Residents as on 1.1.2010) taken place during 2007-09. Besides, the percentage of Currently Married Women aged 20-24 years marrying before legal age (18 years) and percentage of Currently Married Men aged 25-29 years marrying before legal age (21 years) have been worked out and presented.

### Disability and Injury

20. The data on any type of disability as on date of survey was collected in respect of all the usual residents. The type of disability included 'mental', 'visual', 'hearing', 'speech', 'loco-motor' and 'multiple'. The prevalence of any type of disability per 1,00,000 population by gender and residence at the district and State levels has been presented in the factsheet. Since it is difficult to capture the type of injury and its severity from lay reporting, an attempt has been made to assess the severity of injury from the type and duration of hospitalization required. This would also provide an assessment of the workload on hospitals / doctors on account of injury. Accordingly, the type of treatment meted to the injury during last one year of the date of survey has been collected. The categories by type of treatment included 'treated in intensive care unit for any time-1, treated as in-patient with stay more than two weeks-2, treated as in-patient with stay one to two weeks-3, treated as in-patient with stay less than one week-4, treated as out-patient-5, treated by traditional healers-6, and treated at home-7'. Based on these

categories, the number of persons injured by type of treatment received per 1,00,000 population, have been categorized into severe (by including categories 1 & 2), major (by including categories 3 & 4) and minor (by including categories 5 & 6) groups. Those treated at home have been excluded from the above categorization and thus from the analysis also.

### **Acute Illness**

21. On the morbidity front, if any member (usual resident) of the household suffered from any 'acute illness' during last fifteen days prior to the date of survey, the type of illness has been ascertained. Based on this data, persons suffering from acute illness per 1,00,000 population has been presented for a few select diseases like diarrhoea / dysentery; acute respiratory infection & all types of fever and also for any type of acute illness. Besides, the source from where the treatment for the acute illness was taken has also been included. Accordingly, two important indicators, viz., percentage of persons suffering from acute illness and taking treatment from any source and percentage of persons suffering from acute illness and taking treatment from Government source have been presented. The latter gives the share of Government source across all types of sources availed for taking treatment. It may be noted that the entire fieldwork was carried out over a period of six to seven months and in the process, districts were covered at different points of time (i.e., months / seasons). The seasonality effect may be taken note of while interpreting the results.

### **Chronic Illness**

22. The data in respect of chronic illness has been collected based on the symptoms pertaining to a particular illness persisting for more than one month and also in respect of illnesses where it was diagnosed. For both the cases, the reference period was last one year preceding the date of survey. For ascertaining information on symptoms, a list of symptoms associated with various types of diseases was provided along with a separate category for asymptomatic (i.e., having no symptoms). The asymptomatic included those who were not suffering from any illness as well as those who were suffering but had no symptoms. Using this data, percentage of persons having any kind of symptoms of chronic illness along with their source of treatment has been presented. As regards chronic illnesses diagnosed, this was included to measure the extent to which facilities for diagnosis and treatment of some major chronic illnesses set up by centre/State/local Government / private agencies have been utilized. A list of common chronic diseases and those pertaining to major health intervention programmes was provided. Based on this data, percentage of persons diagnosed for a few important diseases such as diabetes, hypertension, tuberculosis, asthma / chronic respiratory disease and arthritis per 1,00,000 population has been presented besides those diagnosed for any type of chronic illness. Using the data collected on source of diagnosis, status with regard to getting regular treatment and source of treatment, percentage of persons having diagnosed for any kind of chronic illness and getting regular treatment as well as those getting regular treatment from Government source has been worked out and included in the Factsheet. Since the data on morbidity has been elicited as reported by the respondents, it may suffer on account of accuracy. Nevertheless, the availability of such a rich data set at the district level would fill in the much awaited void and pave the way for evidence-based health planning and appropriate interventions.

### Personal Habits

23. During the base-line survey, information on personal habits such as chewing practices, smoking and consumption of alcohol has been collected for all the usual residents of age 15 years and above. Under chewing habits, the information has been separately collected for chewing with and without tobacco. Based on the data, the percentage of population by habit of chewing with and without tobacco, percentage of population by habit of smoking and percentage of population by habit of drinking alcohol, for the usual residents of age 15 years and above, have been presented. Both for smoking and consuming alcohol, the proportion is based on usual as well as occasional smokers / drinkers. The usual smoker is the one who smokes at least once every day and the usual drinker, who drinks at least once every week. The data on disability, morbidity as well as personal habits have been given by residence and sex to capture the differentials. The enumerators were specifically instructed to collect information pertaining to morbidity as well as personal habits from the concerned individuals in privacy and with due sensitivity in order to elicit proper response to the extent possible.

### Fertility

24. The Total Fertility Rate (TFR), which is an age-period fertility rate for a synthetic cohort of women, measures the average number of births a group of women would have by the time they reach 50 years of age if they were to give birth at the current age-specific fertility rates. The TFR is expressed as the average number of births per woman. Under AHS, TFR has been calculated by dividing three years average of all births reported during the reference period, i.e., 2007-09 by all the women in respective age group. The seven five-yearly age-specific fertility rates for all women in the age groups from 15-19 to 45-49 have been added and thereafter multiplied by 5 to yield the TFR. Due to lack of adequate number of births, the TFR by residence could not be worked out and hence is not being published.

25. The distribution of births by birth order is another way to understand the dynamics on spacing of children and level of fertility. In this regard, two key indicators namely, 'percentage of women aged 20-24 reporting birth of order 2 & above' and 'percentage of women reporting birth of order 3 & above' based on last two live births taken place to Ever Married Women aged 15-49 years during the reference period, i.e., 2007-09, have been presented. 'Percentage of Currently Married Women aged 15-49 years with two living children wanting no more children' is one of the most crucial indicators on desire to limit child bearing. While deriving this indicator, sterilized women or their husbands have not been taken into account whereas women who were currently pregnant have been included.

26. Teen-age pregnancy and motherhood is an important subject in the settings where the marriage of girls takes place at very young ages. This is not only important from the fertility perspective but also its consequent implication on the health of the mother and child. Accordingly, 'percentage of women aged 15-19 who were already mothers or pregnant at the time of survey' has been tabulated and it depicts the percentage of women who have begun child bearing among all ever married women aged 15-19 years. The ever married sample denominator for the age group 15-19 years has not been adjusted by the all women factors for the same age group. This factor should be taken into consideration while interpreting the results.

### Median age at first live birth

27. Median age at first live birth of women aged 15-49 years has been presented to reflect the age at which 50 percent of the women have given their first live birth. This indicator covers women of all marital status and ever married sample denominator has been adjusted by the all women factors in this age group. Ever Married Women not yet having first live birth and Never Married Women have been included as a separate category for computation. Median has been calculated from cumulated single year of age percent distributions of age at first birth. Median is linearly interpolated by the age values by which 50 percent or more of the women had a first birth. In order to gauge the same for older women of the same cohort, median age at first live birth for women aged 25-49 years has also been calculated and presented. These two indicators in conjunction would help in comparing the age with regard to entry into parenthood between the two cohorts.

### Birth interval

28. The information on birth interval, which is defined as the length of time between two successive live births, has been collected in respect of last two live births which took place during the reference period, i.e., 2007-09 for birth order 2 & above. Short birth intervals are likely to have adverse bearing on the mother's health as also on the chances of survival of the neonates and infants. In the Indian context, the birth interval of 36 months may be taken as the bare minimum from the perspective of reducing neonatal and infant mortality and also for achieving the requisite nutritional outcomes. The information on percentage of live births taking place after an interval of 36 months has been calculated and presented to provide insight into the pace of child bearing.

### Mean number of children ever born and surviving

29. The number of children ever born and surviving has been collected for all Ever Married Women aged 15-49 years. The survival status has been assessed as on 1.1.2010 (the reference point for the population). The number of children ever born to women provides an estimate of cohort fertility against the period measures of fertility such as the CBR and the TFR. In order to facilitate comparison of completed cohort fertility with the current fertility, the mean number of ever born children to women aged 45-49 years has been calculated and presented. The gap between the two would demonstrate the decline in fertility levels in the recent past.

### Abortion

30. Abortion as an option was probed for all the pregnancies which resulted into any kind of outcome i.e. live birth, still birth, spontaneous and induced abortion during the reference period i.e. 2007-2009. This was followed by a series of questions such as when the abortion had taken place (month & year), month of pregnancy when the abortion had occurred, whether any ANC was received, whether ultrasound was performed before the abortion, the place of abortion and who performed the abortion. Based on these data, various indicators such as percentage of pregnancy(s) to women aged 15-49 years resulting in abortion, percentage of women who received any ANC before abortion, percentage of women who went for ultrasound before abortion, average month of pregnancy at the time of abortion, percentage of abortions performed by skilled health personnel (doctor / nurse / ANM / LHV / trained dai), and abortions which took place in institutions have been tabulated and presented.



### Family Planning Practices

31. The information on awareness as well as the usage in respect of Family Planning Practices was probed from Currently Married Women aged 15-49 years. There were a few women whose marital status as on 1.1.2010 (reference date) was Currently Married but on date of survey, their marital status was widow / divorcee / separated. In such cases, questions on only awareness were probed from them.

### Current usage of Family Planning Methods

32. Currently Married Women aged 15-49 years, who were currently menstruating or who were in lactating status or secondary amenorrhoea as on date of survey, were asked whether they or their husbands are currently using any method(s) of family planning. In other words, those CMW who were currently pregnant or in menopause status or who have undergone hysterectomy or never menstruated were excluded from the sample. The family planning methods included both modern as well as traditional methods. Modern methods included Tubectomy, Vasectomy, Copper-T/IUD, Pills (Daily), Pills (Weekly), Emergency Contraceptive Pill, Condom/Nirodh, etc., while the traditional ones were Contraceptive Herbs, Rhythm/Periodic abstinence, Withdrawal, Lactational Amenorrhoea Method, etc. Accordingly, percentage of CMW reporting use of various types of family planning methods (most used method) has been tabulated. In addition, percentage of CMW using any method (Contraceptive Prevalence Rate), any modern method and any traditional method has also been tabulated. Levels of use of contraceptives provide the most obvious and widely accepted criterion for assessing the success of FP programme.

### Unmet Need for Family Planning


33. The unmet need for Family Planning is a crucial indicator for assessing the future demand for Family Planning services / supplies. Currently Married Women who are not using any method of contraception but who do not want any more children are defined as having an unmet need for limiting and those who are not using contraception but want to wait for two years or more before having another child are defined as having an unmet need for spacing. The sum total of unmet need for limiting and spacing is the unmet need for Family Planning. In order to ensure comparability with DHS Estimates, similar set of questions were probed from CMW aged 15-49 years under AHS also.

34. For working out the estimates on unmet need, the unmet need for spacing has been calculated as the “proportion of pregnant CMW whose pregnancy was mistimed; CMW in lactational amenorrhoea who are not using any family planning method and whose last birth was mistimed, or whose last birth was unwanted but now they say they want more children; fecund CMW who are neither currently pregnant nor in amenorrhoea, and who are not using any family planning method and say that they want to wait for two or more years for the next birth, including those who say that they are unsure whether they want another child, or want another child but are unsure when to have the birth”.

35. The unmet need for limiting has been worked out as the “proportion of pregnant CMW whose pregnancy was unwanted; CMW in lactational amenorrhoea who are not using any family planning method, whose last child was unwanted and who do not want any more children; and fecund CMW who are neither pregnant nor in amenorrhoea who are not using any method of family planning and who want no more children”. Using the met demand for contraception (current contraceptive users) and the unmet need for contraception, the total demand for family planning as well as the percentage demand

satisfied can be assessed. The classification for the need for family planning is illustrated as under:

### Classification of the need for family planning



### Ante-natal Care

36. Ante-natal care constitutes one of the key elements towards initiatives to promote safe motherhood. A series of questions to capture various aspects of ante-natal care such as, number of ante-natal check-ups received, months of pregnancy at the time of first ANC, main source of ANC, type of tests performed during ANC, number of Tetanus Toxoid (TT) injections received and number of days of consumption of Iron & Folic Acid (IFA) tablets/syrup, were asked from the EMW aged 15-49 years in respect of their last two outcomes of pregnancies which have resulted into live births / still births during the reference period, i.e., 2007-09. However, appropriate indicators based on the above aspects have been tabulated in respect of responses recorded for last live / still births.

37. The indicators included in the Factsheets are percentage of mothers who received any ANC, percentage of mothers who had ANC in first trimester, percentage of mothers who received 3 or more ANC, percentage of mothers who received at least one TT injection, percentage of mothers who consumed IFA for 100 days or more and percentage of mothers who had full ante-natal check-up. The full ante-natal check-up comprises at least three visits for ANC, at least one TT injection received and IFA consumption for 100 days or more. In addition, percentage of mothers who received ANC from Government source, percentage of mothers whose blood pressure & blood (for Hb) were taken and percentage of mothers who underwent ultrasound have been calculated and presented. Besides, percentage of Currently Married Pregnant Women aged 15-49 years registered for ANC has also been presented.

## Delivery Care

38. Under Delivery Care, the details about place of delivery, source of transport provided / availed for reaching the institution, length of stay in the institution after delivery, type of delivery (normal / caesarean / assisted) and the personnel conducting delivery in case of domiciliary births were inquired from the EMW aged 15-49 years for their last two pregnancy outcomes resulting into live births/still births during the reference period, i.e. 2007-09. As in the case of ante-natal care, indicators based on these parameters have been tabulated in respect of responses for last live/still births. Percentage of deliveries taken place in institutions and their distribution into Government and Private institutions; percentage of deliveries taken place at home; percentage of home deliveries conducted by skilled health personnel; and percentage of Safe deliveries are the key indicators presented in the Factsheet. Safe delivery comprises institutional deliveries and home deliveries conducted by doctor/ nurse / ANM / LHV and it does not include those attended by trained dai. However, trained dai is included under skilled health personnel. If the respondent has mentioned more than one person attending delivery, only the most qualified person is taken into consideration.

39. As regards the extent of stay in institutions after delivery which is very crucial and has a direct bearing on the new born care as also on the health of the mother, the percentage of less than 24 hours stay in the institution after delivery has been worked out and presented. Besides, percentage of Caesarean deliveries out of total deliveries taken place in Government and Private Institutions respectively has also been presented.

## Post-natal Care

40. Getting a Post partum / Post-natal check-up soon after the birth of baby or within 48 hours is crucial for the health of both the mother and the child. Accordingly, three indicators, viz., percentage of mothers who received Post-natal check-up within 48 hours of delivery, percentage of mothers who received Post-natal check-up within one week of delivery and percentage of mothers who did not receive any Post-natal check-up have been calculated and presented. In case of institutional delivery where the woman had stayed there for at least 48 hours, it was presumed that the post-natal care was given within 48 hours. These indicators are based on the last outcome of pregnancy which resulted into live / still birth during the reference period, i.e., 2007-09.

41. Along with the first post-natal check-up of mother, check-up of the new borns is essential. It was therefore probed from the mothers, whose last outcome of pregnancy resulted into live birth during the reference period, i.e., 2007-09, when was the new born checked up. Based on this, the percentage of new born who received check up within 24 hours of birth has been worked out and presented. In case of institutional delivery if the baby remained there for at least 24 hours, it was presumed that the first check-up was done within 24 hours.

## Financial assistance under Janani Suraksha Yojana

42. The Janani Suraksha Yojana (JSY) is one of the most important programmes under the overall umbrella of NRHM aimed at reducing Maternal Mortality Ratio and Neo-natal Mortality Rate by promoting institutional deliveries. Under the Scheme, cash incentives are provided to mothers and they are facilitated by Accredited Social Health Activists (ASHAs) to deliver their babies in a health facility. There are also provisions for cost reimbursement for transport and incentives to ASHAs for encouraging mothers to opt for institutional delivery. The scheme is fully sponsored by the Central Government and is

implemented in all States and Union Territories, with special focus on low-performing States. There is also a provision for roping in the private sector by giving accreditation to willing private hospitals/nursing homes for providing delivery services. The Scheme has been implemented in all the 9 AHS States since 2005.

43. In order to gauge the spread and effectiveness of the JSY, Ever Married Women aged 15-49 years were probed whether they had availed the maternity financial assistance for safe motherhood under the scheme in respect of their last two outcomes of delivery resulting in live / still births during the reference period, i.e., 2007-09. The percentage of mothers who availed financial assistance for delivery, percentage of mothers who availed financial assistance for institutional delivery and percentage of mothers who availed financial assistance for Government institutional delivery under JSY, all in respect of the last outcome of delivery resulting in live birth / still birth, have been calculated and presented. Since the scope of JSY has been extended to domiciliary births also, these three sets of indicators would present a holistic picture.

### **Immunization**

44. The information on childhood immunization, i.e., vaccination coverage, has been collected for all living children [last two outcomes of pregnancy(s) resulting in live births during reference period, i.e., 2007-09]. Information on six vaccine preventable diseases namely, tuberculosis, diphtheria, whooping cough (Pertussis), tetanus, polio and measles, has been collected with reference to the status as on date of survey. Universal immunization of children against these six diseases is vital for reducing infant and child mortality. Whenever the mother had the vaccination card (Immunization / MCH) and if the card was available at the time of interview, the responses were recorded based on entries in the card. Otherwise, the responses as reported by the mother were noted down. For those living children who did not receive any vaccination, the main reason thereof has also been noted.

45. In conformity with the International and Govt. of India guidelines which specify that children should be fully vaccinated by the time they complete their first year of life, the 12-23 months age group has been chosen for analysis. The percentage of children having Immunization Card, percentage of children aged 12-23 months who have received BCG, percentage of children who have received 3 doses of polio vaccine, percentage of children who have received polio dose at birth, percentage of children who have received three doses of DPT vaccine and percentage of children who have received measles vaccine, all for the age group 12-23 months, have been calculated and presented. Besides the percentage of children aged 12-23 months who have been fully immunized, the percentage of children aged 12-23 months who did not receive any vaccination have also been tabulated in order to portray the complete picture of immunization. According to the WHO guidelines, children are considered fully immunized when they have received vaccination against tuberculosis, three doses of DPT, three doses of the poliomyelitis and one dose of measles.

### **Administration of Vitamin-A and Iron & Folic Acid supplements**

46. Proper and sufficient intake of Vitamin-A and Iron supplements is essential to thwart childhood morbidity and mortality. Vitamin-A is an essential micro nutrient for the immune system and plays an important role in maintaining the epithelial tissues in the body. Severe Vitamin-A deficiency (VAD) can cause eye damage. VAD has also the potential to increase the severity of measles and diarrhoeal diseases in children and slow recovery from illness. Since the human liver can store an adequate amount of the



vitamin for 4-6 months, Vitamin-A dosing every six months is one of the usual methods for ensuring that children at risk are protected from developing VAD. The National Programme on Prevention of Blindness mandates that children of age 9 months to 5 years should be administered oral doses of Vitamin-A every six months. In order to assess the situation, information on children aged 6-35 months who have received at least one dose of Vitamin-A during the last six months has been collected and presented.

47. Anaemia, which is characterised by a low level of haemoglobin in the blood, is a great concern in young children because it can result in impaired cognitive performance, behavioural and motor coordination, language development and scholastic achievement. It also enhances the risk of morbidity from other infectious diseases. One of the most vulnerable groups to anaemia is children aged 6-23 months. It was probed from the mothers of all living children older than 6 months whether IFA tablet / syrup was administered to the children [last two outcomes of pregnancy(s) resulting in live births during reference period, i.e., 2007-09] in the last 3 months. IFA tablet/syrup as supplements is given to child beyond six months to prevent anaemia. Based on this, the percentage of children aged 6-35 months who have received IFA tablets / syrup during last three months has been calculated and presented.

### **Birth weight**

48. Birth weight is an important indicator to measure the vulnerability of a new born to the risk of childhood illness and chances of survival. The information on birth weight assists in monitoring programmes to reduce neo-natal and infant mortality through a reduction in low birth weight infants. The information on birth weight has been collected in respect of all living children [last two outcomes of pregnancy(s) resulting in live births during reference period, i.e., 2007-09]. Based on this data, the percentage of children whose birth weight was taken and percentage of children whose birth weight was less than 2.5 Kg. have been worked out and presented.

### **Childhood diseases**

49. Treatment practices and contact with health services among children with the 3 most important childhood illnesses namely, Acute Respiratory Infection (ARI), Fever and Diarrhoea, help in the assessment of National Programmes aimed at reducing the mortality impact of these illnesses. The information on children suffering from Acute Respiratory Infection, Fever and Diarrhoea in respect of all the living children [last two outcomes of pregnancy(s) resulting in live births during reference period, i.e., 2007-09] during fifteen days preceding the date of survey has been collected. This has been done to minimise the recall lapse. Besides the prevalence, the information on treatment of ARI with antibiotics, treatment of fever and the treatment of diarrhoea with Home Available Fluids (HAF) / fluids prepared from ORS packet has been collected. The treatment of diarrhoeal diseases with Oral Rehydration Therapy (ORT) aids in the assessment of programmes that recommends such treatment. Based on these data, the percentage of children suffering from Diarrhoea and received HAF / ORS / ORT, percentage of children suffering from ARI and sought treatment, and percentage of children suffering from fever and sought treatment have been calculated and presented.

### **Child feeding practices**

50. Early breastfeeding practices determine the successful establishment and duration of breastfeeding. It is recommended that children be put to the breast immediately or within one hour of birth. There is growing evidence of the benefits to mother and child of

early initiation of breastfeeding preferably in the first hour of the birth. Early initiation of breastfeeding contributes to reducing neo-natal mortality. It ensures early skin to skin contact which is important in preventing hypothermia and establishing the bond between the mother and her child. Early initiation of breastfeeding also reduces the mother's risk of post partum haemorrhage, one of the leading causes of maternal mortality. Although breastfeeding is nearly universal in India, very few children are put to breastfeed immediately after birth. In order to have an assessment with regard to the time of initiation of breastfeeding, the mothers of all living children [last two outcomes of pregnancy(s) resulting in live births during reference period, i.e., 2007-09] were asked when did they first breastfeed their baby. Based on this, the percentage of children breastfed within one hour of birth has been calculated and presented.

51. Exclusive breastfeeding for the first six months of the child's life is an essential component of the optimal infant and young child feeding practices. The Government of India recommends that children should be exclusively breastfed for the first six months of life (i.e., the child should be given only breast milk and nothing else, not even water). In order to assess the situation on ground, the mothers of all living children [last two outcomes of pregnancy(s) resulting in live births during reference period, i.e., 2007-09] were asked how many days/months did they exclusively breastfeed their baby. Based on the responses, percentage of children aged 6-35 months exclusively breastfed for at least six months has been worked out and presented.

### **Complementary feeding**

52. The introduction of complementary feeding at six months of age, solid and semi-solid food and the diverse food combinations fed to children also constitute part of the optimal feeding practices. The purpose of complementary feeding is to complement the breast milk and sustain the growth and development of the child. WHO recommends introduction of solid or semi-solid foods to infants around the age of 6 months because by that age, breast milk by itself is no longer sufficient to maintain the child's optimal growth. Information on supplementation was obtained by asking mothers of all living children [last two outcomes of pregnancy(s) resulting in live births during reference period, i.e., 2007-09] at what age did they start feeding the baby food other than breast milk. The type of food included water, animal milk / formula milk, semi-solid mashed food, solid (adult) food and vegetables/fruits. Based on these, the percentage of children who received foods other than breast milk such as water, animal/formula milk, semi-solid mashed food, solid (adult) food and vegetables/fruits during first six months has been worked out and presented. Besides, the average month by which children received these foods have also been worked out and presented.

### **Birth Registration**

53. India, being a signatory to the UN Convention on the Rights of the Child, 1989 which recognizes birth registration as one of the first rights of child, is committed to achieve universalization of birth registration. In India, registration of birth is compulsory under the Registration of Births and Deaths (RBD) Act, 1969. The Act mandates that every birth should be registered and a birth certificate provided free of charge to the informant. Despite significant efforts to improve the Civil Registration System, especially during the past decade, the overall level of registration of births still falls short by about 25 percent. The registration system in the country functions at different levels of efficiency across States/UTs. In order to assess the functioning of the Civil Registration System in the community, information on whether the birth of the baby was registered

with the civil authority and if so, the birth certificate was received or not in respect of all living children [last two outcomes of pregnancy(s) resulting in live births during reference period, i.e., 2007-09] has been collected. Based on this, the percentage of children whose births were registered and the percentage of children whose births were registered & who also received the Birth Certificates have been arrived at and presented.

54. Under the RBD Act, the institutions where birth takes place is to register the birth and issue the birth certificate in case they have been declared as the registration units or to report the event to the local Registrar of Births & Deaths. Of late, majority of the Government institutions have been declared as registration units. Since a review of the system across different States/UTs has revealed that due to lack of a proper and complete reporting system, the institutional births which have already been registered are not being reflected in the final figures compiled and therefore in order to net all such cases, it was presumed that the birth would have been registered. However, even in these cases it was probed whether the birth certificate has been received.

55. This Factsheet pertains to the State of Madhya Pradesh. The field work for the AHS has been carried out by M/s. Development & Research Services Pvt. Ltd., New Delhi and M/s. EPOS Health (India) Pvt. Ltd., Gurgaon in the allotted zones. The third party audit work in the State has been done by M/s. TALEEM Research Foundation, Ahmedabad.







## SAMPLE PARTICULARS

State / District	Sample Units			Households			Population		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Madhya Pradesh	2557	1660	897	494266	335190	159076	2296952	1549233	747719
Balaghat	69	56	13	16040	13804	2236	70241	60038	10203
Barwani	55	43	12	10930	8963	1967	55143	45837	9306
Betul	80	59	21	14360	11367	2993	67675	53946	13729
Bhind	93	63	30	21832	14641	7191	100527	66630	33897
Bhopal	111	16	95	16262	2231	14031	72202	10509	61693
Chhatarpur	46	32	14	8345	6451	1894	39454	30566	8888
Chhindwara	59	39	20	9235	6679	2556	43009	31184	11825
Damoh	42	31	11	8150	6278	1872	36755	27731	9024
Datia	40	28	12	6958	4324	2634	31755	19883	11872
Dewas	74	47	27	13630	8760	4870	68457	44377	24080
Dhar	41	31	10	6838	5439	1399	34958	28233	6725
Dindori	45	41	4	7930	7284	646	32336	29607	2729
East Nimar	58	37	21	10970	7886	3084	52149	37430	14719
Guna	33	23	10	5215	3335	1880	26419	17083	9336
Gwalior	65	20	45	12375	3930	8445	59699	18930	40769
Harda	75	53	22	13379	10040	3339	65323	49026	16297
Hoshangabad	95	56	39	16661	9710	6951	80015	47241	32774
Indore	107	23	84	26126	5383	20743	126256	27672	98584
Jabalpur	99	33	66	18508	6169	12339	84177	26896	57281
Jhabua	43	37	6	8375	7348	1027	45082	40097	4985
Katni	43	30	13	9322	6935	2387	41010	29980	11030
Mandla	59	50	9	10416	8794	1622	44503	37366	7137
Mandsaur	65	48	17	13154	10196	2958	62777	48237	14540
Morena	43	30	13	9716	7362	2354	47886	35772	12114
Narsimhapur	48	37	11	10072	8532	1540	44435	37365	7070
Neemuch	61	38	23	12451	7978	4473	56444	34983	21461
Panna	35	28	7	5855	4761	1094	25098	20147	4951
Raisen	39	29	10	5415	3788	1627	26609	18864	7745
Rajgarh	47	35	12	7845	6304	1541	34905	28033	6872
Ratlam	49	29	20	9152	4799	4353	43137	21856	21281
Rewa	42	32	10	7981	6419	1562	35664	28357	7307
Sagar	47	29	18	8742	5834	2908	40800	26336	14464
Satna	60	43	17	13597	10178	3419	60021	44231	15790
Sehore	32	24	8	4932	3891	1041	26589	21171	5418
Seoni	43	36	7	7899	6865	1034	35283	30672	4611
Shahdol	43	28	15	7136	5209	1927	30203	21240	8963
Shajapur	58	43	15	12166	9547	2619	54964	42073	12891
Sheopur	42	32	10	9774	8047	1727	41589	33689	7900
Shivpuri	41	31	10	8565	7130	1435	39893	33093	6800
Sidhi	35	28	7	7478	6367	1111	35519	29967	5552
Tikamgarh	48	36	12	10654	8821	1833	48440	39585	8855
Ujjain	45	23	22	7729	4328	3401	35945	20513	15432
Umari	59	45	14	12817	10315	2502	53419	42731	10688
Vidisha	43	30	13	7397	4451	2946	35582	22337	13245
West Nimar	100	78	22	21882	18317	3565	104605	87719	16886


Madhya Pradesh: Sample Units




Madhya Pradesh: District wise Sample Units




Madhya Pradesh: District wise Sample Units




Madhya Pradesh: Sample Households




Madhya Pradesh: District wise Sample Households



Madhya Pradesh: District wise Sample Households



Madhya Pradesh: Sample Population



Madhya Pradesh: District wise Sample Population



Madhya Pradesh: District wise Sample Population





## SAMPLE PARTICULARS

State / District	Ever Married Women (aged 15-49 years)			Currently Married Women (aged 15-49 years)			Children 12-23 months		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Madhya Pradesh	451380	304297	147083	429688	290594	139094	35720	25627	10093
Balaghat	14230	12191	2039	13133	11289	1844	1342	1167	175
Barwani	10953	9085	1868	10439	8689	1750	1163	954	209
Betul	12636	9974	2662	11809	9344	2465	1312	1060	252
Bhind	18146	11769	6377	17580	11422	6158	1305	865	440
Bhopal	14250	1885	12365	13562	1796	11766	847	117	730
Chhatarpur	7020	5385	1635	6810	5229	1581	715	584	131
Chhindwara	8426	6075	2351	7742	5609	2133	768	550	218
Damoh	7230	5555	1675	6934	5336	1598	676	508	168
Datia	5973	3755	2218	5796	3638	2158	318	215	103
Dewas	13940	9013	4927	13407	8683	4724	784	509	275
Dhar	7068	5675	1393	6730	5425	1305	458	370	88
Dindori	7061	6478	583	6440	5922	518	731	689	42
East Nimar	9658	7035	2623	9174	6687	2487	693	532	161
Guna	4914	3184	1730	4784	3105	1679	367	272	95
Gwalior	11451	3646	7805	11013	3541	7472	663	216	447
Harda	12822	9652	3170	12329	9321	3008	1127	862	265
Hoshangabad	15487	9044	6443	14650	8622	6028	1363	865	498
Indore	25297	5670	19627	24093	5430	18663	923	218	705
Jabalpur	16784	5465	11319	15678	5089	10589	1467	548	919
Jhabua	8473	7506	967	8221	7307	914	488	442	46
Katni	8203	6042	2161	7760	5750	2010	732	527	205
Mandla	9565	8101	1464	8735	7431	1304	898	789	109
Mandsaur	13289	10210	3079	12531	9679	2852	731	545	186
Morena	9149	6835	2314	8819	6601	2218	662	520	142
Narsimhapur	9056	7595	1461	8550	7185	1365	756	639	117
Neemuch	12105	7602	4503	11488	7242	4246	868	512	356
Panna	4550	3649	901	4389	3534	855	416	339	77
Raisen	4968	3469	1499	4774	3340	1434	526	409	117
Rajgarh	6533	5259	1274	6290	5064	1226	457	370	87
Ratlam	8860	4610	4250	8367	4388	3979	728	415	313
Rewa	6731	5350	1381	6479	5169	1310	658	537	121
Sagar	7668	4927	2741	7287	4726	2561	788	515	273
Satna	11623	8521	3102	11180	8200	2980	1082	814	268
Sehore	4746	3739	1007	4603	3628	975	471	345	126
Seoni	7189	6246	943	6695	5833	862	717	636	81
Shahdol	6441	4607	1834	6024	4331	1693	489	345	144
Shajapur	11149	8587	2562	10725	8306	2419	827	580	247
Sheopur	7822	6410	1412	7624	6276	1348	513	411	102
Shivpuri	7403	6141	1262	7165	5962	1203	808	682	126
Sidhi	6716	5620	1096	6453	5382	1071	587	498	89
Tikamgarh	9286	7566	1720	9092	7426	1666	714	588	126
Ujjain	7192	4193	2999	6835	3988	2847	553	365	188
Umaria	11091	8915	2176	10623	8556	2067	953	824	129
Vidisha	6562	3991	2571	6273	3858	2415	676	464	212
West Nimar	21664	18070	3594	20603	17255	3348	1600	1415	185

## WEALTH INDEX

State / District	Lowest (20%)			Highest (20%)		
	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7
Madhya Pradesh	20.0	27.6	3.7	20.0	6.8	48.0
Balaghat	21.9	24.9	3.7	7.1	3.5	28.7
Barwani	28.9	32.7	11.7	11.6	5.4	39.9
Betul	12.3	15.3	1.0	15.7	7.5	46.6
Bhind	18.2	24.1	6.2	15.4	6.8	33.0
Bhopal	3.0	13.5	1.3	53.3	10.8	60.0
Chhatarpur	32.4	40.0	7.1	11.9	3.5	40.4
Chhindwara	12.8	15.7	5.0	17.3	6.6	45.5
Damoh	32.8	39.8	9.2	8.9	3.4	27.6
Datia	15.6	22.6	4.0	22.1	7.2	46.5
Dewas	10.8	15.0	3.3	23.7	14.7	40.0
Dhar	17.7	20.7	6.1	12.5	8.2	29.2
Dindori	50.4	53.8	11.6	5.1	3.3	25.1
East Nimar	25.0	32.2	6.2	15.0	5.8	38.9
Guna	24.1	32.2	9.6	17.6	9.9	31.4
Gwalior	8.3	16.1	4.6	45.3	17.8	58.2
Harda	11.2	14.5	1.3	19.7	12.5	41.3
Hoshangabad	11.8	18.7	2.3	26.6	11.0	48.4
Indore	1.9	7.4	0.5	58.6	20.7	68.4
Jabalpur	10.1	24.8	2.9	37.9	5.7	53.9
Jhabua	32.3	35.7	7.5	4.7	2.5	20.7
Katni	33.4	42.9	5.3	14.2	4.5	42.5
Mandla	33.1	38.4	5.0	10.3	3.6	46.2
Mandsaur	17.6	21.2	5.2	11.2	7.2	24.9
Morena	25.8	32.9	3.4	13.2	3.4	43.9
Narsimhapur	26.7	30.1	7.9	9.1	4.7	32.7
Neemuch	7.7	10.8	2.1	28.6	13.8	54.8
Panna	49.3	57.6	13.3	6.6	2.3	25.3
Raisen	20.7	27.9	4.0	15.9	5.8	39.2
Rajgarh	23.1	28.0	2.8	11.2	4.6	38.2
Ratlam	14.3	26.0	1.4	34.4	6.9	64.7
Rewa	23.6	28.4	4.0	8.8	4.0	28.3
Sagar	27.5	37.8	6.4	16.2	5.3	38.4
Satna	22.4	27.7	6.6	9.8	3.4	28.6
Sehore	9.3	11.2	2.1	17.7	13.8	32.1
Seoni	23.9	26.5	6.5	10.8	4.9	49.9
Shahdol	32.8	42.6	6.2	14.9	2.9	47.2
Shajapur	9.5	11.5	2.4	14.9	10.2	32.0
Sheopur	41.0	48.8	6.7	7.3	2.0	30.6
Shivpuri	22.7	26.8	2.1	14.4	6.7	52.5
Sidhi	36.6	42.4	3.3	4.8	3.1	14.9
Tikamgarh	33.9	38.4	12.3	7.5	1.7	35.1
Ujjain	19.1	31.5	3.3	31.0	5.8	63.1
Umaria	37.9	44.9	9.0	13.0	4.9	46.7
Vidisha	12.9	19.6	3.0	13.9	3.4	29.5
West Nimar	11.7	13.7	1.5	19.4	12.7	53.4

## HOUSEHOLD CHARACTERISTICS




State / District	Average Household Size								
	SC			ST			ALL		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Madhya Pradesh	4.6	4.5	4.8	4.7	4.7	4.5	4.7	4.7	4.7
Balaghat	4.1	4.1	4.3	4.4	4.5	4.1	4.4	4.4	4.6
Barwani	4.9	4.8	5.1	5.1	5.1	4.7	5.0	5.1	4.7
Betul	4.4	4.3	4.5	4.9	4.9	4.5	4.7	4.8	4.6
Bhind	4.6	4.5	4.8	4.4	4.3	4.4	4.6	4.6	4.7
Bhopal	4.5	4.6	4.5	4.3	4.1	4.3	4.4	4.7	4.4
Chhattarpur	4.5	4.5	4.5	4.5	4.6	3.5	4.7	4.7	4.7
Chhindwara	4.4	4.4	4.5	4.7	4.8	4.5	4.7	4.7	4.6
Damoh	4.3	4.2	4.7	4.5	4.5	5.0	4.5	4.4	4.8
Datia	4.6	4.6	4.6	5.0	5.3	3.8	4.6	4.6	4.5
Dewas	4.8	4.9	4.7	5.1	5.0	5.3	5.0	5.1	4.9
Dhar	4.8	4.6	5.0	5.3	5.3	4.9	5.2	5.2	4.8
Dindori	3.7	3.7	4.3	4.1	4.1	4.0	4.1	4.1	4.2
East Nimar	4.3	4.3	4.5	4.9	5.0	4.4	4.7	4.7	4.8
Guna	5.0	5.0	5.0	5.0	5.1	4.6	5.1	5.1	5.0
Gwalior	4.9	4.5	5.1	4.7	4.6	4.8	4.8	4.9	4.8
Harda	4.8	4.8	4.8	5.2	5.2	5.0	4.9	4.9	4.9
Hoshangabad	4.7	4.6	4.8	4.8	4.9	4.3	4.8	4.8	4.7
Indore	4.9	5.0	4.9	4.7	4.8	4.6	4.8	5.1	4.8
Jabalpur	4.5	4.2	4.6	4.4	4.4	4.4	4.5	4.4	4.6
Jhabua	5.2	5.4	4.9	5.5	5.5	4.8	5.4	5.5	4.9
Katni	4.5	4.3	4.7	4.3	4.3	4.1	4.4	4.3	4.6
Mandla	4.1	4.0	4.2	4.3	4.3	4.1	4.3	4.3	4.4
Mandsaur	4.6	4.6	4.9	4.4	4.4	4.4	4.8	4.7	4.9
Morena	4.9	4.8	5.2	4.9	5.0	4.8	4.9	4.9	5.1
Narsimhapur	4.2	4.2	4.2	4.2	4.2	4.1	4.4	4.4	4.6
Neemuch	4.3	4.2	4.7	4.3	4.3	4.6	4.5	4.4	4.8
Panna	4.0	3.9	4.2	4.5	4.5	4.2	4.3	4.2	4.5
Raisen	4.7	4.7	4.6	5.2	5.2	4.5	4.9	5.0	4.8
Rajgarh	4.4	4.3	5.3	4.2	4.2	4.1	4.4	4.4	4.5
Ratlam	4.7	4.5	4.9	4.5	4.5	4.9	4.7	4.6	4.9
Rewa	4.3	4.3	4.4	4.3	4.3	4.4	4.5	4.4	4.7
Sagar	4.5	4.3	4.9	4.7	4.7	4.5	4.7	4.6	5.0
Satna	4.4	4.4	4.5	4.2	4.2	4.3	4.4	4.3	4.6
Sehore	5.2	5.2	5.2	5.5	5.5	4.7	5.4	5.5	5.2
Seoni	4.3	4.3	4.3	4.4	4.4	4.2	4.5	4.5	4.5
Shahdol	4.2	3.8	4.7	4.0	4.0	4.3	4.2	4.1	4.7
Shajapur	4.4	4.3	5.0	4.6	4.7	4.3	4.6	4.5	4.9
Sheopur	4.1	4.1	4.5	4.1	4.1	4.3	4.3	4.2	4.6
Shivpuri	4.6	4.5	4.9	4.5	4.5	4.5	4.7	4.7	4.7
Sidhi	4.8	4.8	4.4	4.6	4.6	4.6	4.8	4.7	5.0
Tikamgarh	4.4	4.3	4.9	4.5	4.5	5.0	4.5	4.5	4.8
Ujjain	4.5	4.5	4.5	4.6	4.6	4.5	4.7	4.8	4.5
Umari	4.1	4.1	4.2	4.1	4.1	3.9	4.2	4.1	4.3
Vidisha	4.9	5.1	4.7	5.1	5.1	4.6	4.9	5.0	4.5
West Nimar	4.5	4.5	4.7	4.8	4.8	4.8	4.8	4.8	4.7

## HOUSEHOLD CHARACTERISTICS

State / District	Population below age 15 years (%)			Dependency Ratio			Currently Married Illiterate Women aged 15-49 years (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Madhya Pradesh	33.0	35.1	28.6	68.9	75.5	56.8	42.9	54.4	19.1
Balaghat	29.0	29.4	27.3	58.1	59.0	53.5	28.1	30.0	17.8
Barwani	39.9	41.3	33.9	81.9	85.3	69.0	66.5	74.6	32.9
Betul	29.9	31.0	25.1	62.3	65.8	48.6	29.8	34.3	10.9
Bhind	34.2	34.7	33.4	74.9	78.9	68.7	43.3	50.0	33.2
Bhopal	28.7	37.5	27.2	55.1	81.4	51.3	18.3	47.8	13.8
Chhattarpur	36.8	38.5	31.6	83.4	90.2	65.0	55.1	63.4	29.7
Chhindwara	28.3	29.7	24.6	58.2	61.5	49.6	37.3	43.9	18.5
Damoh	33.5	34.7	29.4	69.4	72.6	59.4	45.9	53.1	18.2
Datia	32.7	33.9	30.2	68.5	73.1	60.2	38.9	49.0	20.1
Dewas	32.4	33.6	30.1	69.0	73.8	60.4	42.0	52.5	22.4
Dhar	36.0	37.1	31.2	72.7	76.3	58.8	58.6	65.3	29.1
Dindori	33.2	33.4	28.9	66.8	67.6	50.6	49.5	50.7	21.5
East Nimar	33.1	35.1	28.5	70.2	75.3	59.0	48.1	59.8	18.4
Guna	36.3	37.7	32.7	78.7	83.7	67.4	58.1	68.6	31.1
Gwalior	29.2	34.0	27.4	58.1	69.8	53.9	30.0	54.4	19.9
Harda	31.9	32.6	29.6	66.6	68.9	58.7	40.1	46.6	15.2
Hoshangabad	30.0	31.9	27.0	62.0	68.0	52.9	37.0	47.1	20.1
Indore	27.9	33.6	26.5	56.6	71.1	53.2	17.6	43.2	11.0
Jabalpur	27.7	31.7	25.3	55.8	65.1	50.6	23.4	42.5	11.8
Jhabua	42.0	42.8	35.1	86.7	88.8	69.2	77.6	82.1	35.3
Katni	31.9	33.2	28.1	66.2	70.6	54.9	40.1	48.4	16.7
Mandla	31.9	32.6	25.6	64.1	66.0	49.8	48.3	52.4	11.9
Mandsaur	30.5	31.4	27.8	64.7	67.3	56.9	43.9	52.1	18.6
Morena	35.9	37.3	32.8	73.0	78.2	62.6	53.1	61.0	35.2
Narsimhapur	30.7	31.2	28.4	65.4	67.5	54.9	35.8	38.6	21.0
Neemuch	29.4	29.9	28.6	62.2	64.3	59.0	41.0	53.0	20.8
Panna	36.7	37.6	32.1	82.8	86.5	65.5	56.3	60.6	33.4
Raisen	35.2	36.4	31.5	74.4	78.9	62.0	46.4	56.8	16.5
Rajgarh	33.4	34.3	28.8	76.6	80.0	60.6	57.2	63.1	26.3
Ratlam	31.6	35.2	27.7	66.0	74.2	57.8	37.9	58.0	14.2
Rewa	35.7	36.7	31.6	83.6	88.4	65.7	45.1	50.9	20.8
Sagar	33.1	34.8	29.6	69.9	76.0	59.0	34.8	44.6	15.3
Satna	34.1	34.5	33.0	75.4	79.6	65.3	43.6	49.3	28.7
Sehore	36.1	36.8	33.1	78.5	81.3	67.6	47.2	54.1	20.8
Seoni	32.0	32.4	28.0	63.4	64.6	53.5	36.5	39.7	7.3
Shahdol	31.7	33.4	27.5	61.5	68.2	46.9	50.4	58.5	28.2
Shajapur	33.3	33.1	33.9	74.8	76.4	70.2	44.7	52.0	22.5
Sheopur	38.0	38.8	33.8	76.6	79.0	65.9	72.1	78.9	37.0
Shivpuri	38.7	39.6	33.5	85.6	89.7	65.7	56.1	61.6	27.9
Sidhi	38.4	39.1	34.4	80.1	83.1	64.4	57.9	63.0	29.6
Tikamgarh	34.9	36.1	29.9	76.5	81.5	59.5	59.7	67.4	30.1
Ujjain	30.8	34.3	26.3	68.4	80.0	55.3	42.0	61.8	15.2
Umaria	33.6	34.8	28.2	66.5	70.1	52.0	53.1	58.6	28.6
Vidisha	35.4	37.7	30.3	77.2	86.4	59.4	36.8	44.7	19.5
West Nimar	34.7	35.8	29.6	70.6	73.8	56.6	50.3	56.3	21.9

## SEX RATIO

State / District	Sex Ratio at Birth			Sex Ratio (0-4 years)			Sex Ratio (All ages)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Madhya Pradesh	904	914	875	911	921	886	912	918	902
Balaghat	968	980	899	971	987	890	1002	1007	979
Barwani	972	959	1028	964	954	1008	946	946	945
Betul	845	836	894	868	855	933	922	920	934
Bhind	877	857	916	848	842	858	854	845	870
Bhopal	912	825	934	934	869	951	900	887	903
Chhatarpur	885	898	827	925	918	952	886	885	886
Chhindwara	898	925	818	910	914	897	952	956	941
Damoh	937	951	883	956	967	917	914	914	915
Datia	848	817	929	817	788	889	840	832	854
Dewas	909	941	840	935	963	876	924	931	911
Dhar	939	1005	713	903	929	797	941	954	887
Dindori	1006	1007	964	986	985	1000	988	988	993
East Nimar	895	880	944	913	933	852	915	920	903
Guna	853	875	782	864	882	808	871	870	875
Gwalior	807	759	831	815	751	848	852	811	869
Harda	924	918	953	953	954	951	908	907	911
Hoshangabad	918	945	860	931	972	852	906	902	912
Indore	862	896	850	882	924	868	905	941	895
Jabalpur	835	838	833	877	871	881	921	935	913
Jhabua	942	934	1058	927	923	980	944	949	898
Katni	977	995	910	1010	1016	991	939	942	932
Mandla	990	998	894	989	1003	845	1003	1008	964
Mandsaur	910	934	835	907	914	884	940	940	942
Morena	857	858	855	787	783	795	818	816	823
Narsimhapur	894	920	741	932	945	864	901	903	886
Neemuch	942	926	967	913	917	908	933	925	946
Panna	972	961	1052	975	978	958	908	905	924
Raisen	929	949	843	952	985	832	885	896	851
Rajgarh	896	875	1044	937	925	1023	908	909	904
Ratlam	886	871	912	884	879	890	935	927	943
Rewa	950	962	888	945	955	898	961	970	924
Sagar	844	831	877	906	906	906	886	874	911
Satna	929	937	901	910	930	855	932	941	909
Sehore	929	937	897	947	960	894	876	883	850
Seoni	924	925	909	912	920	837	963	964	957
Shahdol	967	954	1012	978	992	936	955	968	927
Shajapur	886	873	924	909	882	988	902	894	926
Sheopur	972	976	950	960	975	880	885	890	865
Shivpuri	891	906	805	873	886	796	875	870	898
Sidhi	918	926	865	928	916	1003	910	910	910
Tikamgarh	890	904	822	900	911	851	883	881	892
Ujjain	933	937	925	913	926	888	916	933	893
Umariya	946	952	911	965	981	882	940	948	906
Vidisha	885	901	834	882	892	851	873	870	881
West Nimar	870	873	855	909	913	888	926	928	921



## EFFECTIVE LITERACY RATE

State / District	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Madhya Pradesh	74.5	68.0	87.3	83.4	78.7	92.7	64.7	56.3	81.4
Balaghat	80.5	79.2	86.7	88.6	87.6	93.3	72.5	71.0	80.1
Barwani	59.6	54.8	79.2	67.5	63.0	85.8	51.2	46.1	72.2
Betul	79.1	76.3	91.2	86.4	84.1	96.5	71.2	67.9	85.4
Bhind	75.6	71.7	81.6	85.7	82.8	90.4	63.7	58.6	71.5
Bhopal	87.6	72.4	90.1	91.9	81.6	93.6	82.7	62.1	86.1
Chhattarpur	67.9	62.6	83.9	76.6	71.8	91.0	58.1	52.1	75.8
Chhindwara	75.2	71.3	86.0	82.4	79.1	91.1	67.7	63.2	80.5
Damoh	72.5	68.4	86.4	81.3	78.2	91.5	62.9	57.4	80.9
Datia	78.3	73.5	87.3	88.3	85.7	93.2	66.5	59.2	80.4
Dewas	74.7	69.0	85.4	85.0	81.3	91.9	63.3	55.3	78.2
Dhar	66.0	62.4	81.3	76.0	73.0	88.2	55.4	51.3	73.5
Dindori	70.6	69.7	88.1	83.1	82.5	94.0	57.9	56.7	82.2
East Nimar	69.2	62.7	84.4	78.0	73.1	89.3	59.6	51.3	78.9
Guna	68.8	63.4	81.8	80.1	76.5	88.7	55.9	48.3	74.0
Gwalior	83.5	71.7	88.1	90.5	82.9	93.5	75.4	58.1	81.9
Harda	76.0	72.1	89.9	85.0	82.0	95.7	66.0	61.1	83.5
Hoshangabad	78.5	72.7	87.7	86.9	82.7	93.8	69.2	61.5	81.2
Indore	87.1	73.7	90.4	92.4	84.6	94.3	81.2	61.9	86.2
Jabalpur	84.9	73.8	91.2	91.1	83.9	95.2	78.1	63.0	86.9
Jhabua	48.0	44.6	77.3	56.0	52.7	83.8	39.6	36.1	70.1
Katni	77.1	72.6	89.3	87.2	84.2	95.1	66.4	60.2	83.0
Mandla	71.6	69.2	89.8	83.3	81.9	94.1	60.0	56.7	85.4
Mandsaur	75.5	71.6	87.7	88.6	86.6	94.9	61.8	55.9	80.1
Morena	74.6	70.7	82.8	86.3	84.1	91.0	60.5	54.5	73.0
Narsimhapur	76.4	74.8	84.9	84.7	83.9	89.2	67.1	64.7	80.1
Neemuch	76.9	70.7	86.8	89.2	86.1	94.3	63.7	54.2	78.9
Panna	67.1	64.2	81.6	76.3	73.8	88.9	56.9	53.5	73.7
Raisen	71.9	66.3	88.6	79.6	74.8	93.3	63.2	56.5	83.2
Rajgarh	64.9	61.5	82.1	75.2	72.4	89.0	53.5	49.5	74.2
Ratlam	78.3	67.7	89.5	87.7	81.4	94.4	68.4	53.1	84.4
Rewa	73.3	70.1	86.4	83.3	80.9	92.8	63.0	59.1	79.4
Sagar	79.1	73.5	89.7	87.0	83.3	94.4	70.0	62.3	84.6
Satna	73.4	70.2	81.9	82.5	80.3	88.2	63.7	59.5	75.0
Sehore	74.5	71.5	86.9	84.6	82.8	92.0	62.9	58.7	80.9
Seoni	76.0	74.1	92.3	83.9	82.5	95.7	67.8	65.4	88.7
Shahdol	69.7	63.5	84.5	79.4	74.4	91.0	59.6	52.2	77.4
Shajapur	73.3	69.1	85.8	85.0	82.4	92.8	60.3	54.2	78.3
Sheopur	59.6	55.3	79.6	70.5	66.6	88.4	47.2	42.5	69.3
Shivpuri	71.1	68.4	85.8	82.9	81.1	92.7	57.6	53.6	78.3
Sidhi	68.3	65.4	84.6	78.0	75.4	92.5	57.6	54.4	75.9
Tikamgarh	64.2	59.7	81.1	74.3	70.7	87.9	52.8	47.3	73.6
Ujjain	74.8	64.6	87.5	85.9	80.3	92.8	62.7	47.9	81.6
Umariya	70.3	67.1	83.6	80.3	77.6	91.2	59.6	56.0	75.2
Vidisha	76.8	72.1	87.0	84.1	80.6	91.8	68.4	62.2	81.6
West Nimar	71.5	68.2	86.8	81.1	78.6	92.7	61.3	57.1	80.5



## MARRIAGE

State / District	Marriages among Females below legal age (18 years) (%) #			Marriages among Males below legal age (21 years) (%) #			Currently Married Women aged 20-24 years married before legal age (18 years) (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Madhya Pradesh	12.5	17.2	4.1	18.9	25.9	6.8	48.1	53.2	33.1
Balaghat	1.3	1.5	0.6	3.5	3.8	2.1	19.0	19.4	15.9
Barwani	27.1	31.4	9.6	35.4	41.1	14.6	58.2	60.7	46.0
Betul	3.0	3.4	1.6	5.5	6.8	1.0	26.5	27.8	18.4
Bhind	14.2	16.7	10.3	24.1	26.5	20.6	50.7	53.2	46.2
Bhopal	4.0	9.8	3.1	4.8	7.9	4.2	29.9	36.1	28.5
Chhatarpur	28.6	34.2	9.3	33.7	40.5	13.2	64.1	68.1	48.5
Chhindwara	2.5	3.5	0.4	4.9	6.1	2.2	28.5	32.4	15.3
Damoh	10.6	13.3	3.1	19.3	24.6	4.2	43.2	47.6	21.5
Datia	11.2	15.0	4.6	20.5	27.5	7.7	48.9	54.5	35.0
Dewas	15.3	20.1	6.5	25.3	33.3	11.0	51.0	56.2	37.3
Dhar	16.2	19.0	6.3	25.8	30.0	11.9	47.3	50.0	35.8
Dindori	10.4	10.7	-	18.4	18.9	-	49.4	49.9	-
East Nimar	3.1	3.9	1.2	6.9	9.0	1.8	31.4	33.9	20.0
Guna	23.2	29.3	4.7	43.0	52.1	14.4	61.1	65.4	45.0
Gwalior	6.0	14.8	2.7	11.3	22.9	6.8	38.0	53.2	29.5
Harda	4.9	5.1	3.8	7.6	9.3	1.6	36.4	38.5	25.1
Hoshangabad	3.2	3.8	2.3	3.4	4.1	2.3	31.7	35.8	22.3
Indore	5.4	16.0	2.8	7.9	20.7	4.8	37.1	52.9	30.4
Jabalpur	4.2	7.8	2.2	6.1	13.1	2.1	33.4	42.9	24.4
Jhabua	23.0	23.6	17.9	50.7	52.8	31.5	54.0	54.9	43.7
Katni	9.1	11.3	3.8	13.6	17.5	1.9	51.1	54.9	33.2
Mandla	9.6	10.8	2.3	19.1	21.9	2.6	44.1	46.2	17.6
Mandsaur	26.7	34.7	4.3	32.2	41.3	8.6	56.7	61.9	36.4
Morena	18.6	23.3	6.6	31.7	39.1	15.1	54.0	57.7	42.1
Narsimhapur	8.0	8.8	4.0	10.4	11.8	3.5	43.4	44.4	36.0
Neemuch	21.4	30.3	7.9	26.0	35.7	12.5	46.7	53.2	31.2
Panna	14.6	15.8	8.8	23.2	26.2	11.0	67.5	70.0	46.8
Raisen	8.7	11.1	1.6	12.5	16.0	3.2	42.5	45.6	27.2
Rajgarh	27.2	30.4	7.3	32.2	36.8	8.5	56.3	58.4	40.3
Ratlam	19.6	31.8	5.5	24.5	40.9	7.3	46.4	56.4	26.1
Rewa	13.1	15.3	3.4	24.4	28.6	9.0	57.9	61.0	41.7
Sagar	8.3	11.4	3.2	12.9	18.0	4.3	40.8	45.9	27.1
Satna	10.4	11.7	6.7	21.3	23.7	15.6	56.7	58.2	51.7
Sehore	9.1	9.9	7.1	17.0	20.3	5.7	51.9	54.7	36.6
Seoni	3.6	3.9	1.2	7.5	8.4	0.0	30.3	31.5	11.3
Shahdol	16.0	21.7	2.9	25.7	34.3	7.9	59.6	64.8	38.2
Shajapur	24.1	29.9	9.2	26.8	32.9	11.3	52.2	56.3	38.3
Sheopur	34.1	37.5	15.9	46.7	51.1	26.1	65.8	68.3	47.0
Shivpuri	17.8	20.2	1.4	28.5	32.4	7.3	57.5	60.2	33.6
Sidhi	14.7	17.3	4.7	29.1	34.1	9.5	62.5	65.6	37.9
Tikamgarh	30.1	34.4	15.2	45.4	51.6	24.5	65.2	67.9	50.7
Ujjain	20.1	35.0	3.6	24.1	41.9	3.7	58.5	69.8	34.2
Umariya	14.0	16.5	3.1	21.8	25.6	5.6	55.2	57.4	40.1
Vidisha	8.7	11.7	2.0	12.0	15.1	4.9	48.5	50.7	41.4
West Nimar	12.5	14.2	3.8	18.6	21.5	5.0	42.0	44.3	25.0

# Based on marriages taken place during 2007-2009.




## MARRIAGE


State / District	Currently Married Men aged 25-29 years married before legal age ( 21 years) (%)			Mean age at Marriage#					
				Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Madhya Pradesh	42.9	50.1	25.3	23.8	22.7	25.8	20.6	19.8	22.1
Balaghat	16.9	17.3	13.7	25.7	25.3	27.4	21.8	21.5	23.0
Barwani	55.6	59.4	40.3	22.0	21.5	24.1	19.3	18.9	21.2
Betul	23.3	25.5	10.2	26.1	25.4	28.3	21.5	21.2	22.7
Bhind	49.6	52.4	44.8	22.4	22.1	22.9	19.7	19.4	20.3
Bhopal	20.0	28.3	18.4	26.0	24.0	26.3	22.1	20.3	22.4
Chhatarpur	56.0	62.6	30.5	22.2	21.5	24.6	19.1	18.7	20.4
Chhindwara	21.7	26.1	8.1	26.6	26.1	27.8	21.6	21.1	22.7
Damoh	40.3	44.9	22.4	23.5	22.6	26.5	20.2	19.6	22.0
Datia	46.4	52.3	33.9	23.4	22.5	25.1	20.3	19.6	21.8
Dewas	43.8	50.0	30.3	22.8	22.0	24.5	19.9	19.3	21.1
Dhar	45.4	48.9	29.6	23.0	22.7	24.4	20.1	19.8	21.3
Dindori	44.8	45.2	-	23.3	23.1	-	20.3	20.2	-
East Nimar	24.6	27.3	14.3	24.7	23.8	27.1	21.5	20.8	23.2
Guna	63.8	70.4	41.9	21.7	21.0	23.9	19.7	19.0	21.8
Gwalior	32.9	49.5	25.1	24.8	22.8	25.7	21.5	19.9	22.2
Harda	27.6	30.3	14.1	24.4	23.8	26.5	20.8	20.4	22.2
Hoshangabad	22.1	25.5	14.3	25.7	25.1	26.7	21.3	20.8	22.2
Indore	24.7	43.1	18.9	25.5	23.0	26.2	21.8	19.7	22.4
Jabalpur	23.3	33.6	15.0	26.0	23.8	27.3	22.0	20.3	23.0
Jhabua	65.2	67.7	38.8	21.1	21.0	22.7	19.7	19.6	20.2
Katni	42.4	47.4	23.3	24.2	23.4	26.9	20.8	20.1	22.8
Mandla	42.9	45.7	8.4	23.5	22.8	27.9	20.4	20.0	23.0
Mandsaur	53.3	60.0	29.3	21.8	21.0	24.1	19.3	18.6	21.2
Morena	53.7	59.1	40.5	22.3	21.5	24.1	19.8	19.3	21.2
Narsimhapur	38.4	39.4	31.6	24.6	24.3	26.1	20.7	20.4	22.0
Neemuch	45.3	55.8	27.0	22.5	21.3	24.3	20.0	18.9	21.7
Panna	60.5	64.8	30.4	23.3	22.9	25.1	19.7	19.5	20.7
Raisen	36.4	41.9	13.3	24.3	23.6	26.1	21.1	20.5	22.7
Rajgarh	50.9	54.0	33.2	22.4	22.0	24.9	19.3	18.9	21.6
Ratlam	38.6	50.7	20.3	23.2	21.0	25.9	20.3	18.8	22.1
Rewa	59.6	63.8	37.3	22.9	22.3	25.2	20.1	19.9	21.3
Sagar	29.6	34.7	17.6	24.2	23.1	26.1	20.6	19.7	22.1
Satna	54.8	58.5	43.9	23.0	22.6	24.0	20.2	19.8	21.3
Sehore	46.9	51.1	27.5	23.6	23.2	25.4	20.3	19.7	22.3
Seoni	30.2	31.1	14.7	24.9	24.5	28.5	21.4	21.1	23.4
Shahdol	58.3	65.5	33.5	23.1	21.9	25.8	20.4	19.5	22.5
Shajapur	47.1	53.2	28.9	22.2	21.4	24.3	19.3	18.8	20.5
Sheopur	69.2	73.1	45.8	21.2	20.7	23.5	18.8	18.5	20.2
Shivpuri	51.0	54.3	27.5	22.4	22.0	25.1	19.7	19.4	21.5
Sidhi	66.3	69.6	44.8	22.3	21.9	24.2	19.7	19.4	21.1
Tikamgarh	66.7	71.9	41.6	21.6	20.8	24.4	19.3	18.8	21.4
Ujjain	49.0	62.8	27.6	23.1	21.1	25.8	20.1	18.4	22.2
Umaria	52.7	56.0	36.0	23.1	22.4	26.1	20.1	19.6	22.3
Vidisha	36.3	39.5	27.9	23.8	23.0	25.7	20.6	19.8	22.3
West Nimar	33.4	36.5	14.6	23.2	22.9	24.7	20.2	19.9	21.4

# Based on marriages taken place during 2007-2009.

**Madhya Pradesh: Mean age at Marriage  
(based on marriages taken place during 2007-2009)**



**Madhya Pradesh: Mean age at Marriage  
(based on marriages taken place during 2007-2009)**



## SCHOOLING STATUS

State / District	Children currently attending school (Age 6-17 years) (%)								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Madhya Pradesh	88.0	86.6	91.2	88.2	87.0	90.8	87.7	86.0	91.8
Balaghat	91.1	90.7	93.4	89.3	88.7	92.3	93.0	92.7	94.5
Barwani	77.3	76.1	83.5	77.1	76.0	82.8	77.4	76.2	84.2
Betul	88.5	87.3	95.0	87.5	86.4	93.5	89.5	88.2	96.5
Bhind	92.0	91.6	92.6	92.8	92.6	93.0	91.0	90.3	92.1
Bhopal	92.2	90.0	92.7	91.7	90.0	92.1	92.7	90.1	93.3
Chhatarpur	86.5	85.6	89.7	86.3	85.4	89.3	86.8	85.8	90.2
Chhindwara	89.9	89.0	93.0	88.9	88.3	91.0	90.8	89.6	95.0
Damoh	87.7	87.4	89.2	86.2	85.8	87.4	89.4	89.0	91.2
Datia	93.6	92.7	95.4	93.8	93.1	95.0	93.4	92.3	95.8
Dewas	87.6	86.8	89.1	89.0	89.1	88.9	85.9	84.2	89.3
Dhar	84.0	82.8	90.1	84.6	83.5	90.3	83.3	82.1	89.8
Dindori	87.5	87.4	-	86.7	86.6	-	88.3	88.2	-
East Nimar	79.7	77.1	86.7	80.2	78.1	85.8	79.1	75.9	87.8
Guna	86.4	84.1	92.4	87.7	86.2	91.7	84.9	81.6	93.2
Gwalior	91.9	91.2	92.3	92.2	92.5	92.0	91.6	89.5	92.5
Harda	86.9	85.3	93.2	87.6	86.2	92.9	86.1	84.3	93.6
Hoshangabad	90.3	89.0	92.6	90.9	90.1	92.3	89.6	87.8	92.9
Indore	92.3	89.8	93.1	92.6	91.4	93.0	91.9	88.1	93.2
Jabalpur	86.6	84.2	88.4	85.6	83.1	87.2	87.8	85.3	89.7
Jhabua	64.7	62.5	87.8	67.8	65.8	87.2	61.4	58.9	88.5
Katni	89.1	88.5	90.9	88.8	88.6	89.4	89.3	88.3	92.6
Mandla	88.8	88.6	91.1	89.5	89.4	90.9	88.1	87.8	91.3
Mandsaur	86.4	86.4	86.4	88.2	88.9	85.8	84.3	83.5	87.0
Morena	89.9	89.5	90.9	90.9	90.6	91.7	88.6	88.1	89.9
Narsimhapur	89.0	89.1	88.6	88.3	88.6	86.7	89.8	89.7	90.7
Neemuch	89.2	88.4	90.6	90.4	90.2	90.7	87.8	86.2	90.5
Panna	87.8	87.6	88.8	87.5	87.6	87.1	88.1	87.6	90.6
Raisen	86.3	84.7	91.8	86.0	84.5	90.8	86.7	84.9	93.0
Rajgarh	89.7	89.0	93.8	91.4	91.0	93.2	87.8	86.7	94.6
Ratlam	87.5	86.1	89.3	88.9	88.4	89.7	85.9	83.5	88.9
Rewa	91.7	91.6	92.2	91.8	91.9	91.7	91.6	91.3	92.9
Sagar	87.7	86.3	90.7	86.5	85.3	89.2	89.0	87.4	92.4
Satna	89.9	89.9	90.0	89.3	89.3	89.4	90.5	90.5	90.7
Sehore	92.2	91.8	94.4	92.5	92.3	93.8	91.9	91.3	95.1
Seoni	88.0	87.3	94.7	85.8	84.9	94.4	90.2	89.7	95.1
Shahdol	91.3	91.0	92.0	90.1	89.5	91.5	92.6	92.5	92.7
Shajapur	88.0	89.1	84.8	89.6	91.5	84.2	86.1	86.3	85.6
Sheopur	83.8	83.8	84.0	85.2	85.5	83.6	82.2	81.8	84.4
Shivpuri	90.5	90.2	92.7	90.2	90.0	91.4	90.9	90.3	94.1
Sidhi	91.8	91.4	93.8	91.6	91.3	93.8	91.9	91.6	93.8
Tikamgarh	88.7	87.8	92.5	87.7	86.8	91.5	89.8	88.9	93.6
Ujjain	88.3	85.5	92.5	90.6	89.1	92.8	85.6	81.4	92.1
Umariya	89.5	88.5	94.2	89.3	88.4	93.6	89.6	88.7	94.8
Vidisha	91.6	90.8	93.6	91.6	91.1	92.8	91.6	90.6	94.5
West Nimar	83.7	83.2	86.4	83.8	83.5	85.5	83.6	82.8	87.5

## SCHOOLING STATUS

State / District	Children attended before / Drop out (Age 6-17 years) (%)								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Madhya Pradesh	9.2	9.9	7.5	9.1	9.6	8.0	9.2	10.1	7.0
Balaghat	8.3	8.7	6.3	10.2	10.8	7.3	6.5	6.7	5.2
Barwani	12.4	12.5	12.1	12.7	12.8	12.5	12.1	12.2	11.6
Betul	10.1	11.1	4.8	11.0	11.8	6.4	9.1	10.3	3.1
Bhind	6.5	6.9	5.8	5.8	6.0	5.4	7.3	8.0	6.2
Bhopal	6.5	8.7	6.0	7.0	8.7	6.6	6.0	8.6	5.5
Chhatarpur	10.1	10.6	8.4	10.6	11.1	9.2	9.5	10.1	7.4
Chhindwara	9.0	9.8	6.5	10.0	10.5	8.3	8.1	9.1	4.5
Damoh	10.9	11.5	8.7	12.2	12.7	10.1	9.5	10.1	7.3
Datia	5.6	6.3	4.2	5.3	5.8	4.3	6.0	7.1	3.9
Dewas	10.4	10.9	9.6	9.3	9.1	9.7	11.7	12.9	9.4
Dhar	11.1	11.6	8.5	10.6	11.0	8.7	11.7	12.3	8.2
Dindori	11.0	11.1	-	11.9	12.0	-	10.0	10.1	-
East Nimar	13.0	14.0	10.5	12.9	13.6	11.0	13.1	14.3	10.0
Guna	9.0	10.1	6.1	8.4	9.0	6.9	9.6	11.4	5.1
Gwalior	7.0	7.5	6.8	7.0	6.5	7.2	7.1	8.7	6.4
Harda	11.0	12.2	6.6	10.4	11.4	6.9	11.7	13.0	6.2
Hoshangabad	9.1	10.2	6.9	8.5	9.2	7.2	9.6	11.3	6.5
Indore	6.8	8.8	6.1	6.4	7.4	6.1	7.2	10.4	6.1
Jabalpur	12.6	14.9	10.9	13.7	16.1	12.1	11.4	13.6	9.7
Jhabua	11.9	12.3	7.8	11.2	11.6	7.0	12.6	13.0	8.7
Katni	10.4	10.9	8.8	10.6	10.8	10.2	10.2	11.1	7.2
Mandla	9.8	10.0	7.9	9.5	9.5	8.6	10.1	10.4	7.2
Mandsaur	12.2	12.0	12.8	10.5	9.7	13.2	14.1	14.6	12.4
Morena	8.4	8.9	7.4	7.4	7.9	6.3	9.8	10.2	8.9
Narsimhapur	9.9	9.9	10.2	10.5	10.3	11.8	9.3	9.5	8.4
Neemuch	9.6	10.4	8.2	8.4	8.5	8.2	10.9	12.5	8.2
Panna	7.9	7.7	9.1	8.2	7.8	10.6	7.6	7.6	7.6
Raisen	9.9	10.7	7.4	9.9	10.3	8.3	10.0	11.0	6.2
Rajgarh	8.5	9.0	5.7	7.2	7.3	6.5	10.0	10.8	4.8
Ratlam	10.8	11.6	9.8	9.6	9.7	9.5	12.1	13.7	10.1
Rewa	7.4	7.5	6.9	7.4	7.4	7.4	7.4	7.7	6.4
Sagar	9.8	10.6	8.1	10.9	11.5	9.6	8.6	9.5	6.5
Satna	8.5	8.4	8.7	9.1	9.1	9.2	7.9	7.7	8.1
Sehore	6.8	7.3	4.8	6.7	7.0	5.2	7.1	7.6	4.3
Seoni	11.3	11.9	5.1	13.3	14.1	5.6	9.2	9.7	4.5
Shahdol	7.7	8.4	5.9	8.8	9.7	6.6	6.4	6.9	5.2
Shajapur	10.4	9.3	13.7	9.0	7.1	14.4	12.1	11.8	12.8
Sheopur	10.7	10.2	13.2	9.9	9.0	14.2	11.7	11.7	11.9
Shivpuri	7.3	7.5	5.8	7.8	8.0	6.8	6.6	6.9	4.7
Sidhi	6.0	6.2	4.7	6.0	6.2	5.0	6.0	6.2	4.5
Tikamgarh	6.5	6.9	4.5	7.4	7.8	5.2	5.5	5.9	3.6
Ujjain	9.3	11.6	5.9	7.6	8.9	5.7	11.4	14.8	6.1
Umariya	9.1	9.9	5.0	9.4	10.2	5.1	8.7	9.5	4.9
Vidisha	7.5	8.1	5.8	7.4	7.8	6.4	7.6	8.5	5.0
West Nimar	12.1	12.2	11.6	12.0	12.0	12.5	12.2	12.5	10.6

## WORK STATUS

State / District	Children aged 5-14 years engaged in work (%)								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Madhya Pradesh	4.5	5.0	3.4	5.1	5.6	4.1	3.9	4.4	2.7
Balaghat	2.3	2.3	2.5	3.1	3.1	3.2	1.6	1.5	1.7
Barwani	9.9	10.5	6.3	10.4	11.0	7.2	9.3	10.0	5.2
Betul	4.6	5.2	1.3	5.5	6.2	1.5	3.6	4.1	1.0
Bhind	2.5	2.8	1.9	2.9	3.3	2.3	1.9	2.2	1.4
Bhopal	3.9	3.9	3.9	4.5	4.9	4.4	3.2	2.8	3.3
Chhatarpur	2.3	2.3	2.3	3.3	3.3	3.2	1.3	1.3	1.3
Chhindwara	3.5	4.0	1.6	4.1	4.6	2.4	2.9	3.5	0.7
Damoh	2.9	3.1	1.9	3.9	4.1	2.8	1.8	2.0	0.9
Datia	4.8	5.9	2.4	5.9	7.1	3.2	3.5	4.5	1.5
Dewas	5.9	6.5	4.6	6.6	7.2	5.5	5.1	5.8	3.7
Dhar	12.0	12.2	11.3	12.2	12.4	11.7	11.8	12.0	10.9
Dindori	4.0	4.1	-	4.5	4.5	-	3.6	3.7	-
East Nimar	7.1	8.2	4.1	8.0	9.0	5.0	6.2	7.2	3.1
Guna	8.8	9.1	8.1	9.7	10.0	9.0	7.8	8.0	7.1
Gwalior	3.5	3.7	3.4	3.8	4.3	3.5	3.2	3.1	3.2
Harda	3.8	4.0	2.7	4.4	4.7	3.3	3.1	3.3	2.0
Hoshangabad	1.9	2.1	1.6	2.3	2.6	1.9	1.5	1.6	1.4
Indore	4.6	4.8	4.5	5.2	5.2	5.2	3.9	4.4	3.7
Jabalpur	2.5	2.6	2.5	3.2	3.2	3.3	1.8	2.1	1.6
Jhabua	15.1	15.4	12.2	15.9	16.0	14.4	14.3	14.7	9.4
Katni	1.9	1.8	2.0	2.3	2.3	2.5	1.4	1.3	1.5
Mandla	3.6	3.7	2.4	3.8	3.9	2.8	3.4	3.5	2.1
Mandsaur	4.5	4.7	3.6	4.5	4.5	4.4	4.5	5.0	2.7
Morena	3.5	3.7	3.0	4.2	4.4	3.7	2.5	2.7	1.9
Narsimhapur	3.0	2.8	3.9	3.8	3.6	5.1	2.1	2.0	2.5
Neemuch	3.5	3.7	3.1	4.0	4.1	3.9	2.9	3.3	2.2
Panna	3.6	3.8	3.1	4.4	4.5	3.6	2.8	2.9	2.5
Raisen	2.8	2.8	2.9	3.7	3.6	4.1	1.9	2.0	1.5
Rajgarh	5.3	5.6	3.6	5.9	6.2	4.0	4.6	4.9	3.0
Ratlam	8.9	13.6	2.5	9.0	13.4	3.1	8.6	13.8	1.8
Rewa	1.9	1.7	2.4	2.3	2.2	3.0	1.3	1.3	1.7
Sagar	1.7	1.9	1.4	2.3	2.5	1.8	1.2	1.2	1.1
Satna	2.6	2.6	2.7	3.2	3.2	3.1	2.0	1.9	2.1
Sehore	4.9	4.5	7.1	5.6	4.9	8.8	4.2	4.0	4.9
Seoni	4.0	4.0	3.7	4.7	4.7	4.9	3.2	3.3	2.3
Shahdol	1.9	2.1	1.3	2.3	2.6	1.5	1.5	1.6	1.0
Shajapur	3.6	3.9	2.7	4.1	4.4	3.0	3.0	3.2	2.3
Sheopur	4.8	5.1	3.1	5.3	5.5	4.0	4.3	4.7	1.8
Shivpuri	4.0	4.3	1.9	5.1	5.5	2.5	2.8	3.0	1.1
Sidhi	2.8	2.6	4.0	3.1	2.8	5.2	2.4	2.4	2.6
Tikamgarh	2.0	2.2	1.2	2.8	2.9	2.1	1.2	1.4	0.1
Ujjain	2.8	3.3	2.1	3.1	3.4	2.5	2.5	3.1	1.4
Umaria	2.9	3.2	0.8	3.3	3.8	1.2	2.4	2.7	0.4
Vidisha	2.1	2.5	1.1	2.5	3.1	1.2	1.6	1.8	1.0
West Nimar	7.8	8.4	4.3	8.3	8.8	5.5	7.3	8.0	3.0

## WORK STATUS

## Work Participation Rate (15 years and above)


State / District	Work Participation Rate (15 years and above)								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Madhya Pradesh	53.2	57.8	44.7	76.1	78.7	71.4	28.2	35.0	15.6
Balaghat	57.7	59.9	47.3	77.7	78.5	73.5	37.9	41.3	21.2
Barwani	68.8	74.2	49.1	81.2	83.6	72.5	55.9	64.3	24.7
Betul	61.5	65.8	44.2	74.8	76.4	68.4	47.1	54.4	18.2
Bhind	40.8	43.1	37.2	71.4	74.3	66.6	5.4	6.0	4.5
Bhopal	46.6	54.6	45.5	71.8	76.9	71.0	18.7	29.3	17.1
Chhatarpur	56.5	61.9	41.4	74.5	77.0	67.5	35.9	44.6	12.0
Chhindwara	56.1	61.6	41.6	74.0	77.8	63.9	37.2	44.5	18.0
Damoh	50.6	52.7	43.9	79.0	81.0	72.7	18.8	20.9	12.1
Datia	44.2	45.7	41.3	74.0	76.3	69.7	9.4	10.0	8.3
Dewas	54.6	58.5	47.6	77.6	79.3	74.5	29.6	35.9	18.2
Dhar	66.6	70.4	51.6	80.2	81.4	75.6	52.4	59.1	25.2
Dindori	73.8	74.8	-	83.3	83.7	-	64.1	65.8	-
East Nimar	59.8	65.4	47.4	81.0	84.2	74.0	36.5	44.9	18.0
Guna	51.8	54.1	46.3	77.0	79.2	72.0	23.0	25.6	17.0
Gwalior	41.8	44.1	40.9	69.4	73.2	67.9	9.7	8.7	10.0
Harda	50.7	52.8	43.1	75.8	77.2	70.7	23.0	25.8	13.4
Hoshangabad	48.5	52.9	41.9	73.6	76.5	69.2	20.5	25.9	12.3
Indore	47.8	54.5	46.2	73.8	77.1	73.0	19.3	30.2	16.7
Jabalpur	50.8	60.0	45.7	74.2	79.7	71.1	25.5	38.7	18.2
Jhabua	73.5	76.0	54.1	81.6	82.3	75.9	65.2	69.4	30.3
Katni	50.5	52.6	45.1	77.8	79.1	74.6	21.1	24.1	13.3
Mandla	71.9	75.1	49.2	81.2	82.5	72.4	62.7	67.8	25.5
Mandsaur	63.7	67.8	51.7	80.1	81.0	77.5	46.6	54.0	24.9
Morena	42.1	43.0	40.4	72.5	74.3	68.9	6.5	5.8	7.9
Narsimhapur	53.7	55.0	47.0	77.3	78.1	73.2	27.4	29.3	17.2
Neemuch	55.4	58.8	50.0	79.6	81.0	77.4	29.9	35.2	21.5
Panna	54.9	56.4	47.6	76.7	77.7	72.1	30.9	33.0	20.9
Raisen	47.8	49.0	44.3	75.4	76.6	72.1	16.0	17.3	12.5
Rajgarh	50.6	51.5	46.2	76.5	77.1	73.5	21.7	22.9	16.0
Ratlam	60.7	75.9	45.5	78.9	85.7	72.0	41.7	65.7	18.1
Rewa	45.5	46.6	41.1	70.7	71.4	67.8	19.9	21.5	13.2
Sagar	48.3	50.6	44.1	75.6	79.3	68.7	16.9	16.9	16.9
Satna	53.6	55.7	48.0	74.5	75.2	72.9	31.2	35.1	21.1
Sehore	51.7	53.3	45.4	72.5	72.5	72.5	27.8	31.2	14.3
Seoni	64.6	66.8	46.6	81.1	82.1	72.7	47.4	50.8	20.3
Shahdol	48.9	53.1	39.4	74.1	77.3	67.1	22.6	28.4	9.2
Shajapur	54.6	57.4	46.3	78.8	79.6	76.2	28.1	32.9	13.8
Sheopur	54.4	56.2	46.2	80.4	81.6	75.4	24.9	27.6	12.9
Shivpuri	47.5	48.4	43.2	78.9	80.0	73.4	11.4	11.6	10.5
Sidhi	49.0	50.2	42.5	77.2	77.9	73.4	17.7	19.5	8.3
Tikamgarh	45.8	47.3	40.4	77.0	78.7	71.0	10.2	11.2	6.8
Ujjain	49.6	55.9	42.1	76.7	81.3	71.4	20.7	29.3	10.5
Umariya	56.5	60.1	42.2	77.5	80.6	65.3	33.9	38.1	17.0
Vidisha	47.9	50.1	43.4	74.4	76.1	71.0	17.2	19.3	13.0
West Nimar	66.6	70.7	48.4	80.2	81.6	74.0	52.0	59.0	21.0




## DISABILITY

State / District	Prevalence of any type of Disability (Per 100,000 Population)								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Madhya Pradesh	1396	1461	1262	1600	1681	1436	1171	1221	1069
Balaghat	1775	1836	1470	2086	2187	1590	1465	1488	1348
Barwani	848	768	1182	888	785	1317	806	750	1039
Betul	1621	1608	1675	1973	1977	1957	1239	1208	1373
Bhind	2321	2463	2092	2606	2709	2440	1986	2173	1692
Bhopal	1075	1167	1058	1212	1302	1196	922	1017	906
Chhatarpur	2349	2436	2081	2640	2711	2418	2022	2125	1701
Chhindwara	1817	1883	1632	1993	2019	1920	1633	1741	1326
Damoh	1712	1805	1396	1966	2050	1679	1435	1537	1088
Datia	1508	1668	1196	1632	1819	1265	1361	1489	1115
Dewas	1106	1228	871	1376	1559	1027	809	866	700
Dhar	824	742	1175	896	868	1011	747	610	1359
Dindori	1865	1840	-	2064	2017	-	1663	1662	-
East Nimar	950	885	1107	1046	975	1215	845	787	988
Guna	1419	1435	1382	1540	1618	1345	1281	1224	1423
Gwalior	1034	1106	1006	1111	1198	1076	943	992	925
Harda	1169	1128	1319	1454	1394	1676	855	835	927
Hoshangabad	1530	1539	1516	1843	1778	1949	1186	1273	1043
Indore	955	964	952	995	908	1017	911	1023	881
Jabalpur	1409	1603	1292	1670	1861	1557	1125	1328	1002
Jhabua	549	532	702	522	495	761	577	571	636
Katni	2420	2647	1795	2915	3129	2327	1893	2135	1223
Mandla	1824	1826	1807	2085	2053	2339	1564	1602	1256
Mandsaur	1560	1642	1304	1665	1731	1461	1448	1548	1138
Morena	1335	1206	1618	1530	1428	1755	1096	934	1450
Narsimhapur	1566	1607	1344	1854	1886	1681	1246	1298	963
Neemuch	1518	1616	1361	1561	1645	1424	1473	1586	1293
Panna	1481	1482	1474	1703	1687	1787	1237	1257	1136
Raisen	1158	1089	1369	1360	1335	1434	930	815	1291
Rajgarh	1123	1087	1310	1356	1358	1345	864	788	1270
Ratlam	1240	1227	1255	1305	1190	1435	1170	1266	1064
Rewa	1495	1593	1081	1830	1948	1343	1147	1227	798
Sagar	1883	1821	2005	2247	2207	2326	1472	1378	1653
Satna	1305	1384	1096	1622	1716	1378	964	1031	785
Sehore	1474	1540	1200	1694	1800	1262	1223	1246	1126
Seoni	1043	1031	1149	1247	1244	1273	832	810	1020
Shahdol	1269	1363	1038	1629	1734	1376	891	979	672
Shajapur	1301	1311	1272	1473	1470	1482	1111	1133	1047
Sheopur	906	952	684	1020	1081	731	777	807	628
Shivpuri	1248	1242	1279	1495	1482	1567	964	965	961
Sidhi	1357	1383	1207	1601	1628	1445	1089	1114	945
Tikamgarh	1740	1732	1773	2062	2092	1945	1376	1323	1580
Ujjain	1666	1902	1354	1752	1961	1484	1571	1839	1209
Umaria	1215	1263	1001	1424	1452	1302	993	1064	669
Vidisha	1957	2379	997	2393	2899	1235	1458	1782	726
West Nimar	997	968	1137	1047	1012	1220	943	922	1047


**Madhya Pradesh: Prevalence of any type of Disability (Per 100,000 Population)**



**Madhya Pradesh: Prevalence of any type of Disability (Per 100,000 Population)**



**Madhya Pradesh: Prevalence of any type of Disability (Per 100,000 Population)**



## INJURY




State / District	Number of Injured Persons by type of Treatment received (Per 100,000 Population)								
	Severe								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
Madhya Pradesh	244	235	264	336	322	363	144	139	153
Balaghat	262	277	186	404	423	310	120	132	59
Barwani	144	164	64	178	205	63	109	120	66
Betul	409	376	554	534	477	789	273	266	302
Bhind	289	264	327	360	327	414	205	190	228
Bhopal	267	136	290	374	183	407	149	84	161
Chhatarpur	250	247	259	334	325	361	155	159	144
Chhindwara	297	258	406	441	394	574	145	116	227
Damoh	224	232	199	353	369	297	84	82	93
Datia	78	100	34	111	152	31	38	39	37
Dewas	374	376	371	525	574	430	209	158	306
Dhar	85	67	164	123	106	197	45	27	126
Dindori	380	382	-	514	514	-	245	249	-
East Nimar	95	77	136	125	113	155	61	39	115
Guna	56	39	96	52	49	60	60	28	138
Gwalior	21	42	12	20	23	18	22	64	5
Harda	177	171	202	254	238	316	92	97	77
Hoshangabad	327	200	534	447	257	759	194	137	288
Indore	253	276	246	347	369	341	149	178	141
Jabalpur	272	229	299	367	287	414	170	167	172
Jhabua	112	113	100	150	150	152	71	74	42
Katni	425	431	408	604	595	630	234	257	169
Mandla	285	261	476	414	404	495	157	120	457
Mandsaur	393	441	241	550	628	308	225	243	171
Morena	240	203	322	328	252	495	133	144	110
Narsimhapur	383	388	354	512	523	454	239	239	241
Neemuch	401	338	503	562	457	735	229	210	259
Panna	286	263	404	423	393	583	134	119	210
Raisen	142	117	219	193	162	287	84	66	140
Rajgarh	287	239	538	376	322	659	189	148	403
Ratlam	197	149	249	276	172	393	112	126	97
Rewa	159	174	96	232	256	132	83	89	57
Sagar	517	523	505	729	711	766	277	307	217
Satna	272	265	291	392	385	411	144	138	160
Sehore	157	146	203	193	174	273	115	114	121
Seoni	218	218	217	300	301	297	132	132	133
Shahdol	184	150	268	288	265	344	75	31	185
Shajapur	565	523	690	731	675	898	381	352	467
Sheopur	194	176	278	239	205	401	142	143	137
Shivpuri	184	156	338	267	220	532	89	83	124
Sidhi	214	194	324	294	273	413	125	108	227
Tikamgarh	248	219	361	352	305	534	131	121	168
Ujjain	150	185	104	199	258	123	96	106	82
Umaria	169	194	56	238	268	107	96	117	0
Vidisha	239	294	113	299	355	170	170	223	48
West Nimar	215	228	148	269	287	182	156	165	111

## INJURY

State / District	Number of Injured Persons by type of Treatment received (Per 100,000 Population)								
	Major								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
Madhya Pradesh	285	287	281	397	406	378	163	158	174
Balaghat	387	384	402	613	615	601	162	155	198
Barwani	199	185	258	264	236	376	131	130	133
Betul	529	519	575	736	715	831	305	305	302
Bhind	218	221	212	287	297	270	136	131	146
Bhopal	219	124	235	303	181	324	125	60	137
Chhatarpur	424	426	416	594	614	530	231	213	287
Chhindwara	496	525	414	743	791	607	237	247	209
Damoh	256	250	277	384	391	361	116	96	185
Datia	80	87	67	109	116	94	47	52	37
Dewas	289	299	271	431	464	366	134	117	166
Dhar	112	117	89	156	180	56	65	51	126
Dindori	490	475	-	694	672	-	284	276	-
East Nimar	70	79	48	103	119	65	33	35	29
Guna	133	157	75	186	220	100	73	84	46
Gwalior	94	85	98	109	85	119	77	86	74
Harda	283	275	313	426	414	469	125	121	142
Hoshangabad	306	310	299	429	430	426	171	177	160
Indore	278	312	269	375	448	356	170	166	171
Jabalpur	426	421	429	611	640	595	226	188	249
Jhabua	68	45	281	43	44	38	95	46	552
Katni	309	313	299	454	447	472	155	170	113
Mandla	361	335	574	488	456	743	235	215	400
Mandsaur	499	557	317	706	791	442	279	309	185
Morena	173	131	264	213	194	255	123	53	275
Narsimhapur	257	275	156	328	345	240	178	199	60
Neemuch	550	394	801	733	570	998	354	203	594
Panna	334	324	384	415	398	505	244	242	252
Raisen	307	276	400	440	372	645	156	170	112
Rajgarh	163	152	218	224	209	302	95	90	124
Ratlam	338	270	414	476	412	548	190	116	271
Rewa	266	296	137	332	356	237	196	235	28
Sagar	641	650	622	893	922	833	357	339	391
Satna	320	316	329	461	466	447	168	157	200
Sehore	187	205	111	265	280	205	97	120	0
Seoni	402	413	304	603	618	467	194	201	133
Shahdol	319	318	324	468	475	452	164	156	185
Shajapur	389	387	396	488	466	554	279	298	225
Sheopur	111	90	215	136	120	212	83	56	218
Shivpuri	59	51	103	74	53	196	42	50	0
Sidhi	315	310	342	503	507	482	108	94	189
Tikamgarh	372	346	474	518	487	641	207	186	287
Ujjain	185	305	26	214	361	25	153	246	27
Umaria	116	138	19	158	186	36	72	88	0
Vidisha	204	213	181	292	307	256	103	105	97
West Nimar	225	221	243	296	294	308	147	142	172

## INJURY

State / District	Number of Injured Persons by type of Treatment received (Per 100,000 Population)								
	Minor								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
Madhya Pradesh	665	627	742	873	818	986	437	419	473
Balaghat	843	882	647	1121	1191	776	565	575	515
Barwani	464	451	516	497	446	711	428	456	310
Betul	371	363	408	486	475	535	247	242	272
Bhind	412	406	422	549	541	563	251	246	260
Bhopal	561	373	593	769	492	817	330	240	345
Chhatarpur	1056	939	1418	1416	1291	1803	649	542	982
Chhindwara	922	820	1209	1179	1031	1591	652	599	803
Damoh	940	950	909	1125	1106	1190	738	778	602
Datia	119	123	110	167	180	141	61	55	73
Dewas	477	556	325	655	773	430	281	318	210
Dhar	203	202	208	295	299	281	105	101	126
Dindori	1815	1781	-	2419	2367	-	1203	1187	-
East Nimar	248	288	149	323	372	207	165	198	86
Guna	224	253	150	217	247	141	232	260	161
Gwalior	240	148	277	291	196	330	181	89	217
Harda	381	387	362	541	532	574	206	227	129
Hoshangabad	429	463	372	534	561	490	312	354	243
Indore	623	352	694	810	505	888	417	188	478
Jabalpur	1478	1376	1540	2062	2001	2098	845	707	929
Jhabua	163	141	361	181	158	381	144	124	339
Katni	1364	1165	1913	1791	1506	2572	909	803	1204
Mandla	1354	1255	2144	1839	1701	2917	871	813	1342
Mandsaur	501	441	690	714	620	1005	276	250	356
Morena	217	169	322	274	213	405	147	114	220
Narsimhapur	364	350	438	502	491	560	210	194	301
Neemuch	2421	2104	2931	3094	2939	3347	1700	1203	2491
Panna	531	470	848	724	617	1282	318	307	379
Raisen	797	787	826	1054	1054	1052	506	488	561
Rajgarh	223	183	437	281	235	522	160	125	341
Ratlam	701	468	959	984	607	1408	397	319	484
Rewa	931	899	1067	1292	1254	1448	555	532	655
Sagar	1162	1046	1390	1563	1367	1956	709	679	768
Satna	638	637	640	923	921	931	331	335	319
Sehore	292	336	111	408	474	136	161	179	80
Seoni	1240	1181	1757	1792	1686	2715	667	657	754
Shahdol	1453	1513	1305	1959	1969	1935	923	1042	626
Shajapur	1395	1484	1133	1405	1384	1467	1385	1597	773
Sheopur	187	202	114	249	272	142	116	123	82
Shivpuri	86	65	206	96	59	308	75	71	93
Sidhi	398	354	648	591	526	964	186	166	302
Tikamgarh	442	442	440	578	584	556	288	282	311
Ujjain	297	458	84	414	640	123	169	264	41
Umaria	780	934	94	1017	1222	125	526	629	59
Vidisha	349	283	498	473	364	724	206	190	242
West Nimar	566	526	758	687	640	912	436	403	591





## ACUTE ILLNESS

State / District	Persons suffering from Acute Illness (Per 100,000 Population)								
	Diarrhoea/Dysentery								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
Madhya Pradesh	1256	1473	812	1254	1476	804	1259	1470	822
Balaghat	850	859	804	811	826	737	888	892	872
Barwani	1474	1582	1021	1507	1583	1191	1438	1582	840
Betul	1313	1445	736	1319	1472	648	1307	1417	830
Bhind	1457	1286	1732	1421	1281	1650	1499	1293	1825
Bhopal	717	574	742	749	516	789	683	638	691
Chhatarpur	1148	1101	1294	1150	1117	1252	1145	1082	1342
Chhindwara	476	437	584	503	437	689	447	438	471
Damoh	1410	1427	1352	1356	1361	1339	1469	1499	1366
Datia	1581	2034	699	1753	2287	703	1378	1732	695
Dewas	459	505	371	524	616	350	388	385	394
Dhar	2694	2739	2498	2631	2622	2667	2761	2863	2308
Dindori	660	680	-	631	647	-	689	715	-
East Nimar	504	662	122	411	540	103	605	795	143
Guna	3423	4210	1457	3736	4619	1526	3063	3740	1377
Gwalior	1260	2729	675	1302	2911	641	1211	2504	713
Harda	501	479	583	521	484	656	479	473	502
Hoshangabad	1004	1386	378	969	1324	385	1043	1455	371
Indore	513	834	429	488	742	424	539	933	435
Jabalpur	1018	1817	539	979	1797	494	1060	1837	589
Jhabua	2917	3121	1063	2811	3008	1065	3029	3239	1061
Katni	860	969	562	808	905	542	917	1037	583
Mandla	1951	2074	967	1984	2090	1156	1918	2058	771
Mandsaur	1682	1844	1176	1679	1828	1215	1686	1862	1134
Morena	1415	1563	1090	1477	1617	1170	1339	1497	991
Narsimhapur	566	609	325	540	571	374	594	652	271
Neemuch	1402	771	2418	1348	767	2295	1460	776	2549
Panna	1300	1336	1111	1256	1258	1243	1348	1422	968
Raisen	1281	1218	1472	1221	1158	1410	1348	1286	1544
Rajgarh	399	372	538	449	441	494	343	296	588
Ratlam	1445	2268	531	1259	1983	448	1644	2575	619
Rewa	1343	1540	506	1411	1632	500	1271	1446	513
Sagar	2131	2247	1901	1974	2081	1758	2308	2437	2059
Satna	897	994	640	823	902	616	976	1091	665
Sehore	1256	1385	720	1306	1450	716	1199	1311	724
Seoni	1039	1115	369	934	1002	339	1147	1232	399
Shahdol	891	827	1049	962	906	1097	817	746	997
Shajapur	969	1008	853	937	949	898	1004	1074	805
Sheopur	1380	1319	1671	1298	1293	1321	1472	1349	2075
Shivpuri	2096	2246	1265	2207	2364	1315	1969	2109	1209
Sidhi	1159	1126	1351	1211	1194	1308	1103	1051	1398
Tikamgarh	1561	1394	2213	1695	1539	2308	1409	1229	2107
Ujjain	1033	1725	123	974	1635	123	1098	1821	124
Umariya	653	762	168	649	749	214	657	775	118
Vidisha	1216	1631	272	1236	1677	227	1192	1578	323
West Nimar	1284	1276	1327	1230	1253	1118	1343	1300	1552

## ACUTE ILLNESS

State / District	Persons suffering from Acute Illness (Per 100,000 Population)								
	Acute Respiratory Infection (ARI)								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
Madhya Pradesh	1341	1296	1433	1293	1271	1340	1392	1323	1537
Balaghat	1479	1721	265	1479	1735	213	1478	1707	317
Barwani	2631	2545	2987	2495	2536	2320	2775	2555	3693
Betul	1105	667	3023	1084	676	2887	1127	657	3169
Bhind	717	771	631	716	762	640	719	781	621
Bhopal	1007	1218	971	933	1083	906	1091	1368	1043
Chhatarpur	676	477	1294	725	508	1400	620	442	1174
Chhindwara	3183	3202	3129	3280	3332	3134	3081	3065	3124
Damoh	1342	1639	332	1335	1621	361	1350	1658	301
Datia	1634	1729	1449	1559	1661	1359	1723	1810	1554
Dewas	944	1205	446	931	1169	478	958	1243	411
Dhar	406	366	580	428	375	646	383	356	506
Dindori	6781	6762	-	6356	6342	-	7211	7186	-
East Nimar	263	342	75	276	380	26	250	300	129
Guna	2062	2408	1200	2182	2533	1305	1924	2264	1079
Gwalior	421	407	427	398	352	417	449	476	439
Harda	427	294	914	409	304	797	447	284	1043
Hoshangabad	1435	789	2493	1398	786	2404	1476	792	2590
Indore	1737	854	1967	1590	825	1786	1900	885	2169
Jabalpur	1428	537	1962	1379	568	1861	1481	504	2074
Jhabua	373	388	241	347	365	190	401	412	297
Katni	546	602	390	504	554	367	590	654	414
Mandla	6126	5756	9079	5915	5602	8365	6336	5910	9820
Mandsaur	1147	1101	1293	1074	1054	1135	1225	1150	1461
Morena	459	432	520	479	465	510	435	390	532
Narsimhapur	477	355	1146	500	405	1014	452	300	1294
Neemuch	4577	3449	6393	4259	3432	5606	4918	3469	7224
Panna	401	397	424	375	343	544	430	456	294
Raisen	1601	885	3796	1541	883	3514	1668	889	4127
Rajgarh	979	755	2154	897	726	1784	1070	787	2570
Ratlam	1873	953	2895	1862	987	2843	1884	916	2950
Rewa	597	569	712	645	616	764	546	521	655
Sagar	518	578	401	533	601	396	502	551	406
Satna	351	326	418	322	307	363	383	347	479
Sehore	137	156	55	132	147	68	142	166	40
Seoni	6308	6390	5595	6174	6260	5431	6447	6524	5768
Shahdol	2016	2451	948	1954	2391	903	2082	2514	997
Shajapur	1038	1100	853	943	983	823	1142	1231	886
Sheopur	554	554	557	558	576	472	551	529	655
Shivpuri	522	526	500	527	521	560	516	531	434
Sidhi	682	555	1405	663	581	1136	703	528	1701
Tikamgarh	217	223	192	239	245	214	192	199	168
Ujjain	699	890	447	658	845	417	744	939	481
Umaria	1842	2105	674	1728	1965	696	1964	2252	649
Vidisha	1147	782	1978	1118	806	1831	1181	754	2145
West Nimar	1390	1226	2185	1375	1223	2110	1407	1230	2267


## ACUTE ILLNESS

State / District	Persons suffering from Acute Illness (Per 100,000 Population)								
	Fever (All Types)								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
Madhya Pradesh	5699	6355	4352	5338	5975	4042	6094	6770	4695
Balaghat	15737	16469	12065	15043	15712	11732	16429	17220	12406
Barwani	3766	3591	4492	3607	3529	3930	3934	3658	5086
Betul	14448	15002	12018	13552	14126	11025	15419	15956	13083
Bhind	4879	5150	4443	4386	4561	4101	5455	5848	4835
Bhopal	2212	922	2436	1926	717	2136	2530	1150	2769
Chhatarpur	7870	5886	14030	7333	5466	13131	8476	6360	15046
Chhindwara	6887	7227	5928	6698	7104	5562	7085	7355	6318
Damoh	7539	7820	6582	7278	7755	5652	7825	7892	7596
Datia	1481	1450	1541	1392	1418	1343	1586	1489	1774
Dewas	2249	2348	2060	1978	2017	1903	2546	2710	2232
Dhar	1322	1342	1234	1290	1337	1095	1356	1348	1391
Dindori	6607	6840	-	6332	6578	-	6886	7106	-
East Nimar	1602	1846	1012	1520	1788	879	1692	1910	1160
Guna	918	1011	686	1008	1154	643	815	847	735
Gwalior	1140	1281	1084	1084	1317	989	1206	1237	1194
Harda	5449	6161	2835	5328	6025	2766	5582	6310	2910
Hoshangabad	13135	13455	12611	12554	13095	11664	13776	13855	13649
Indore	2878	2909	2870	2552	2573	2546	3238	3269	3229
Jabalpur	6016	5794	6149	5636	5441	5752	6427	6171	6583
Jhabua	1490	1515	1264	1347	1388	989	1641	1649	1570
Katni	10474	12234	5621	9886	11518	5407	11102	12997	5851
Mandla	10328	10405	9710	9592	9552	9906	11062	11252	9506
Mandsaur	6363	6447	6100	6128	6192	5929	6613	6718	6282
Morena	2252	2055	2683	2088	1891	2520	2452	2256	2882
Narsimhapur	6940	6712	8190	6865	6709	7711	7024	6716	8730
Neemuch	5432	4658	6677	5088	4358	6277	5800	4983	7100
Panna	4551	4891	2787	4247	4553	2642	4887	5264	2945
Raisen	4202	2941	8070	4055	2767	7913	4367	3135	8254
Rajgarh	3397	3234	4249	3497	3446	3761	3286	3000	4800
Ratlam	3421	3501	3332	3225	3403	3025	3630	3606	3656
Rewa	10726	11148	8937	9598	9907	8320	11900	12429	9604
Sagar	5187	4443	6658	4764	4053	6198	5664	4890	7163
Satna	6624	6100	8011	6117	5579	7518	7168	6654	8554
Sehore	1779	1968	997	1786	1990	955	1772	1943	1046
Seoni	12260	12746	8003	11699	12082	8358	12842	13434	7631
Shahdol	10953	14081	3269	10639	13720	3226	11281	14455	3316
Shajapur	4789	4932	4367	4672	4757	4416	4918	5127	4315
Sheopur	1940	1980	1747	1784	1772	1840	2117	2215	1638
Shivpuri	1821	1817	1838	1756	1750	1791	1894	1895	1891
Sidhi	10418	10814	8159	9627	9915	7983	11288	11803	8352
Tikamgarh	6369	6702	5071	6118	6446	4830	6654	6994	5340
Ujjain	1795	2677	635	1804	2701	650	1786	2653	618
Umaria	11216	13030	3144	10667	12445	2925	11800	13648	3384
Vidisha	11639	14707	4666	11150	14046	4529	12200	15467	4822
West Nimar	4174	3976	5134	3913	3701	4938	4456	4272	5347


## ACUTE ILLNESS

State / District	Persons suffering from Acute Illness (Per 100,000 Population)								
	Any type of Acute Illness								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
Madhya Pradesh	9304	10087	7697	8841	9642	7210	9812	10573	8236
Balaghat	18458	19478	13339	17716	18698	12856	19199	20253	13833
Barwani	8232	8015	9134	7926	7902	8027	8556	8136	10305
Betul	17778	17796	17700	16832	16922	16432	18805	18747	19058
Bhind	7725	8036	7225	7110	7333	6745	8445	8869	7775
Bhopal	4458	3171	4681	4116	2702	4362	4838	3695	5035
Chhatarpur	10936	8736	17766	10348	8270	16801	11600	9263	18855
Chhindwara	11986	12232	11290	11777	12040	11042	12205	12434	11553
Damoh	13043	13704	10793	12688	13542	9775	13431	13881	11904
Datia	5829	6698	4136	5984	7114	3764	5645	6202	4571
Dewas	4623	5052	3803	4414	4812	3655	4851	5315	3965
Dhar	5523	5666	4907	5262	5385	4745	5802	5961	5090
Dindori	14320	14560	-	13608	13862	-	15040	15267	-
East Nimar	2761	3315	1427	2578	3144	1228	2961	3500	1647
Guna	7516	8969	3888	8180	9827	4056	6752	7981	3696
Gwalior	3196	5441	2301	3248	5949	2138	3135	4815	2489
Harda	6902	7500	4706	6838	7442	4618	6973	7565	4804
Hoshangabad	16337	16302	16394	15640	15826	15334	17106	16829	17557
Indore	6050	6123	6031	5509	5508	5509	6648	6782	6613
Jabalpur	10865	9195	11866	10323	8783	11237	11452	9635	12555
Jhabua	5649	5957	2849	5345	5670	2473	5970	6259	3267
Katni	18638	20117	14560	17560	19095	13351	19789	21207	15861
Mandla	19297	18980	21830	18293	17887	21464	20298	20065	22210
Mandsaur	9777	9928	9305	9439	9580	9001	10135	10297	9628
Morena	4413	4352	4548	4329	4257	4485	4517	4467	4626
Narsimhapur	8570	8200	10594	8457	8196	9872	8696	8205	11409
Neemuch	11442	8903	15530	10720	8573	14214	12215	9259	16921
Panna	7508	7818	5898	6943	7140	5905	8132	8568	5890
Raisen	8252	6043	15029	7901	5702	14487	8648	6423	15665
Rajgarh	5286	4834	7654	5294	5023	6698	5277	4624	8733
Ratlam	7685	7285	8129	7161	6789	7577	8245	7819	8714
Rewa	13749	14019	12604	12666	12883	11769	14876	15191	13508
Sagar	9345	8379	11256	8608	7706	10427	10177	9149	12165
Satna	8334	7913	9449	7691	7233	8884	9023	8634	10071
Sehore	4020	4539	1864	4202	4797	1774	3812	4245	1971
Seoni	20796	21338	16049	19983	20421	16165	21639	22288	15927
Shahdol	14265	17755	5690	13914	17380	5570	14632	18143	5820
Shajapur	7967	8101	7571	7595	7636	7470	8379	8622	7680
Sheopur	4445	4293	5177	4099	3998	4578	4837	4626	5871
Shivpuri	5026	5234	3868	5159	5384	3889	4872	5061	3844
Sidhi	12613	12831	11365	11843	12019	10840	13458	13723	11943
Tikamgarh	9655	9851	8888	9412	9659	8442	9930	10070	9387
Ujjain	4708	7042	1639	4419	6622	1582	5025	7491	1704
Umaria	14374	16423	5258	13642	15640	4941	15153	17250	5608
Vidisha	14588	17766	7361	14102	17203	7013	15144	18414	7757
West Nimar	7276	6857	9304	6894	6519	8713	7687	7222	9942


**Madhya Pradesh: Persons suffering from Diarrhoea/Dysentery  
(Per 100,000 Population)**




**Madhya Pradesh: Persons suffering from Acute Respiratory Infection (ARI)  
(Per 100,000 Population)**




**Madhya Pradesh: Persons suffering from Fever  
(All Types) (Per 100,000 Population)**




**Madhya Pradesh: Persons suffering from any type of Acute Illness  
(Per 100,000 Population)**




**Madhya Pradesh: Persons suffering from Acute Illness  
(Per 100,000 Population)**



**Madhya Pradesh: Persons suffering from Acute Illness (Per 100,000 Population)**



**Madhya Pradesh: Persons suffering from Acute Illness (Per 100,000 Population)**





## ACUTE ILLNESS

State / District	Persons suffering from Acute Illness and taking treatment from Any Source (%)								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Madhya Pradesh	87.9	85.8	93.5	87.2	85.0	93.4	88.6	86.7	93.7
Balaghat	97.4	97.2	99.0	97.4	97.1	99.2	97.4	97.2	98.7
Barwani	97.6	97.5	97.9	97.8	97.6	98.2	97.4	97.3	97.6
Betul	97.8	97.5	98.9	97.6	97.3	99.1	98.0	97.8	98.8
Bhind	96.0	95.4	97.1	96.4	95.6	97.6	95.7	95.3	96.5
Bhopal	94.4	82.7	95.8	94.2	80.6	95.6	94.9	84.4	96.2
Chhatarpur	89.6	87.2	93.3	90.4	88.0	93.9	88.9	86.3	92.8
Chhindwara	95.5	96.0	93.8	95.3	96.1	92.6	95.7	95.9	95.0
Damoh	92.6	91.6	97.0	92.6	91.8	96.5	92.7	91.6	97.3
Datia	30.7	24.3	50.7	28.4	23.3	47.3	33.5	25.7	54.0
Dewas	92.5	91.5	95.0	92.6	91.3	95.6	92.4	91.7	94.3
Dhar	37.5	36.4	43.0	36.7	36.5	37.3	38.3	36.3	49.1
Dindori	75.6	75.6	-	75.6	75.6	-	75.5	75.7	-
East Nimar	71.0	66.5	96.2	70.6	66.1	97.9	71.4	66.8	94.8
Guna	14.1	10.2	36.6	12.3	8.8	33.7	16.6	12.2	40.4
Gwalior	53.1	30.5	74.4	48.4	27.8	71.9	59.0	34.6	77.1
Harda	96.5	96.5	96.1	96.4	96.4	95.9	96.6	96.7	96.2
Hoshangabad	98.3	98.1	98.6	98.3	98.2	98.5	98.3	98.0	98.7
Indore	96.5	95.7	96.7	96.7	94.8	97.2	96.3	96.5	96.2
Jabalpur	93.6	89.9	95.4	93.8	89.4	95.8	93.5	90.4	94.9
Jhabua	37.2	35.6	67.6	35.7	34.4	61.5	38.8	36.9	72.7
Katni	97.1	97.2	96.6	96.7	96.7	96.6	97.5	97.8	96.6
Mandla	82.2	81.1	90.4	82.7	81.5	90.8	81.8	80.7	90.0
Mandsaur	96.5	96.4	97.0	96.7	96.4	97.8	96.3	96.3	96.3
Morena	73.5	64.3	92.7	73.3	64.0	92.6	73.7	64.7	92.9
Narsimhapur	96.1	95.8	97.2	96.2	96.0	97.0	96.0	95.7	97.4
Neemuch	98.6	97.9	99.2	98.6	97.9	99.2	98.6	97.9	99.3
Panna	83.1	83.6	79.1	84.9	85.6	80.3	81.4	81.8	77.9
Raisen	92.5	91.6	93.5	93.0	92.3	93.7	92.0	91.0	93.4
Rajgarh	59.8	54.3	77.9	57.9	52.3	79.9	62.3	57.2	76.6
Ratlam	96.2	94.8	97.6	96.4	95.6	97.2	96.0	94.0	98.0
Rewa	96.5	96.4	97.0	96.2	96.1	96.6	96.7	96.6	97.3
Sagar	93.2	92.0	95.0	92.8	91.4	94.8	93.5	92.4	95.1
Satna	90.9	89.7	93.6	91.2	90.0	93.7	90.6	89.5	93.4
Sehore	62.9	60.6	86.1	57.6	54.6	90.4	69.9	68.6	81.6
Seoni	89.6	89.4	92.8	89.7	89.4	92.4	89.6	89.3	93.3
Shahdol	95.1	94.9	96.5	95.3	95.1	96.9	94.9	94.8	96.0
Shajapur	96.6	96.4	97.1	96.2	95.7	97.8	96.9	97.0	96.4
Sheopur	56.8	59.5	46.0	57.1	58.7	50.5	56.7	60.5	41.9
Shivpuri	57.1	52.7	90.5	53.0	48.2	90.6	62.2	58.3	90.3
Sidhi	95.8	95.4	98.1	95.9	95.6	98.1	95.7	95.3	98.1
Tikamgarh	91.9	93.0	87.3	92.1	92.9	88.4	91.8	93.1	86.2
Ujjain	68.5	64.0	94.1	70.2	65.8	93.8	66.9	62.2	94.4
Umariya	97.3	97.5	95.6	97.6	97.6	97.1	97.1	97.3	94.0
Vidisha	97.1	97.3	96.1	97.0	97.3	95.1	97.3	97.4	97.1
West Nimar	97.4	97.3	97.6	97.4	97.4	97.3	97.5	97.3	98.0

## ACUTE ILLNESS

State / District	Persons suffering from Acute Illness and taking treatment from Government Source (%)								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Madhya Pradesh	17.1	16.7	18.1	17.2	17.0	17.8	17.0	16.4	18.5
Balaghat	9.3	8.5	15.1	9.2	8.4	14.7	9.3	8.5	15.4
Barwani	48.4	52.9	31.9	47.6	52.3	28.6	49.1	53.5	34.5
Betul	14.2	13.3	18.2	14.0	13.1	18.3	14.4	13.6	18.0
Bhind	11.4	10.2	13.3	11.4	10.2	13.3	11.4	10.3	13.3
Bhopal	31.1	29.9	31.3	29.2	32.1	28.9	33.1	28.2	33.7
Chhatarpur	16.0	11.4	22.6	15.4	11.6	20.8	16.7	11.3	24.2
Chhindwara	24.3	24.4	24.0	24.6	24.6	24.4	24.0	24.1	23.7
Damoh	6.0	5.5	7.9	5.4	5.0	7.0	6.5	6.0	8.6
Datia	16.0	10.4	24.5	14.6	11.1	21.1	17.5	9.6	27.4
Dewas	16.9	15.8	19.3	17.4	16.5	19.4	16.2	15.1	19.2
Dhar	30.1	28.7	35.9	32.9	32.5	34.9	27.5	25.1	36.7
Dindori	24.9	24.7	-	25.1	24.8	-	24.8	24.5	-
East Nimar	10.3	10.4	9.9	11.2	10.5	14.0	9.4	10.3	6.4
Guna	14.8	11.4	20.3	14.6	9.9	22.1	15.1	13.0	18.5
Gwalior	15.3	16.7	14.8	16.1	18.9	14.9	14.4	14.0	14.6
Harda	10.2	9.3	15.2	9.4	8.7	13.2	11.0	9.9	17.5
Hoshangabad	18.0	13.2	25.6	16.8	12.7	23.8	19.1	13.8	27.4
Indore	14.1	15.0	13.8	13.7	13.4	13.8	14.5	16.3	14.0
Jabalpur	9.2	12.4	7.8	8.8	11.8	7.5	9.6	13.1	8.1
Jhabua	33.9	32.9	43.7	33.1	32.3	42.5	34.3	33.2	44.6
Katni	8.9	8.3	11.2	8.6	7.9	11.0	9.2	8.6	11.4
Mandla	27.3	26.3	33.7	27.4	26.5	33.1	27.2	26.1	34.4
Mandsaur	15.8	12.6	26.5	14.3	11.2	24.7	17.2	13.9	28.3
Morena	10.5	5.7	17.4	10.4	6.9	15.5	10.6	4.4	19.7
Narsimhapur	14.2	13.1	18.8	14.1	12.8	19.8	14.2	13.3	17.9
Neemuch	16.3	22.7	10.4	17.3	24.4	10.5	15.3	21.1	10.3
Panna	32.8	33.5	27.7	31.4	31.6	30.3	34.2	35.4	24.8
Raisen	19.2	15.8	23.4	18.9	15.9	22.4	19.4	15.6	24.2
Rajgarh	22.3	20.6	26.3	21.1	19.9	24.1	24.1	21.9	28.7
Ratlam	29.3	34.8	23.9	28.7	34.6	22.8	29.8	34.9	24.9
Rewa	13.9	14.6	10.5	15.2	16.3	10.4	12.7	13.2	10.6
Sagar	10.8	7.6	15.4	11.3	7.8	16.3	10.4	7.5	14.5
Satna	17.9	18.8	16.0	18.1	19.4	15.4	17.7	18.3	16.5
Sehore	27.2	21.9	65.5	29.3	24.5	61.7	25.4	19.6	70.0
Seoni	14.8	14.1	23.0	15.7	14.7	25.9	14.0	13.5	20.0
Shahdol	27.3	25.0	44.3	27.5	24.8	47.0	27.0	25.2	41.5
Shajapur	14.5	11.9	22.7	14.5	11.8	22.7	14.5	12.0	22.6
Sheopur	21.1	22.0	16.5	18.9	19.3	17.3	23.1	24.4	15.6
Shivpuri	32.1	34.5	21.8	30.4	32.8	20.6	34.0	36.3	23.2
Sidhi	9.6	8.3	17.9	10.0	8.8	17.5	9.3	7.9	18.1
Tikamgarh	7.6	5.4	17.5	8.4	6.6	16.9	6.7	4.2	18.0
Ujjain	11.1	10.7	12.6	12.8	12.9	12.4	9.3	8.4	12.8
Umaria	18.1	17.9	21.2	18.4	18.2	21.2	17.8	17.6	21.3
Vidisha	26.2	27.8	17.4	29.6	31.3	20.0	22.6	24.0	14.8
West Nimar	31.3	32.9	25.4	30.8	32.8	23.6	31.7	33.0	27.1

## CHRONIC ILLNESS

State / District	Having any kind of Symptoms of Chronic Illness (Per 100,000 Population)								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Madhya Pradesh	5646	5608	5726	5065	5124	4944	6284	6135	6593
Balaghat	8173	8175	8164	7493	7605	6942	8852	8742	9413
Barwani	2364	2092	3492	2202	1922	3365	2534	2272	3627
Betul	5291	4897	7014	4962	4602	6547	5647	5218	7515
Bhind	4698	5005	4207	4499	4736	4112	4932	5323	4315
Bhopal	6787	5387	7030	5919	4736	6125	7750	6114	8033
Chhatarpur	6636	6081	8360	5708	5449	6513	7684	6795	10446
Chhindwara	5051	4746	5911	4561	4302	5283	5567	5211	6579
Damoh	7596	7227	8854	6811	6484	7926	8455	8040	9866
Datia	2274	2556	1727	2185	2510	1546	2380	2609	1938
Dewas	4527	4887	3840	4486	5056	3400	4572	4701	4324
Dhar	1695	1746	1472	1540	1586	1348	1859	1915	1612
Dindori	20504	20671	-	17074	17323	-	23974	24059	-
East Nimar	2272	2237	2357	2184	2140	2287	2370	2343	2435
Guna	2459	2568	2185	2341	2498	1948	2593	2649	2456
Gwalior	2841	1790	3260	2434	1618	2769	3319	2001	3826
Harda	4485	4316	5105	4338	4233	4723	4647	4407	5525
Hoshangabad	5986	5632	6566	5080	4963	5275	6985	6373	7982
Indore	4728	5105	4631	4067	4518	3952	5458	5735	5385
Jabalpur	9123	8228	9659	7728	7557	7830	10636	8945	11663
Jhabua	1562	1539	1765	1486	1508	1294	1642	1572	2291
Katni	7586	7424	8033	6829	6837	6807	8395	8049	9351
Mandla	13277	13430	12050	11412	11460	11035	15136	15385	13103
Mandsaur	6149	6262	5798	5860	6034	5315	6457	6503	6310
Morena	2416	2113	3079	2375	2110	2955	2466	2117	3231
Narsimhapur	6214	6173	6436	5480	5363	6110	7029	7069	6803
Neemuch	5547	4732	6859	5066	4501	5987	6061	4981	7780
Panna	8685	8207	11169	7992	7583	10140	9449	8897	12284
Raisen	4583	4330	5358	4074	4014	4255	5157	4682	6654
Rajgarh	4053	3324	7873	4130	3402	7906	3968	3238	7835
Ratlam	5021	3584	6616	4459	3258	5804	5621	3936	7476
Rewa	11566	11744	10812	10773	11054	9610	12390	12455	12112
Sagar	9320	9023	9907	8629	8871	8141	10099	9196	11846
Satna	8135	8856	6225	7278	7928	5584	9054	9842	6931
Sehore	2705	2858	2067	2437	2608	1739	3011	3142	2454
Seoni	12572	12900	9694	10894	11253	7764	14313	14609	11713
Shahdol	5923	5505	6951	5613	5353	6237	6248	5661	7721
Shajapur	4622	4069	6252	4116	3676	5434	5184	4508	7133
Sheopur	2417	2385	2570	2464	2401	2761	2363	2366	2348
Shivpuri	1867	1814	2162	1843	1813	2015	1895	1816	2325
Sidhi	4783	4532	6214	4600	4363	5953	4983	4717	6500
Tikamgarh	5369	5339	5488	4746	4795	4552	6075	5956	6537
Ujjain	4040	4288	3713	3765	4100	3335	4339	4489	4136
Umaria	8721	10132	2442	7268	8401	2337	10266	11959	2558
Vidisha	5971	6004	5897	5252	5314	5111	6794	6796	6789
West Nimar	1854	1713	2541	1799	1685	2349	1915	1743	2747


## CHRONIC ILLNESS

State / District	Having any kind of Symptoms of Chronic Illness and sought Medical Care (%)								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Madhya Pradesh	76.7	71.7	86.7	78.4	73.9	88.0	75.2	69.7	85.6
Balaghat	85.9	84.9	90.9	86.7	85.8	91.3	85.3	84.1	90.5
Barwani	83.9	81.4	90.2	83.4	80.6	90.1	84.3	82.1	90.2
Betul	85.3	82.5	93.9	85.4	83.2	92.5	85.2	81.9	95.2
Bhind	75.5	70.4	85.3	76.5	71.4	86.0	74.5	69.4	84.6
Bhopal	95.2	88.6	96.1	96.0	90.5	96.8	94.6	86.9	95.6
Chhatarpur	68.1	66.3	72.1	72.5	70.5	77.9	64.4	62.5	68.1
Chhindwara	79.7	75.2	89.8	79.3	74.2	91.0	80.1	76.1	88.9
Damoh	83.0	81.8	86.1	84.0	83.0	86.9	82.0	80.8	85.4
Datia	74.9	75.7	72.7	75.4	76.9	70.7	74.4	74.4	74.5
Dewas	86.9	86.3	88.5	88.8	88.4	89.9	84.9	83.8	87.2
Dhar	88.2	87.1	93.9	90.5	89.4	95.8	86.2	85.0	92.2
Dindori	39.7	39.0	-	43.1	42.5	-	37.3	36.4	-
East Nimar	83.7	80.5	91.1	84.9	81.7	92.1	82.4	79.2	90.0
Guna	82.9	80.8	89.2	85.2	83.5	90.7	80.6	77.9	87.9
Gwalior	87.3	71.1	90.8	86.2	73.3	89.3	88.2	69.0	92.1
Harda	87.7	86.3	92.1	87.2	85.7	92.3	88.2	87.0	91.8
Hoshangabad	77.9	75.1	81.8	82.4	80.4	85.4	74.3	70.6	79.2
Indore	88.7	86.4	89.4	90.5	89.5	90.8	87.3	83.7	88.3
Jabalpur	83.9	77.4	87.2	84.2	77.0	88.3	83.6	77.7	86.4
Jhabua	81.0	79.2	95.5	83.6	82.2	97.1	78.6	76.1	94.4
Katni	73.2	68.4	85.6	75.5	70.9	88.2	71.3	66.2	83.5
Mandla	50.3	47.0	80.2	53.6	50.1	82.3	47.8	44.6	78.4
Mandsaur	84.7	84.9	84.2	85.8	86.0	84.9	83.8	83.8	83.6
Morena	73.0	70.5	76.7	74.5	72.4	77.7	71.2	68.2	75.6
Narsimhapur	78.2	77.5	82.0	78.6	77.6	83.4	77.9	77.4	80.5
Neemuch	93.6	91.8	95.6	93.8	92.4	95.6	93.4	91.2	95.6
Panna	64.3	63.4	67.5	65.6	65.2	67.0	63.1	61.8	67.8
Raisen	80.0	77.6	85.8	82.1	81.0	85.4	78.1	74.4	86.1
Rajgarh	93.2	92.9	93.9	93.5	92.6	95.5	93.0	93.4	92.1
Ratlam	85.9	78.7	90.2	87.5	79.8	92.3	84.6	77.8	88.5
Rewa	70.5	67.8	83.2	70.4	67.5	84.1	70.6	68.0	82.4
Sagar	72.7	69.7	78.2	74.2	70.8	81.5	71.4	68.5	75.6
Satna	64.6	63.5	69.1	67.6	66.8	70.8	62.1	60.6	67.6
Sehore	82.0	80.8	89.3	84.1	82.8	92.2	80.1	78.9	86.9
Seoni	70.3	69.8	76.5	72.4	71.8	80.3	68.7	68.2	73.9
Shahdol	74.7	67.9	87.8	77.1	71.7	88.3	72.4	64.3	87.4
Shajapur	82.3	78.0	90.6	84.6	80.3	93.1	80.4	75.9	88.5
Sheopur	79.5	78.3	85.2	83.5	82.3	88.0	74.9	73.6	81.4
Shivpuri	83.5	83.1	85.7	84.8	84.0	88.9	82.1	82.0	82.7
Sidhi	74.3	70.5	90.1	74.2	70.2	90.8	74.4	70.8	89.5
Tikamgarh	71.3	68.7	81.3	74.3	72.9	79.8	68.8	64.9	82.4
Ujjain	85.9	82.5	91.1	87.5	85.4	90.8	84.4	79.6	91.4
Umari	61.9	60.4	89.3	65.8	64.1	92.4	59.0	57.7	86.2
Vidisha	76.0	74.9	78.7	77.0	75.7	80.0	75.2	74.1	77.7
West Nimar	92.0	91.3	93.9	91.3	90.9	92.7	92.6	91.8	95.1


## CHRONIC ILLNESS

State / District	Having diagnosed for Chronic Illness (Per 100,000 Population)								
	Diabetes								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
Madhya Pradesh	352	162	741	382	181	792	318	141	684
Balaghat	244	168	627	310	208	814	179	128	436
Barwani	254	210	441	218	185	355	293	236	531
Betul	245	171	568	249	181	549	241	161	589
Bhind	180	132	257	196	168	243	161	90	272
Bhopal	818	125	939	818	150	934	819	96	943
Chhatarpur	217	77	653	278	101	827	149	50	455
Chhindwara	408	262	820	426	297	788	388	225	855
Damoh	319	181	787	343	176	914	292	187	648
Datia	158	91	286	157	86	297	158	98	274
Dewas	252	205	342	290	254	358	211	152	324
Dhar	140	89	357	157	107	365	121	70	348
Dindori	245	227	-	253	227	-	236	226	-
East Nimar	155	89	313	168	103	323	141	75	301
Guna	128	97	204	167	137	241	82	51	161
Gwalior	287	132	348	284	140	343	290	122	354
Harda	346	305	497	367	326	516	323	281	476
Hoshangabad	495	203	973	514	203	1027	474	203	915
Indore	773	352	882	795	363	905	749	341	857
Jabalpur	1114	202	1660	1179	244	1734	1043	158	1580
Jhabua	82	76	140	64	62	76	101	89	212
Katni	478	210	1215	551	261	1347	399	156	1072
Mandla	314	193	1275	369	240	1376	258	147	1170
Mandsaur	335	268	543	362	273	641	306	263	440
Morena	100	52	206	98	47	210	103	59	202
Narsimhapur	238	165	636	285	214	667	186	111	602
Neemuch	428	138	895	488	186	980	363	86	805
Panna	249	184	586	290	205	738	202	160	421
Raisen	219	84	633	223	115	550	213	49	730
Rajgarh	177	100	582	258	155	796	88	40	341
Ratlam	426	94	794	459	101	859	390	86	725
Rewa	447	336	917	516	360	1159	376	312	655
Sagar	427	220	837	474	256	912	374	178	754
Satna	254	176	462	321	217	592	183	132	319
Sehore	139	146	111	171	179	136	102	107	80
Seoni	228	177	672	258	191	849	197	163	488
Shahdol	514	187	1317	660	238	1677	360	134	927
Shajapur	190	85	496	211	102	539	166	67	451
Sheopur	100	58	304	137	67	472	58	48	109
Shivpuri	160	171	103	169	179	112	150	160	93
Sidhi	274	111	1207	309	104	1480	237	119	907
Tikamgarh	163	115	350	194	135	427	128	93	263
Ujjain	431	167	778	432	149	797	430	188	756
Umaria	214	187	337	258	215	446	167	157	216
Vidisha	262	78	680	284	79	752	236	77	597
West Nimar	221	172	462	256	180	627	184	163	283


Madhya Pradesh: Having diagnosed for Diabetes  
(Per 100,000 Population)



Madhya Pradesh: Having diagnosed for Diabetes (Per 100,000 Population)




Madhya Pradesh: Having diagnosed for Diabetes (Per 100,000 Population)






## CHRONIC ILLNESS


State / District	Having diagnosed for Chronic Illness (Per 100,000 Population)								
	Hypertension								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
Madhya Pradesh	687	348	1382	504	258	1006	887	446	1799
Balaghat	703	540	1519	481	379	989	924	701	2061
Barwani	202	83	698	184	63	690	221	104	708
Betul	422	231	1260	351	182	1098	499	284	1434
Bhind	290	197	440	218	148	331	375	255	564
Bhopal	1919	621	2144	1503	556	1668	2381	693	2673
Chhatarpur	385	208	934	210	87	594	582	345	1318
Chhindwara	532	328	1108	320	165	755	754	498	1483
Damoh	688	259	2150	432	154	1381	969	375	2987
Datia	229	122	438	226	135	406	232	106	475
Dewas	672	561	884	447	373	589	919	768	1208
Dhar	289	177	773	256	156	674	325	199	885
Dindori	345	304	-	222	194	-	471	416	-
East Nimar	250	201	367	210	168	310	293	237	430
Guna	315	249	482	262	254	281	377	243	712
Gwalior	260	81	331	187	62	238	346	105	439
Harda	764	577	1448	548	394	1113	1002	779	1816
Hoshangabad	741	423	1263	515	290	887	991	570	1676
Indore	1409	1057	1500	1024	710	1104	1834	1428	1941
Jabalpur	1815	419	2652	1393	294	2044	2273	552	3317
Jhabua	80	49	361	73	51	266	87	47	467
Katni	684	393	1487	497	270	1120	885	525	1881
Mandla	416	265	1625	319	180	1403	514	349	1856
Mandsaur	689	480	1341	467	326	908	925	644	1801
Morena	159	93	305	156	97	285	163	87	330
Narsimhapur	605	529	1018	419	373	667	810	701	1415
Neemuch	1382	666	2535	1000	473	1860	1791	875	3248
Panna	388	272	990	271	175	777	516	379	1220
Raisen	475	231	1227	306	177	693	666	290	1853
Rajgarh	364	159	1441	278	125	1071	461	197	1858
Ratlam	1018	217	1908	847	142	1636	1201	299	2195
Rewa	875	619	1957	694	530	1369	1064	711	2593
Sagar	1215	605	2420	746	428	1388	1743	808	3552
Satna	531	408	855	377	341	471	695	480	1277
Sehore	457	402	683	323	310	375	609	507	1046
Seoni	1084	878	2884	678	566	1655	1505	1202	4170
Shahdol	973	501	2131	855	522	1656	1096	479	2643
Shajapur	974	511	2335	602	379	1272	1385	659	3478
Sheopur	115	99	190	95	85	142	137	115	246
Shivpuri	173	136	382	173	139	364	174	132	403
Sidhi	230	103	955	201	79	895	261	128	1020
Tikamgarh	185	111	474	124	68	342	254	159	623
Ujjain	818	528	1199	566	357	834	1093	711	1608
Umari	387	306	749	351	259	749	426	356	748
Vidisha	852	477	1706	676	381	1349	1055	587	2113
West Nimar	292	228	604	249	207	456	338	251	764



**Madhya Pradesh: Having diagnosed for Hypertension (Per 100,000 Population)**




**Madhya Pradesh: Having diagnosed for Hypertension (Per 100,000 Population)**




## CHRONIC ILLNESS

State / District	Having diagnosed for Chronic Illness (Per 100,000 Population)								
	Tuberculosis (TB)								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
Madhya Pradesh	169	185	138	200	224	152	135	142	122
Balaghat	178	174	196	203	209	175	153	140	218
Barwani	73	52	161	76	59	146	70	44	177
Betul	151	153	138	184	184	183	114	120	91
Bhind	224	243	195	284	323	221	154	147	165
Bhopal	173	205	167	186	226	179	158	181	154
Chhatarpur	251	295	113	302	372	85	192	208	144
Chhindwara	116	134	68	136	143	115	96	124	17
Damoh	241	243	233	274	285	234	205	197	232
Datia	161	201	84	202	250	109	112	142	55
Dewas	86	107	46	94	106	72	77	108	18
Dhar	86	92	59	92	100	56	79	83	63
Dindori	247	243	-	309	306	-	184	179	-
East Nimar	132	133	129	159	150	181	102	115	72
Guna	108	108	107	103	121	60	113	93	161
Gwalior	91	67	101	92	39	114	90	102	85
Harda	133	136	123	150	165	94	115	105	155
Hoshangabad	177	173	183	229	222	239	120	119	122
Indore	106	133	99	107	141	98	105	123	101
Jabalpur	131	154	117	121	145	107	142	165	128
Jhabua	116	113	140	155	155	152	75	69	127
Katni	274	294	218	330	380	192	214	203	245
Mandla	201	208	140	277	295	138	125	122	143
Mandsaur	219	245	138	267	297	174	167	189	99
Morena	195	208	165	259	275	225	115	126	92
Narsimhapur	153	148	184	157	147	213	149	149	151
Neemuch	192	198	182	191	202	172	193	194	192
Panna	225	249	101	357	387	194	80	96	0
Raisen	181	206	103	202	221	143	157	189	56
Rajgarh	124	109	204	124	105	220	125	113	186
Ratlam	103	82	127	113	115	110	94	47	145
Rewa	302	325	205	344	370	237	258	279	171
Sagar	310	340	249	365	389	317	247	285	174
Satna	336	370	247	425	472	302	241	261	186
Sehore	60	70	18	72	89	0	46	48	40
Seoni	148	143	195	186	178	255	109	106	133
Shahdol	182	206	123	250	282	172	111	127	70
Shajapur	164	172	140	198	209	165	126	131	113
Sheopur	265	281	190	364	395	212	153	151	164
Shivpuri	137	145	88	156	169	84	114	118	93
Sidhi	173	166	216	192	172	310	153	159	113
Tikamgarh	127	128	124	176	183	150	71	65	96
Ujjain	177	227	110	246	351	110	101	94	110
Umari	178	199	84	199	224	89	156	173	79
Vidisha	279	322	181	316	362	213	235	275	145
West Nimar	104	89	178	123	116	160	84	61	197


Madhya Pradesh: Having diagnosed for Tuberculosis (TB) (Per 100,000 Population)



Madhya Pradesh: Having diagnosed for Tuberculosis (TB) (Per 100,000 Population)




Madhya Pradesh: Having diagnosed for Tuberculosis (TB) (Per 100,000 Population)




## CHRONIC ILLNESS

State / District	Having diagnosed for Chronic Illness (Per 100,000 Population)								
	Asthma / Chronic Respiratory Disease								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
Madhya Pradesh	372	384	348	408	432	359	332	331	335
Balaghat	334	369	157	436	485	194	232	254	119
Barwani	278	275	290	295	306	251	259	242	332
Betul	517	464	750	564	503	831	467	421	664
Bhind	455	518	354	447	495	370	464	546	336
Bhopal	556	447	575	550	505	558	564	383	595
Chhatarpur	270	270	270	296	303	276	240	233	264
Chhindwara	466	419	600	560	526	656	368	307	541
Damoh	553	539	598	625	615	659	474	457	533
Datia	328	445	101	367	490	125	282	391	73
Dewas	286	319	221	288	305	255	283	335	184
Dhar	171	193	74	203	232	84	137	153	63
Dindori	566	576	-	672	680	-	459	471	-
East Nimar	218	187	292	226	191	310	208	182	272
Guna	209	236	139	209	228	161	208	246	115
Gwalior	188	193	186	222	239	215	148	135	153
Harda	454	461	430	484	510	387	422	407	476
Hoshangabad	451	462	433	539	580	473	353	331	390
Indore	302	332	294	318	445	285	285	210	304
Jabalpur	372	419	344	433	560	357	306	269	329
Jhabua	123	119	160	135	133	152	111	105	170
Katni	543	493	680	616	598	665	465	381	696
Mandla	439	438	448	518	542	330	361	335	571
Mandsaur	650	759	309	826	967	387	462	538	227
Morena	274	267	289	289	264	345	255	270	220
Narsimhapur	385	406	269	406	442	213	362	367	331
Neemuch	536	637	373	598	720	399	469	547	345
Panna	268	297	121	266	288	155	270	307	84
Raisen	238	256	181	222	248	143	256	266	225
Rajgarh	368	352	451	420	406	494	310	292	403
Ratlam	450	479	418	529	592	457	367	357	377
Rewa	680	715	534	675	711	527	686	719	541
Sagar	494	573	339	571	698	317	407	431	362
Satna	571	627	424	554	599	435	590	655	412
Sehore	215	240	111	205	205	205	227	280	0
Seoni	540	545	499	686	706	509	390	379	488
Shahdol	263	206	402	306	236	473	217	175	325
Shajapur	344	344	341	338	325	374	350	366	306
Sheopur	272	297	152	334	360	212	202	227	82
Shivpuri	88	88	88	106	110	84	67	63	93
Sidhi	342	326	432	428	425	447	247	217	416
Tikamgarh	216	231	158	254	269	192	173	187	120
Ujjain	603	642	551	596	649	527	611	635	577
Umari	288	318	150	330	373	143	242	261	157
Vidisha	331	363	257	365	394	298	292	329	210
West Nimar	334	333	338	333	335	319	335	331	357


**Madhya Pradesh: Having diagnosed for Asthma/Chronic Respiratory Disease  
(Per 100,000 Population)**



**Madhya Pradesh: Having diagnosed for Asthma/Chronic Respiratory Disease  
(Per 100,000 Population)**



**Madhya Pradesh: Having diagnosed for Asthma/Chronic Respiratory Disease  
(Per 100,000 Population)**




## CHRONIC ILLNESS


State / District	Having diagnosed for Chronic Illness (Per 100,000 Population)								
	Arthritis								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
Madhya Pradesh	674	706	607	521	586	389	841	837	848
Balaghat	1875	1858	1960	1421	1470	1183	2328	2244	2755
Barwani	464	436	580	445	387	690	484	488	464
Betul	848	777	1158	664	617	873	1048	952	1464
Bhind	528	589	431	391	461	276	690	742	608
Bhopal	824	1482	710	515	1206	395	1167	1789	1060
Chhatarpur	488	456	585	416	441	339	568	473	862
Chhindwara	420	428	397	269	283	230	579	580	576
Damoh	1210	1266	1020	924	970	765	1524	1591	1297
Datia	294	350	185	202	250	109	403	469	274
Dewas	484	594	275	355	454	167	626	747	394
Dhar	174	170	193	139	125	197	212	218	190
Dindori	362	365	-	278	284	-	446	446	-
East Nimar	353	386	272	287	299	258	425	482	286
Guna	136	174	43	130	166	40	143	183	46
Gwalior	509	216	625	274	160	320	785	285	978
Harda	435	446	393	328	325	340	552	580	451
Hoshangabad	466	488	430	373	409	315	568	575	556
Indore	448	844	345	285	566	214	627	1141	491
Jabalpur	930	935	927	577	616	554	1313	1277	1335
Jhabua	230	214	381	180	187	114	284	242	679
Katni	940	930	970	599	646	472	1305	1232	1505
Mandla	614	587	827	409	380	633	818	792	1028
Mandsaur	399	422	330	333	371	214	470	475	454
Morena	537	515	586	451	465	420	643	576	789
Narsimhapur	330	331	325	274	285	213	393	382	452
Neemuch	322	343	289	223	249	181	428	444	402
Panna	762	796	586	715	747	544	814	849	631
Raisen	218	234	168	177	204	96	264	268	253
Rajgarh	694	656	888	576	565	631	824	758	1177
Ratlam	789	547	1057	543	473	622	1051	627	1518
Rewa	2979	3146	2272	2693	2931	1711	3276	3368	2878
Sagar	1121	1079	1203	874	921	780	1399	1261	1667
Satna	1530	1746	956	1291	1513	713	1786	1994	1224
Sehore	135	163	18	119	148	0	153	180	40
Seoni	950	996	542	773	812	424	1133	1186	665
Shahdol	1016	1085	848	861	978	581	1179	1195	1136
Shajapur	437	469	341	359	374	314	523	576	370
Sheopur	257	279	152	238	258	142	279	302	164
Shivpuri	92	71	206	48	41	84	142	106	341
Sidhi	708	693	793	626	646	516	797	744	1096
Tikamgarh	435	425	474	326	344	256	558	517	718
Ujjain	389	296	512	285	220	368	503	377	673
Umaria	1448	1694	356	1405	1674	232	1494	1714	492
Vidisha	203	177	264	152	157	142	262	199	403
West Nimar	121	111	166	102	99	114	141	124	222




**Madhya Pradesh: Having diagnosed for Arthritis  
(Per 100,000 Population)**



**Madhya Pradesh: Having diagnosed for Arthritis  
(Per 100,000 Population)**






**Madhya Pradesh: Having diagnosed for Arthritis  
(Per 100,000 Population)**



## CHRONIC ILLNESS

State / District	Having diagnosed for Chronic Illness (Per 100,000 Population)								
	Any kind of Chronic Illness								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
Madhya Pradesh	4446	3997	5368	4077	3774	4694	4851	4240	6116
Balaghat	7076	7025	7331	6643	6739	6166	7508	7309	8522
Barwani	2159	1803	3643	2006	1649	3491	2321	1965	3804
Betul	4825	4376	6789	4553	4162	6280	5119	4610	7334
Bhind	2986	2892	3136	2795	2746	2876	3209	3066	3435
Bhopal	6638	5015	6920	5822	4502	6051	7545	5589	7883
Chhatarpur	4535	4140	5761	4226	4016	4879	4884	4281	6756
Chhindwara	4138	3630	5573	3856	3411	5103	4435	3859	6073
Damoh	6637	6149	8300	5990	5554	7480	7345	6800	9194
Datia	1919	2014	1735	1959	2089	1702	1873	1924	1774
Dewas	3436	3462	3386	3238	3320	3081	3653	3618	3720
Dhar	1763	1637	2305	1590	1480	2049	1947	1803	2592
Dindori	3775	3714	-	3776	3730	-	3773	3697	-
East Nimar	2015	1881	2337	2001	1832	2404	2030	1935	2263
Guna	2036	2106	1864	1959	2076	1667	2125	2139	2089
Gwalior	2297	1334	2681	1912	1194	2206	2750	1506	3229
Harda	4291	4079	5068	4104	3942	4700	4496	4229	5473
Hoshangabad	4794	3889	6276	4487	3779	5654	5133	4012	6959
Indore	4698	5035	4610	4085	4408	4002	5375	5708	5287
Jabalpur	8850	6817	10070	7630	6313	8411	10175	7357	11886
Jhabua	1290	1253	1625	1201	1199	1218	1384	1310	2079
Katni	5846	5244	7507	5416	5063	6387	6305	5436	8711
Mandla	4521	4166	7356	4339	3954	7347	4702	4377	7365
Mandsaur	5375	5499	4986	5177	5351	4634	5585	5657	5360
Morena	2079	1788	2716	2046	1815	2550	2119	1754	2919
Narsimhapur	4930	4870	5262	4318	4224	4829	5610	5585	5750
Neemuch	5098	4028	6822	4624	3877	5842	5606	4192	7857
Panna	5209	4711	7796	4872	4408	7304	5580	5045	8330
Raisen	4014	3643	5152	3665	3476	4231	4408	3830	6232
Rajgarh	3299	2759	6126	3128	2620	5764	3489	2913	6535
Ratlam	4504	2920	6264	4089	2747	5594	4947	3106	6973
Rewa	9042	9038	9060	8517	8610	8136	9589	9480	10060
Sagar	7479	6775	8870	6908	6722	7282	8124	6836	10613
Satna	6087	6437	5161	5623	5982	4690	6585	6920	5680
Sehore	2217	2306	1846	2015	2150	1467	2448	2484	2293
Seoni	7651	7527	8740	6987	6932	7467	8341	8144	10071
Shahdol	5070	4319	6917	4937	4290	6495	5210	4349	7373
Shajapur	4366	3675	6400	3912	3459	5269	4870	3917	7616
Sheopur	1954	1900	2215	2124	2045	2501	1763	1738	1884
Shivpuri	1214	1100	1853	1249	1124	1959	1174	1071	1736
Sidhi	3703	3358	5674	3529	3195	5437	3894	3537	5933
Tikamgarh	3862	3718	4427	3468	3442	3569	4308	4030	5388
Ujjain	4127	3890	4439	3897	3857	3948	4378	3924	4988
Umaria	5945	6602	3022	5171	5691	2908	6767	7562	3148
Vidisha	3759	3121	5210	3566	3064	4713	3980	3186	5773
West Nimar	1962	1790	2795	1925	1769	2680	2002	1813	2920



## CHRONIC ILLNESS

State / District	Having diagnosed for any kind of Chronic Illness and getting Regular Treatment (%)								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Madhya Pradesh	54.5	46.6	66.4	55.3	47.4	68.2	53.7	45.9	64.9
Balaghat	49.4	46.5	63.2	50.3	47.9	63.5	48.6	45.2	63.0
Barwani	66.0	62.7	72.9	67.6	64.2	74.3	64.6	61.4	71.5
Betul	63.6	58.7	77.4	64.8	59.9	79.1	62.3	57.4	75.7
Bhind	45.9	43.1	50.1	47.4	43.4	53.6	44.5	42.8	46.9
Bhopal	71.0	46.4	74.1	70.1	48.4	72.9	71.9	44.6	75.2
Chhatarpur	53.1	47.0	66.8	53.9	48.3	68.3	52.3	45.4	66.0
Chhindwara	51.0	47.2	58.0	50.8	47.6	56.6	51.2	46.8	59.2
Damoh	42.1	38.6	50.7	43.2	39.2	53.1	41.3	38.2	48.9
Datia	48.5	42.7	61.7	48.2	42.3	62.4	48.9	43.2	60.8
Dewas	51.2	45.5	62.4	50.6	44.7	62.8	51.8	46.3	62.1
Dhar	57.4	51.1	76.8	60.9	55.7	76.7	54.4	47.1	76.8
Dindori	46.5	44.8	-	46.3	44.4	-	46.7	45.1	-
East Nimar	53.2	48.9	61.6	54.4	49.8	62.9	51.9	47.9	60.1
Guna	54.8	52.4	61.5	55.8	50.2	73.5	54.0	54.9	51.6
Gwalior	60.5	42.4	64.1	63.4	41.8	68.3	58.2	42.9	60.9
Harda	59.9	56.8	69.1	60.3	56.9	70.8	59.6	56.8	67.5
Hoshangabad	58.1	49.9	66.4	60.8	52.4	70.0	55.5	47.3	63.2
Indore	72.2	58.1	76.3	74.8	62.7	78.2	70.1	54.2	74.7
Jabalpur	55.7	33.7	64.6	57.8	35.6	67.7	53.9	32.0	62.1
Jhabua	48.0	46.3	59.3	47.5	45.1	68.8	48.4	47.6	53.1
Katni	53.5	48.8	62.6	55.3	50.3	66.0	51.9	47.3	59.8
Mandla	42.5	37.2	66.3	43.3	38.2	64.4	41.7	36.4	67.8
Mandsaur	57.7	53.3	72.6	57.5	52.8	74.4	57.8	53.8	70.9
Morena	49.1	40.1	62.0	46.4	37.3	60.6	52.3	43.8	63.5
Narsimhapur	54.0	52.9	59.6	55.8	54.5	61.9	52.3	51.4	57.6
Neemuch	68.9	65.5	72.1	69.4	64.5	74.7	68.4	66.5	70.1
Panna	42.5	42.4	42.7	42.7	41.6	46.3	42.1	43.0	39.4
Raisen	46.8	43.8	53.4	44.5	41.3	52.5	49.1	46.6	54.1
Rajgarh	51.8	47.2	62.7	50.6	46.6	60.0	53.1	47.9	65.4
Ratlam	57.9	48.1	63.0	60.0	49.9	65.5	56.1	46.4	60.9
Rewa	46.2	42.9	60.0	46.8	43.0	63.8	45.6	42.9	56.7
Sagar	48.8	41.5	59.8	49.3	42.5	62.1	48.3	40.3	58.2
Satna	52.6	50.4	60.0	54.3	51.5	63.7	51.0	49.3	56.7
Sehore	57.6	56.0	66.0	60.0	58.8	67.4	55.4	53.3	64.9
Seoni	41.5	38.5	64.2	42.8	39.8	67.0	40.3	37.3	61.7
Shahdol	46.5	37.2	60.6	47.2	39.6	59.3	45.7	34.8	61.9
Shajapur	54.2	45.6	68.7	54.5	45.2	73.0	53.9	46.1	65.5
Sheopur	45.1	41.9	58.3	45.5	42.1	58.5	44.6	41.6	58.0
Shivpuri	55.1	55.9	52.4	54.1	54.9	51.4	56.3	57.1	53.6
Sidhi	52.6	47.8	68.9	52.4	46.7	71.5	52.8	48.9	66.2
Tikamgarh	52.4	50.0	59.9	54.4	52.1	62.9	50.6	48.1	57.8
Ujjain	67.4	59.8	76.2	69.3	61.8	78.9	65.5	57.7	73.8
Umaria	33.2	30.8	56.3	33.3	30.7	55.2	33.2	31.0	57.5
Vidisha	58.9	49.8	71.5	58.9	50.3	71.7	58.9	49.0	71.2
West Nimar	63.3	61.6	68.6	63.6	62.4	67.7	63.0	60.8	69.6

## CHRONIC ILLNESS

State / District	Having diagnosed for any kind of Chronic Illness and getting Regular Treatment from Government Source (%)								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Madhya Pradesh	24.7	24.3	25.4	25.8	25.5	26.4	23.7	23.1	24.6
Balaghat	15.2	12.9	25.1	16.4	14.3	27.3	14.0	11.6	23.5
Barwani	48.0	57.7	28.2	47.7	58.7	26.8	48.3	56.8	29.6
Betul	21.1	18.0	28.9	21.2	18.2	29.1	21.0	17.8	28.7
Bhind	25.0	25.0	25.0	27.3	29.0	24.8	22.6	20.7	25.2
Bhopal	45.9	36.2	47.1	47.0	38.0	48.1	45.0	34.5	46.2
Chhatarpur	31.2	32.9	27.6	31.4	34.6	24.0	30.8	31.1	30.3
Chhindwara	29.6	31.3	26.5	31.5	33.5	28.0	27.8	29.3	25.2
Damoh	13.1	13.9	11.4	14.2	15.4	11.4	12.2	12.5	11.4
Datia	20.6	20.1	21.8	22.2	23.2	20.0	18.8	16.3	23.8
Dewas	22.5	23.9	20.1	22.8	24.9	19.1	22.3	23.1	21.0
Dhar	27.7	30.0	21.2	26.1	28.1	20.3	29.1	31.7	22.1
Dindori	28.6	29.2	-	27.0	27.0	-	30.2	31.4	-
East Nimar	20.6	20.3	21.2	20.4	18.6	23.4	20.8	22.0	18.5
Guna	44.2	45.4	40.8	41.5	40.3	44.6	46.9	51.1	36.2
Gwalior	19.8	25.0	18.8	20.8	25.4	19.8	19.0	24.6	18.1
Harda	12.3	11.0	16.1	13.0	11.8	16.3	11.7	10.1	15.8
Hoshangabad	20.6	16.8	24.1	21.1	18.2	24.0	20.2	15.2	24.2
Indore	20.7	23.4	19.9	22.1	26.0	20.9	19.5	21.1	19.0
Jabalpur	20.6	19.6	20.9	22.0	19.9	22.8	19.4	19.4	19.4
Jhabua	38.0	38.5	35.1	37.2	38.2	30.0	38.8	38.9	38.3
Katni	14.0	15.8	11.0	15.7	17.5	12.3	12.4	14.1	9.8
Mandla	35.3	36.9	30.2	35.6	37.6	29.2	35.2	36.3	31.2
Mandsaur	34.0	34.1	33.7	36.5	36.8	35.4	31.6	31.4	32.1
Morena	19.2	15.8	23.6	19.8	17.9	22.6	18.5	13.1	24.7
Narsimhapur	19.0	20.4	12.5	19.3	20.6	13.8	18.8	20.3	11.2
Neemuch	22.3	32.7	13.1	22.2	33.4	11.0	22.5	32.0	14.7
Panna	42.0	42.5	40.4	42.9	44.5	37.3	41.2	40.7	43.0
Raisen	22.1	18.8	28.1	22.6	21.0	26.4	21.4	16.4	29.5
Rajgarh	37.0	37.9	35.2	36.4	38.7	31.3	37.7	37.1	38.8
Ratlam	33.7	39.5	31.1	35.1	40.5	32.5	32.5	38.6	29.9
Rewa	21.2	23.4	13.1	23.1	24.8	17.0	19.5	22.2	9.6
Sagar	18.8	16.7	21.9	21.6	19.2	25.8	16.0	13.7	18.7
Satna	28.6	29.5	25.8	30.8	32.2	26.5	26.5	26.9	25.1
Sehore	33.8	30.6	49.5	34.5	33.1	42.5	33.1	28.0	54.9
Seoni	18.2	17.4	23.4	19.6	18.9	24.5	17.1	16.1	22.4
Shahdol	37.8	31.7	45.8	37.6	31.5	46.3	38.0	31.9	45.4
Shajapur	18.0	14.6	23.2	18.3	14.7	24.6	17.8	14.4	22.2
Sheopur	35.9	36.8	32.4	35.3	36.4	31.2	36.9	37.5	34.5
Shivpuri	41.3	38.8	49.0	42.5	41.4	46.0	39.9	35.7	52.1
Sidhi	27.0	26.1	29.6	26.4	25.5	29.1	27.6	26.8	30.1
Tikamgarh	17.2	17.4	16.8	19.2	19.9	17.1	15.2	14.7	16.5
Ujjain	16.2	14.1	18.4	15.2	13.6	17.1	17.0	14.6	19.5
Umaria	18.4	16.0	43.1	20.9	18.5	42.9	16.4	14.1	43.3
Vidisha	18.7	25.7	11.3	20.9	25.8	15.0	16.4	25.5	8.0
West Nimar	36.5	36.8	35.5	35.9	36.5	34.0	37.1	37.1	37.0

## PERSONAL HABITS (15 YEARS AND ABOVE )

State / District	Population by habit of Chewing with Tobacco (%)								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Madhya Pradesh	18.9	21.4	14.2	29.3	33.0	22.5	7.5	8.7	5.2
Balaghat	35.3	37.7	23.8	43.9	46.4	31.7	26.9	29.1	15.9
Barwani	22.7	22.4	23.6	35.6	35.1	37.4	9.2	9.2	9.2
Betul	27.8	29.6	20.5	40.9	43.2	31.6	13.6	14.8	8.6
Bhind	17.2	18.8	14.5	29.2	31.9	25.0	3.2	3.3	2.9
Bhopal	12.7	21.6	11.3	19.4	31.7	17.6	5.1	10.1	4.4
Chhatarpur	28.3	29.6	24.6	46.6	49.7	37.9	7.3	6.5	9.6
Chhindwara	27.8	28.5	26.0	36.3	36.1	36.9	18.8	20.4	14.5
Damoh	19.7	19.3	20.8	29.3	28.2	32.6	9.0	9.3	7.9
Datia	11.0	11.6	9.9	17.7	18.9	15.5	3.1	3.0	3.3
Dewas	10.7	11.8	8.8	17.8	19.7	14.4	3.0	3.3	2.7
Dhar	9.9	10.9	5.9	17.1	19.1	9.6	2.4	2.5	1.9
Dindori	33.3	33.5	-	46.5	46.8	-	20.0	20.0	-
East Nimar	12.7	13.9	10.0	20.3	22.4	15.8	4.4	4.7	3.7
Guna	10.0	11.8	5.8	15.2	18.0	8.6	4.1	4.7	2.7
Gwalior	6.8	7.8	6.4	10.7	12.8	9.9	2.2	1.8	2.3
Harda	19.3	19.9	17.4	31.2	32.2	27.6	6.2	6.2	6.5
Hoshangabad	28.8	31.9	24.0	39.3	42.6	34.2	17.1	19.8	13.1
Indore	10.4	11.1	10.2	17.1	17.8	17.0	3.0	3.8	2.8
Jabalpur	22.1	28.0	18.8	30.8	35.4	28.3	12.6	20.0	8.5
Jhabua	12.6	13.4	6.1	20.9	22.3	10.4	4.0	4.3	1.4
Katni	26.4	27.6	23.4	41.6	43.4	37.0	10.2	10.7	8.8
Mandla	31.7	32.9	23.3	41.2	42.4	32.9	22.3	23.5	13.4
Mandsaur	7.0	7.2	6.6	12.9	13.3	11.8	1.0	0.9	1.2
Morena	10.2	10.0	10.6	17.0	17.1	16.9	2.2	1.5	3.5
Narsimhapur	23.6	24.2	20.7	29.4	29.9	26.9	17.1	17.8	13.7
Neemuch	11.2	11.5	10.7	20.7	21.6	19.2	1.2	0.9	1.8
Panna	27.6	27.7	27.0	45.2	45.9	41.5	8.2	7.6	11.1
Raisen	34.2	36.1	28.5	49.7	52.7	41.3	16.3	17.1	13.9
Rajgarh	13.2	12.8	14.8	22.9	22.4	25.1	2.3	2.1	3.5
Ratlam	12.1	14.0	10.2	20.0	23.2	16.8	3.9	4.4	3.3
Rewa	22.9	24.2	17.5	43.2	46.2	31.6	2.2	2.1	2.8
Sagar	18.9	19.3	18.0	28.8	29.0	28.5	7.5	8.0	6.5
Satna	23.6	24.5	21.2	41.9	44.1	36.2	4.0	3.6	5.0
Sehore	15.1	16.9	8.3	23.5	26.1	13.1	5.6	6.3	2.8
Seoni	31.6	32.6	23.4	39.8	40.5	33.5	23.2	24.4	13.2
Shahdol	23.9	25.0	21.4	41.4	43.7	36.3	5.6	5.8	5.2
Shajapur	16.2	16.8	14.5	28.5	29.7	24.7	2.8	2.5	3.5
Sheopur	21.6	23.0	15.4	33.2	35.0	25.2	8.6	9.6	4.3
Shivpuri	14.2	14.7	11.8	21.9	22.4	19.4	5.4	5.8	3.5
Sidhi	23.9	25.1	17.5	43.9	46.0	32.5	1.8	1.9	0.9
Tikamgarh	25.7	27.0	20.8	44.1	46.6	35.0	4.7	4.5	5.1
Ujjain	9.3	11.2	7.2	14.4	16.4	12.0	4.0	5.7	2.0
Umaria	28.5	30.1	22.2	48.5	51.5	36.3	7.1	7.2	6.8
Vidisha	24.7	28.1	17.7	39.5	44.7	28.7	7.6	8.6	5.5
West Nimar	19.1	19.6	16.9	32.4	33.4	28.1	4.8	4.8	4.9

## PERSONAL HABITS (15 YEARS AND ABOVE )

State / District	Population by habit of Chewing without Tobacco (%)								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Madhya Pradesh	1.7	1.7	1.7	2.1	2.0	2.2	1.3	1.3	1.2
Balaghat	2.3	2.1	3.2	1.8	1.6	2.9	2.8	2.6	3.6
Barwani	1.0	0.7	1.8	1.3	1.1	1.8	0.7	0.4	1.8
Betul	2.1	2.0	2.6	2.1	2.0	2.7	2.1	1.9	2.6
Bhind	1.4	1.3	1.6	2.1	1.7	2.7	0.6	0.7	0.3
Bhopal	2.6	6.7	2.0	3.4	7.3	2.8	1.8	6.0	1.2
Chhatarpur	1.1	0.9	1.5	1.5	1.2	2.3	0.6	0.6	0.7
Chhindwara	3.7	3.5	4.2	3.6	3.2	4.6	3.8	3.8	3.7
Damoh	3.4	3.0	4.6	4.4	3.7	6.6	2.3	2.3	2.3
Datia	0.5	0.5	0.5	0.7	0.6	0.9	0.3	0.4	0.2
Dewas	0.7	0.5	1.3	0.8	0.5	1.4	0.6	0.4	1.1
Dhar	0.8	0.8	0.9	1.2	1.1	1.3	0.5	0.5	0.5
Dindori	5.1	4.9	-	6.4	6.2	-	3.7	3.6	-
East Nimar	0.7	0.7	0.7	1.1	1.1	0.9	0.3	0.3	0.5
Guna	1.1	0.9	1.4	1.4	1.2	1.8	0.7	0.7	0.9
Gwalior	0.8	0.7	0.8	1.0	1.0	1.0	0.6	0.4	0.6
Harda	1.7	1.5	2.2	2.4	2.3	2.8	0.8	0.6	1.5
Hoshangabad	1.3	1.0	1.9	1.4	0.9	2.2	1.2	1.1	1.5
Indore	1.0	0.6	1.1	1.4	0.8	1.5	0.6	0.4	0.6
Jabalpur	2.5	2.0	2.8	2.8	2.3	3.0	2.2	1.7	2.5
Jhabua	2.3	2.3	2.3	2.4	2.3	3.0	2.3	2.4	1.7
Katni	1.9	1.2	3.8	3.0	1.6	6.4	0.8	0.7	1.0
Mandla	4.1	3.6	7.4	4.1	3.8	6.5	4.1	3.5	8.3
Mandsaur	1.0	1.0	1.0	1.6	1.6	1.5	0.3	0.3	0.5
Morena	0.6	0.6	0.7	0.9	0.8	1.1	0.3	0.3	0.2
Narsimhapur	2.5	2.5	2.5	2.8	2.8	3.0	2.1	2.2	1.9
Neemuch	1.8	2.0	1.4	2.4	2.5	2.3	1.0	1.4	0.5
Panna	1.4	1.3	1.9	1.8	1.6	2.6	1.0	0.9	1.1
Raisen	1.8	2.0	1.4	1.8	2.0	1.5	1.8	2.1	1.3
Rajgarh	0.7	0.7	0.8	1.0	0.9	1.2	0.5	0.5	0.3
Ratlam	1.5	2.4	0.6	2.4	3.9	0.8	0.5	0.7	0.3
Rewa	0.7	0.6	1.0	1.0	1.0	1.3	0.3	0.3	0.7
Sagar	1.9	2.0	1.8	3.0	3.0	3.0	0.8	0.9	0.6
Satna	1.1	0.9	1.9	1.7	1.3	2.8	0.5	0.4	0.8
Sehore	1.5	1.7	0.7	2.0	2.2	1.1	0.9	1.1	0.2
Seoni	6.8	5.8	14.3	6.2	5.6	11.5	7.4	6.1	17.1
Shahdol	1.8	2.1	1.3	3.1	3.5	2.2	0.5	0.6	0.3
Shajapur	1.3	1.1	1.8	2.0	1.7	2.8	0.5	0.4	0.6
Sheopur	0.7	0.8	0.2	1.0	1.1	0.2	0.4	0.5	0.2
Shivpuri	2.8	2.7	3.3	3.8	3.8	3.9	1.8	1.6	2.7
Sidhi	0.5	0.4	0.9	0.7	0.6	1.3	0.3	0.2	0.4
Tikamgarh	0.4	0.4	0.4	0.5	0.5	0.6	0.2	0.2	0.1
Ujjain	0.6	0.8	0.3	0.8	1.1	0.5	0.4	0.6	0.2
Umaria	2.4	2.7	1.2	3.8	4.3	2.0	0.8	0.9	0.4
Vidisha	2.1	2.6	1.1	2.0	2.7	0.8	2.2	2.6	1.4
West Nimar	1.4	1.1	2.8	1.9	1.6	3.2	0.9	0.5	2.4






## PERSONAL HABITS (15 YEARS AND ABOVE )

State / District	Population by habit of Smoking (%)								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Madhya Pradesh	10.1	12.3	6.0	18.7	22.8	11.1	0.8	0.9	0.4
Balaghat	8.1	8.6	5.4	15.8	16.9	10.6	0.3	0.4	0.3
Barwani	8.1	8.7	6.0	15.1	16.1	11.2	0.9	1.0	0.5
Betul	7.4	7.5	6.6	13.7	13.9	12.5	0.5	0.6	0.3
Bhind	13.7	15.8	10.3	24.0	27.2	18.7	1.7	2.2	1.0
Bhopal	7.1	15.5	5.9	12.7	24.2	11.0	1.0	5.7	0.3
Chhatarpur	15.1	17.0	10.0	27.1	30.2	18.3	1.4	1.7	0.7
Chhindwara	9.0	10.0	6.4	17.0	18.9	12.1	0.5	0.6	0.4
Damoh	16.3	18.0	11.0	30.1	33.2	20.5	0.8	0.9	0.6
Datia	9.2	10.7	6.3	16.3	19.0	11.3	0.8	1.0	0.5
Dewas	6.3	7.1	4.8	11.5	13.3	8.3	0.6	0.4	1.0
Dhar	6.3	7.3	2.4	11.9	13.9	4.5	0.4	0.5	0.2
Dindori	19.2	19.5	-	37.2	37.8	-	1.0	1.0	-
East Nimar	5.8	7.0	3.4	10.9	13.0	6.2	0.3	0.3	0.3
Guna	7.6	9.3	3.8	13.6	16.5	6.7	0.9	1.0	0.5
Gwalior	5.5	9.4	4.0	9.6	16.2	7.1	0.7	1.2	0.5
Harda	10.3	11.6	6.1	19.4	21.6	11.5	0.4	0.4	0.3
Hoshangabad	10.3	12.2	7.3	19.2	22.7	13.7	0.3	0.4	0.2
Indore	4.9	9.0	3.9	9.0	16.9	7.2	0.4	0.6	0.3
Jabalpur	9.7	15.6	6.5	18.4	29.5	12.3	0.3	0.5	0.2
Jhabua	9.8	10.6	3.9	17.1	18.5	6.2	2.4	2.5	1.4
Katni	11.1	12.5	7.5	21.2	24.0	14.2	0.3	0.3	0.3
Mandla	14.5	15.6	6.6	28.0	30.2	12.5	1.1	1.2	0.5
Mandsaur	12.9	15.4	5.6	24.6	29.3	10.6	0.7	0.8	0.3
Morena	8.5	9.6	6.3	15.0	16.8	11.1	0.9	1.0	0.7
Narsimhapur	10.5	10.8	8.7	19.5	20.2	15.8	0.4	0.4	0.7
Neemuch	13.3	16.3	8.4	25.1	30.6	16.3	0.9	1.2	0.3
Panna	11.9	12.7	8.1	22.2	23.7	14.9	0.5	0.5	0.8
Raisen	9.1	10.7	4.7	16.3	19.1	8.4	0.8	0.9	0.4
Rajgarh	6.7	6.9	5.7	12.3	12.6	10.7	0.4	0.5	0.3
Ratlam	12.7	19.0	6.5	24.2	36.0	12.3	0.8	1.2	0.5
Rewa	7.8	8.5	4.8	15.2	16.8	9.3	0.2	0.3	0.1
Sagar	14.2	17.4	8.4	26.2	31.8	15.8	0.4	0.4	0.4
Satna	9.0	9.6	7.4	17.1	18.3	13.9	0.4	0.3	0.5
Sehore	5.8	6.5	2.8	10.4	11.8	4.7	0.4	0.4	0.5
Seoni	12.8	13.6	6.1	24.6	26.1	11.8	0.5	0.5	0.3
Shahdol	14.1	16.4	8.8	27.0	31.7	16.6	0.6	0.7	0.3
Shajapur	10.0	11.0	7.1	18.6	20.4	13.4	0.5	0.6	0.2
Sheopur	18.7	21.1	8.1	32.5	36.5	14.4	3.2	3.8	0.8
Shivpuri	19.2	20.5	12.7	32.8	35.0	21.8	3.4	3.6	2.8
Sidhi	12.1	13.2	6.3	22.6	24.7	11.8	0.5	0.5	0.3
Tikamgarh	16.7	18.8	9.4	30.0	33.5	17.4	1.6	1.9	0.7
Ujjain	11.6	17.2	5.1	22.0	32.6	9.7	0.6	1.0	0.1
Umaria	16.6	17.6	12.2	31.3	33.5	22.3	0.7	0.6	1.0
Vidisha	12.0	14.7	6.4	21.6	26.2	11.9	0.9	1.2	0.3
West Nimar	7.0	7.4	5.2	12.7	13.8	8.2	0.8	0.5	2.1

## PERSONAL HABITS (15 YEARS AND ABOVE )


State / District	Population by habit of Drinking Alcohol (%)								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Madhya Pradesh	7.5	9.0	4.6	13.0	15.4	8.3	1.4	2.0	0.4
Balaghat	15.8	16.9	10.4	28.4	30.3	19.3	3.3	3.6	1.4
Barwani	15.0	17.2	6.9	24.9	28.2	12.8	4.6	5.6	0.8
Betul	13.8	15.0	9.2	21.1	22.3	16.2	5.9	7.0	1.6
Bhind	3.2	3.5	2.9	5.9	6.3	5.3	0.2	0.2	0.2
Bhopal	5.5	11.6	4.6	9.4	16.0	8.4	1.1	6.5	0.3
Chhatarpur	7.0	7.3	6.1	12.8	13.3	11.4	0.3	0.3	0.2
Chhindwara	11.1	12.7	6.9	18.9	21.3	12.7	2.8	3.6	0.8
Damoh	5.9	5.9	6.0	10.9	10.8	11.3	0.3	0.4	0.1
Datia	3.7	4.7	2.0	6.6	8.3	3.5	0.4	0.4	0.2
Dewas	3.7	4.0	3.2	6.6	7.3	5.2	0.6	0.4	1.0
Dhar	8.3	9.8	2.7	14.4	16.9	4.7	2.0	2.4	0.4
Dindori	26.3	27.0	-	37.5	38.4	-	14.8	15.5	-
East Nimar	4.9	6.0	2.3	9.0	11.1	4.2	0.4	0.4	0.3
Guna	2.9	3.4	1.7	4.7	5.6	2.7	0.8	0.8	0.6
Gwalior	2.2	1.9	2.3	3.9	3.3	4.1	0.2	0.3	0.2
Harda	6.1	6.5	4.6	10.5	11.1	8.6	1.2	1.4	0.4
Hoshangabad	7.8	8.4	6.8	14.3	15.2	12.8	0.5	0.7	0.2
Indore	4.7	6.1	4.4	8.6	11.2	8.0	0.5	0.6	0.4
Jabalpur	8.6	12.5	6.5	16.1	22.8	12.3	0.6	1.1	0.3
Jhabua	15.6	16.9	5.4	25.3	27.4	8.6	5.6	6.0	2.0
Katni	6.3	6.4	5.9	11.9	12.2	11.2	0.2	0.2	0.2
Mandla	23.5	25.7	8.2	33.9	36.5	15.5	13.3	15.0	0.7
Mandsaur	4.3	5.3	1.6	8.1	9.9	3.1	0.4	0.5	0.0
Morena	2.1	1.9	2.4	3.8	3.5	4.4	0.1	0.1	0.1
Narsimhapur	4.1	3.9	5.1	7.6	7.2	9.4	0.2	0.2	0.2
Neemuch	7.1	9.0	4.2	13.0	16.2	8.0	0.9	1.4	0.2
Panna	5.1	5.4	3.9	9.5	10.0	7.1	0.3	0.2	0.5
Raisen	4.7	5.6	2.1	8.3	9.9	3.7	0.6	0.7	0.2
Rajgarh	3.4	3.6	2.5	6.2	6.5	4.4	0.3	0.3	0.5
Ratlam	8.6	13.0	4.3	16.4	24.6	8.1	0.6	0.9	0.4
Rewa	5.6	6.1	3.3	10.8	12.0	6.4	0.2	0.2	0.2
Sagar	4.5	4.5	4.6	8.4	8.2	8.7	0.2	0.2	0.1
Satna	6.2	6.2	6.2	11.7	11.7	11.7	0.3	0.3	0.2
Sehore	3.6	4.1	1.7	6.3	7.2	2.8	0.5	0.5	0.4
Seoni	11.4	11.8	7.7	20.8	21.5	14.6	1.6	1.8	0.7
Shahdol	14.9	17.2	9.8	27.0	31.0	18.1	2.3	3.0	0.7
Shajapur	4.8	5.8	2.0	8.9	10.6	3.9	0.3	0.5	0.0
Sheopur	5.1	5.7	2.4	9.3	10.3	4.4	0.4	0.5	0.1
Shivpuri	9.1	9.2	8.2	14.0	14.3	12.8	3.3	3.4	3.2
Sidhi	10.9	11.9	5.6	20.2	22.1	10.4	0.6	0.7	0.3
Tikamgarh	8.4	9.2	5.4	15.4	16.9	10.1	0.3	0.3	0.2
Ujjain	4.4	7.0	1.4	8.3	13.3	2.5	0.3	0.4	0.1
Umaria	13.8	14.5	11.1	25.6	26.9	20.4	1.2	1.3	1.1
Vidisha	4.6	4.5	4.8	8.3	8.0	8.9	0.4	0.4	0.3
West Nimar	8.3	8.9	5.6	14.2	15.4	8.7	2.0	1.9	2.4

**Madhya Pradesh: Population by habit of Chewing with/without Tobacco (%)****Madhya Pradesh: Population by habit of Smoking (%)****Madhya Pradesh: Population by habit of Drinking Alcohol (%)**


## FERTILITY

State / District	Crude Birth Rate (CBR)			Natural Growth Rate			Total Fertility Rate		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Madhya Pradesh	25.0	27.3	20.4	17.1	18.6	14.0	3.1	3.5	2.4
Balaghat	23.2	23.8	20.0	14.0	14.5	11.9	2.8	-	-
Barwani	32.2	32.3	32.1	20.7	21.3	18.1	4.2	-	-
Betul	24.3	25.4	19.1	15.3	16.0	11.8	3.0	-	-
Bhind	23.7	24.9	21.8	17.1	17.4	16.6	3.3	-	-
Bhopal	19.2	24.9	18.3	13.5	17.3	12.8	2.2	-	-
Chhatarpur	29.8	32.6	21.1	21.8	24.1	14.6	4.2	-	-
Chhindwara	23.4	24.1	21.3	15.1	15.3	14.5	2.8	-	-
Damoh	29.2	30.3	25.4	18.5	18.9	16.9	3.6	-	-
Datia	19.8	21.3	17.0	13.2	14.8	10.1	2.6	-	-
Dewas	21.8	23.1	19.2	16.2	17.2	14.3	2.7	-	-
Dhar	25.0	24.8	25.4	18.8	18.8	18.9	2.9	-	-
Dindori	30.0	30.4	20.7	19.2	19.5	13.0	3.5	-	-
East Nimar	23.6	25.4	19.4	15.5	17.1	11.8	3.2	-	-
Guna	28.7	31.1	22.7	20.2	22.4	14.7	3.8	-	-
Gwalior	18.5	21.5	17.3	12.3	14.8	11.4	2.3	-	-
Harda	25.0	25.7	22.6	17.8	18.3	15.9	3.1	-	-
Hoshangabad	22.2	24.8	17.8	14.5	16.4	11.4	2.7	-	-
Indore	19.6	24.4	18.3	14.1	16.4	13.4	2.2	-	-
Jabalpur	21.9	27.0	18.9	15.8	20.7	12.8	2.6	-	-
Jhabua	24.0	24.7	17.4	18.2	18.9	11.9	3.1	-	-
Katni	27.6	29.7	21.9	17.3	18.6	13.7	3.4	-	-
Mandla	26.0	27.0	17.9	17.3	17.9	12.3	3.2	-	-
Mandsaur	19.0	19.3	18.0	11.9	12.0	11.5	2.3	-	-
Morena	23.6	26.3	18.4	15.7	18.4	10.6	3.2	-	-
Narsimhapur	27.5	28.2	23.6	19.9	20.2	17.8	3.3	-	-
Neemuch	22.4	22.1	22.9	16.3	16.0	16.9	2.7	-	-
Panna	31.7	33.2	24.0	20.2	21.5	13.9	4.4	-	-
Raisen	28.2	30.4	21.2	20.2	22.0	14.9	3.7	-	-
Rajgarh	26.3	27.2	21.5	18.5	19.0	15.8	3.6	-	-
Ratlam	27.3	32.6	21.4	19.4	23.0	15.5	3.4	-	-
Rewa	26.0	27.1	21.3	17.8	18.6	14.6	3.5	-	-
Sagar	28.3	31.1	22.8	19.2	21.3	14.9	3.6	-	-
Satna	28.8	30.7	23.7	18.3	18.9	17.0	3.8	-	-
Sehore	27.8	27.9	27.6	19.9	19.6	21.2	4.0	-	-
Seoni	26.4	27.0	21.3	16.8	17.1	13.9	3.1	-	-
Shahdol	24.5	26.8	18.9	14.4	15.4	11.8	2.8	-	-
Shajapur	24.9	24.8	25.0	16.6	16.5	16.9	3.3	-	-
Sheopur	22.7	23.9	17.5	15.4	15.9	13.0	2.8	-	-
Shivpuri	31.3	32.0	27.7	21.9	22.7	17.8	4.5	-	-
Sidhi	26.1	26.9	21.4	18.3	18.5	17.1	3.4	-	-
Tikamgarh	26.3	27.6	21.4	19.0	20.1	14.7	3.3	-	-
Ujjain	24.4	27.8	19.9	18.0	20.5	14.6	3.1	-	-
Umaria	29.9	31.4	23.2	19.2	20.5	13.3	3.7	-	-
Vidisha	29.9	32.9	23.2	20.4	22.6	15.2	4.1	-	-
West Nimar	26.2	27.0	22.4	14.6	15.0	12.9	3.4	-	-


Madhya Pradesh: Crude Birth Rate and Natural Growth Rate






Madhya Pradesh: Crude Birth Rate and Natural Growth Rate



Madhya Pradesh: Crude Birth Rate and Natural Growth Rate





## FERTILITY

State / District	Women aged 20-24 reporting birth of order 2 & above (%)			Women reporting birth of order 3 & above (%)		
	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7
Madhya Pradesh	48.3	50.9	39.6	37.4	40.2	29.5
Balaghat	40.0	40.6	35.7	25.2	25.7	22.4
Barwani	60.7	61.2	58.2	45.2	47.1	37.2
Betul	43.9	44.8	37.2	26.2	28.0	15.8
Bhind	55.6	58.1	50.9	38.6	41.0	34.5
Bhopal	39.3	46.4	37.5	31.8	47.7	28.5
Chhattarpur	54.6	57.9	38.6	41.0	42.5	34.5
Chhindwara	38.3	40.9	28.6	29.3	32.2	19.7
Damoh	48.6	50.2	38.5	36.9	37.9	32.4
Datia	42.1	40.8	46.3	30.7	33.3	24.2
Dewas	38.5	41.4	30.6	32.3	33.9	28.6
Dhar	53.5	57.5	29.6	44.4	46.2	34.4
Dindori	58.8	58.9	-	37.6	38.0	-
East Nimar	41.5	43.4	32.6	42.1	43.4	38.1
Guna	50.9	53.4	40.2	45.7	47.3	40.1
Gwalior	39.6	45.6	36.4	28.2	35.6	24.9
Harda	42.3	43.2	37.7	33.9	36.1	24.6
Hoshangabad	46.3	48.0	41.3	30.3	32.0	26.4
Indore	39.6	48.8	36.0	27.8	37.1	25.3
Jabalpur	46.3	52.9	38.4	25.7	30.9	21.6
Jhabua	57.6	58.5	48.6	46.8	48.4	26.3
Katni	44.0	44.4	42.2	37.0	39.9	26.6
Mandla	55.1	56.3	35.2	30.9	32.0	18.5
Mandsaur	38.7	42.1	29.8	32.6	36.4	21.7
Morena	51.3	54.0	42.0	50.0	52.2	43.6
Narsimhapur	47.6	48.5	40.2	23.4	23.6	22.2
Neemuch	35.3	38.1	30.1	29.6	33.6	23.8
Panna	54.0	55.0	43.3	48.8	49.4	44.7
Raisen	44.4	45.3	40.0	37.1	38.8	30.5
Rajgarh	47.8	49.5	36.6	41.7	42.6	36.7
Ratlam	40.9	45.5	32.3	36.5	38.5	33.1
Rewa	54.4	55.9	46.1	42.5	44.6	32.5
Sagar	48.0	49.9	41.8	36.9	39.6	29.5
Satna	52.9	54.2	48.0	43.1	45.2	36.2
Sehore	47.5	47.9	44.6	42.9	46.5	29.3
Seoni	49.8	50.5	34.8	31.7	32.6	19.7
Shahdol	52.0	52.1	51.9	34.2	36.4	26.4
Shajapur	44.9	44.8	45.0	40.7	40.6	41.1
Sheopur	51.5	53.1	43.5	43.0	44.8	33.8
Shivpuri	52.2	53.1	43.5	43.7	44.4	40.0
Sidhi	53.5	54.8	43.3	45.4	46.1	39.9
Tikamgarh	57.8	58.7	52.3	36.9	38.2	31.0
Ujjain	50.5	55.5	37.5	43.6	50.1	31.1
Umaria	48.6	50.2	37.4	37.8	40.1	23.7
Vidisha	46.7	47.2	44.7	40.9	43.3	33.0
West Nimar	45.7	47.4	34.6	42.2	44.1	30.4




## FERTILITY

State / District	Women with two children wanting no more children (%)			Women aged 15-19 years who were already mothers or pregnant at the time of survey (%)		
	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7
Madhya Pradesh	45.7	40.1	55.1	46.4	47.1	42.8
Balaghat	36.3	35.3	41.6	54.9	52.2	81.8
Barwani	25.5	24.0	31.2	70.3	72.9	44.4
Betul	46.0	43.6	54.3	58.0	59.9	45.8
Bhind	48.3	45.7	52.0	48.4	48.5	48.4
Bhopal	57.0	47.6	58.2	41.8	43.6	41.1
Chhatarpur	49.1	43.8	62.3	61.6	60.4	71.9
Chhindwara	47.4	48.5	44.6	47.6	49.6	35.7
Damoh	48.9	47.4	51.0	56.9	57.3	52.6
Datia	48.4	43.8	54.9	43.0	44.7	33.3
Dewas	39.5	33.2	49.2	47.0	48.6	41.2
Dhar	28.8	26.8	36.5	55.4	56.8	36.8
Dindori	36.7	36.3	-	52.1	52.7	-
East Nimar	44.1	39.4	53.1	42.1	41.9	43.3
Guna	38.6	32.9	51.4	39.1	39.4	37.0
Gwalior	54.8	42.1	58.4	44.2	46.3	41.8
Harda	44.9	42.0	54.2	56.3	56.2	57.1
Hoshangabad	44.5	39.2	50.5	49.0	51.9	38.5
Indore	57.2	47.1	58.9	42.2	48.1	36.9
Jabalpur	54.9	49.1	55.8	56.6	57.2	55.4
Jhabua	37.6	36.3	50.2	53.6	54.2	44.8
Katni	44.0	40.8	51.7	36.4	36.7	34.6
Mandla	44.3	42.9	52.5	61.4	61.3	64.3
Mandsaur	52.1	45.9	68.9	26.3	24.5	42.4
Morena	47.6	42.8	57.3	42.4	43.1	38.6
Narsimhapur	42.0	41.1	45.9	50.0	50.5	44.4
Neemuch	46.9	41.2	55.0	26.6	23.3	37.1
Panna	53.6	52.1	60.1	37.7	39.0	27.3
Raisen	58.4	55.8	63.4	48.9	49.7	33.3
Rajgarh	50.5	50.2	52.1	31.9	30.7	47.6
Ratlam	42.3	26.0	57.6	39.9	40.1	39.1
Rewa	51.7	50.9	54.6	51.3	51.6	48.1
Sagar	50.5	46.9	56.4	49.7	50.6	45.5
Satna	48.7	45.8	55.5	47.6	48.7	43.1
Sehore	53.6	50.8	62.8	45.7	46.1	41.7
Seoni	43.6	42.0	54.1	53.3	54.9	25.0
Shahdol	32.9	29.1	46.5	40.9	39.4	57.9
Shajapur	36.9	28.8	53.0	32.8	29.1	49.4
Sheopur	31.0	27.5	45.6	33.4	33.4	33.9
Shivpuri	37.5	33.0	55.0	41.8	42.9	27.3
Sidhi	43.1	41.5	55.1	40.9	42.6	25.0
Tikamgarh	46.1	42.0	58.1	53.1	53.3	50.9
Ujjain	42.0	30.9	52.3	41.6	40.7	46.5
Umaria	33.6	32.8	37.2	43.5	43.6	43.5
Vidisha	47.2	43.5	54.2	41.1	44.3	19.2
West Nimar	29.9	24.4	49.6	58.3	57.7	64.6

Madhya Pradesh: Women aged 15-19 years who were already mothers or pregnant at the time of survey (%)




Madhya Pradesh: Women aged 15-19 years who were already mothers or pregnant at the time of survey (%)




## FERTILITY

State / District	Median age at first live birth of Women aged 15-49 years			Median age at first live birth of Women aged 25-49 years			Live Births taking place after an interval of 36 months (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Madhya Pradesh	21.5	20.9	22.8	20.9	20.5	22.1	37.3	35.0	44.6
Balaghat	22.4	22.2	23.4	21.8	21.7	22.6	35.7	35.3	38.5
Barwani	20.0	19.7	20.9	19.7	19.4	20.6	24.1	23.0	28.5
Betul	21.8	21.6	23.0	21.4	21.1	22.4	30.4	29.7	35.5
Bhind	21.6	21.3	22.1	21.1	20.9	21.6	36.8	36.5	37.2
Bhopal	23.1	21.5	23.4	22.4	20.8	22.6	42.8	31.4	45.5
Chhatarpur	20.6	20.3	22.0	20.4	20.0	21.5	33.9	31.3	48.0
Chhindwara	22.2	21.6	23.7	21.4	20.9	23.0	31.9	30.7	36.4
Damoh	20.9	20.5	23.0	20.4	20.1	22.1	33.4	31.8	41.2
Datia	21.7	21.2	22.6	21.2	20.8	22.0	38.4	37.7	40.0
Dewas	21.0	20.7	21.8	20.6	20.4	21.2	40.0	36.1	49.5
Dhar	20.9	20.7	22.1	20.4	20.3	21.1	30.4	27.0	52.6
Dindori	20.4	20.3	-	20.0	20.0	-	32.8	32.6	-
East Nimar	22.1	21.5	23.7	21.5	21.0	23.0	38.4	34.6	51.7
Guna	21.3	20.9	22.5	20.8	20.5	21.9	34.2	30.8	45.8
Gwalior	22.8	21.4	23.3	22.0	20.9	22.5	46.1	40.2	48.9
Harda	21.1	20.8	22.3	20.6	20.4	21.6	32.9	32.1	36.4
Hoshangabad	21.4	20.7	22.7	20.7	20.1	21.8	36.4	32.4	46.5
Indore	22.6	20.8	23.1	22.1	20.4	22.5	53.8	46.1	56.3
Jabalpur	22.2	20.4	23.4	21.5	20.0	22.7	34.9	29.3	40.2
Jhabua	20.7	20.7	21.4	20.5	20.4	21.1	29.5	29.5	30.1
Katni	21.4	20.9	23.1	20.7	20.4	22.3	42.7	41.7	46.4
Mandla	20.8	20.6	23.5	20.4	20.1	22.8	33.2	32.7	40.4
Mandsaur	21.6	21.6	21.8	21.1	21.1	21.3	45.9	47.2	41.4
Morena	21.1	20.7	22.3	20.7	20.4	21.6	41.0	39.3	45.7
Narsimhapur	21.2	21.0	22.6	20.7	20.5	21.7	25.9	24.8	33.2
Neemuch	22.0	21.4	22.9	21.5	20.9	22.4	51.0	49.7	52.8
Panna	20.8	20.6	22.1	20.5	20.4	21.3	39.9	39.9	40.4
Raisen	21.4	21.0	22.6	20.9	20.6	21.9	29.9	26.7	43.5
Rajgarh	22.4	22.3	22.9	21.8	21.7	22.5	41.9	40.9	48.2
Ratlam	21.8	20.9	22.9	21.4	20.7	22.4	44.1	43.1	46.2
Rewa	21.0	20.7	22.3	20.7	20.5	21.8	37.4	36.8	40.7
Sagar	21.1	20.6	22.5	20.6	20.1	21.7	39.0	36.0	47.7
Satna	21.1	20.8	21.9	20.7	20.5	21.4	37.0	37.2	36.4
Sehore	21.8	21.5	22.9	21.2	20.9	22.4	43.9	40.4	58.1
Seoni	21.5	21.2	24.0	20.9	20.7	23.4	30.3	29.7	39.0
Shahdol	21.3	20.7	22.8	20.8	20.4	22.1	41.5	42.3	38.3
Shajapur	21.4	21.5	21.2	21.0	21.1	20.8	40.0	39.0	42.5
Sheopur	21.5	21.3	22.2	21.0	20.9	21.6	21.1	19.3	31.4
Shivpuri	20.9	20.7	22.0	20.7	20.6	21.4	41.0	40.2	45.5
Sidhi	20.7	20.5	21.8	20.3	20.2	21.3	43.8	43.9	43.5
Tikamgarh	20.6	20.3	22.0	20.3	20.0	21.3	30.9	29.6	37.3
Ujjain	21.6	20.6	22.9	21.0	20.2	22.3	41.3	39.8	44.7
Umaria	20.8	20.6	22.1	20.3	20.1	21.2	44.0	44.2	43.2
Vidisha	21.4	20.9	22.7	21.0	20.7	22.0	38.4	36.4	45.5
West Nimar	20.4	20.2	21.5	20.0	19.8	20.9	31.1	28.9	47.8

Madhya Pradesh: Median age of Women at first live birth



Madhya Pradesh: Median age of Women at first live birth




## FERTILITY

State / District	Mean number of children ever born to Women aged 15-49 years			Mean number of children surviving to Women aged 15-49 years			Mean number of children ever born to Women aged 45-49 years		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Madhya Pradesh	2.8	3.0	2.5	2.6	2.7	2.4	4.0	4.2	3.5
Balaghat	2.6	2.6	2.6	2.4	2.4	2.4	3.5	3.5	3.5
Barwani	3.1	3.2	2.7	2.9	3.0	2.6	3.9	4.0	3.4
Betul	2.7	2.8	2.5	2.6	2.6	2.4	3.6	3.7	3.4
Bhind	3.0	3.1	2.9	2.8	2.8	2.7	4.5	4.7	4.2
Bhopal	2.4	3.0	2.4	2.4	2.9	2.3	3.3	4.4	3.2
Chhatarpur	3.4	3.6	2.9	2.9	3.0	2.7	5.5	5.9	4.3
Chhindwara	2.7	2.8	2.4	2.5	2.6	2.3	3.6	3.6	3.4
Damoh	3.0	3.0	2.7	2.6	2.7	2.5	4.4	4.5	4.1
Datia	2.9	3.0	2.6	2.6	2.6	2.5	4.3	4.6	3.9
Dewas	2.7	2.8	2.5	2.5	2.5	2.4	3.8	4.0	3.5
Dhar	2.9	2.9	2.6	2.8	2.8	2.5	3.8	3.8	3.7
Dindori	2.9	2.9	-	2.4	2.4	-	3.9	3.9	-
East Nimar	2.9	2.9	2.6	2.6	2.7	2.5	4.2	4.5	3.8
Guna	2.9	2.9	2.7	2.6	2.6	2.6	4.3	4.3	4.2
Gwalior	2.6	2.8	2.6	2.4	2.6	2.4	3.7	4.3	3.5
Harda	2.8	2.8	2.6	2.6	2.6	2.5	3.8	3.8	3.7
Hoshangabad	2.7	2.9	2.5	2.6	2.6	2.4	3.8	4.1	3.5
Indore	2.3	2.6	2.3	2.2	2.5	2.2	3.1	3.6	3.0
Jabalpur	2.7	3.0	2.4	2.3	2.5	2.2	3.7	4.3	3.4
Jhabua	3.2	3.3	2.6	3.1	3.1	2.5	4.7	4.8	3.3
Katni	2.9	3.0	2.7	2.5	2.5	2.4	4.2	4.4	4.0
Mandla	2.8	2.9	2.4	2.4	2.5	2.2	3.7	3.7	3.4
Mandsaur	2.4	2.4	2.5	2.3	2.3	2.4	3.3	3.3	3.3
Morena	3.0	3.1	2.8	2.9	3.0	2.7	4.3	4.5	3.9
Narsimhapur	2.6	2.7	2.5	2.4	2.4	2.3	3.6	3.7	3.4
Neemuch	2.4	2.4	2.3	2.2	2.2	2.2	3.4	3.5	3.3
Panna	3.4	3.4	3.1	2.8	2.9	2.7	4.7	4.9	4.2
Raisen	3.0	3.1	2.6	2.7	2.8	2.5	4.3	4.5	3.7
Rajgarh	2.6	2.6	2.5	2.4	2.4	2.4	3.8	4.0	3.3
Ratlam	2.5	2.6	2.4	2.4	2.4	2.3	3.5	3.7	3.3
Rewa	3.2	3.3	2.8	2.8	2.9	2.6	4.7	4.8	4.2
Sagar	3.1	3.3	2.8	2.7	2.7	2.6	4.7	5.1	4.2
Satna	3.2	3.2	2.9	2.7	2.7	2.6	4.6	4.8	4.1
Sehore	3.3	3.4	2.9	3.0	3.0	2.6	4.8	4.9	4.6
Seoni	2.9	2.9	2.4	2.5	2.6	2.2	4.0	4.1	3.4
Shahdol	2.6	2.5	2.8	2.4	2.3	2.6	3.8	3.7	3.9
Shajapur	2.6	2.5	2.9	2.5	2.3	2.7	3.8	3.7	4.1
Sheopur	2.8	2.9	2.7	2.5	2.5	2.5	4.9	5.1	4.4
Shivpuri	3.3	3.3	3.0	2.9	2.9	2.8	4.8	5.0	4.3
Sidhi	3.1	3.2	2.7	2.8	2.8	2.6	4.8	5.1	3.6
Tikamgarh	3.1	3.1	2.8	2.6	2.6	2.5	4.7	5.0	4.0
Ujjain	2.6	2.8	2.3	2.4	2.5	2.3	3.6	4.2	3.0
Umaria	2.9	3.0	2.6	2.6	2.6	2.4	4.1	4.3	3.7
Vidisha	2.9	3.0	2.6	2.7	2.8	2.4	4.2	4.3	3.9
West Nimar	2.8	2.9	2.6	2.7	2.8	2.5	3.5	3.6	3.3


## ABORTION

State / District	Pregnancy to Women aged 15-49 years resulting in abortion (%)			Women who received any ANC before abortion (%)			Women who went for Ultrasound before abortion (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Madhya Pradesh	4.0	3.4	5.5	44.2	41.6	48.9	19.9	14.5	29.6
Balaghat	3.4	3.4	3.8	54.9	58.5	35.0	10.6	9.8	15.0
Barwani	2.9	2.8	3.3	56.2	49.4	80.8	11.0	2.3	42.3
Betul	2.6	2.4	3.4	51.7	50.6	56.5	13.7	12.8	17.4
Bhind	3.9	3.0	5.3	81.0	74.6	86.9	18.3	4.5	31.0
Bhopal	5.4	2.3	6.0	73.9	100.0	71.9	35.2	30.0	35.6
Chhatarpur	5.7	5.3	7.3	31.5	31.8	30.3	9.2	11.2	3.0
Chhindwara	3.8	4.0	3.1	25.4	26.6	20.0	8.7	7.2	15.0
Damoh	5.1	5.4	3.5	28.6	22.3	72.2	2.2	1.7	5.6
Datia	0.8	0.6	1.2	62.8	65.0	60.0	71.6	65.0	80.0
Dewas	3.1	3.4	2.3	35.5	37.1	30.4	16.1	11.8	30.4
Dhar	5.5	5.5	5.8	74.3	82.9	29.4	63.4	65.5	52.9
Dindori	3.8	3.8	-	26.1	26.5	-	1.1	1.1	-
East Nimar	2.7	2.8	2.2	54.8	59.2	35.7	24.5	26.8	14.3
Guna	1.0	0.7	2.1	43.4	32.0	55.6	32.6	32.0	33.3
Gwalior	7.0	8.9	6.2	17.2	15.5	18.3	53.4	25.2	72.0
Harda	3.1	2.4	6.2	51.5	38.6	71.7	17.0	10.9	26.7
Hoshangabad	3.5	3.2	4.2	56.0	49.0	68.2	15.0	11.4	21.2
Indore	9.9	3.8	11.5	46.3	63.2	44.9	41.6	53.3	40.6
Jabalpur	4.5	3.0	5.6	49.7	37.6	54.7	13.7	9.3	15.5
Jhabua	2.1	1.8	6.3	57.1	54.3	66.7	22.5	0.0	100.0
Katni	4.6	4.1	6.4	47.6	41.1	61.9	6.4	1.8	16.7
Mandla	4.5	3.7	12.3	35.6	29.1	55.6	11.2	9.8	15.6
Mandsaur	3.4	2.6	5.7	38.5	36.7	40.9	43.3	43.0	43.7
Morena	3.3	2.7	4.8	63.1	81.7	33.3	53.5	66.1	33.3
Narsimhapur	2.5	2.5	2.6	46.2	44.0	60.0	1.8	2.1	0.0
Neemuch	5.7	4.4	7.5	45.2	61.2	32.3	23.0	24.4	21.9
Panna	2.9	2.9	2.5	11.0	8.8	28.6	1.6	0.0	14.3
Raisen	1.8	1.3	3.6	35.1	36.4	33.3	16.8	14.5	20.0
Rajgarh	1.5	1.5	1.3	35.6	33.5	50.0	17.8	16.8	25.0
Ratlam	2.1	1.7	2.8	50.9	31.5	69.7	36.6	14.8	57.6
Rewa	5.3	4.9	6.7	41.9	35.2	65.5	0.0	0.0	0.0
Sagar	6.1	7.0	3.6	34.3	29.2	63.0	3.0	2.2	7.4
Satna	3.5	3.5	3.5	27.0	25.1	33.3	2.9	2.8	3.0
Sehore	4.8	3.4	9.7	52.5	66.3	35.1	32.1	33.9	29.7
Seoni	3.8	3.2	9.9	61.2	55.4	82.6	6.5	3.5	17.4
Shahdol	2.7	2.2	4.5	26.9	27.2	26.3	5.9	0.0	15.8
Shajapur	4.5	5.4	1.9	47.3	50.1	26.7	31.8	34.3	13.3
Sheopur	3.6	2.6	8.5	61.2	41.9	91.2	4.0	2.7	5.9
Shivpuri	2.8	2.8	2.9	59.7	63.3	38.5	11.9	8.7	30.8
Sidhi	2.6	2.5	3.2	41.6	37.4	66.7	0.0	0.0	0.0
Tikamgarh	2.5	2.6	2.2	24.0	23.0	30.0	7.8	7.4	10.0
Ujjain	4.8	6.5	1.3	58.3	54.2	100.0	51.9	47.2	100.0
Umariya	3.0	3.1	2.8	28.2	28.3	27.8	11.4	12.3	5.6
Vidisha	3.9	3.1	6.6	43.9	39.6	50.0	9.0	12.6	3.8
West Nimar	3.5	2.9	6.9	73.9	86.0	43.9	29.0	31.6	22.7

Madhya Pradesh: Pregnancy to Women aged 15-49 years resulting in abortion (%)



Madhya Pradesh: Pregnancy to Women aged 15-49 years resulting in abortion (%)







## ABORTION

State / District	Average Month of pregnancy at the time of abortion			Abortion performed by skilled health personnel (%)			Abortion taking place in Institution (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Madhya Pradesh	3.1	3.2	3.0	49.4	43.7	59.4	44.7	39.0	54.8
Balaghat	3.4	3.5	3.3	45.2	43.4	55.0	36.2	34.6	45.0
Barwani	2.5	2.3	3.4	59.2	55.4	73.1	55.6	52.9	65.4
Betul	3.2	3.3	2.9	42.2	37.8	60.9	35.9	31.1	56.5
Bhind	3.4	3.6	3.2	84.3	77.7	90.5	83.7	77.7	89.3
Bhopal	2.9	2.7	2.9	83.2	100.0	81.9	78.5	100.0	76.9
Chhatarpur	3.1	3.2	2.7	42.9	45.0	36.4	37.7	40.1	30.3
Chhindwara	3.2	3.1	3.3	38.9	37.4	45.0	35.9	33.8	45.0
Damoh	3.5	3.5	3.6	23.5	18.9	55.6	16.6	10.9	55.6
Datia	3.0	3.1	2.8	62.8	65.0	60.0	62.8	65.0	60.0
Dewas	2.7	2.7	2.8	33.4	30.5	43.5	28.1	23.5	43.5
Dhar	3.2	3.4	1.9	47.6	42.1	76.5	35.2	38.6	17.6
Dindori	3.4	3.4	-	21.1	21.5	-	16.6	16.9	-
East Nimar	3.8	3.9	3.4	61.6	70.9	21.4	60.2	69.1	21.4
Guna	2.8	2.4	3.1	76.1	63.9	88.9	76.1	63.9	88.9
Gwalior	2.9	2.9	2.9	83.8	69.1	93.5	82.0	66.1	92.5
Harda	3.1	3.3	2.8	54.7	51.4	60.0	48.5	45.4	53.3
Hoshangabad	3.1	3.2	3.0	41.7	39.6	45.5	40.8	38.9	43.9
Indore	3.0	3.5	3.0	52.2	44.3	52.9	51.1	40.7	52.0
Jabalpur	2.8	3.2	2.7	63.3	38.5	73.3	55.0	29.7	65.2
Jhabua	3.3	3.3	3.3	95.0	93.6	100.0	95.0	93.6	100.0
Katni	3.3	3.4	3.1	26.1	21.7	35.7	24.7	20.8	33.3
Mandla	3.2	3.3	2.7	33.3	26.1	55.6	27.4	21.2	46.7
Mandsaur	3.0	3.2	2.7	58.3	56.5	60.6	51.8	53.8	49.3
Morena	3.1	3.0	3.2	72.8	97.3	33.3	67.6	94.1	25.0
Narsimhapur	3.2	3.1	3.8	28.5	26.6	40.0	26.8	24.6	40.0
Neemuch	3.1	3.1	3.1	61.2	67.3	56.2	59.2	62.9	56.2
Panna	2.9	3.0	2.6	33.8	34.5	28.6	26.3	26.0	28.6
Raisen	3.5	4.1	2.6	60.5	65.5	53.3	53.5	58.2	46.7
Rajgarh	3.4	3.5	3.0	27.6	27.9	25.0	22.7	22.4	25.0
Ratlam	3.0	2.5	3.4	55.1	40.0	69.7	49.1	34.2	63.6
Rewa	3.3	3.3	3.5	36.1	31.7	51.7	30.2	26.0	44.8
Sagar	3.2	3.3	3.1	36.4	32.9	55.6	34.3	31.1	51.9
Satna	2.9	3.1	2.5	30.6	23.4	54.5	28.1	22.8	45.5
Sehore	2.8	2.8	2.8	58.1	78.5	32.4	54.4	71.8	32.4
Seoni	3.4	3.5	3.1	34.9	32.5	43.5	30.3	29.0	34.8
Shahdol	3.3	3.5	2.9	36.2	35.8	36.8	36.2	35.8	36.8
Shajapur	2.9	2.9	2.9	51.2	55.3	20.0	51.2	55.3	20.0
Sheopur	1.7	1.7	1.6	90.5	91.9	88.2	88.2	91.9	82.4
Shivpuri	3.0	3.0	3.1	54.1	56.8	38.5	53.1	55.6	38.5
Sidhi	3.6	3.7	3.1	22.8	21.1	33.3	12.0	10.2	22.2
Tikamgarh	3.3	3.4	2.9	34.5	33.5	40.0	29.7	29.6	30.0
Ujjain	2.9	2.9	2.9	74.7	72.3	100.0	65.9	62.6	100.0
Umariya	3.2	3.1	3.6	38.1	35.4	55.6	29.2	26.9	44.4
Vidisha	3.2	3.3	3.2	42.1	30.0	59.6	35.4	24.1	51.9
West Nimar	3.0	3.0	3.1	59.6	65.2	45.5	56.3	63.0	39.4

Madhya Pradesh: Abortion where ultrasound was performed/ Abortion performed by skilled health personnel (%)



Madhya Pradesh: Abortion where ultrasound was performed/ Abortion performed by skilled health personnel (%)



## FAMILY PLANNING PRACTICES (CMW AGED 15-49 YEARS)

State / District	Current Usage								
	Any Method (%)			Any Modern Method (%)			Female Sterilization (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Madhya Pradesh	61.2	59.9	64.1	57.0	56.3	58.3	47.6	51.0	40.6
Balaghat	60.1	61.2	54.1	59.7	60.8	53.9	50.6	51.0	48.4
Barwani	57.4	56.5	61.4	56.5	55.4	61.1	50.5	51.1	48.2
Betul	70.2	72.2	62.1	65.3	66.5	60.0	58.9	61.2	49.3
Bhind	55.8	54.9	57.1	50.4	47.8	54.3	41.1	40.9	41.5
Bhopal	66.2	53.0	68.2	62.3	51.1	64.0	38.7	37.0	39.0
Chhatarpur	55.6	54.5	59.1	47.4	48.4	44.3	41.4	44.4	32.4
Chhindwara	61.0	60.7	61.9	58.1	57.1	61.2	54.2	55.0	52.1
Damoh	74.9	78.6	60.6	72.7	77.4	54.6	68.5	75.7	40.7
Datia	66.3	64.4	69.9	61.2	61.4	60.8	54.6	58.7	46.9
Dewas	66.6	66.2	67.4	58.8	58.1	60.0	48.7	51.0	44.3
Dhar	61.7	60.5	66.9	59.6	58.4	64.9	53.4	53.9	51.2
Dindori	58.2	58.0	-	55.9	55.8	-	53.6	53.7	-
East Nimar	62.9	62.9	62.8	57.6	57.7	57.5	49.1	52.9	39.4
Guna	61.3	58.3	69.0	55.4	53.5	60.2	46.9	47.3	45.7
Gwalior	66.8	60.9	69.3	54.2	54.5	54.1	39.8	49.7	35.8
Harda	64.3	64.7	62.8	63.2	63.5	62.0	52.4	53.7	47.3
Hoshangabad	67.8	71.6	61.6	66.9	70.6	60.9	52.8	56.1	47.4
Indore	65.2	62.7	65.9	61.4	60.6	61.6	40.7	51.4	38.0
Jabalpur	71.8	84.7	63.9	66.7	83.0	56.8	55.5	80.1	40.4
Jhabua	48.9	48.0	57.9	46.6	45.8	54.0	44.6	44.3	47.9
Katni	57.3	55.9	61.2	50.3	51.7	46.2	46.1	48.9	38.2
Mandla	65.5	66.3	58.8	63.0	63.7	57.3	57.3	58.9	43.7
Mandsaur	60.5	59.0	65.1	59.2	57.4	64.9	48.3	49.5	44.5
Morena	56.4	52.8	64.7	50.5	48.4	55.5	41.6	42.8	38.9
Narsimhapur	65.9	65.6	67.1	63.8	64.0	62.7	60.3	61.4	54.1
Neemuch	60.8	57.8	65.8	55.0	53.1	58.2	42.8	46.0	37.3
Panna	55.4	56.3	50.5	52.7	53.6	48.1	49.3	51.5	37.9
Raisen	57.3	60.5	48.0	52.6	54.4	47.2	46.0	51.6	29.8
Rajgarh	58.9	56.8	70.2	52.0	49.2	66.3	40.5	40.2	41.7
Ratlam	64.1	60.3	68.6	57.9	55.2	61.2	45.3	51.6	38.0
Rewa	51.0	50.1	54.7	47.2	48.0	44.1	42.4	45.2	30.7
Sagar	59.5	58.3	62.0	52.2	52.4	51.8	45.4	49.0	38.3
Satna	58.0	57.6	59.0	47.9	48.2	47.1	42.6	44.1	38.4
Sehore	67.7	67.1	70.0	62.7	61.9	65.5	45.9	47.9	38.1
Seoni	67.7	67.9	65.8	65.2	65.4	63.7	61.7	62.9	51.5
Shahdol	50.7	47.3	60.1	47.8	45.3	54.7	44.0	42.5	47.8
Shajapur	64.3	63.1	67.8	62.5	61.3	66.2	49.1	53.3	36.7
Sheopur	52.3	50.7	60.3	48.3	47.0	55.3	42.1	43.3	36.0
Shivpuri	54.1	54.1	53.7	52.8	52.7	53.4	44.6	46.5	35.2
Sidhi	45.9	42.3	65.5	43.2	39.8	62.2	35.3	33.7	44.4
Tikamgarh	62.3	63.3	58.8	57.7	58.7	53.9	52.0	54.6	42.2
Ujjain	63.3	61.0	66.5	61.4	60.3	62.9	48.2	53.4	41.2
Umariya	56.4	56.1	57.8	51.7	50.9	55.4	47.9	47.0	52.0
Vidisha	64.8	63.5	67.5	61.2	58.8	66.7	46.3	48.8	40.7
West Nimar	63.7	64.8	58.1	63.1	64.1	58.0	55.6	58.2	43.0

## FAMILY PLANNING PRACTICES (CMW AGED 15-49 YEARS)

State / District	Current Usage								
	Male Sterilization (%)			Copper-T/IUD (%)			Pills (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Madhya Pradesh	1.0	1.1	0.8	0.5	0.3	0.9	1.9	1.2	3.3
Balaghat	6.6	7.5	1.9	0.1	0.1	0.2	0.2	0.2	0.3
Barwani	0.4	0.3	0.9	0.4	0.4	0.5	2.5	2.2	4.0
Betul	0.6	0.6	0.7	0.3	0.2	0.7	1.2	1.1	1.6
Bhind	0.2	0.3	0.2	0.2	0.1	0.4	1.8	1.1	2.8
Bhopal	0.5	0.3	0.5	1.5	0.2	1.7	4.3	2.1	4.6
Chhatarpur	0.3	0.1	0.8	0.3	0.2	0.4	1.2	0.7	2.9
Chhindwara	0.4	0.3	0.7	0.2	0.1	0.6	0.9	0.5	2.3
Damoh	0.1	0.1	0.2	0.4	0.1	1.6	1.5	0.7	4.8
Datia	0.2	0.2	0.2	0.2	0.1	0.3	0.9	0.4	1.8
Dewas	0.8	0.8	0.7	0.3	0.2	0.6	3.1	2.8	3.6
Dhar	0.2	0.2	0.4	0.4	0.3	0.6	1.4	1.0	3.0
Dindori	0.7	0.7	-	0.2	0.2	-	0.9	0.8	-
East Nimar	0.5	0.3	1.1	0.5	0.4	0.7	2.6	1.3	5.9
Guna	0.6	0.6	0.7	0.4	0.2	0.7	1.9	1.2	3.6
Gwalior	0.5	0.5	0.5	0.6	0.4	0.7	2.4	1.0	3.0
Harda	0.4	0.3	0.7	0.3	0.2	0.9	3.6	3.3	4.7
Hoshangabad	5.9	9.2	0.4	0.3	0.2	0.4	2.0	1.5	2.9
Indore	0.8	0.5	0.8	1.2	0.8	1.3	4.4	3.7	4.6
Jabalpur	0.5	0.4	0.7	0.8	0.3	1.1	2.5	1.5	3.1
Jhabua	0.3	0.3	0.5	0.2	0.2	0.2	0.4	0.4	0.8
Katni	0.5	0.4	0.5	0.4	0.4	0.6	1.4	1.2	2.1
Mandla	2.8	3.0	1.2	0.2	0.1	1.1	1.3	1.1	3.6
Mandsaur	1.8	1.9	1.5	0.3	0.1	1.1	2.5	2.1	3.8
Morena	0.2	0.1	0.3	0.4	0.3	0.7	1.8	1.2	3.1
Narsimhapur	0.4	0.4	0.6	0.1	0.1	0.2	0.8	0.6	2.0
Neemuch	1.0	1.2	0.7	0.2	0.0	0.6	1.5	1.0	2.3
Panna	0.4	0.4	0.1	0.1	0.1	0.1	0.5	0.3	1.9
Raisen	0.2	0.2	0.2	0.1	0.0	0.4	1.6	1.1	3.0
Rajgarh	0.3	0.3	0.6	0.2	0.2	0.5	1.3	1.2	2.3
Ratlam	1.1	0.3	1.9	0.8	0.3	1.3	2.5	1.0	4.1
Rewa	0.9	0.8	1.4	1.1	0.6	3.1	0.6	0.3	1.7
Sagar	0.5	0.3	0.8	0.3	0.2	0.4	1.7	1.0	3.1
Satna	2.4	2.5	2.0	0.3	0.2	0.7	0.7	0.5	1.2
Sehore	0.8	1.0	0.4	0.4	0.2	1.2	5.1	5.4	4.3
Seoni	0.7	0.7	0.7	0.1	0.1	0.7	0.9	0.8	2.6
Shahdol	1.4	1.5	1.0	0.3	0.1	0.8	0.5	0.4	1.0
Shajapur	1.1	1.4	0.5	0.4	0.2	1.0	3.1	2.5	4.9
Sheopur	0.1	0.1	0.2	0.2	0.1	0.6	3.0	2.2	7.0
Shivpuri	0.4	0.3	0.5	0.2	0.2	0.2	0.7	0.5	1.5
Sidhi	1.8	1.7	2.6	0.7	0.6	1.5	1.2	0.6	4.2
Tikamgarh	0.3	0.1	0.7	0.1	0.1	0.1	0.5	0.2	1.9
Ujjain	0.6	0.5	0.7	0.5	0.4	0.6	1.7	1.3	2.3
Umariya	1.8	2.2	0.3	0.2	0.2	0.3	0.4	0.4	0.6
Vidisha	0.6	0.6	0.6	0.6	0.7	0.4	2.2	2.1	2.4
West Nimar	0.4	0.3	0.6	0.7	0.6	1.0	2.9	2.6	4.7


## FAMILY PLANNING PRACTICES (CMW AGED 15-49 YEARS)

State / District	Current Usage								
	Condom/Nirodh (%)			Emergency Contraceptive Pills (%)			Any Traditional Method (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Madhya Pradesh	5.8	2.6	12.4	0.2	0.2	0.2	4.2	3.5	5.8
Balaghat	2.1	1.9	2.7	0.1	0.0	0.3	0.4	0.4	0.3
Barwani	2.5	1.3	7.4	0.2	0.2	0.1	0.9	1.1	0.3
Betul	3.7	2.8	7.4	0.6	0.7	0.1	5.0	5.7	2.1
Bhind	6.9	5.4	9.2	0.1	0.1	0.1	5.4	7.1	2.8
Bhopal	16.8	11.4	17.7	0.3	0.2	0.3	3.9	1.9	4.2
Chhatarpur	4.0	2.9	7.6	0.1	0.1	0.2	8.2	6.0	14.8
Chhindwara	2.3	1.2	5.2	0.1	0.0	0.3	2.9	3.7	0.8
Damoh	1.9	0.7	6.7	0.2	0.1	0.6	2.2	1.2	6.0
Datia	5.2	1.9	11.4	0.1	0.1	0.1	5.1	2.9	9.1
Dewas	5.5	2.8	10.6	0.4	0.5	0.1	7.8	8.1	7.2
Dhar	4.0	2.9	9.0	0.2	0.0	0.6	2.1	2.2	2.0
Dindori	0.5	0.5	-	0.1	0.0	-	2.3	2.3	-
East Nimar	4.8	2.7	10.3	0.0	0.0	0.0	5.3	5.2	5.3
Guna	4.2	2.7	8.1	1.4	1.4	1.2	5.9	4.8	8.8
Gwalior	10.4	2.8	13.5	0.4	0.1	0.6	12.6	6.3	15.2
Harda	6.2	5.7	8.1	0.2	0.2	0.2	1.1	1.2	0.8
Hoshangabad	5.8	3.5	9.7	0.0	0.0	0.1	0.9	1.0	0.7
Indore	14.0	3.8	16.6	0.1	0.2	0.1	3.8	2.1	4.3
Jabalpur	7.1	0.7	11.0	0.1	0.0	0.2	5.1	1.7	7.1
Jhabua	0.8	0.4	4.3	0.2	0.2	0.1	2.3	2.2	3.9
Katni	1.9	0.8	4.8	0.0	0.0	0.1	7.0	4.2	15.0
Mandla	1.3	0.6	7.3	0.1	0.0	0.4	2.5	2.7	1.5
Mandsaur	6.1	3.6	13.7	0.1	0.1	0.1	1.3	1.6	0.2
Morena	5.7	2.8	12.4	0.8	1.2	0.0	5.9	4.5	9.3
Narsimhapur	2.1	1.5	5.5	0.1	0.0	0.2	2.1	1.6	4.5
Neemuch	9.4	4.9	17.0	0.0	0.0	0.1	5.7	4.6	7.6
Panna	2.1	1.1	7.7	0.2	0.2	0.1	2.6	2.7	2.3
Raisen	4.6	1.5	13.7	0.0	0.0	0.1	4.7	6.1	0.7
Rajgarh	9.4	7.1	21.1	0.2	0.2	0.1	7.0	7.5	3.9
Ratlam	8.2	1.7	15.7	0.1	0.1	0.1	6.2	5.2	7.4
Rewa	2.1	0.9	6.8	0.1	0.0	0.2	3.8	2.2	10.6
Sagar	4.2	1.7	9.1	0.1	0.1	0.1	7.3	5.8	10.1
Satna	1.9	0.9	4.6	0.0	0.0	0.1	10.1	9.4	11.9
Sehore	10.2	7.2	21.6	0.1	0.2	0.0	5.0	5.2	4.5
Seoni	1.6	0.9	8.1	0.0	0.0	0.0	2.5	2.5	2.1
Shahdol	1.6	0.8	3.8	0.1	0.0	0.3	2.9	2.0	5.3
Shajapur	8.6	3.8	22.9	0.1	0.1	0.0	1.8	1.8	1.6
Sheopur	2.8	1.2	11.2	0.1	0.1	0.2	3.9	3.7	5.0
Shivpuri	6.8	5.1	15.9	0.1	0.1	0.2	1.3	1.4	0.3
Sidhi	3.5	2.5	9.4	0.6	0.7	0.0	2.6	2.5	3.4
Tikamgarh	4.7	3.7	8.5	0.1	0.0	0.3	4.6	4.5	4.9
Ujjain	10.3	4.7	18.0	0.0	0.0	0.0	1.9	0.7	3.6
Umaria	1.1	1.1	1.3	0.2	0.1	0.9	4.7	5.2	2.4
Vidisha	11.5	6.5	22.5	0.1	0.0	0.1	3.5	4.7	0.8
West Nimar	3.4	2.3	8.5	0.1	0.1	0.2	0.6	0.7	0.1


## FAMILY PLANNING PRACTICES (CMW AGED 15-49 YEARS)

State / District	Current Usage								
	Periodic Abstinence (%)			Withdrawal (%)			LAM (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Madhya Pradesh	2.5	2.0	3.4	0.6	0.4	1.1	1.0	0.9	1.2
Balaghat	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
Barwani	0.4	0.5	0.1	0.1	0.1	0.0	0.4	0.4	0.2
Betul	3.9	4.6	0.9	0.1	0.0	0.4	0.3	0.3	0.2
Bhind	4.2	5.4	2.4	0.1	0.2	0.1	0.8	1.3	0.0
Bhopal	1.6	0.4	1.8	1.1	0.2	1.2	1.0	1.2	1.0
Chhatarpur	4.5	2.3	11.2	0.4	0.4	0.3	3.2	3.1	3.2
Chhindwara	2.4	3.2	0.2	0.0	0.1	0.0	0.3	0.2	0.4
Damoh	2.1	1.2	5.5	0.1	0.0	0.4	0.0	0.0	0.0
Datia	2.5	2.2	3.1	2.3	0.7	5.4	0.1	0.1	0.2
Dewas	3.8	4.2	3.2	0.8	0.7	1.1	3.0	3.2	2.8
Dhar	1.2	1.1	1.6	0.1	0.1	0.4	0.8	0.9	0.0
Dindori	0.1	0.1	-	0.0	0.0	-	0.2	0.2	-
East Nimar	2.2	2.0	2.6	0.3	0.3	0.4	2.7	2.9	2.0
Guna	4.3	3.8	5.7	1.1	0.6	2.5	0.4	0.3	0.4
Gwalior	6.0	2.9	7.3	3.3	0.8	4.3	3.1	2.3	3.5
Harda	0.1	0.1	0.2	0.4	0.5	0.3	0.2	0.3	0.2
Hoshangabad	0.2	0.2	0.3	0.2	0.2	0.2	0.3	0.5	0.1
Indore	1.7	0.5	2.0	0.6	0.2	0.7	1.4	1.3	1.5
Jabalpur	3.3	0.7	4.9	0.9	0.4	1.1	0.7	0.4	1.0
Jhabua	0.5	0.4	1.3	0.2	0.1	1.1	1.6	1.6	1.4
Katni	6.8	4.0	14.9	0.0	0.0	0.0	0.1	0.1	0.1
Mandla	1.3	1.4	0.2	0.1	0.0	0.4	0.0	0.0	0.0
Mandsaur	0.7	0.9	0.2	0.0	0.0	0.0	0.4	0.5	0.0
Morena	3.7	2.8	5.7	0.9	0.6	1.5	1.1	0.8	1.6
Narsimhapur	0.7	0.5	1.8	0.6	0.4	1.9	0.6	0.7	0.6
Neemuch	2.5	2.5	2.7	1.3	0.4	2.7	1.8	1.6	2.1
Panna	1.9	2.0	1.5	0.4	0.4	0.5	0.2	0.2	0.0
Raisen	4.5	5.9	0.5	0.0	0.0	0.1	0.0	0.0	0.0
Rajgarh	4.4	5.0	1.1	1.2	1.3	0.9	1.3	1.1	1.9
Ratlam	2.8	2.3	3.5	0.5	0.4	0.7	2.7	2.3	3.1
Rewa	2.2	1.0	7.1	1.5	1.0	3.3	0.1	0.2	0.0
Sagar	5.5	3.4	9.7	1.4	2.1	0.0	0.1	0.2	0.0
Satna	6.5	5.9	7.9	0.3	0.2	0.5	3.3	3.2	3.3
Sehore	2.2	2.3	1.9	0.6	0.5	0.7	1.8	1.8	1.7
Seoni	0.3	0.3	0.3	0.4	0.2	1.7	1.8	1.9	0.1
Shahdol	1.7	1.2	3.3	0.5	0.0	1.9	0.2	0.2	0.1
Shajapur	0.7	0.7	0.5	0.2	0.2	0.0	0.6	0.6	0.5
Sheopur	0.6	0.6	0.4	0.9	1.0	0.4	1.9	1.9	2.2
Shivpuri	0.4	0.5	0.0	0.0	0.0	0.0	0.7	0.8	0.0
Sidhi	1.3	1.2	2.2	0.8	0.8	1.0	0.1	0.1	0.0
Tikamgarh	3.2	3.5	2.2	0.4	0.2	1.0	0.9	0.7	1.6
Ujjain	0.8	0.2	1.6	0.6	0.1	1.3	0.2	0.0	0.5
Umariya	3.7	4.0	2.2	0.1	0.1	0.0	0.8	1.0	0.0
Vidisha	2.8	3.9	0.2	0.5	0.6	0.4	0.0	0.0	0.0
West Nimar	0.3	0.3	0.0	0.0	0.0	0.0	0.3	0.3	0.0

Madhya Pradesh: Current Usage of Family Planning Practices (CMW aged 15-49 years) (%)



Madhya Pradesh: Current Usage of Family Planning Practices (CMW aged 15-49 years) (%)






## UNMET NEED FOR FAMILY PLANNING

State / District	Unmet need for Spacing (%)			Unmet need for Limiting (%)			Total Unmet need (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Madhya Pradesh	13.8	15.1	11.1	8.6	8.2	9.5	22.4	23.3	20.6
Balaghat	12.7	12.8	12.1	7.9	7.5	10.5	20.6	20.2	22.6
Barwani	14.4	15.1	11.1	4.3	4.1	5.2	18.7	19.3	16.3
Betul	10.5	10.5	10.8	8.4	7.3	13.1	18.9	17.7	23.9
Bhind	15.2	16.0	14.0	12.4	11.8	13.1	27.6	27.8	27.2
Bhopal	9.0	14.3	8.3	8.1	7.7	8.1	17.1	22.0	16.4
Chhatarpur	16.8	18.5	11.8	12.6	11.0	17.5	29.4	29.4	29.3
Chhindwara	13.9	12.7	17.3	12.8	13.7	10.5	26.7	26.3	27.7
Damoh	11.7	10.6	15.8	3.8	2.4	9.1	15.5	13.0	24.9
Datia	12.4	14.3	8.8	7.1	8.4	4.6	19.5	22.7	13.4
Dewas	12.2	12.9	10.9	3.9	3.2	5.2	16.1	16.1	16.0
Dhar	11.8	11.9	11.4	4.5	4.3	5.3	16.3	16.2	16.7
Dindori	18.4	18.7	-	7.7	7.6	-	26.1	26.2	-
East Nimar	14.0	14.8	12.0	7.5	6.9	9.1	21.5	21.6	21.1
Guna	13.6	14.8	10.6	7.5	7.2	8.5	21.1	21.9	19.1
Gwalior	9.8	13.1	8.5	6.4	7.2	6.1	16.2	20.3	14.6
Harda	14.5	14.8	13.3	8.0	7.1	11.5	22.5	21.9	24.8
Hoshangabad	10.9	11.0	10.8	8.0	6.2	10.9	18.9	17.2	21.7
Indore	9.6	11.7	9.1	9.8	7.1	10.5	19.4	18.9	19.6
Jabalpur	8.2	6.7	9.0	6.2	0.2	9.9	14.3	6.9	18.9
Jhabua	22.3	22.7	18.0	9.1	9.1	8.9	31.3	31.8	26.9
Katni	17.0	18.7	12.3	9.9	9.7	10.3	26.9	28.4	22.5
Mandla	13.0	13.0	13.0	6.6	6.2	10.5	19.6	19.2	23.5
Mandsaur	12.1	13.5	7.9	12.9	12.2	15.1	25.0	25.7	23.0
Morena	13.9	15.6	10.1	10.8	11.8	8.5	24.7	27.3	18.6
Narsimhapur	13.1	13.6	10.4	6.7	6.4	8.1	19.7	20.0	18.5
Neemuch	12.0	12.1	11.8	9.5	10.6	7.6	21.4	22.7	19.4
Panna	16.9	16.8	17.2	13.5	12.9	16.6	30.4	29.8	33.8
Raisen	14.7	14.4	15.6	16.0	13.7	22.6	30.8	28.2	38.2
Rajgarh	14.4	15.1	10.6	10.1	10.6	7.3	24.5	25.7	17.9
Ratlam	12.7	15.9	8.9	5.9	5.3	6.6	18.6	21.2	15.4
Rewa	17.8	17.8	17.8	16.4	17.0	14.1	34.2	34.8	31.8
Sagar	18.1	19.5	15.4	8.1	7.8	8.8	26.2	27.2	24.1
Satna	14.3	15.3	11.6	10.7	10.0	12.7	25.0	25.3	24.3
Sehore	11.8	12.4	9.4	5.3	5.7	3.4	17.1	18.2	12.8
Seoni	11.8	11.8	12.0	6.8	6.5	9.8	18.6	18.3	21.7
Shahdol	16.8	18.4	12.2	10.1	10.3	9.5	26.8	28.7	21.7
Shajapur	15.6	16.3	13.5	4.4	3.8	6.2	20.0	20.1	19.7
Sheopur	18.8	19.6	14.7	8.2	8.2	8.4	27.0	27.8	23.1
Shivpuri	18.1	17.6	21.0	8.0	7.7	9.6	26.1	25.3	30.6
Sidhi	19.7	20.8	13.5	12.5	13.4	7.7	32.3	34.3	21.3
Tikamgarh	15.3	16.1	12.1	8.7	7.4	13.6	24.0	23.5	25.7
Ujjain	11.8	13.5	9.5	6.6	5.4	8.2	18.4	18.9	17.7
Umaria	16.2	17.3	11.2	10.4	9.9	12.4	26.5	27.2	23.6
Vidisha	14.8	16.2	11.6	7.6	7.2	8.4	22.4	23.5	20.1
West Nimar	14.4	13.7	18.0	3.7	3.2	6.3	18.1	16.8	24.3

## ANTE NATAL CARE

State / District	Currently Married Pregnant Women aged 15-49 years registered for ANC (%)			Mothers who received any Antenatal Check-up (%)			Mothers who had Antenatal Check-up in First Trimester (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Madhya Pradesh	66.5	64.6	72.1	88.6	86.3	94.8	66.5	62.2	78.4
Balaghat	80.7	81.4	75.8	97.9	97.7	98.9	91.2	90.9	93.1
Barwani	78.7	76.8	89.3	88.3	85.3	100.0	60.4	54.5	83.9
Betul	87.6	87.4	89.0	92.3	91.3	97.9	83.5	81.4	95.2
Bhind	65.1	62.4	69.8	81.8	75.2	92.6	52.6	48.5	59.3
Bhopal	68.6	51.8	73.4	94.5	91.1	95.2	78.6	74.4	79.5
Chhatarpur	33.9	36.7	15.5	90.3	89.4	94.5	64.5	60.4	83.2
Chhindwara	80.7	79.2	84.9	86.7	86.5	87.3	74.6	72.7	80.3
Damoh	67.9	67.3	71.4	86.0	83.8	95.1	70.5	66.1	88.5
Datia	59.3	55.5	73.9	83.1	82.2	85.1	49.2	47.3	53.6
Dewas	56.5	56.7	55.9	94.8	94.2	96.2	70.8	70.6	71.4
Dhar	76.4	78.1	68.1	88.9	88.1	93.2	65.6	62.6	81.1
Dindori	73.1	73.0	-	90.2	90.0	-	59.0	58.2	-
East Nimar	69.4	68.0	74.0	90.3	88.3	96.5	56.2	52.9	66.6
Guna	64.2	61.0	75.7	85.8	84.0	91.7	50.9	45.6	68.3
Gwalior	69.3	61.3	73.8	88.4	75.0	94.3	62.6	51.5	67.5
Harda	73.4	72.4	81.6	87.0	84.9	95.8	75.7	72.0	90.8
Hoshangabad	85.9	85.5	86.9	94.5	92.7	98.2	81.1	79.2	85.2
Indore	83.2	82.5	83.5	97.4	96.8	97.6	82.9	76.4	84.7
Jabalpur	76.3	74.7	78.0	94.6	92.5	96.1	78.5	63.1	90.2
Jhabua	52.2	49.7	80.8	81.4	80.5	93.1	34.9	33.5	54.1
Katni	79.2	78.8	81.1	93.9	93.0	96.9	67.7	62.2	86.8
Mandla	80.9	81.3	76.8	89.0	88.2	97.8	62.1	60.0	85.7
Mandsaur	74.3	71.6	82.2	88.2	85.0	97.6	58.3	48.5	87.5
Morena	64.1	62.3	68.9	94.3	94.0	95.3	53.4	58.1	40.0
Narsimhapur	72.7	73.4	67.4	94.6	94.3	96.8	84.1	83.2	89.7
Neemuch	71.3	74.9	66.3	91.1	88.3	95.3	66.5	59.9	75.8
Panna	56.3	53.5	68.9	79.0	76.9	93.1	56.7	55.3	65.7
Raisen	78.4	76.2	87.3	84.3	81.3	96.1	67.7	62.0	89.2
Rajgarh	69.2	67.7	81.0	88.3	86.5	98.7	72.3	69.4	88.9
Ratlam	72.9	68.4	82.5	96.2	95.1	98.1	61.6	53.5	74.9
Rewa	45.0	43.0	55.8	84.8	83.0	93.4	73.0	71.5	80.7
Sagar	40.5	41.1	38.5	89.1	86.0	96.7	77.0	71.2	91.3
Satna	73.0	76.3	60.5	90.2	89.5	92.7	73.1	70.3	82.2
Sehore	69.4	67.9	76.0	86.0	84.3	92.6	62.8	58.2	79.8
Seoni	81.0	80.6	85.2	97.3	97.2	98.3	76.0	74.7	90.3
Shahdol	64.8	68.6	50.9	74.7	75.2	72.9	58.1	56.2	64.8
Shajapur	73.7	71.9	78.5	91.5	89.5	96.8	66.9	61.7	80.4
Sheopur	51.3	46.2	80.0	72.1	68.0	92.9	51.3	47.4	70.8
Shivpuri	50.5	51.9	42.3	84.1	82.9	91.2	50.1	50.9	45.2
Sidhi	51.1	48.8	74.4	68.8	65.9	91.3	52.6	48.7	83.4
Tikamgarh	42.9	40.6	56.8	70.8	69.0	78.6	50.0	45.9	68.0
Ujjain	65.5	58.0	86.2	95.5	94.8	96.9	70.2	66.9	76.6
Umaria	60.5	57.9	79.4	81.7	80.2	90.5	66.1	63.8	79.6
Vidisha	77.5	78.2	75.0	94.8	93.9	97.6	84.3	81.7	92.5
West Nimar	83.1	84.4	78.5	90.9	89.9	97.0	56.6	55.3	65.4

Madhya Pradesh: Antenatal Care (%)



Madhya Pradesh: Antenatal Care (%)




## ANTE NATAL CARE

State / District	Mothers who received 3 or more Antenatal Care (%)			Mothers who received at least one Tetanus Toxoid (TT) injection (%)			Mothers who consumed IFA for 100 days or more (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Madhya Pradesh	68.1	64.4	78.2	94.8	93.9	97.3	17.5	15.1	24.0
Balaghat	95.2	94.8	97.3	97.9	97.7	98.9	33.2	31.2	45.3
Barwani	56.6	49.9	83.4	87.9	84.9	100.0	13.1	12.2	16.7
Betul	88.0	87.9	88.4	92.3	91.3	97.9	22.3	19.2	40.1
Bhind	37.3	27.6	53.3	81.1	74.5	92.1	10.0	9.4	10.9
Bhopal	79.5	64.2	82.6	94.5	91.1	95.2	30.7	18.3	33.3
Chhatarpur	86.9	85.8	92.0	90.3	89.4	94.5	10.7	9.8	15.2
Chhindwara	84.1	83.3	86.4	86.7	86.5	87.3	21.8	22.9	18.4
Damoh	80.2	76.9	93.9	86.0	83.8	95.1	15.4	15.1	16.9
Datia	46.7	47.0	46.2	82.0	81.2	83.8	14.5	16.1	10.6
Dewas	59.3	58.7	60.5	95.1	94.5	96.3	12.8	11.3	15.9
Dhar	51.0	49.8	57.2	88.3	87.6	92.0	19.0	18.0	24.2
Dindori	88.2	88.1	-	90.2	90.0	-	9.4	8.9	-
East Nimar	43.9	37.5	63.4	90.1	88.2	96.0	16.5	15.1	21.0
Guna	21.3	19.0	29.0	85.2	83.3	91.7	10.4	8.9	15.6
Gwalior	60.5	43.8	67.9	88.0	74.9	93.8	21.0	12.6	24.7
Harda	84.5	82.2	94.0	87.0	84.9	95.8	18.1	17.0	22.4
Hoshangabad	92.4	90.1	97.2	94.5	92.7	98.2	19.4	20.9	16.3
Indore	87.2	81.5	88.8	97.5	97.0	97.7	31.1	16.4	35.2
Jabalpur	93.3	90.6	95.4	94.6	92.5	96.1	21.2	15.3	25.6
Jhabua	38.2	36.4	63.5	81.0	80.1	93.1	11.9	11.1	22.0
Katni	91.8	90.8	95.4	93.9	93.0	96.9	13.3	14.5	9.2
Mandla	82.3	81.0	97.1	89.0	88.2	97.8	20.8	19.7	33.3
Mandsaur	62.0	53.4	87.7	87.8	84.6	97.3	29.3	18.4	61.8
Morena	30.2	30.4	29.8	94.2	93.8	95.3	6.3	5.9	7.6
Narsimhapur	92.1	91.5	95.9	94.6	94.3	96.8	27.7	24.1	49.6
Neemuch	63.1	56.7	72.2	91.0	88.4	94.9	30.3	19.0	46.6
Panna	75.2	72.8	91.0	79.0	76.9	93.1	16.1	14.3	28.3
Raisen	76.8	72.3	93.9	84.3	81.3	96.1	14.6	14.8	13.8
Rajgarh	57.5	54.4	75.8	87.6	85.8	98.0	8.9	7.8	15.4
Ratlam	57.8	42.9	82.2	95.9	94.7	97.9	13.2	6.8	23.7
Rewa	80.0	78.0	90.2	84.8	83.0	93.4	12.4	11.8	15.6
Sagar	81.2	76.0	94.4	89.1	86.0	96.7	24.8	26.3	20.9
Satna	79.2	78.4	81.7	90.2	89.5	92.7	19.2	18.9	20.1
Sehore	49.8	44.2	70.2	85.3	83.6	91.7	16.2	12.5	29.8
Seoni	94.1	93.8	97.2	97.3	97.2	98.3	23.3	22.7	30.1
Shahdol	72.1	72.0	72.3	74.7	75.2	72.9	22.6	23.7	18.6
Shajapur	60.3	58.8	64.3	91.3	89.1	96.9	9.4	9.8	8.4
Sheopur	21.9	17.6	43.8	71.5	67.5	91.7	2.8	1.9	7.4
Shivpuri	28.9	26.5	42.9	83.8	82.5	91.4	17.7	17.1	21.4
Sidhi	61.0	57.5	88.4	68.8	65.9	91.3	17.1	15.5	29.0
Tikamgarh	68.5	66.6	77.3	70.8	69.0	78.6	10.2	9.1	15.5
Ujjain	68.3	65.4	74.0	95.3	94.6	96.7	15.9	8.4	30.2
Umaria	77.6	76.3	85.0	81.7	80.2	90.5	8.5	8.0	11.3
Vidisha	91.3	89.9	95.6	94.8	93.9	97.6	9.1	10.3	5.3
West Nimar	60.8	59.7	68.1	90.6	89.6	97.0	13.0	12.0	19.2


## ANTE NATAL CARE

State / District	Mothers who had Full Antenatal Check-up (%)			Mothers who received ANC from Govt. Source (%)			Mothers whose Blood Pressure (BP) taken (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Madhya Pradesh	13.3	10.9	20.0	49.5	46.7	56.4	64.3	58.2	80.9
Balaghat	30.8	28.6	43.8	29.9	28.6	37.5	82.6	81.8	88.0
Barwani	9.7	8.4	15.1	55.0	49.1	75.2	61.2	54.9	86.1
Betul	18.2	16.0	30.6	43.0	39.9	59.5	77.0	75.1	88.0
Bhind	4.6	3.6	6.3	52.2	36.0	74.1	52.9	51.8	54.9
Bhopal	26.7	14.4	29.2	59.2	69.8	57.1	89.8	83.4	91.1
Chhatarpur	10.7	9.8	15.2	50.2	48.0	59.5	51.9	47.8	70.5
Chhindwara	19.7	20.3	17.7	50.0	45.8	62.7	74.8	72.2	82.7
Damoh	15.0	14.5	17.0	45.4	41.5	60.0	49.8	44.9	69.7
Datia	4.1	5.2	1.6	41.4	31.4	64.5	49.5	47.5	54.4
Dewas	10.2	9.0	12.9	59.5	58.1	62.4	80.2	77.6	85.8
Dhar	11.6	11.2	13.6	51.0	51.6	48.2	57.0	54.5	69.7
Dindori	7.7	7.2	-	32.8	32.1	-	52.8	52.0	-
East Nimar	8.6	6.5	15.0	32.8	28.9	43.8	47.1	39.1	71.6
Guna	2.5	1.2	6.8	58.5	55.5	67.6	42.7	37.4	60.2
Gwalior	15.6	6.9	19.5	51.6	53.5	51.0	78.6	60.6	86.5
Harda	16.1	15.0	20.8	48.3	45.9	57.1	68.0	64.7	81.6
Hoshangabad	17.5	18.5	15.4	51.5	46.2	62.4	76.5	69.8	91.2
Indore	28.5	14.5	32.5	48.6	52.3	47.6	93.7	88.2	95.2
Jabalpur	20.5	14.2	25.2	44.0	46.3	42.4	77.5	60.7	90.2
Jhabua	7.3	6.6	17.6	68.8	68.8	69.4	69.1	67.9	85.5
Katni	12.0	13.0	8.6	53.3	54.4	49.4	68.4	65.0	80.3
Mandla	15.1	13.6	32.6	28.5	27.0	43.2	40.7	37.8	72.8
Mandsaur	24.5	13.8	56.5	58.3	56.0	64.4	73.7	70.3	83.7
Morena	3.3	3.4	3.1	48.2	43.6	61.4	45.1	40.6	57.9
Narsimhapur	26.0	22.3	48.7	49.4	48.5	54.6	76.0	74.6	84.4
Neemuch	24.6	14.7	39.0	47.6	40.3	57.3	83.5	76.7	93.2
Panna	13.3	11.2	27.0	47.6	43.0	73.3	44.7	41.5	66.5
Raisen	9.1	8.2	12.4	59.9	57.1	69.0	58.3	52.4	80.9
Rajgarh	6.2	5.3	11.7	63.2	60.5	76.9	71.4	68.0	91.3
Ratlam	11.7	5.0	22.7	52.7	49.3	58.0	88.5	86.1	92.4
Rewa	9.4	8.7	12.7	51.0	48.9	59.9	63.5	60.1	80.1
Sagar	21.4	22.3	19.2	39.5	34.0	51.7	51.0	41.8	74.1
Satna	10.7	10.3	11.9	40.3	35.1	56.8	41.9	38.8	52.2
Sehore	12.4	9.1	24.8	35.5	33.3	43.0	69.2	64.4	86.8
Seoni	20.8	20.1	29.5	22.0	20.6	38.7	66.6	64.7	89.2
Shahdol	20.4	21.1	18.0	59.0	57.4	65.0	61.3	60.0	65.9
Shajapur	6.9	6.7	7.4	48.9	46.7	54.3	77.7	74.8	85.5
Sheopur	1.8	1.1	5.7	34.1	29.3	51.6	28.6	22.2	60.7
Shivpuri	4.3	3.2	10.5	53.7	50.0	73.2	49.9	45.7	74.5
Sidhi	12.7	11.0	26.1	64.6	64.9	62.7	61.8	58.5	87.6
Tikamgarh	9.2	7.8	15.5	74.3	72.9	79.6	42.5	41.0	49.5
Ujjain	8.2	3.9	16.4	42.0	33.4	57.9	60.5	55.7	69.6
Umaria	4.7	4.5	6.0	65.4	62.7	79.4	65.7	62.8	82.1
Vidisha	6.3	7.3	3.3	63.3	66.1	55.4	70.8	65.6	86.7
West Nimar	10.3	9.6	14.9	58.0	56.1	69.4	72.0	69.6	87.8

Madhya Pradesh: Mothers who received Full Antenatal Check-up (%)



Madhya Pradesh: Mothers who received Full Antenatal Check-up (%)



## ANTE NATAL CARE


State / District	Mothers whose Blood taken for Hb (%)			Mothers who underwent Ultrasound (%)		
	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7
Madhya Pradesh	53.2	45.4	74.4	30.7	22.1	53.9
Balaghat	61.9	61.1	66.2	26.0	23.9	38.7
Barwani	50.5	41.5	86.5	27.6	18.3	64.8
Betul	54.8	50.2	80.5	26.8	22.8	49.5
Bhind	56.3	51.6	64.1	34.6	33.5	36.4
Bhopal	88.3	78.4	90.3	66.6	44.7	71.2
Chhatarpur	41.1	36.8	60.3	17.9	18.2	16.5
Chhindwara	64.9	62.0	73.7	31.5	26.4	46.9
Damoh	34.7	29.1	58.0	13.6	11.0	24.4
Datia	45.6	37.9	63.9	26.6	21.1	39.8
Dewas	66.9	65.6	69.5	47.4	42.4	58.2
Dhar	47.8	44.3	66.7	29.2	24.4	54.5
Dindori	26.6	25.5	-	9.8	9.4	-
East Nimar	40.9	31.2	71.0	27.9	18.4	57.1
Guna	37.4	31.9	55.4	17.8	14.3	29.0
Gwalior	73.4	55.5	81.4	57.3	35.0	67.2
Harda	61.5	56.1	83.8	31.8	27.0	51.6
Hoshangabad	67.7	60.1	84.2	39.1	33.3	51.8
Indore	92.1	86.3	93.7	84.7	71.2	88.4
Jabalpur	70.3	55.4	81.6	44.1	21.8	61.0
Jhabua	53.0	51.1	78.6	23.6	21.6	50.3
Katni	41.4	37.0	56.9	17.5	11.8	37.0
Mandla	31.1	27.2	74.2	15.4	13.3	39.4
Mandsaur	71.5	65.0	90.8	48.7	37.5	82.4
Morena	47.9	45.1	55.9	22.7	18.5	34.9
Narsimhapur	67.4	66.0	75.8	45.8	44.6	53.4
Neemuch	76.5	66.9	90.4	47.3	38.7	59.7
Panna	24.8	22.3	41.2	9.0	8.0	15.5
Raisen	40.9	33.1	70.7	19.7	14.1	41.2
Rajgarh	63.5	59.6	86.2	29.8	28.0	39.9
Ratlam	80.3	79.7	81.2	45.9	26.9	76.9
Rewa	48.4	43.2	74.1	24.4	21.2	40.1
Sagar	39.4	30.7	61.2	21.2	16.0	34.2
Satna	25.6	20.9	41.1	12.6	10.0	21.1
Sehore	60.4	54.6	81.9	30.6	24.8	52.1
Seoni	45.2	42.4	79.0	18.6	16.0	49.4
Shahdol	45.4	41.5	59.6	16.7	13.1	29.6
Shajapur	75.5	72.6	83.1	53.8	47.8	69.4
Sheopur	28.8	25.0	47.9	10.4	8.1	21.7
Shivpuri	22.8	20.8	34.5	12.1	10.1	23.8
Sidhi	44.2	40.1	76.3	14.7	10.6	46.9
Tikamgarh	32.9	29.3	48.8	16.8	14.9	24.9
Ujjain	58.4	53.6	67.5	44.6	38.6	56.1
Umaria	45.4	41.6	67.3	15.7	14.1	25.2
Vidisha	64.2	60.4	75.9	25.8	20.4	41.8
West Nimar	60.0	56.7	82.0	43.9	40.3	67.4



Madhya Pradesh: Mothers who received tests during Ante Natal Check-up (%)




Madhya Pradesh: Mothers who received tests during Ante Natal Check-up (%)




## DELIVERY CARE

State / District	Institutional Delivery (%)			Delivery at Government Institution (%)			Delivery at Private Institution (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Madhya Pradesh	76.1	71.6	88.4	65.5	66.3	63.2	10.5	5.2	24.9
Balaghat	70.8	69.8	76.9	62.8	64.0	55.8	8.0	5.8	21.1
Barwani	70.1	63.2	97.8	65.6	59.8	88.9	4.3	3.1	8.9
Betul	76.6	73.7	92.6	68.1	68.3	66.7	8.4	5.3	25.9
Bhind	79.8	75.9	86.1	73.9	72.2	76.8	5.8	3.7	9.2
Bhopal	89.7	86.7	90.3	60.5	75.3	57.5	29.0	11.4	32.7
Chhatarpur	72.9	69.6	87.6	68.0	66.9	72.7	4.9	2.6	14.9
Chhindwara	74.3	71.0	84.2	66.4	66.7	65.5	7.9	4.3	18.6
Damoh	54.3	49.0	75.8	48.7	45.9	60.1	5.3	3.0	14.6
Datia	81.4	79.3	86.2	69.5	70.5	67.1	11.8	8.8	19.1
Dewas	86.6	83.0	94.2	68.9	70.2	66.1	17.4	12.6	27.8
Dhar	72.9	69.3	92.0	64.7	63.2	72.3	8.3	6.1	19.7
Dindori	44.5	44.0	-	42.8	42.7	-	1.6	1.2	-
East Nimar	61.8	54.3	84.8	49.1	45.9	58.9	12.7	8.5	25.7
Guna	89.0	88.2	91.7	81.8	82.6	79.0	7.0	5.3	12.7
Gwalior	89.7	85.0	91.8	59.9	65.5	57.4	29.5	19.4	34.0
Harda	74.4	69.8	93.5	62.8	60.9	70.4	11.5	8.8	23.0
Hoshangabad	86.9	83.3	94.7	70.8	71.1	70.3	15.9	12.0	24.3
Indore	92.5	91.5	92.7	49.5	63.0	45.7	42.6	28.5	46.5
Jabalpur	80.9	75.1	85.4	56.9	71.3	46.0	23.9	3.6	39.3
Jhabua	76.8	75.6	93.7	67.6	67.3	71.7	8.3	7.6	17.6
Katni	74.5	72.4	81.7	67.9	70.2	59.7	6.5	2.1	21.8
Mandla	56.2	52.8	95.0	52.4	50.9	69.2	3.9	1.9	25.8
Mandsaur	83.6	81.3	90.8	77.8	78.0	77.2	5.9	3.3	13.6
Morena	89.7	88.4	93.5	79.2	81.5	72.5	10.4	6.7	20.8
Narsimhapur	81.7	80.0	92.3	69.6	69.8	68.1	12.1	10.1	24.2
Neemuch	79.5	72.4	89.6	62.1	62.6	61.3	17.3	9.8	28.0
Panna	72.1	69.7	88.0	69.3	67.7	79.4	2.8	2.0	8.2
Raisen	72.0	68.0	87.3	64.3	63.5	67.4	7.5	4.4	19.6
Rajgarh	83.3	81.2	95.3	75.3	73.8	84.2	7.5	6.9	11.1
Ratlam	90.1	89.0	92.0	79.1	86.1	67.5	11.1	2.9	24.5
Rewa	74.4	72.6	83.3	68.4	67.9	70.9	5.9	4.6	12.4
Sagar	66.2	58.3	85.8	56.7	53.9	63.9	8.8	4.2	20.4
Satna	69.2	66.0	79.6	62.4	62.1	63.6	6.7	3.9	15.9
Sehore	87.8	86.3	93.3	74.9	77.3	66.0	12.6	8.8	26.7
Seoni	76.1	74.6	94.3	69.2	69.7	63.1	6.9	4.9	30.7
Shahdol	58.6	56.9	64.8	54.3	55.8	48.8	4.3	1.1	15.8
Shajapur	87.0	85.0	92.2	79.1	79.4	78.2	7.9	5.5	14.0
Sheopur	70.9	67.5	88.4	65.6	63.1	78.3	5.4	4.4	10.1
Shivpuri	77.9	75.4	92.6	73.8	71.9	85.0	3.7	3.0	7.6
Sidhi	54.9	53.4	66.4	51.8	52.3	47.7	3.0	1.1	18.3
Tikamgarh	72.7	68.9	89.2	67.7	65.1	79.1	4.9	3.8	9.9
Ujjain	81.4	77.9	88.1	66.5	68.3	63.1	14.9	9.7	24.8
Umaria	74.3	72.0	87.6	72.3	71.1	79.6	1.9	0.8	8.0
Vidisha	84.5	80.9	95.5	78.0	77.7	79.0	6.4	3.1	16.5
West Nimar	73.9	71.7	88.6	68.9	68.0	75.1	4.9	3.6	13.2

Madhya Pradesh: Institutional Delivery (%)




Madhya Pradesh: Institutional Delivery (%)




## DELIVERY CARE

State / District	Delivery at Home (%)			Delivery at home conducted by skilled health personnel (%)			Safe Delivery (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Madhya Pradesh	23.5	28.0	11.3	26.0	24.2	38.3	82.2	78.4	92.8
Balaghat	29.2	30.2	23.1	57.0	56.1	64.4	74.3	73.1	81.8
Barwani	29.7	36.6	2.2	15.3	14.7	50.0	74.6	68.6	98.9
Betul	23.2	26.1	7.4	19.8	19.3	31.0	77.3	74.3	94.2
Bhind	20.1	23.9	13.8	15.4	14.8	17.0	82.8	79.5	88.4
Bhopal	8.9	11.9	8.3	63.6	63.1	63.7	95.3	94.2	95.5
Chhatarpur	26.6	29.8	12.1	16.1	14.0	38.6	75.6	72.2	90.6
Chhindwara	25.7	29.0	15.6	20.0	19.4	23.8	75.5	72.0	86.0
Damoh	45.4	50.5	24.2	19.1	18.4	25.2	57.9	52.4	80.8
Datia	18.6	20.7	13.6	32.5	26.4	54.9	87.4	84.8	93.6
Dewas	13.2	16.7	5.7	37.0	33.5	58.5	91.5	88.6	97.5
Dhar	26.4	30.0	7.6	35.4	34.7	50.0	82.2	79.6	95.8
Dindori	55.5	56.0	-	13.5	13.5	-	45.5	44.9	-
East Nimar	38.0	45.4	15.0	38.1	35.6	61.1	76.2	70.5	94.0
Guna	10.3	11.0	8.1	33.5	33.5	33.3	92.4	91.8	94.4
Gwalior	9.9	14.8	7.8	49.1	49.7	48.6	94.5	92.3	95.5
Harda	25.4	30.0	6.5	25.2	23.3	62.0	75.6	71.0	94.8
Hoshangabad	13.0	16.6	5.3	38.1	35.6	55.7	87.7	84.1	95.4
Indore	7.3	8.5	7.0	52.7	45.9	55.0	96.3	95.4	96.6
Jabalpur	18.9	24.6	14.6	25.2	17.2	35.4	82.0	75.6	86.8
Jhabua	22.3	23.5	6.3	48.7	48.8	40.0	87.6	86.9	96.2
Katni	25.5	27.5	18.3	18.8	18.1	22.9	76.4	74.2	83.8
Mandla	43.5	46.9	4.7	18.1	18.0	23.1	57.7	54.3	95.7
Mandsaur	16.2	18.5	9.2	50.4	51.7	43.1	91.8	90.8	94.7
Morena	10.0	11.3	6.3	27.1	22.7	50.0	92.4	90.9	96.6
Narsimhapur	18.1	19.8	7.7	32.8	33.5	23.1	83.0	81.3	93.2
Neemuch	20.5	27.5	10.4	44.0	44.7	41.2	88.5	84.7	93.9
Panna	27.5	29.8	11.6	17.3	16.4	33.3	73.9	71.3	91.4
Raisen	27.8	31.8	12.4	30.6	28.9	46.7	73.3	68.9	90.3
Rajgarh	16.2	18.2	4.7	35.4	33.1	85.7	89.0	87.2	99.3
Ratlam	9.8	10.9	8.0	47.5	40.3	63.4	94.8	93.4	97.1
Rewa	25.6	27.4	16.7	21.1	21.1	20.7	76.4	74.5	85.6
Sagar	33.0	40.7	13.9	17.1	16.7	19.8	68.7	61.5	86.9
Satna	30.4	33.5	20.1	9.8	8.4	17.5	71.0	67.6	82.1
Sehore	11.1	12.3	6.7	62.1	63.2	54.5	94.6	94.0	96.9
Seoni	23.7	25.2	5.7	18.5	18.1	40.0	77.5	75.9	96.0
Shahdol	41.3	43.0	35.2	12.2	8.9	26.8	61.6	59.1	70.6
Shajapur	13.0	15.0	7.8	36.5	34.1	48.2	91.7	90.1	95.9
Sheopur	28.8	32.2	11.6	20.4	17.6	59.0	76.8	73.1	95.2
Shivpuri	21.3	23.7	7.4	13.6	12.4	35.5	80.8	78.3	95.2
Sidhi	44.8	46.2	33.6	23.4	22.1	38.3	57.9	56.5	69.3
Tikamgarh	26.5	30.2	10.3	11.1	9.9	26.2	74.1	70.4	90.6
Ujjain	18.2	21.5	11.9	23.0	21.6	27.9	85.6	82.6	91.4
Umaria	25.6	27.9	12.4	29.7	28.6	44.1	78.8	76.8	90.0
Vidisha	15.5	19.1	4.4	38.2	39.3	25.0	85.3	81.9	95.6
West Nimar	25.6	27.8	10.7	36.5	36.1	44.2	83.2	81.7	93.3

Madhya Pradesh: Safe Delivery (%)




Madhya Pradesh: Safe Delivery (%)



## DELIVERY CARE

State / District	Caesarean out of total delivery taken place in Government Institutions (%)			Caesarean out of total delivery taken place in Private Institutions (%)		
	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7
Madhya Pradesh	3.8	2.6	7.3	30.9	26.5	33.4
Balaghat	7.3	7.5	5.6	45.6	43.3	49.5
Barwani	2.6	2.2	3.8	7.6	10.9	3.0
Betul	2.5	2.1	4.5	24.2	24.6	23.8
Bhind	2.1	1.9	2.5	33.8	29.8	36.4
Bhopal	11.7	4.0	13.9	24.4	21.8	24.5
Chhatarpur	2.8	2.1	6.1	28.9	30.4	27.8
Chhindwara	5.9	4.7	9.9	31.1	32.8	30.0
Damoh	3.4	3.0	4.7	50.3	48.7	51.6
Datia	2.7	2.2	4.0	36.4	23.6	50.7
Dewas	2.8	2.1	4.3	31.9	26.7	36.9
Dhar	2.5	2.7	1.6	29.4	24.1	38.0
Dindori	2.1	2.1	-	50.3	48.3	-
East Nimar	3.5	2.7	5.7	27.9	18.8	37.3
Guna	1.3	0.6	3.4	28.9	26.1	32.7
Gwalior	8.9	3.8	11.4	30.4	19.8	33.0
Harda	4.0	3.3	6.4	34.9	32.7	38.4
Hoshangabad	2.6	2.0	4.1	31.5	30.4	32.7
Indore	10.3	4.4	12.6	33.6	32.0	33.9
Jabalpur	9.5	4.5	15.5	41.1	38.6	41.3
Jhabua	2.4	2.3	3.5	16.1	15.7	18.5
Katni	2.8	1.6	8.0	36.7	33.7	37.7
Mandla	2.1	1.6	6.7	42.5	38.4	45.8
Mandsaur	3.9	2.8	7.3	29.3	30.5	28.4
Morena	1.9	1.9	1.9	25.5	29.7	21.5
Narsimhapur	4.6	4.1	7.8	26.1	24.4	30.5
Neemuch	3.9	2.1	6.5	16.4	12.8	18.2
Panna	1.6	1.5	2.2	27.6	21.9	36.8
Raisen	3.9	2.9	7.4	24.3	24.7	23.9
Rajgarh	2.4	2.3	3.2	19.4	15.4	34.4
Ratlam	4.0	1.9	8.4	29.1	23.6	30.2
Rewa	3.4	2.9	5.7	28.0	22.9	37.2
Sagar	3.8	3.0	5.5	24.4	24.0	24.6
Satna	2.3	1.7	4.3	23.5	24.2	23.0
Sehore	4.1	3.1	8.5	40.8	37.6	44.8
Seoni	5.2	4.6	12.6	31.0	28.7	35.2
Shahdol	2.4	1.5	6.2	36.1	33.3	36.8
Shajapur	3.7	2.9	5.8	35.1	36.2	34.0
Sheopur	1.6	1.5	1.9	28.5	17.3	52.9
Shivpuri	3.0	2.6	4.8	17.3	12.4	28.1
Sidhi	2.3	1.7	7.8	35.6	38.8	34.1
Tikamgarh	1.4	0.8	3.4	50.7	45.3	60.0
Ujjain	3.8	1.9	7.8	33.5	20.8	43.0
Umaria	2.0	1.5	4.6	42.0	47.5	38.6
Vidisha	1.6	1.4	2.2	20.0	6.5	27.6
West Nimar	4.7	4.3	7.3	33.8	29.9	40.6

Madhya Pradesh: Caesarean out of total delivery taken place in Government/Private Institutions (%)



Madhya Pradesh: Caesarean out of total delivery taken place in Government/Private Institutions (%)






## POST NATAL CARE

State / District	Less than 24 hrs. stay in institution after delivery (%)			Mothers who received Post-natal Check-up within 48 hrs. of delivery (%)			Mothers who received Post-natal Check-up within 1 week of delivery (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Madhya Pradesh	27.2	27.6	26.2	74.2	69.3	87.5	76.6	72.2	88.8
Balaghat	9.2	9.8	6.4	77.6	76.8	82.2	80.4	79.8	84.4
Barwani	51.8	49.8	56.6	69.0	62.8	93.4	73.7	68.7	93.7
Betul	10.7	12.0	4.9	77.8	74.8	94.5	79.6	76.9	94.9
Bhind	25.6	23.4	28.8	82.1	78.5	88.1	82.4	78.8	88.3
Bhopal	28.1	37.7	26.2	91.4	88.6	92.0	92.4	90.0	92.9
Chhatarpur	42.9	44.1	39.0	72.1	68.3	89.3	74.5	71.0	90.4
Chhindwara	9.2	10.5	6.0	75.2	72.0	84.9	76.2	72.9	86.2
Damoh	18.1	18.7	16.4	55.4	49.9	77.9	57.7	52.8	78.4
Datia	33.1	36.3	26.3	83.0	80.3	89.4	84.3	81.1	91.8
Dewas	44.5	47.1	39.7	82.6	78.8	90.7	84.4	80.5	92.6
Dhar	51.9	45.7	76.7	78.7	76.3	91.3	80.5	78.2	92.8
Dindori	4.1	4.1	-	45.7	45.1	-	47.3	46.7	-
East Nimar	47.0	44.9	51.3	62.7	54.9	86.6	70.0	63.3	90.8
Guna	63.9	62.2	69.1	90.4	89.9	92.0	92.9	92.6	93.7
Gwalior	34.1	29.5	35.9	90.4	86.1	92.3	91.4	87.3	93.2
Harda	9.8	10.2	8.7	74.8	70.1	93.8	77.2	73.0	94.4
Hoshangabad	5.5	4.6	7.1	87.4	84.1	94.5	88.1	84.9	95.1
Indore	35.9	46.4	33.0	94.6	92.7	95.1	95.7	94.3	96.1
Jabalpur	13.6	19.0	10.0	82.6	77.0	86.9	83.5	77.8	87.9
Jhabua	45.7	43.8	66.4	79.0	77.8	95.6	82.7	81.6	97.5
Katni	9.5	9.8	8.4	75.7	73.7	82.6	76.0	74.0	83.0
Mandla	14.7	16.4	4.2	57.3	53.8	95.7	59.9	56.6	96.4
Mandsaur	23.5	22.8	25.2	84.2	80.9	93.8	85.6	82.7	94.2
Morena	41.8	43.0	38.7	61.7	55.7	79.0	66.3	60.4	83.4
Narsimhapur	17.9	19.0	12.1	80.9	79.0	92.3	82.6	80.8	93.5
Neemuch	20.2	19.7	20.7	81.1	74.5	90.6	82.7	76.5	91.5
Panna	15.0	15.7	11.2	73.9	71.5	90.6	75.7	73.4	91.8
Raisen	16.0	17.7	11.1	73.0	68.5	90.1	75.1	70.8	91.7
Rajgarh	40.8	42.1	34.2	69.3	65.9	88.6	73.8	70.8	90.6
Ratlam	30.7	37.9	19.5	86.5	83.1	92.1	88.0	85.2	92.5
Rewa	16.1	16.9	12.8	74.3	72.3	83.9	75.2	73.2	84.7
Sagar	18.6	20.4	15.4	64.4	57.4	82.0	65.3	58.5	82.5
Satna	16.0	16.1	15.7	70.9	68.1	80.4	72.2	69.3	81.5
Sehore	44.0	44.4	42.5	65.8	64.1	72.1	74.7	72.3	83.4
Seoni	12.7	13.3	7.2	76.9	75.5	93.7	78.5	77.1	94.9
Shahdol	10.6	10.0	12.4	59.7	56.9	69.8	61.1	58.2	71.7
Shajapur	19.7	18.4	23.0	57.8	57.1	59.4	61.9	61.6	62.7
Sheopur	40.4	38.2	48.8	59.5	53.6	88.7	64.1	58.6	92.0
Shivpuri	39.4	43.0	22.2	44.7	43.0	54.8	61.1	61.0	61.4
Sidhi	10.2	9.3	15.6	55.0	53.5	66.8	57.9	56.4	69.7
Tikamgarh	36.3	37.6	31.8	73.3	69.8	88.7	75.1	71.9	89.4
Ujjain	15.6	17.5	12.6	69.0	61.9	82.5	70.0	63.0	83.4
Umari	21.0	22.0	16.0	76.0	73.8	88.9	78.1	76.1	89.6
Vidisha	13.9	12.4	17.9	84.6	81.4	94.4	86.1	82.8	95.8
West Nimar	42.5	41.8	46.5	76.6	74.5	90.8	78.3	76.2	91.8

## POST NATAL CARE

State / District	Mothers who did not receive any Post-natal Check-up (%)			New borns who were checked up within 24 hrs. of birth (%)		
	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7
Madhya Pradesh	22.1	26.3	10.5	73.1	68.4	86.1
Balaghat	17.9	18.4	14.7	74.4	73.5	79.4
Barwani	25.6	30.5	6.3	67.8	61.5	93.0
Betul	18.0	20.4	4.2	75.2	72.0	93.3
Bhind	16.8	20.1	11.2	82.2	78.7	88.0
Bhopal	7.0	9.8	6.5	90.5	87.0	91.2
Chhatarpur	24.3	27.6	9.4	72.8	69.4	87.8
Chhindwara	22.9	26.0	13.4	72.8	69.6	82.5
Damoh	41.2	46.1	20.9	52.4	47.2	73.8
Datia	14.9	18.2	6.9	85.1	83.0	89.9
Dewas	15.1	18.8	7.2	84.8	81.4	91.9
Dhar	18.5	21.0	5.7	75.2	73.5	84.1
Dindori	45.8	46.2	-	43.5	42.8	-
East Nimar	28.3	35.0	7.5	66.8	59.2	90.8
Guna	6.6	6.7	6.3	88.9	88.4	90.8
Gwalior	7.5	12.0	5.6	90.4	85.2	92.7
Harda	21.0	24.9	5.2	71.6	66.7	91.9
Hoshangabad	11.0	14.2	4.1	85.3	81.5	93.6
Indore	3.7	4.7	3.4	89.3	83.5	90.9
Jabalpur	14.3	19.5	10.4	80.4	74.6	84.8
Jhabua	15.5	16.5	2.5	74.4	73.2	90.4
Katni	23.1	25.0	16.8	72.8	70.6	80.4
Mandla	34.3	37.1	3.2	48.7	46.1	78.0
Mandsaur	13.8	16.5	5.6	70.8	64.0	90.9
Morena	33.0	38.7	16.6	62.9	57.1	79.8
Narsimhapur	16.3	18.0	6.2	77.7	75.3	92.3
Neemuch	16.8	22.5	8.5	80.6	73.4	91.1
Panna	23.7	26.0	8.2	71.2	68.7	88.0
Raisen	22.7	26.9	6.4	69.1	65.1	84.2
Rajgarh	25.9	28.7	9.4	79.2	76.4	94.6
Ratlam	11.9	14.6	7.5	87.6	85.7	90.8
Rewa	24.2	26.0	15.0	71.7	70.2	78.9
Sagar	34.4	41.3	17.4	59.4	51.6	79.0
Satna	26.8	29.4	18.1	66.9	63.8	77.3
Sehore	23.5	25.7	15.3	74.6	73.0	80.2
Seoni	19.3	20.5	4.5	74.0	72.6	90.3
Shahdol	37.9	40.7	27.7	55.8	52.8	66.4
Shajapur	37.2	37.3	36.9	66.2	63.6	72.9
Sheopur	35.5	41.0	8.0	63.0	57.7	89.5
Shivpuri	37.4	37.5	36.9	75.4	72.4	93.0
Sidhi	41.0	42.4	29.5	53.1	51.2	67.6
Tikamgarh	24.5	27.7	10.3	71.7	68.3	86.8
Ujjain	29.7	37.0	15.9	73.6	72.0	76.5
Umaria	21.6	23.6	10.2	74.1	72.2	85.3
Vidisha	11.9	14.4	4.1	79.1	75.7	89.1
West Nimar	16.9	18.6	6.1	74.1	72.1	87.4

Madhya Pradesh: Mothers by status of receipt of Post-natal Check-up (%)




Madhya Pradesh: Mothers by status of receipt of Post-natal Check-up (%)




## JANANI SURAKSHA YOJANA (JSY)

State / District	Mothers who availed financial assistance for delivery under JSY (%)			Mothers who availed financial assistance for institutional delivery under JSY (%)			Mothers who availed financial assistance for Government Institutional delivery under JSY (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Madhya Pradesh	61.1	68.7	54.1	70.8	85.0	59.2	90.6	93.6	87.3
Balaghat	61.5	63.0	52.2	95.2	95.6	92.4	85.7	89.0	67.6
Barwani	64.8	59.2	87.3	91.8	92.8	89.2	96.4	96.3	96.7
Betul	67.1	67.5	65.0	96.7	97.3	93.4	87.4	91.3	69.8
Bhind	70.3	69.9	70.9	87.3	90.8	82.2	93.3	94.7	91.0
Bhopal	55.7	72.2	52.2	61.6	81.8	57.6	86.2	90.4	85.1
Chhatarpur	67.3	66.8	69.7	95.1	95.8	92.0	89.6	92.6	78.9
Chhindwara	62.3	62.2	62.4	92.5	92.0	94.0	83.0	86.6	73.7
Damoh	48.0	45.8	57.0	94.8	95.1	93.8	86.1	90.0	75.5
Datia	68.4	69.0	66.8	82.8	85.6	76.6	93.5	93.0	94.9
Dewas	67.5	68.9	64.6	77.2	82.1	68.1	92.6	93.3	91.0
Dhar	62.7	62.2	65.5	83.5	86.8	70.8	92.5	93.6	87.4
Dindori	41.4	41.5	-	95.7	96.0	-	92.4	93.5	-
East Nimar	47.6	45.2	54.9	73.7	78.3	64.7	91.0	91.1	90.9
Guna	80.2	80.7	78.8	88.8	89.7	85.9	94.5	93.6	97.8
Gwalior	56.8	64.9	53.2	62.9	75.2	57.9	89.6	94.9	86.9
Harda	61.1	59.9	66.0	94.8	95.7	91.5	81.4	85.0	70.6
Hoshangabad	69.5	71.0	66.2	95.1	96.4	92.0	79.3	84.3	69.8
Indore	44.1	60.0	39.7	47.4	65.6	42.4	83.7	90.9	81.0
Jabalpur	55.9	72.7	43.1	94.4	98.0	90.2	68.0	94.2	50.5
Jhabua	62.6	62.8	60.4	81.4	83.0	64.1	90.2	91.3	76.3
Katni	69.3	72.6	57.8	97.3	97.9	94.9	89.2	95.4	70.0
Mandla	51.6	50.7	62.0	95.8	97.0	86.0	90.0	94.0	64.9
Mandsaur	64.9	65.3	63.8	77.4	80.2	70.1	82.7	82.9	81.9
Morena	78.8	81.2	71.8	86.6	90.7	75.5	96.0	96.3	94.8
Narsimhapur	68.3	68.3	68.1	96.4	96.3	97.0	83.2	84.9	73.8
Neemuch	60.6	62.2	58.2	75.6	84.7	65.0	95.4	96.6	93.6
Panna	67.7	66.8	73.8	93.4	94.1	89.2	90.5	92.2	81.4
Raisen	63.8	63.6	64.6	94.9	95.7	92.2	85.9	90.3	72.7
Rajgarh	72.4	71.1	79.9	85.6	86.1	83.5	92.9	92.5	94.4
Ratlam	77.2	86.2	62.6	85.2	96.0	68.1	96.2	98.1	92.1
Rewa	66.9	68.2	60.8	94.0	95.9	85.0	87.0	90.3	72.7
Sagar	55.4	52.5	62.9	95.3	94.7	96.4	83.1	88.5	73.8
Satna	61.3	61.3	61.4	95.3	95.8	93.8	87.2	90.9	77.2
Sehore	75.3	78.2	64.4	84.7	89.5	68.2	95.8	96.3	93.5
Seoni	68.5	69.3	58.0	96.0	96.6	88.3	89.3	92.3	61.8
Shahdol	52.7	55.1	44.0	94.4	96.9	84.1	88.6	95.3	67.0
Shajapur	74.8	74.3	76.2	86.0	87.4	82.7	93.9	93.0	96.2
Sheopur	63.5	61.3	74.7	89.0	90.1	84.5	95.5	95.6	95.4
Shivpuri	73.4	72.0	81.7	92.4	93.4	87.7	95.1	95.1	95.0
Sidhi	48.6	51.0	29.5	92.3	96.2	59.1	87.8	94.7	44.7
Tikamgarh	66.6	65.1	73.4	94.7	96.0	90.0	89.3	91.9	80.3
Ujjain	63.8	67.0	57.7	78.1	85.4	65.6	93.8	95.3	90.9
Umariya	72.8	72.6	74.3	95.6	96.5	90.8	93.6	95.6	83.7
Vidisha	73.9	76.2	66.9	92.9	96.4	82.7	87.4	94.1	70.1
West Nimar	67.0	66.5	70.2	90.1	92.1	79.0	95.3	96.1	90.9

Madhya Pradesh: Mothers who availed financial assistance for delivery under JSY (%)



Madhya Pradesh: Mothers who availed financial assistance for delivery under JSY (%)



## IMMUNIZATION, VITAMIN A &amp; IRON SUPPLEMENT AND BIRTH WEIGHT


State / District	Children aged 12-23 months having Immunization Card (%)			Children aged 12-23 months who have received BCG (%)			Children aged 12-23 months who have received 3 doses of Polio vaccine (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Madhya Pradesh	85.3	81.8	94.2	94.2	93.1	97.2	69.4	66.1	78.2
Balaghat	96.4	96.8	94.3	99.6	99.5	100.0	84.5	85.3	79.4
Barwani	78.1	72.8	98.6	87.1	83.8	100.0	57.0	51.7	77.5
Betul	88.2	86.4	96.8	97.9	97.6	99.6	71.2	69.2	81.0
Bhind	87.4	85.6	90.2	91.2	89.6	93.9	66.4	63.7	70.9
Bhopal	95.9	92.1	96.6	97.0	98.2	96.8	74.4	89.3	71.8
Chhatarpur	79.4	75.5	95.4	91.8	90.1	98.5	57.9	53.1	77.9
Chhindwara	89.7	86.2	99.1	94.2	93.1	97.2	79.2	78.2	81.7
Damoh	66.6	61.5	83.9	89.3	88.6	91.7	56.4	51.6	72.6
Datia	88.2	88.5	87.4	89.7	88.3	93.2	76.1	77.8	71.8
Dewas	87.4	86.2	89.8	92.2	92.1	92.4	63.9	63.2	65.1
Dhar	91.0	90.3	94.3	96.1	96.0	96.6	64.7	64.7	64.8
Dindori	76.8	76.2	-	95.5	95.3	-	78.1	77.5	-
East Nimar	73.8	70.0	85.7	92.5	91.9	94.4	60.3	57.5	68.9
Guna	79.2	75.7	92.6	89.5	87.0	98.9	59.6	56.5	71.6
Gwalior	93.5	88.6	95.7	95.8	93.5	96.9	75.2	62.4	81.0
Harda	88.4	86.0	98.1	94.4	93.0	100.0	67.4	64.7	78.1
Hoshangabad	92.6	89.7	98.6	98.8	98.4	99.6	76.2	75.6	77.3
Indore	96.3	97.8	95.9	99.3	99.6	99.1	83.9	86.4	83.1
Jabalpur	94.2	92.3	95.6	95.8	93.8	97.4	81.4	77.6	84.3
Jhabua	62.5	61.2	78.3	85.5	84.9	93.5	29.5	27.5	52.2
Katni	86.8	85.8	89.3	97.6	97.1	99.0	69.3	68.4	71.7
Mandla	69.5	67.2	96.3	94.2	93.7	100.0	65.6	64.7	75.2
Mandsaur	94.1	92.8	97.8	98.7	98.6	98.9	72.5	66.7	88.2
Morena	84.2	81.0	93.0	94.0	94.1	93.7	83.3	81.0	89.4
Narsimhapur	95.6	95.5	96.6	98.8	98.7	99.1	78.4	78.6	77.8
Neemuch	94.9	93.6	96.9	95.9	96.0	95.8	74.4	70.6	80.1
Panna	67.6	64.7	84.4	87.0	85.7	94.8	47.7	43.6	71.4
Raisen	86.1	84.0	95.7	92.6	90.9	100.0	72.7	72.7	72.6
Rajgarh	87.1	85.3	97.7	95.2	94.9	96.6	82.1	80.8	89.7
Ratlam	93.1	90.4	97.1	96.9	96.3	97.8	69.8	55.0	91.7
Rewa	86.2	84.5	94.2	96.0	95.1	100.0	73.9	72.6	80.2
Sagar	74.6	67.8	89.0	94.4	92.6	98.2	66.5	62.1	75.7
Satna	85.4	82.2	94.8	94.7	93.8	97.4	67.9	63.7	79.9
Sehore	91.1	89.4	96.0	95.3	94.5	97.6	79.9	79.7	80.2
Seoni	90.3	90.0	93.8	98.6	98.5	100.0	74.6	73.0	91.4
Shahdol	75.3	71.9	84.0	89.4	89.3	89.6	62.0	63.0	59.7
Shajapur	97.0	96.5	98.0	96.6	95.8	98.4	83.6	81.2	88.7
Sheopur	78.1	75.8	89.2	84.9	81.9	99.0	64.1	59.4	86.3
Shivpuri	73.7	70.8	92.1	87.9	86.6	96.0	63.4	59.9	85.7
Sidhi	77.1	74.2	94.4	90.7	89.4	98.9	69.9	68.1	80.9
Tikamgarh	73.3	70.8	84.1	89.5	89.6	88.9	46.7	42.8	62.7
Ujjain	87.7	82.9	97.3	97.8	97.5	98.4	75.8	76.0	75.5
Umariya	77.0	74.9	92.2	92.1	91.9	93.0	58.6	59.5	51.9
Vidisha	93.6	92.6	96.7	94.6	93.4	98.1	51.2	49.6	56.1
West Nimar	94.8	94.5	96.8	96.4	96.3	96.8	67.0	65.8	75.1

## IMMUNIZATION, VITAMIN A &amp; IRON SUPPLEMENT AND BIRTH WEIGHT


State / District	Children aged 12-23 months who have received 3 doses of DPT vaccine (%)			Children aged 12-23 months who have received Measles vaccine (%)			Children aged 12-23 months Fully Immunized (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Madhya Pradesh	66.6	63.8	74.1	80.7	77.9	88.0	54.9	51.1	64.9
Balaghat	90.4	93.0	75.4	93.9	94.2	92.0	75.9	78.7	60.0
Barwani	53.6	47.5	77.0	75.8	71.9	90.9	50.6	44.1	75.6
Betul	74.8	75.2	73.0	92.2	91.7	94.4	57.3	56.3	62.3
Bhind	56.1	52.3	62.3	69.8	68.2	72.5	44.9	40.3	52.3
Bhopal	75.4	89.8	72.9	91.2	93.5	90.8	69.2	86.0	66.2
Chhatarpur	56.6	51.4	77.9	60.7	56.5	77.9	40.1	34.1	64.9
Chhindwara	64.1	65.5	60.1	88.9	87.5	92.7	59.3	59.7	58.3
Damoh	53.6	49.6	67.3	66.9	63.5	78.6	31.1	25.6	50.0
Datia	60.2	57.1	68.0	74.4	69.7	86.4	48.1	46.9	51.5
Dewas	64.4	63.5	66.2	77.2	75.8	80.0	57.5	55.7	61.1
Dhar	61.7	64.4	50.0	70.7	68.7	79.5	45.6	46.9	39.8
Dindori	72.6	72.1	-	88.1	87.9	-	58.0	57.0	-
East Nimar	60.2	57.2	69.6	72.6	68.9	84.5	50.5	46.6	62.7
Guna	58.1	54.4	72.6	79.3	77.2	87.4	52.4	50.2	61.1
Gwalior	72.7	58.1	79.4	92.0	89.7	93.1	65.9	53.6	71.6
Harda	68.4	69.0	66.0	86.8	86.3	88.7	54.7	54.3	56.6
Hoshangabad	72.6	78.1	61.4	93.3	91.1	97.8	60.5	63.0	55.4
Indore	81.0	82.6	80.6	99.3	99.6	99.1	77.6	80.3	76.9
Jabalpur	77.5	74.6	79.7	84.7	80.4	88.0	66.3	58.8	71.9
Jhabua	29.2	27.4	50.0	67.5	66.3	82.6	23.8	21.9	45.7
Katni	78.2	77.2	81.0	87.7	86.6	90.7	56.5	55.0	60.5
Mandla	59.3	57.7	77.1	76.7	75.9	86.2	43.3	41.8	59.6
Mandsaur	58.0	55.9	64.0	80.0	77.8	86.0	47.0	44.5	53.8
Morena	79.8	76.5	88.7	76.2	74.4	81.0	65.3	60.6	78.2
Narsimhapur	69.9	71.1	63.2	89.0	88.4	92.3	58.4	59.2	53.8
Neemuch	74.3	70.1	80.6	87.0	85.1	89.9	66.3	60.4	75.0
Panna	49.6	45.9	71.4	62.4	62.9	59.7	34.8	32.3	49.4
Raisen	58.1	55.9	68.4	76.0	73.8	86.3	44.1	42.9	49.6
Rajgarh	79.3	78.1	86.2	79.0	76.4	94.3	68.0	65.3	83.9
Ratlam	67.7	54.3	87.5	88.6	85.0	93.9	63.1	49.0	84.0
Rewa	69.4	67.7	77.7	84.5	83.6	89.3	55.8	53.7	66.1
Sagar	68.8	61.1	84.9	71.5	66.0	83.1	47.1	41.2	59.6
Satna	62.6	58.5	74.3	78.6	76.0	86.2	54.2	49.6	67.2
Sehore	79.2	79.4	78.6	88.0	86.6	92.1	73.1	72.5	74.6
Seoni	74.0	72.1	93.8	89.3	89.2	90.1	61.8	60.3	77.8
Shahdol	54.3	57.4	46.5	79.7	79.9	79.2	43.6	46.3	36.8
Shajapur	78.5	74.6	86.6	85.6	84.4	88.3	70.1	66.2	78.1
Sheopur	54.8	50.8	73.5	64.0	59.7	84.3	47.3	43.0	67.6
Shivpuri	69.4	66.6	87.3	72.6	70.6	85.7	54.3	50.6	77.8
Sidhi	65.8	64.8	71.9	76.6	75.0	86.5	59.5	58.3	66.3
Tikamgarh	45.7	40.5	67.5	48.4	44.9	63.5	36.0	31.6	54.8
Ujjain	75.8	76.0	75.5	90.5	90.5	90.4	75.5	75.5	75.5
Umaria	34.6	34.8	33.3	77.4	76.0	87.6	28.6	28.5	29.5
Vidisha	58.3	58.2	58.5	83.8	81.7	90.1	34.4	33.5	37.3
West Nimar	68.6	68.5	69.2	86.1	86.0	86.5	52.9	52.0	59.5



Madhya Pradesh: Children aged 12-23 months having Immunization Card vs. Fully Immunized (%)



Madhya Pradesh: Children aged 12-23 months having Immunization Card vs. Fully Immunized (%)




## IMMUNIZATION, VITAMIN A &amp; IRON SUPPLEMENT AND BIRTH WEIGHT

State / District	Children who have received Polio dose at birth (%)			Children who did not receive any vaccination (%)			Children (aged 6-35 months) who received at least one Vitamin A dose during last six months (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Madhya Pradesh	83.0	79.8	91.3	4.3	5.1	2.2	54.5	52.8	59.3
Balaghat	86.4	86.4	86.3	0.1	0.2	0.0	76.7	77.2	73.4
Barwani	74.6	68.4	98.6	8.5	10.7	0.0	41.6	40.6	45.0
Betul	86.7	84.8	96.0	1.2	1.4	0.4	76.8	76.8	76.7
Bhind	81.7	80.2	84.1	6.6	7.8	4.8	37.8	36.2	40.4
Bhopal	93.4	92.6	93.6	2.3	1.8	2.3	76.8	74.0	77.2
Chhattarpur	77.5	75.7	84.7	5.4	6.8	0.0	40.6	40.0	43.2
Chhindwara	83.9	81.2	91.3	4.2	4.7	2.8	73.5	73.8	72.5
Damoh	61.9	56.5	80.4	8.2	8.8	6.0	37.2	37.5	36.1
Datia	83.9	82.6	87.4	6.8	6.9	6.8	31.5	37.6	15.1
Dewas	82.9	80.9	86.9	4.3	3.6	5.8	51.5	47.8	59.6
Dhar	87.2	85.8	93.2	3.3	3.5	2.3	47.2	46.2	53.2
Dindori	55.0	54.5	-	0.9	0.9	-	70.1	69.6	-
East Nimar	85.0	82.8	91.9	4.4	4.6	3.7	57.7	53.6	70.2
Guna	85.3	83.2	93.7	9.8	12.1	1.1	22.9	19.8	34.5
Gwalior	92.3	89.1	93.7	3.5	6.2	2.2	50.8	45.7	53.2
Harda	84.1	81.5	94.7	4.5	5.6	0.0	62.6	59.9	72.9
Hoshangabad	89.8	87.3	94.8	0.8	1.1	0.2	66.0	65.9	66.2
Indore	99.3	99.6	99.1	0.7	0.4	0.9	63.7	60.3	64.7
Jabalpur	88.1	83.5	91.6	3.5	6.4	1.3	69.0	73.9	64.7
Jhabua	74.7	74.4	78.3	11.8	12.4	4.3	44.5	43.3	60.3
Katni	84.7	83.5	87.8	1.3	1.4	1.0	51.4	47.8	63.5
Mandla	69.4	67.1	94.5	2.9	3.1	0.0	73.4	72.0	88.0
Mandsaur	92.4	90.5	97.3	0.9	0.9	1.1	58.1	51.5	77.2
Morena	91.0	91.4	90.1	5.1	4.9	5.6	35.9	32.4	45.3
Narsimhapur	79.9	79.2	83.8	0.6	0.6	0.9	70.7	71.0	68.4
Neemuch	89.0	87.6	91.0	3.7	3.8	3.7	69.5	67.2	72.7
Panna	80.8	79.0	90.9	70.8	71.8	64.9	29.4	28.4	35.0
Raisen	82.4	79.6	94.9	5.4	6.6	0.0	56.8	55.1	63.7
Rajgarh	83.3	82.2	89.7	4.3	4.5	3.4	62.8	62.4	65.4
Ratlam	89.9	86.0	95.8	2.2	3.0	1.0	72.2	69.7	75.8
Rewa	84.3	82.5	93.4	2.6	3.2	0.0	67.7	64.7	81.5
Sagar	72.4	64.3	89.3	3.2	4.3	1.1	48.7	43.2	62.2
Satna	79.9	78.9	82.8	3.7	4.4	1.9	36.2	37.1	33.2
Sehore	84.5	82.7	89.7	4.0	4.5	2.4	53.5	52.6	56.6
Seoni	80.5	79.5	91.4	0.6	0.7	0.0	75.4	74.5	85.3
Shahdol	69.9	67.9	75.0	10.4	10.3	10.4	46.2	46.8	44.4
Shajapur	88.3	84.7	95.5	2.3	3.0	0.8	63.3	60.7	68.3
Sheopur	81.5	79.2	92.2	11.7	14.0	1.0	33.1	29.9	46.6
Shivpuri	81.5	79.7	92.9	9.9	10.9	4.0	40.3	37.6	57.0
Sidhi	74.8	72.8	86.5	7.8	9.1	0.0	64.3	63.2	71.4
Tikamgarh	82.4	82.2	83.3	9.5	9.1	11.1	23.4	23.3	23.9
Ujjain	88.9	86.0	94.7	1.3	1.2	1.6	38.0	40.5	32.9
Umari	82.7	82.0	88.4	5.7	5.5	7.0	44.9	45.5	41.2
Vidisha	87.2	84.8	94.3	3.7	4.4	1.4	56.7	59.9	46.4
West Nimar	89.5	89.9	87.0	2.2	2.1	2.7	60.2	59.4	65.6


## IMMUNIZATION, VITAMIN A &amp; IRON SUPPLEMENT AND BIRTH WEIGHT

State / District	Children (aged 6-35 months) who received IFA tablets/syrup during last 3 months (%)			Children whose birth weight was taken (%)			Children with birth weight less than 2.5 Kg. (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Madhya Pradesh	24.8	24.8	24.8	70.9	66.9	82.1	28.6	29.7	25.9
Balaghat	39.7	38.2	49.0	91.9	91.4	95.4	31.1	31.3	30.0
Barwani	13.4	13.1	14.1	73.5	67.7	97.3	18.1	18.7	16.5
Betul	45.8	46.6	41.5	81.4	79.1	94.6	30.2	31.9	22.6
Bhind	13.6	13.0	14.6	67.3	64.3	72.3	33.2	35.6	29.9
Bhopal	31.8	26.3	32.8	87.7	80.9	89.1	15.0	14.9	15.0
Chhattarpur	20.0	22.3	10.5	57.7	56.4	63.5	39.0	42.6	23.9
Chhindwara	37.0	37.2	36.3	77.6	75.0	85.7	22.6	20.8	27.2
Damoh	12.5	12.4	13.0	47.2	42.4	67.5	25.4	28.0	18.1
Datia	21.4	23.7	15.1	71.9	67.3	83.2	24.9	25.3	24.2
Dewas	16.8	17.9	14.2	75.6	73.4	80.4	29.0	31.9	23.6
Dhar	37.9	37.8	38.2	72.6	70.3	85.0	24.4	24.2	25.5
Dindori	25.7	25.8	-	44.2	43.4	-	38.4	39.5	-
East Nimar	16.3	14.6	21.2	51.4	45.5	70.4	35.5	37.3	31.9
Guna	27.6	26.5	31.4	68.4	64.0	83.1	32.1	33.2	29.4
Gwalior	27.2	25.6	28.0	79.8	74.5	82.1	28.5	26.3	29.4
Harda	34.9	32.7	43.6	75.9	71.4	94.4	17.5	18.6	14.0
Hoshangabad	34.9	34.0	36.8	88.1	84.7	95.5	28.7	30.6	25.0
Indore	30.7	36.3	29.0	90.7	86.6	91.8	24.0	28.8	22.7
Jabalpur	19.6	24.6	15.3	79.3	74.8	82.7	31.6	36.7	28.1
Jhabua	28.2	28.1	30.2	70.0	69.2	81.2	27.5	27.9	23.8
Katni	16.7	16.8	16.3	74.1	72.0	81.3	21.4	22.3	18.9
Mandla	28.8	28.4	33.1	61.5	58.4	96.1	38.1	40.4	22.9
Mandsaur	30.5	22.7	53.1	80.1	78.2	85.4	37.0	37.0	36.8
Morena	20.3	17.4	28.2	60.1	64.3	48.4	24.3	24.0	25.8
Narsimhapur	32.3	32.7	29.7	85.5	84.4	92.2	36.0	36.9	30.6
Neemuch	23.0	26.2	18.8	73.0	63.5	86.2	34.5	39.7	29.7
Panna	26.1	25.2	31.6	59.6	57.2	75.2	33.9	34.0	33.3
Raisen	25.2	26.4	20.6	67.6	65.3	76.6	32.3	34.2	25.5
Rajgarh	16.7	16.0	21.3	76.6	74.5	88.2	19.3	19.7	17.4
Ratlam	36.8	44.5	25.6	84.5	84.5	84.6	28.3	28.7	27.6
Rewa	24.8	23.9	28.6	56.0	52.5	72.8	39.5	39.4	40.1
Sagar	12.3	13.6	9.3	56.9	49.7	76.0	30.9	33.8	25.9
Satna	16.6	15.5	20.3	55.8	52.6	66.3	28.9	28.1	31.0
Sehore	21.2	20.8	22.3	82.3	79.9	91.3	19.7	18.9	22.3
Seoni	26.5	25.1	40.6	79.4	78.3	92.5	23.3	23.7	19.7
Shahdol	25.6	26.5	23.2	60.2	57.4	70.3	25.9	23.6	32.4
Shajapur	13.9	14.4	12.9	86.7	83.9	93.9	26.8	27.8	24.6
Sheopur	13.7	15.8	4.9	61.8	57.8	81.8	35.9	34.9	39.5
Shivpuri	19.4	17.5	31.1	76.8	74.9	88.5	25.5	26.1	22.1
Sidhi	18.9	18.4	21.9	56.6	54.5	72.2	21.6	22.2	17.7
Tikamgarh	11.7	11.0	14.7	53.8	51.2	65.7	35.0	34.6	36.2
Ujjain	22.8	21.3	25.9	64.0	59.9	71.7	43.3	49.8	32.6
Umari	40.5	41.3	35.5	77.5	75.6	88.6	25.5	25.4	25.5
Vidisha	30.2	33.9	18.5	77.0	73.6	87.7	41.2	41.8	39.6
West Nimar	39.6	38.7	45.9	75.9	74.1	87.5	21.3	21.8	18.7

Madhya Pradesh: Children with birth weight less than 2.5 Kg. (%)



Madhya Pradesh: Children with birth weight less than 2.5 Kg. (%)



Madhya Pradesh: Children with birth weight less than 2.5 Kg. (%)




## CHILDHOOD DISEASES

State / District	Children suffering from Diarrhoea (%)			Children suffering from Diarrhoea who received HAF/ORS/ORT (%)			Children suffering from Acute Respiratory Infection (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Madhya Pradesh	15.2	15.7	13.9	85.0	84.3	87.4	15.4	15.5	15.4
Balaghat	15.2	15.3	15.1	91.0	91.8	86.1	20.5	20.6	19.7
Barwani	12.9	12.0	16.6	92.2	92.3	92.0	10.9	9.7	16.0
Betul	17.2	17.7	14.3	97.7	97.5	98.9	17.7	16.6	23.8
Bhind	16.8	12.9	23.2	90.2	85.5	94.4	10.7	11.2	9.9
Bhopal	18.4	20.9	17.8	89.5	85.9	90.4	12.3	17.4	11.2
Chhatarpur	21.8	23.7	13.8	81.6	80.6	89.1	18.9	19.5	16.3
Chhindwara	7.0	6.7	8.0	80.9	77.8	89.4	18.5	18.1	19.6
Damoh	18.8	19.7	14.7	81.5	81.2	83.6	13.0	12.9	13.6
Datia	20.6	23.4	13.7	82.9	80.2	94.3	8.7	9.1	7.8
Dewas	12.0	12.6	10.6	85.6	84.3	88.9	15.4	17.4	10.8
Dhar	20.8	22.2	13.1	97.1	97.1	97.1	12.4	12.5	11.9
Dindori	14.3	14.5	-	79.8	79.5	-	59.6	59.5	-
East Nimar	4.8	4.0	7.5	72.0	60.8	91.3	3.0	3.0	3.1
Guna	9.7	9.2	11.5	85.7	83.5	91.5	5.4	5.4	5.4
Gwalior	18.5	21.5	17.1	87.8	88.9	87.2	14.6	15.3	14.4
Harda	8.1	8.3	7.0	89.2	89.0	90.2	15.2	14.7	17.0
Hoshangabad	12.4	13.4	10.3	86.2	88.2	80.5	14.3	14.1	14.6
Indore	10.2	16.2	8.5	91.2	92.2	90.7	10.2	9.9	10.3
Jabalpur	18.3	25.8	12.6	88.8	88.4	89.5	23.2	23.3	23.1
Jhabua	12.7	12.3	17.1	95.7	96.3	89.7	6.1	5.0	21.2
Katni	11.8	11.6	12.6	91.4	90.9	93.1	11.6	12.7	7.9
Mandla	23.6	24.7	11.4	90.3	90.8	77.1	36.9	36.2	44.4
Mandsaur	18.5	19.1	16.8	83.6	80.5	93.6	16.3	11.3	31.0
Morena	30.4	29.2	33.9	81.8	81.1	83.4	18.3	21.2	10.2
Narsimhapur	21.0	22.0	15.0	97.6	97.7	96.3	21.7	21.5	23.1
Neemuch	11.7	11.6	11.9	80.5	85.1	74.3	11.6	9.7	14.3
Panna	15.7	15.9	13.8	78.4	77.4	85.7	7.6	7.8	6.3
Raisen	22.8	23.3	20.7	83.0	82.0	87.3	29.6	28.2	35.2
Rajgarh	18.8	19.6	14.1	80.9	79.4	93.0	14.1	13.2	19.6
Ratlam	10.1	9.4	11.2	70.2	77.4	60.3	21.2	11.4	37.0
Rewa	17.4	17.8	15.7	86.9	86.1	91.5	19.5	19.6	19.2
Sagar	28.9	29.8	26.5	68.9	66.4	76.4	18.3	16.2	23.9
Satna	11.0	11.0	11.0	85.0	82.7	92.4	8.0	7.9	8.2
Sehore	19.9	23.0	8.4	78.6	77.9	85.7	9.8	11.1	4.8
Seoni	10.8	10.9	10.0	85.7	85.4	90.0	46.2	46.6	41.5
Shahdol	10.4	9.9	12.4	95.9	96.6	93.8	16.2	17.1	12.9
Shajapur	13.7	10.9	21.1	88.5	84.4	94.1	13.8	12.7	16.7
Sheopur	15.2	15.7	12.5	70.9	67.0	95.5	9.8	10.2	8.2
Shivpuri	13.8	13.0	18.4	83.2	83.5	81.8	4.4	4.5	3.8
Sidhi	11.3	11.3	11.6	93.5	94.4	86.7	9.3	8.8	12.7
Tikamgarh	15.5	15.5	15.5	73.2	73.0	73.8	8.7	8.7	8.6
Ujjain	12.1	16.5	3.9	56.3	55.2	65.2	8.9	8.7	9.3
Umariya	13.9	14.8	9.0	94.5	94.2	98.1	18.3	19.4	11.5
Vidisha	12.2	13.8	7.2	87.0	86.9	88.0	14.1	13.4	16.4
West Nimar	13.0	12.6	15.8	95.7	95.4	97.0	13.8	13.7	14.4


## CHILDHOOD DISEASES

State / District	Children suffering from Acute Respiratory Infection who sought treatment (%)			Children suffering from Fever (%)			Children suffering from Fever who sought treatment (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Madhya Pradesh	92.3	91.1	95.7	24.2	24.7	22.9	89.2	89.1	89.5
Balaghat	95.9	95.7	96.8	38.0	37.8	39.7	94.9	94.6	96.3
Barwani	88.9	86.5	95.0	18.2	16.5	25.4	84.5	84.2	85.3
Betul	97.3	97.8	95.3	35.3	35.3	35.6	94.2	94.5	92.4
Bhind	91.7	91.3	92.4	19.6	17.6	22.9	90.5	86.5	95.5
Bhopal	95.6	90.1	97.4	21.2	25.3	20.3	90.5	88.0	91.2
Chhatarpur	93.8	94.9	87.7	27.2	27.1	27.8	88.9	89.8	84.7
Chhindwara	90.0	87.8	96.5	22.9	23.3	21.6	91.2	90.5	93.7
Damoh	89.5	88.1	95.2	27.9	29.4	21.5	86.6	86.7	85.7
Datia	88.9	87.4	93.3	20.4	22.6	15.0	88.4	88.6	87.9
Dewas	93.7	92.8	97.0	19.6	20.8	16.8	80.9	80.7	81.5
Dhar	92.5	92.3	93.5	23.2	23.0	24.2	86.3	86.1	87.3
Dindori	72.9	72.4	-	37.5	37.8	-	79.3	79.6	-
East Nimar	94.9	93.2	100.0	8.0	7.9	8.3	83.2	87.4	70.6
Guna	89.4	87.6	95.5	11.1	10.7	12.3	85.9	85.1	88.0
Gwalior	87.0	81.0	89.8	18.7	19.0	18.6	83.3	82.1	83.9
Harda	93.2	92.9	94.6	20.8	21.6	17.5	87.7	88.3	84.9
Hoshangabad	93.4	92.5	95.3	26.6	27.0	25.9	95.0	94.9	95.2
Indore	97.9	92.9	99.3	17.3	22.0	16.0	89.2	91.3	88.4
Jabalpur	94.6	93.6	95.5	30.8	31.2	30.5	91.7	90.0	93.1
Jhabua	94.5	93.6	97.2	19.2	18.6	27.6	87.0	88.2	76.6
Katni	96.8	96.2	100.0	40.6	40.7	40.3	95.4	94.8	97.4
Mandla	83.9	82.8	94.1	37.7	37.9	35.3	82.3	81.9	87.0
Mandsaur	98.0	96.2	100.0	26.4	24.0	33.3	93.5	96.2	87.7
Morena	95.3	95.9	91.5	33.4	33.8	32.2	91.3	91.5	90.6
Narsimhapur	97.3	97.4	96.4	29.9	30.0	28.9	92.4	92.6	91.3
Neemuch	93.3	97.8	89.0	23.6	24.7	22.1	89.1	89.2	88.9
Panna	90.0	88.8	100.0	18.5	19.0	15.0	82.0	81.5	86.8
Raisen	90.3	89.6	92.5	28.8	27.4	34.4	88.2	86.4	93.9
Rajgarh	94.6	94.0	96.7	23.6	25.1	15.7	88.2	88.0	89.6
Ratlam	94.5	91.1	96.3	20.7	15.8	28.7	84.7	83.7	85.5
Rewa	97.4	97.2	98.6	31.3	31.1	32.3	88.5	88.2	90.1
Sagar	91.2	89.6	93.9	30.4	30.6	29.7	87.0	85.4	91.2
Satna	95.3	94.3	98.5	21.2	21.2	21.5	89.1	88.8	89.9
Sehore	93.5	92.7	100.0	24.9	26.3	19.8	89.2	90.7	81.8
Seoni	86.3	85.5	96.4	36.7	36.8	35.0	87.7	88.5	78.6
Shahdol	93.6	93.6	94.0	25.1	26.7	19.1	90.8	91.7	86.5
Shajapur	97.0	95.5	100.0	22.4	19.9	29.0	85.8	84.0	89.0
Sheopur	97.3	96.8	100.0	21.3	22.6	14.5	87.9	87.8	88.2
Shivpuri	98.6	98.4	100.0	12.9	11.9	18.7	86.8	86.8	87.2
Sidhi	98.2	97.9	100.0	22.7	22.7	22.4	90.9	91.8	84.5
Tikamgarh	94.8	94.2	97.2	20.2	20.3	20.0	92.0	91.8	92.9
Ujjain	98.6	98.8	98.2	16.5	21.2	7.5	88.3	89.1	84.1
Umari	98.1	98.1	98.5	24.4	26.7	11.0	94.2	94.2	93.8
Vidisha	95.3	94.2	98.2	22.6	23.3	20.6	93.0	93.4	91.5
West Nimar	95.9	97.0	89.4	20.6	19.6	26.6	90.7	90.7	90.3

Madhya Pradesh: Childhood Diseases (%)



Madhya Pradesh: Childhood Diseases (%)







## BREASTFEEDING AND SUPPLEMENTATION

State / District	Children breastfed within one hour of birth (%)			Children (aged 6-35 months) exclusively breastfed for at least six months (%)		
	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7
Madhya Pradesh	61.5	61.7	60.9	36.8	37.9	33.8
Balaghat	71.3	70.9	73.2	53.5	54.3	49.2
Barwani	48.3	48.1	49.2	31.3	28.6	41.3
Betul	71.2	71.3	70.9	63.8	65.4	55.3
Bhind	63.4	68.5	55.4	25.0	23.6	27.1
Bhopal	77.4	76.1	77.6	36.4	23.7	38.7
Chhatarpur	47.7	47.3	49.6	20.1	19.2	24.2
Chhindwara	71.5	70.6	74.2	37.1	37.2	36.9
Damoh	52.5	52.0	54.9	46.4	49.1	34.8
Datia	79.3	81.4	73.4	32.9	34.6	28.3
Dewas	53.7	51.1	59.5	24.1	23.8	24.7
Dhar	44.9	41.7	63.4	29.6	32.3	15.9
Dindori	56.0	55.7	-	57.9	57.5	-
East Nimar	57.8	56.1	63.0	19.7	18.9	21.8
Guna	83.2	82.5	85.7	20.6	19.5	24.4
Gwalior	60.0	67.4	56.4	38.0	43.9	35.1
Harda	74.4	74.4	74.4	46.1	47.9	39.2
Hoshangabad	78.4	77.2	81.1	26.6	27.4	24.8
Indore	55.1	53.2	55.7	33.1	25.1	35.5
Jabalpur	58.7	63.4	54.5	29.6	27.1	31.8
Jhabua	56.3	56.3	55.6	48.3	47.8	55.2
Katni	72.7	73.7	69.3	63.1	69.4	41.8
Mandla	57.9	56.8	69.4	51.1	50.3	60.6
Mandsaur	44.6	42.6	50.5	18.9	17.5	22.9
Morena	64.7	67.0	58.2	29.7	30.6	27.0
Narsimhapur	69.5	68.9	73.3	36.7	36.0	40.8
Neemuch	37.3	41.4	31.9	24.1	28.8	18.0
Panna	53.7	53.3	56.0	39.8	41.0	33.0
Raisen	75.9	75.0	79.4	40.9	41.5	38.3
Rajgarh	64.5	62.7	76.2	21.0	21.2	19.9
Ratlam	41.2	49.2	29.6	32.8	28.2	39.6
Rewa	61.0	61.5	58.7	32.6	33.3	29.2
Sagar	42.8	42.4	43.8	40.9	37.4	49.8
Satna	59.8	58.3	64.9	61.7	68.6	40.0
Sehore	53.9	58.1	39.6	24.9	27.0	17.1
Seoni	51.3	52.5	39.4	49.4	50.7	35.3
Shahdol	63.2	63.2	63.4	36.9	38.9	31.1
Shajapur	56.0	59.5	48.2	37.2	37.5	36.6
Sheopur	54.7	53.0	62.0	27.8	25.3	37.9
Shivpuri	70.9	70.4	74.4	28.7	28.0	33.2
Sidhi	77.9	78.1	76.3	37.9	39.0	30.5
Tikamgarh	54.1	52.4	61.3	25.7	28.7	12.7
Ujjain	61.3	52.7	80.3	39.7	37.5	43.9
Umaria	81.4	81.8	79.2	51.4	54.0	35.1
Vidisha	74.7	75.4	72.5	36.0	38.5	28.3
West Nimar	79.5	80.3	74.3	30.0	30.4	27.9


Madhya Pradesh: Children breastfed within one hour of birth (%)




Madhya Pradesh: Children breastfed within one hour of birth (%)



Madhya Pradesh: Children (aged 6-35 months) exclusively breastfed for at least six months (%)



Madhya Pradesh: Children (aged 6-35 months) exclusively breastfed for at least six months (%)



## CHILDREN WHO RECEIVED FOODS OTHER THAN BREAST MILK DURING FIRST 6 MONTHS

State / District	Water (%)			Animal/Formula Milk (%)			Semi-Solid mashed food (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Madhya Pradesh	53.4	52.4	56.2	55.5	55.1	56.5	18.2	18.2	18.2
Balaghat	29.1	27.4	39.5	40.0	39.2	44.9	28.3	27.6	32.5
Barwani	72.0	73.1	68.3	71.7	72.7	68.3	10.2	11.3	6.5
Betul	28.2	26.7	36.3	32.5	30.7	42.2	22.5	20.9	30.7
Bhind	64.4	65.0	63.6	51.4	51.3	51.7	7.1	7.9	5.8
Bhopal	54.5	61.3	53.2	59.0	57.7	59.3	8.4	15.3	7.1
Chhatarpur	72.7	74.7	64.5	66.0	67.2	60.9	15.4	17.3	7.2
Chhindwara	53.3	53.1	54.0	45.9	44.5	50.0	17.8	15.7	24.2
Damoh	44.2	41.8	54.1	43.5	40.4	56.4	33.7	33.2	35.9
Datia	55.8	53.9	61.1	51.9	52.9	49.2	10.7	8.2	17.5
Dewas	66.4	67.6	63.6	51.5	50.2	54.4	9.7	8.0	13.3
Dhar	63.1	63.0	64.0	77.4	77.0	80.0	14.6	13.7	20.0
Dindori	18.4	18.7	-	39.7	40.1	-	17.9	18.0	-
East Nimar	72.0	71.2	74.7	67.0	66.8	67.5	20.4	17.6	28.8
Guna	78.8	79.5	76.0	83.6	86.4	73.3	34.6	36.2	28.7
Gwalior	47.6	40.9	50.8	72.2	74.6	71.1	8.3	8.3	8.2
Harda	43.2	44.4	38.2	49.9	48.0	57.3	29.6	25.7	44.9
Hoshangabad	61.2	61.9	59.5	63.1	61.7	65.9	32.7	24.1	51.3
Indore	60.7	67.1	58.7	52.6	62.7	49.4	10.3	20.7	7.1
Jabalpur	56.9	58.8	55.3	64.5	68.6	60.9	18.6	18.9	18.3
Jhabua	37.0	37.2	34.2	66.1	67.2	50.4	21.2	20.9	24.8
Katni	29.1	25.0	42.7	33.2	27.3	52.8	21.1	16.8	35.4
Mandla	27.1	27.7	20.9	46.2	47.2	35.1	12.0	9.7	36.9
Mandsaur	76.9	78.9	70.9	62.1	60.4	67.0	13.4	14.5	9.8
Morena	56.8	56.8	56.9	52.1	49.0	60.6	9.9	9.2	12.0
Narsimhapur	52.7	53.9	45.2	52.5	52.6	51.9	50.0	50.7	45.9
Neemuch	70.4	65.3	77.3	54.0	49.3	60.3	4.1	5.5	2.2
Panna	57.2	55.9	64.7	53.5	52.5	59.4	22.3	21.8	25.1
Raisen	50.8	49.8	54.9	56.1	56.1	56.1	25.6	27.6	17.5
Rajgarh	68.0	69.8	57.1	55.3	55.6	53.4	11.6	10.8	16.9
Ratlam	53.3	56.4	48.6	53.9	68.3	32.9	6.9	9.5	3.2
Rewa	49.9	51.3	43.3	55.5	53.9	62.8	11.9	7.6	31.4
Sagar	42.2	43.4	39.0	45.9	50.6	34.1	16.1	17.7	11.9
Satna	38.2	31.7	59.2	34.5	28.9	52.5	21.5	19.0	29.3
Sehore	66.1	64.3	72.2	76.2	75.8	77.8	7.7	7.5	8.7
Seoni	34.3	33.4	43.5	46.5	45.0	62.4	17.4	17.2	18.8
Shahdol	46.9	43.2	57.6	47.8	46.1	52.9	42.5	41.1	46.5
Shajapur	56.3	55.1	59.0	57.5	59.9	52.3	4.9	5.3	4.0
Sheopur	72.5	72.3	73.7	73.2	74.0	69.5	10.6	10.7	10.2
Shivpuri	63.8	64.7	58.2	55.7	58.5	38.1	8.0	8.7	3.7
Sidhi	55.7	54.2	65.4	61.1	59.9	69.2	31.5	29.4	46.0
Tikamgarh	74.2	71.3	86.5	61.0	57.8	74.8	22.1	13.7	58.3
Ujjain	58.2	60.5	53.2	56.4	61.3	45.6	8.7	9.2	7.6
Umariya	20.8	22.2	11.7	35.1	31.7	56.4	6.0	4.6	14.6
Vidisha	59.6	57.7	65.8	56.4	53.8	64.8	27.8	27.0	30.4
West Nimar	48.4	49.2	42.9	64.7	63.8	70.5	19.1	17.5	29.3

## CHILDREN WHO RECEIVED FOODS OTHER THAN BREAST MILK DURING FIRST 6 MONTHS

State / District	Solid (Adult) Food (%)			Vegetables/Fruits (%)		
	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7
Madhya Pradesh	15.5	15.5	15.3	15.2	15.4	14.7
Balaghat	27.2	27.2	27.0	26.1	25.7	28.3
Barwani	10.9	11.3	9.6	13.7	13.9	12.9
Betul	21.1	20.3	25.6	20.1	19.1	25.8
Bhind	3.9	4.6	2.7	3.6	4.2	2.7
Bhopal	7.9	16.1	6.4	7.5	16.4	5.8
Chhatarpur	6.8	8.1	1.5	7.4	8.8	1.5
Chhindwara	16.7	15.1	21.8	15.1	14.2	17.8
Damoh	31.1	31.2	31.0	29.5	29.3	30.5
Datia	8.4	6.6	13.5	7.1	5.0	13.1
Dewas	6.7	4.3	12.0	6.4	4.4	11.0
Dhar	6.3	5.6	10.3	7.8	7.6	9.1
Dindori	17.3	17.5	-	17.2	17.5	-
East Nimar	16.2	13.8	23.3	15.3	13.6	20.3
Guna	25.7	27.5	18.6	23.8	26.7	12.8
Gwalior	6.0	5.1	6.4	5.6	4.3	6.2
Harda	27.8	24.5	40.9	26.4	24.0	35.4
Hoshangabad	30.3	21.7	49.3	28.6	19.9	47.8
Indore	7.2	14.9	4.8	6.6	14.5	4.2
Jabalpur	17.9	18.0	17.7	17.7	18.4	17.0
Jhabua	16.4	16.2	19.7	15.7	15.5	18.8
Katni	19.4	15.6	31.9	19.0	15.2	31.9
Mandla	11.1	9.2	32.1	10.5	8.5	31.3
Mandsaur	6.1	7.6	1.8	5.6	6.4	3.3
Morena	7.4	6.6	9.6	7.2	6.3	9.8
Narsimhapur	48.1	48.9	43.0	45.5	46.3	40.4
Neemuch	2.3	3.4	0.8	2.6	2.2	3.1
Panna	20.6	21.2	16.9	20.7	21.0	18.8
Raisen	23.8	26.6	12.9	23.9	26.5	13.5
Rajgarh	6.1	6.3	4.8	8.1	7.6	11.1
Ratlam	3.4	4.4	1.9	3.2	3.8	2.5
Rewa	10.5	6.9	26.9	9.8	5.9	27.2
Sagar	14.3	16.0	10.0	15.0	16.9	10.1
Satna	19.5	16.9	28.1	20.8	18.6	27.8
Sehore	9.5	8.9	11.5	9.7	9.4	10.8
Seoni	16.6	16.7	15.9	16.4	16.7	14.1
Shahdol	36.1	34.6	40.4	38.0	39.0	35.0
Shajapur	1.4	1.9	0.5	1.1	1.2	0.8
Sheopur	5.9	6.3	4.1	7.6	7.8	6.8
Shivpuri	6.3	7.2	0.6	4.4	4.8	1.5
Sidhi	28.5	27.1	38.4	29.2	27.9	37.9
Tikamgarh	21.0	13.1	55.3	21.0	13.3	54.7
Ujjain	3.9	3.0	5.9	3.5	3.1	4.3
Umaria	2.8	1.4	11.4	2.4	1.1	10.5
Vidisha	26.0	25.6	27.3	26.6	26.2	28.2
West Nimar	14.7	13.7	21.8	12.9	11.8	20.5

## AVERAGE MONTH BY WHICH CHILDREN RECEIVED FOODS OTHER THAN BREAST MILK

State / District	Water			Animal/Formula Milk			Semi-Solid mashed food		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Madhya Pradesh	4.0	4.1	3.8	4.3	4.4	4.2	7.1	7.1	7.1
Balaghat	5.3	5.4	4.9	6.1	6.2	5.9	7.0	7.1	6.7
Barwani	2.8	2.7	3.2	3.1	3.1	3.1	8.3	8.3	8.3
Betul	5.8	5.9	5.5	5.4	5.4	5.0	7.4	7.5	7.3
Bhind	3.8	3.8	3.9	5.0	5.1	5.0	8.0	8.1	7.7
Bhopal	2.9	2.2	3.1	3.3	3.2	3.3	6.9	6.7	6.9
Chhatarpur	3.1	3.1	3.2	4.3	4.2	4.4	6.7	6.7	6.8
Chhindwara	4.5	4.5	4.5	5.7	5.7	5.7	7.1	7.1	7.0
Damoh	4.9	5.0	4.2	4.7	4.8	4.2	6.6	6.7	6.4
Datia	4.2	4.4	3.7	5.0	5.0	5.0	7.9	8.3	6.8
Dewas	3.1	3.2	2.9	4.8	4.8	4.7	7.8	7.9	7.6
Dhar	2.9	3.1	1.7	2.8	3.0	1.7	7.3	7.2	7.9
Dindori	6.0	6.0	-	5.8	5.8	-	7.1	7.1	-
East Nimar	2.8	2.9	2.7	3.4	3.4	3.1	6.7	7.0	5.7
Guna	1.5	1.4	1.9	1.4	1.2	2.2	5.8	5.7	6.2
Gwalior	3.2	3.5	3.1	3.1	3.1	3.1	7.2	7.2	7.1
Harda	5.3	5.3	5.3	4.9	4.9	4.7	7.0	7.1	6.6
Hoshangabad	4.1	4.1	4.1	4.6	4.6	4.7	7.0	7.1	6.5
Indore	3.6	2.7	3.8	4.1	3.3	4.3	7.7	7.4	7.8
Jabalpur	4.3	4.4	4.2	4.8	4.7	4.8	7.3	7.2	7.4
Jhabua	3.5	3.4	4.0	3.3	3.3	4.0	5.6	5.6	5.7
Katni	5.5	5.7	5.0	5.3	5.4	4.9	7.3	7.5	6.9
Mandla	5.5	5.5	5.6	5.7	5.7	6.0	7.4	7.5	7.0
Mandsaur	2.4	2.3	2.6	4.3	4.6	3.7	7.4	7.6	6.9
Morena	3.3	3.4	3.0	4.6	4.9	3.8	7.6	7.9	7.0
Narsimhapur	4.0	4.0	4.4	5.0	4.9	5.2	5.7	5.6	6.0
Neemuch	3.1	3.2	2.8	4.7	5.0	4.3	7.5	7.8	7.1
Panna	3.8	3.9	3.0	4.2	4.2	4.1	7.0	7.0	6.9
Raisen	4.6	4.7	4.3	4.5	4.5	4.2	6.9	6.8	7.2
Rajgarh	2.9	2.8	3.6	4.3	4.2	4.6	7.5	7.5	7.2
Ratlam	3.5	2.5	4.5	4.7	4.0	5.8	7.5	7.2	7.8
Rewa	5.0	5.0	5.0	4.5	4.6	4.0	7.2	7.3	6.8
Sagar	4.9	4.7	5.2	4.7	4.5	5.1	6.9	6.9	7.1
Satna	5.1	5.4	4.0	4.8	5.0	4.1	7.0	7.1	6.7
Sehore	2.1	2.2	1.6	2.2	2.3	1.7	7.1	7.1	7.0
Seoni	5.1	5.1	4.6	5.8	5.9	5.3	7.2	7.2	7.0
Shahdol	5.4	5.6	4.8	5.0	5.2	4.4	6.4	6.5	6.1
Shajapur	4.1	4.1	4.2	4.3	4.2	4.7	7.8	7.8	7.7
Sheopur	2.5	2.4	2.7	2.7	2.6	3.0	7.2	7.3	6.9
Shivpuri	2.8	2.7	4.0	3.5	3.3	4.9	7.3	7.3	7.4
Sidhi	4.9	4.9	4.6	4.1	4.1	3.7	6.4	6.5	6.2
Tikamgarh	2.9	3.0	2.3	4.0	4.2	3.3	6.6	6.8	5.6
Ujjain	3.2	2.9	3.9	4.2	4.0	4.7	7.6	7.6	7.6
Umariya	6.4	6.4	6.4	5.3	5.4	4.6	7.4	7.5	7.1
Vidisha	4.2	4.2	4.1	4.2	4.3	4.0	6.8	6.8	6.7
West Nimar	3.3	3.3	3.0	3.5	3.6	3.0	6.2	6.3	5.2

## AVERAGE MONTH BY WHICH CHILDREN RECEIVED FOODS OTHER THAN BREAST MILK


State / District	Solid (Adult) Food			Vegetables/Fruits		
	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7
Madhya Pradesh	9.3	9.3	9.4	12.6	12.9	11.9
Balaghat	8.2	8.2	8.1	14.9	15.0	14.5
Barwani	11.2	11.3	11.1	12.6	12.7	12.5
Betul	8.9	8.9	8.8	15.0	15.3	13.4
Bhind	9.9	10.0	9.8	10.1	10.1	9.9
Bhopal	9.8	9.0	10.0	9.4	8.7	9.6
Chhatarpur	10.7	10.5	11.7	16.7	16.7	16.9
Chhindwara	9.3	9.4	9.0	15.2	15.1	15.4
Damoh	8.4	8.4	8.4	13.2	13.2	13.4
Datia	9.6	10.0	8.6	10.2	10.6	9.3
Dewas	10.2	10.5	9.7	10.0	10.2	9.5
Dhar	10.7	10.7	11.0	10.1	9.9	11.3
Dindori	8.5	8.5	-	15.5	15.5	-
East Nimar	9.1	9.6	7.9	9.9	10.4	8.5
Guna	7.5	7.2	8.3	7.5	7.4	7.8
Gwalior	9.2	9.2	9.2	9.8	10.1	9.7
Harda	8.7	8.7	8.7	13.6	14.0	12.3
Hoshangabad	8.7	9.2	7.7	13.5	14.6	11.1
Indore	10.4	9.4	10.7	10.4	9.8	10.6
Jabalpur	9.2	9.2	9.1	15.0	14.8	15.1
Jhabua	10.0	10.3	7.5	10.6	10.8	8.3
Katni	9.1	9.3	8.4	13.7	14.2	11.8
Mandla	9.2	9.2	8.3	15.9	16.2	12.9
Mandsaur	9.5	9.6	9.3	9.7	9.5	10.2
Morena	9.9	10.2	9.2	9.5	9.8	8.8
Narsimhapur	6.7	6.7	7.2	11.8	11.8	12.2
Neemuch	10.9	10.2	11.7	9.3	9.7	8.8
Panna	8.7	8.7	9.0	14.4	14.5	14.0
Raisen	9.1	8.9	9.8	12.9	12.5	14.2
Rajgarh	9.4	9.5	9.1	9.5	9.6	9.4
Ratlam	10.8	10.2	11.6	11.1	10.7	11.6
Rewa	9.7	9.9	8.6	16.8	16.9	16.2
Sagar	10.0	9.7	10.7	13.9	13.8	14.0
Satna	9.0	9.1	8.4	14.5	14.7	14.0
Sehore	10.1	10.1	10.3	10.2	10.2	10.3
Seoni	9.2	9.2	9.0	14.8	14.8	15.1
Shahdol	7.8	7.8	7.7	12.7	12.9	12.4
Shajapur	10.4	10.6	10.0	11.1	11.5	10.5
Sheopur	8.9	9.0	8.2	9.0	9.2	8.2
Shivpuri	10.1	10.1	10.3	9.0	8.9	9.0
Sidhi	7.7	7.8	7.5	13.8	14.1	12.1
Tikamgarh	9.3	9.8	7.0	13.4	14.2	9.8
Ujjain	10.4	10.4	10.5	10.0	10.0	10.0
Umaria	10.0	10.1	9.2	16.8	16.9	16.6
Vidisha	8.5	8.4	8.5	13.9	13.9	13.9
West Nimar	7.8	7.9	6.6	9.0	9.3	7.5

## BIRTH REGISTRATION


State / District	Birth Registered (%)			Children whose birth was registered and received Birth Certificate (%)		
	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7
Madhya Pradesh	78.3	75.4	86.4	62.2	56.9	76.9
Balaghat	91.3	91.0	93.3	80.7	79.8	86.3
Barwani	68.3	62.0	94.1	51.7	44.6	80.7
Betul	90.0	88.8	97.1	73.9	70.7	92.2
Bhind	64.8	64.2	65.7	51.4	50.4	53.1
Bhopal	86.4	76.4	88.5	81.6	70.3	84.0
Chhatarpur	66.5	63.1	81.8	46.9	41.9	68.8
Chhindwara	86.4	85.6	88.9	72.2	68.5	83.8
Damoh	64.0	61.1	76.5	41.9	35.9	67.5
Datia	65.6	61.8	74.7	58.7	53.5	71.6
Dewas	73.4	70.9	79.0	60.6	56.1	70.7
Dhar	60.1	56.1	82.7	46.2	41.9	70.0
Dindori	80.0	80.0	-	44.4	43.9	-
East Nimar	50.0	42.4	74.6	43.3	34.6	71.5
Guna	57.5	53.8	69.9	49.8	44.9	66.4
Gwalior	70.8	56.9	77.1	62.5	51.4	67.5
Harda	80.1	76.7	93.9	70.1	65.7	88.4
Hoshangabad	91.5	90.6	93.6	79.8	76.1	87.9
Indore	86.4	90.0	85.5	78.9	80.3	78.5
Jabalpur	91.2	89.7	92.3	83.0	79.3	85.8
Jhabua	65.4	64.5	77.6	37.5	36.2	53.5
Katni	86.1	85.3	88.8	62.6	60.8	68.8
Mandla	78.6	77.0	96.7	54.4	51.0	91.8
Mandsaur	80.4	78.8	85.2	74.7	73.6	77.9
Morena	72.1	73.1	69.3	52.5	50.0	59.4
Narsimhapur	82.7	80.9	93.6	68.9	67.5	77.2
Neemuch	77.7	75.9	80.2	67.6	64.2	72.4
Panna	68.6	66.8	80.7	44.1	42.3	56.3
Raisen	68.9	66.1	80.3	55.5	51.8	70.3
Rajgarh	69.8	66.7	86.9	47.3	41.9	77.5
Ratlam	85.7	85.0	86.7	74.8	71.0	80.9
Rewa	68.8	67.2	76.8	54.3	52.3	64.0
Sagar	78.9	76.5	85.3	53.1	44.7	75.1
Satna	76.7	74.6	83.8	54.3	51.0	65.2
Sehore	69.5	65.0	86.2	54.4	48.5	76.3
Seoni	82.1	81.2	92.5	59.9	58.0	82.5
Shahdol	68.0	66.1	74.7	51.5	47.4	66.1
Shajapur	74.8	74.8	74.8	63.8	61.0	71.2
Sheopur	59.9	57.1	74.1	49.4	45.8	67.6
Shivpuri	54.0	50.2	77.0	50.9	46.8	75.4
Sidhi	69.4	67.3	84.6	56.9	54.5	74.5
Tikamgarh	77.7	75.3	89.0	50.5	47.0	66.7
Ujjain	76.6	67.7	93.6	70.6	61.1	88.5
Umaria	75.7	73.4	89.0	60.3	56.4	83.2
Vidisha	77.5	73.6	89.9	69.0	64.4	83.5
West Nimar	76.7	75.6	83.7	67.1	65.6	76.9



Madhya Pradesh: Birth Registration (%)



Madhya Pradesh: Birth Registration (%)






## AWARENESS ON HIV/AIDS, RTI/STI, HAF/ORS/ORT AND ARI/PNEUMONIA

State / District	Women who are aware of HIV/AIDS (%)			Women who are aware of RTI/STI (%)			Women who are aware of HAF/ORS/ORT (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Madhya Pradesh	62.8	52.4	84.3	72.9	68.5	82.0	91.6	89.3	96.3
Balaghat	68.5	65.3	85.5	74.8	71.5	92.2	95.9	95.5	98.1
Barwani	35.8	28.7	65.5	84.3	82.1	93.9	76.2	73.4	87.8
Betul	68.6	63.7	89.3	61.0	56.4	80.2	93.6	92.4	98.4
Bhind	63.9	55.2	77.2	93.8	92.5	95.7	95.5	94.9	96.4
Bhopal	91.7	74.0	94.4	90.1	74.3	92.5	96.9	87.0	98.4
Chhatarpur	55.3	46.1	83.4	76.6	72.8	88.1	83.6	79.3	96.8
Chhindwara	61.9	54.8	82.0	42.2	34.5	64.4	93.9	92.6	97.7
Damoh	45.5	37.9	74.7	44.5	44.1	46.0	91.8	91.1	94.7
Datia	76.6	72.1	85.0	94.9	95.0	94.7	99.2	98.9	99.8
Dewas	70.9	63.5	84.7	78.7	76.8	82.3	95.4	93.8	98.2
Dhar	49.7	44.7	71.9	77.3	74.4	89.8	95.6	94.8	99.5
Dindori	31.3	29.1	-	83.0	82.4	-	87.6	87.1	-
East Nimar	60.9	53.5	79.7	52.0	46.0	67.4	93.9	92.6	97.2
Guna	56.3	46.8	80.8	77.5	74.5	85.3	95.7	94.9	97.9
Gwalior	88.7	78.3	93.0	92.1	88.4	93.5	98.9	98.2	99.2
Harda	67.3	61.0	91.2	49.4	44.6	67.8	93.4	92.0	98.9
Hoshangabad	62.2	46.4	88.2	59.6	49.0	77.3	86.0	79.2	97.3
Indore	87.6	78.5	89.9	78.9	65.0	82.5	94.6	96.2	94.2
Jabalpur	80.5	63.9	90.6	71.7	54.0	82.5	97.0	95.7	97.9
Jhabua	50.8	48.1	76.2	75.8	75.2	81.0	96.3	96.3	96.1
Katni	60.5	50.6	88.5	88.1	85.8	94.4	96.0	94.8	99.4
Mandla	37.7	32.7	81.6	79.6	78.1	92.4	89.5	88.5	97.6
Mandsaur	56.8	50.1	77.3	57.0	50.6	76.7	92.1	89.7	99.2
Morena	57.4	48.2	78.5	81.4	78.8	87.4	89.8	87.9	94.3
Narsimhapur	82.3	81.0	89.2	88.4	87.7	92.0	97.5	97.8	96.2
Neemuch	65.2	56.8	79.4	51.4	47.1	58.6	94.6	92.7	97.7
Panna	33.6	30.1	52.5	34.5	31.0	53.0	83.0	81.2	92.5
Raisen	51.0	43.1	73.9	44.2	36.7	65.7	84.8	81.1	95.4
Rajgarh	45.2	40.5	69.8	74.9	73.2	84.0	97.5	97.1	99.5
Ratlam	74.0	63.6	86.2	80.4	75.0	86.8	95.7	95.3	96.1
Rewa	62.6	56.8	86.8	58.5	58.6	58.1	91.9	90.4	98.0
Sagar	63.5	53.4	83.7	66.4	62.0	75.3	91.1	88.8	95.8
Satna	46.6	38.6	67.4	85.1	84.1	87.8	94.6	93.9	96.3
Sehore	70.2	67.5	80.8	85.2	84.3	88.3	93.5	92.6	97.0
Seoni	51.8	48.4	84.0	78.9	78.1	86.3	92.8	92.2	98.8
Shahdol	59.7	54.0	75.3	56.0	59.2	47.0	87.8	86.2	92.3
Shajapur	67.8	59.9	91.7	76.2	71.4	90.6	96.1	95.4	98.3
Sheopur	35.9	29.6	68.2	86.2	84.5	95.0	85.6	82.9	99.6
Shivpuri	79.0	76.2	93.5	91.5	90.6	96.2	88.0	86.2	97.7
Sidhi	58.9	53.9	86.2	82.3	82.4	81.8	92.1	91.4	95.8
Tikamgarh	39.5	34.7	57.8	45.4	45.0	47.1	60.1	56.2	75.1
Ujjain	71.4	63.5	82.0	93.4	92.1	95.3	83.0	73.6	95.7
Umaria	39.4	33.7	65.3	49.7	49.2	51.7	87.1	84.6	98.6
Vidisha	53.6	45.3	72.1	34.9	25.6	55.3	65.7	57.4	84.3
West Nimar	49.6	44.7	73.1	87.9	86.6	94.5	97.0	96.6	99.1




## AWARENESS ON HIV/AIDS, RTI/STI, HAF/ORS/ORT AND ARI/PNEUMONIA

State / District	Women who are aware of danger signs of ARI/Pneumonia (%)		
	Total	Rural	Urban
1	2	3	4
Madhya Pradesh	89.3	87.7	92.5
Balaghat	95.5	95.0	98.5
Barwani	72.6	69.4	85.9
Betul	88.0	86.1	96.0
Bhind	96.0	95.2	97.3
Bhopal	93.6	80.1	95.7
Chhatarpur	93.5	94.1	91.6
Chhindwara	90.5	89.3	94.2
Damoh	91.5	90.7	94.9
Datia	93.3	93.8	92.4
Dewas	85.8	83.4	90.4
Dhar	77.7	76.2	84.3
Dindori	93.3	93.1	-
East Nimar	90.3	88.8	94.0
Guna	83.8	85.3	80.0
Gwalior	90.5	86.6	92.2
Harda	86.5	83.8	97.1
Hoshangabad	84.2	77.0	96.0
Indore	91.7	91.3	91.7
Jabalpur	91.3	89.5	92.4
Jhabua	87.2	87.2	86.8
Katni	95.6	94.5	98.6
Mandla	93.5	93.2	95.6
Mandsaur	90.4	90.3	90.7
Morena	93.2	94.4	90.3
Narsimhapur	96.0	95.5	98.4
Neemuch	82.2	76.1	92.5
Panna	82.0	80.6	89.3
Raisen	79.1	75.7	88.9
Rajgarh	83.9	81.5	96.5
Ratlam	88.0	86.4	90.0
Rewa	88.6	88.3	89.8
Sagar	94.2	93.3	96.1
Satna	94.4	94.4	94.6
Sehore	88.2	88.5	87.2
Seoni	92.3	91.8	96.5
Shahdol	76.3	76.9	74.6
Shajapur	94.9	93.6	98.8
Sheopur	92.2	91.0	98.3
Shivpuri	91.9	91.7	93.1
Sidhi	92.8	92.4	94.9
Tikamgarh	93.4	93.4	93.3
Ujjain	93.4	91.1	96.5
Umaria	83.6	81.1	94.5
Vidisha	70.9	63.8	86.5
West Nimar	86.8	85.0	95.1

**Madhya Pradesh: Women who are aware of HIV/AIDS (%)****Madhya Pradesh: Women who are aware of RTI/STI (%)****Madhya Pradesh: Women who are aware of HAF/ORS/ORT (%)**

## MORTALITY




State / District	Crude Death Rate (CDR)								
	Total			Rural			Urban		
	Person	Male	Female	Person	Male	Female	Person	Male	Female
1	2	3	4	5	6	7	8	9	10
Madhya Pradesh	8.0	8.5	7.5	8.8	9.2	8.3	6.4	7.0	5.7
Balaghat	9.2	10.3	8.0	9.4	10.5	8.2	8.1	9.4	6.9
Barwani	11.6	12.6	10.5	11.0	11.9	10.0	14.0	15.5	12.4
Betul	9.0	9.5	8.4	9.4	9.8	9.0	7.2	8.2	6.1
Bhind	6.6	7.0	6.2	7.5	7.7	7.2	5.2	5.7	4.6
Bhopal	5.8	6.7	4.7	7.6	8.8	6.3	5.4	6.3	4.4
Chhatarpur	8.0	8.5	7.5	8.5	8.8	8.2	6.5	7.5	5.3
Chhindwara	8.3	9.0	7.4	8.8	9.8	7.7	6.8	6.8	6.8
Damoh	10.7	10.8	10.7	11.4	11.5	11.3	8.4	8.5	8.3
Datia	6.6	6.4	6.9	6.5	6.2	6.8	6.9	6.8	7.0
Dewas	5.6	6.0	5.1	5.9	6.5	5.3	5.0	5.1	4.8
Dhar	6.2	6.7	5.6	6.1	6.8	5.3	6.5	6.3	6.8
Dindori	10.7	11.6	9.8	10.9	11.7	10.0	7.8	9.5	6.1
East Nimar	8.1	9.0	7.1	8.3	9.2	7.3	7.6	8.5	6.6
Guna	8.5	8.9	8.0	8.7	9.1	8.2	8.0	8.4	7.5
Gwalior	6.2	6.8	5.4	6.7	6.4	7.1	5.9	7.0	4.7
Harda	7.2	7.6	6.8	7.4	8.0	6.7	6.7	6.5	6.9
Hoshangabad	7.7	8.0	7.3	8.5	8.7	8.2	6.5	7.0	5.9
Indore	5.5	6.2	4.8	7.9	8.9	6.9	4.9	5.5	4.2
Jabalpur	6.1	6.7	5.5	6.2	6.6	5.8	6.1	6.8	5.3
Jhabua	5.8	5.9	5.6	5.8	6.1	5.5	5.5	4.5	6.6
Katni	10.3	10.8	9.8	11.1	11.5	10.7	8.2	8.8	7.5
Mandla	8.7	9.0	8.4	9.1	9.2	9.0	5.6	7.1	4.2
Mandsaur	7.1	8.1	6.0	7.3	8.4	6.1	6.5	7.1	5.8
Morena	7.9	7.9	7.8	8.0	8.0	7.9	7.7	7.8	7.7
Narsimhapur	7.6	7.7	7.5	8.0	8.0	8.0	5.8	6.3	5.2
Neemuch	6.1	6.6	5.6	6.2	6.6	5.7	6.0	6.6	5.4
Panna	11.5	11.1	11.8	11.7	11.2	12.3	10.1	10.8	9.3
Raisen	7.9	8.2	7.7	8.5	8.5	8.4	6.3	7.1	5.4
Rajgarh	7.8	7.8	7.8	8.2	8.1	8.3	5.7	6.2	5.2
Ratlam	7.8	8.4	7.3	9.6	10.2	9.1	5.9	6.4	5.3
Rewa	8.2	8.6	7.7	8.5	9.0	8.0	6.7	7.0	6.5
Sagar	9.1	9.4	8.8	9.7	9.7	9.8	7.9	8.7	7.0
Satna	10.5	10.4	10.5	11.9	11.9	11.8	6.8	6.5	7.1
Sehore	7.9	8.4	7.4	8.3	8.9	7.6	6.5	6.6	6.3
Seoni	9.6	10.2	8.9	9.8	10.6	9.1	7.4	7.3	7.6
Shahdol	10.1	10.8	9.4	11.3	12.1	10.6	7.1	7.8	6.3
Shajapur	8.3	8.7	7.9	8.4	8.5	8.2	8.1	9.2	6.8
Sheopur	7.4	7.5	7.3	8.0	8.1	8.0	4.5	4.6	4.3
Shivpuri	9.4	9.5	9.3	9.3	9.6	9.0	9.9	8.9	11.0
Sidhi	7.8	8.3	7.3	8.4	9.0	7.8	4.3	4.1	4.6
Tikamgarh	7.4	7.6	7.1	7.5	7.8	7.3	6.6	7.0	6.2
Ujjain	6.4	6.9	5.8	7.2	7.7	6.7	5.3	6.0	4.5
Umaria	10.7	11.6	9.8	10.9	11.6	10.1	9.9	11.5	8.2
Vidisha	9.6	9.9	9.2	10.3	10.5	10.0	7.9	8.4	7.4
West Nimar	11.6	13.1	9.9	12.0	13.4	10.6	9.4	12.0	6.7



## MORTALITY

State / District	Infant Mortality Rate (IMR)								
	Total			Rural			Urban		
	Person	Male	Female	Person	Male	Female	Person	Male	Female
1	2	3	4	5	6	7	8	9	10
Madhya Pradesh	67	64	69	72	70	75	50	49	52
Balaghat	66	62	69	67	61	72	60	70	49
Barwani	69	68	70	69	69	69	68	63	73
Betul	68	66	70	71	70	72	49	44	55
Bhind	53	53	53	62	60	63	37	39	34
Bhopal	50	52	48	68	65	70	46	48	43
Chhatarpur	72	71	72	76	74	79	51	60	40
Chhindwara	72	69	75	76	75	76	60	51	72
Damoh	80	72	89	88	81	94	50	36	66
Datia	75	67	84	78	66	93	66	69	64
Dewas	59	60	59	64	67	60	49	45	55
Dhar	57	55	58	57	59	55	54	41	73
Dindori	72	69	74	72	69	75	67	83	49
East Nimar	68	69	68	66	70	61	75	63	87
Guna	79	67	94	86	72	102	55	49	63
Gwalior	51	50	52	55	39	76	50	56	41
Harda	64	64	64	66	68	64	58	51	65
Hoshangabad	68	67	69	78	75	82	44	49	39
Indore	40	41	39	57	57	57	34	35	32
Jabalpur	51	48	55	57	55	61	46	43	50
Jhabua	68	68	69	71	71	72	32	25	39
Katni	70	69	72	76	78	74	48	35	63
Mandla	71	67	75	74	68	79	-	-	-
Mandsaur	64	64	64	67	66	68	53	55	51
Morena	64	57	73	61	56	67	74	62	88
Narsimhapur	68	66	71	73	71	75	41	39	43
Neemuch	59	59	58	67	63	70	46	52	41
Panna	93	96	90	95	96	93	81	95	67
Raisen	78	77	80	83	83	84	56	50	64
Rajgarh	63	61	65	66	63	69	46	52	41
Ratlam	66	65	67	77	75	81	47	49	44
Rewa	73	73	74	77	76	77	55	54	56
Sagar	70	71	70	75	78	72	58	53	64
Satna	90	87	94	99	94	104	62	62	62
Sehore	70	74	65	75	85	65	-	-	-
Seoni	73	69	77	76	72	80	-	-	-
Shahdol	77	82	71	79	79	80	68	93	44
Shajapur	60	59	62	63	60	67	53	57	49
Sheopur	74	69	78	77	71	84	51	59	43
Shivpuri	71	67	76	69	65	74	82	82	83
Sidhi	72	56	89	74	61	88	-	-	-
Tikamgarh	67	65	69	68	63	72	63	73	52
Ujjain	59	58	59	65	67	64	47	43	51
Umariya	67	64	71	68	65	72	60	56	64
Vidisha	72	71	73	79	78	79	49	47	52
West Nimar	58	58	57	60	59	61	45	55	34







## MORTALITY

State / District	Neo-natal Mortality Rate			Post Neo-natal Mortality Rate		
	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7
Madhya Pradesh	44	49	32	22	24	18
Balaghat	50	50	45	16	16	15
Barwani	42	41	46	27	28	22
Betul	48	48	45	20	22	4
Bhind	29	35	19	23	26	18
Bhopal	28	44	25	22	23	21
Chhatarpur	51	57	24	21	20	27
Chhindwara	49	53	36	23	23	24
Damoh	61	69	30	19	19	21
Datia	43	45	37	32	33	29
Dewas	34	35	30	25	28	19
Dhar	34	34	36	22	23	18
Dindori	47	47	48	24	25	18
East Nimar	45	41	57	23	25	18
Guna	48	53	33	31	33	23
Gwalior	35	35	34	17	19	15
Harda	42	44	36	22	22	21
Hoshangabad	49	59	27	18	19	17
Indore	25	38	20	15	20	14
Jabalpur	36	42	31	15	15	15
Jhabua	40	41	20	29	30	12
Katni	50	56	31	20	21	17
Mandla	48	50	-	23	24	-
Mandsaur	37	40	30	27	28	23
Morena	36	37	35	28	24	39
Narsimhapur	47	50	24	22	23	16
Neemuch	38	43	30	21	24	17
Panna	66	67	58	27	27	23
Raisen	54	59	35	24	25	21
Rajgarh	42	45	23	21	21	23
Ratlam	40	47	27	26	31	20
Rewa	48	51	31	25	25	24
Sagar	58	60	51	13	15	7
Satna	63	67	47	28	31	16
Sehore	46	51	-	24	25	-
Seoni	50	52	-	23	24	-
Shahdol	49	47	56	28	32	12
Shajapur	41	41	40	20	22	13
Sheopur	42	45	23	31	32	28
Shivpuri	45	43	57	26	27	25
Sidhi	54	57	-	18	18	-
Tikamgarh	48	47	49	19	20	14
Ujjain	33	39	22	26	27	24
Umaria	48	48	46	20	21	14
Vidisha	52	58	35	19	21	15
West Nimar	35	37	25	22	23	20

Madhya Pradesh: Infant Mortality Rate (IMR) with it's component






Madhya Pradesh: Infant Mortality Rate (IMR) with it's component



## MORTALITY

State / District	Under Five Mortality Rate (U5MR)								
	Total			Rural			Urban		
	Person	Male	Female	Person	Male	Female	Person	Male	Female
1	2	3	4	5	6	7	8	9	10
Madhya Pradesh	89	86	93	99	96	103	62	60	64
Balaghat	78	73	83	80	73	87	63	70	56
Barwani	94	93	94	92	92	93	98	96	100
Betul	79	78	81	84	83	85	52	46	57
Bhind	66	64	67	78	72	85	44	50	37
Bhopal	64	66	61	92	90	96	58	61	54
Chhatarpur	89	87	92	97	91	102	60	71	46
Chhindwara	85	80	89	90	87	93	67	59	77
Damoh	117	103	132	128	113	144	74	65	85
Datia	99	91	109	103	93	115	91	87	96
Dewas	80	82	78	87	94	80	66	58	74
Dhar	70	68	72	71	71	70	68	58	84
Dindori	104	108	100	105	108	102	80	110	49
East Nimar	101	101	100	108	113	103	83	71	95
Guna	96	84	111	105	91	121	67	61	76
Gwalior	69	70	68	78	61	99	66	75	55
Harda	80	81	80	84	86	82	65	60	71
Hoshangabad	80	78	81	94	91	98	49	54	43
Indore	51	53	48	74	76	72	43	45	40
Jabalpur	58	57	60	66	65	66	52	51	55
Jhabua	92	91	93	96	96	96	47	29	65
Katni	93	89	96	102	103	100	62	43	84
Mandla	89	88	91	93	90	97	-	-	-
Mandsaur	85	85	86	92	91	93	64	64	64
Morena	87	76	100	86	76	98	90	76	107
Narsimhapur	77	74	80	81	78	84	47	47	48
Neemuch	75	73	76	88	80	97	54	63	44
Panna	140	135	146	145	140	151	107	104	113
Raisen	99	94	104	107	104	111	66	59	75
Rajgarh	83	77	89	88	80	96	55	60	50
Ratlam	96	86	107	125	109	143	56	55	58
Rewa	102	97	108	110	104	116	65	62	69
Sagar	97	95	99	108	110	106	70	58	83
Satna	130	125	135	146	144	149	80	70	91
Sehore	87	94	81	97	107	85	-	-	-
Seoni	92	92	93	97	97	97	-	-	-
Shahdol	92	92	93	97	92	101	79	96	64
Shajapur	86	82	90	90	84	96	73	75	70
Sheopur	101	96	107	109	101	117	61	68	53
Shivpuri	105	94	117	103	94	114	112	97	130
Sidhi	118	106	131	127	117	137	-	-	-
Tikamgarh	91	87	95	94	89	100	78	84	72
Ujjain	77	75	78	88	87	90	58	55	60
Umaria	110	116	105	116	124	108	83	78	89
Vidisha	101	96	107	115	112	119	62	53	73
West Nimar	80	80	79	83	80	86	62	80	42




## MORTALITY

State / Commissioner's Office	Maternal Mortality Ratio (MMR), Maternal Mortality Rate and Life Time Risk							
	Sample Female Population	Sample Live Births	Maternal Deaths	MMR	95% Confidence Interval		Maternal Mortality Rate	Life Time Risk
					Lower Limit	Upper Limit		
1	2	3	4	5	6	7	8	9
Madhya Pradesh	577793	163942	508	310	283	337	29	1.02%
<b>CHAMBAL DIVISION</b> (Sheopur, Morena, Bhind)	43677	12877	40	311	215	407	31	1.06%
<b>GWALIOR DIVISION</b> (Gwalior, Datia, Shivpuri, Guna)	38681	10705	28	262	165	358	24	0.84%
<b>SAGAR DIVISION</b> (Tikamgarh, Chhatarpur, Panna, Sagar, Damoh)	44977	15878	63	397	299	495	47	1.62%
<b>REWA DIVISION</b> (Satna, Rewa, Sidhi)	31723	10409	35	336	225	447	37	1.28%
<b>SHAHDOL DIVISION</b> (Umariya, Shahdol, Dindori)	30743	9420	41	435	302	568	44	1.54%
<b>UJJAIN DIVISION</b> (Neemuch, Mandsaur, Ratlam, Ujjain, Shajapur, Dewas)	81927	21243	57	268	199	338	23	0.81%
<b>INDORE DIVISION</b> (Jhabua, Dhar, Indore, West Nimar, Barwani, East Nimar)	104127	29137	81	278	218	338	26	0.90%
<b>BHOPAL DIVISION</b> (Rajgarh, Vidisha, Bhopal, Sehore, Raisen)	49271	13934	40	287	198	376	27	0.94%
<b>NARMADAPURAM DIVISION</b> (Betul, Harda, Hoshangabad)	55035	14542	43	296	207	384	26	0.91%
<b>JABALPUR DIVISION</b> (Katni, Jabalpur, Narsimhapur, Mandla, Chhindwara, Seoni, Balaghat)	97632	25797	80	310	242	378	27	0.95%

## DISTRIBUTION OF MATERNAL AND NON-MATERNAL DEATHS BY BROAD AGE GROUP

Age Group	Sample Female Deaths	Maternal Deaths	Proportion	95% Confidence Interval		Non Maternal Deaths	Proportion	95% Confidence Interval	
				Lower Limit	Upper Limit			Lower Limit	Upper Limit
1	2	3	4	5	6	7	8	9	10
15-19	562	61	12	9	15	501	14	13	15
20-24	649	149	29	25	33	500	14	13	15
25-29	587	115	23	19	26	472	13	12	15
30-34	520	84	17	13	20	436	12	11	13
35-39	513	45	9	6	11	468	13	12	14
40-44	571	34	7	5	9	537	15	14	16
45-49	624	20	4	2	6	604	17	16	18
Total	4026	508	100			3518	100		

**Madhya Pradesh: Maternal Mortality Ratio (MMR) at Commissionariat level**



## CONFIDENCE INTERVAL (95%) FOR SOME IMPORTANT INDICATORS

State / District	Crude Birth Rate						Crude Death Rate					
	Total		Rural		Urban		Total		Rural		Urban	
	Lower Limit	Upper Limit	Lower Limit	Upper Limit	Lower Limit	Upper Limit	Lower Limit	Upper Limit	Lower Limit	Upper Limit	Lower Limit	Upper Limit
1	2	3	4	5	6	7	8	9	10	11	12	13
Madhya Pradesh	24.7	25.4	26.9	27.7	19.8	20.9	7.8	8.1	8.6	9.0	6.2	6.6
Balaghat	22.2	24.2	22.6	25.0	18.6	21.4	8.3	10.1	8.4	10.3	5.7	10.6
Barwani	28.9	35.6	28.7	35.8	23.5	40.7	10.2	13.0	9.7	12.2	9.2	18.8
Betul	22.9	25.6	23.8	27.1	16.7	21.4	8.2	9.8	8.5	10.3	5.9	8.5
Bhind	22.4	25.0	23.0	26.7	20.1	23.4	5.9	7.3	6.7	8.3	4.0	6.4
Bhopal	17.5	20.9	20.3	29.5	16.5	20.0	4.8	6.7	4.2	11.1	4.5	6.3
Chhatarpur	28.1	31.5	30.5	34.6	18.8	23.4	7.2	8.8	7.5	9.5	5.4	7.6
Chhindwara	21.7	25.1	22.0	26.3	18.9	23.8	7.5	9.0	7.9	9.6	5.6	8.0
Damoh	27.4	31.0	28.3	32.3	21.3	29.5	9.7	11.8	10.2	12.7	7.1	9.8
Datia	17.3	22.4	18.3	24.3	12.5	21.5	5.3	7.9	4.9	8.0	4.5	9.2
Dewas	20.1	23.4	21.0	25.3	17.0	21.4	4.9	6.3	4.9	6.9	4.1	5.8
Dhar	22.2	27.7	21.6	28.1	21.5	29.3	5.1	7.2	4.9	7.2	3.9	9.2
Dindori	28.3	31.7	28.6	32.2	18.4	23.1	9.8	11.7	9.9	11.8	5.4	10.2
East Nimar	21.2	26.0	22.1	28.7	17.4	21.3	7.1	9.1	7.0	9.6	6.2	9.0
Guna	26.0	31.4	27.5	34.6	19.1	26.4	7.3	9.7	7.2	10.2	6.3	9.6
Gwalior	16.7	20.3	17.2	25.8	15.5	19.2	5.3	7.0	5.1	8.3	4.9	6.9
Harda	23.8	26.3	24.1	27.3	20.6	24.6	6.6	7.9	6.6	8.2	5.6	7.8
Hoshangabad	21.2	23.2	23.6	26.1	16.4	19.2	7.2	8.2	7.8	9.1	5.8	7.1
Indore	17.9	21.4	21.1	27.7	16.4	20.3	4.7	6.4	5.8	10.1	4.0	5.7
Jabalpur	20.9	23.0	24.8	29.2	17.7	20.1	5.6	6.6	5.4	7.1	5.5	6.7
Jhabua	20.6	27.3	21.1	28.3	13.8	21.0	4.6	6.9	4.5	7.0	3.9	7.1
Katni	25.7	29.4	28.2	31.2	17.2	26.5	9.4	11.3	10.0	12.2	6.9	9.4
Mandla	24.5	27.5	25.3	28.7	15.9	20.0	7.8	9.6	8.1	10.1	3.3	8.0
Mandsaur	17.4	20.5	17.4	21.1	15.5	20.5	6.3	7.9	6.2	8.3	5.8	7.2
Morena	20.5	26.7	22.6	30.1	13.1	23.6	6.8	9.0	6.7	9.2	5.5	10.0
Narsimhapur	25.9	29.0	26.4	30.0	20.9	26.3	6.9	8.4	7.1	8.8	4.6	7.0
Neemuch	20.8	24.1	20.1	24.1	20.2	25.7	5.3	6.9	5.1	7.3	5.1	7.0
Panna	29.6	33.8	30.9	35.4	19.5	28.4	10.4	12.5	10.6	12.9	7.8	12.4
Raisen	26.5	29.8	28.4	32.4	18.0	24.5	7.3	8.6	7.7	9.3	5.1	7.5
Rajgarh	23.8	28.8	24.4	30.1	16.6	26.5	6.7	8.9	7.0	9.4	3.8	7.7
Ratlam	24.7	29.9	29.0	36.2	18.2	24.5	6.7	9.0	7.7	11.5	4.8	6.9
Rewa	24.7	27.3	25.7	28.5	17.5	25.1	7.3	9.0	7.6	9.4	5.0	8.4
Sagar	26.5	30.1	29.1	33.1	20.2	25.4	8.4	9.8	8.9	10.5	6.5	9.2
Satna	27.4	30.2	29.0	32.4	21.7	25.8	9.6	11.3	11.0	12.7	5.7	7.8
Sehore	25.6	30.1	25.8	30.0	19.7	35.6	7.0	8.9	7.2	9.4	4.7	8.3
Seoni	24.7	28.1	25.1	28.9	18.9	23.7	8.5	10.6	8.7	11.0	5.5	9.3
Shahdol	22.9	26.0	24.8	28.7	16.1	21.7	9.0	11.2	9.9	12.8	5.2	8.9
Shajapur	22.8	26.9	22.2	27.5	22.5	27.5	7.6	9.0	7.6	9.2	6.4	9.8
Sheopur	19.8	25.7	20.3	27.5	14.7	20.3	6.4	8.3	6.9	9.2	3.5	5.5
Shivpuri	27.9	34.7	28.1	35.9	21.4	34.0	7.8	11.0	7.5	11.2	6.9	12.8
Sidhi	24.5	27.7	25.1	28.8	18.5	24.3	6.9	8.7	7.4	9.4	3.0	5.7
Tikamgarh	24.7	28.0	26.0	29.2	17.0	25.7	6.6	8.1	6.7	8.4	5.2	8.1
Ujjain	21.9	26.8	24.4	31.1	17.0	22.8	5.8	7.0	6.3	8.1	4.6	6.1
Umaria	28.1	31.7	29.5	33.3	19.2	27.2	9.7	11.7	9.9	11.8	6.8	13.1
Vidisha	27.6	32.3	30.2	35.7	19.5	26.8	8.6	10.5	9.1	11.5	6.6	9.3
West Nimar	23.7	28.7	24.0	30.0	19.6	25.1	10.2	12.9	10.4	13.7	8.0	10.8

## CONFIDENCE INTERVAL (95%) FOR SOME IMPORTANT INDICATORS

State / District	Infant Mortality Rate						U5MR					
	Total		Rural		Urban		Total		Rural		Urban	
	Lower Limit	Upper Limit	Lower Limit	Upper Limit	Lower Limit	Upper Limit	Lower Limit	Upper Limit	Lower Limit	Upper Limit	Lower Limit	Upper Limit
1	2	3	4	5	6	7	8	9	10	11	12	13
Madhya Pradesh	65	68	70	75	48	53	88	90	98	101	60	65
Balaghat	57	75	57	77	38	82	70	85	72	88	44	83
Barwani	59	79	58	80	44	92	86	102	84	101	78	118
Betul	60	75	62	80	43	56	71	87	76	93	36	67
Bhind	45	61	51	72	25	48	60	72	70	86	35	53
Bhopal	42	58	38	97	39	53	56	71	72	113	50	66
Chhatarpur	59	84	62	91	33	69	80	99	86	107	40	79
Chhindwara	61	83	62	89	42	79	74	95	78	102	49	85
Damoh	68	93	75	100	23	78	106	128	115	141	54	94
Datia	56	93	56	100	32	101	86	113	86	120	68	114
Dewas	48	71	48	79	37	62	72	88	77	97	52	79
Dhar	44	69	42	72	37	72	60	80	59	82	46	90
Dindori	60	83	60	84	32	101	92	115	93	117	39	122
East Nimar	60	77	57	75	54	95	91	110	97	120	64	102
Guna	62	96	64	108	36	75	84	109	90	120	48	87
Gwalior	42	60	40	70	39	60	61	78	62	93	55	77
Harda	54	74	54	77	42	74	73	88	75	93	50	80
Hoshangabad	60	76	67	89	34	54	72	87	84	104	39	59
Indore	34	46	41	73	29	39	45	56	62	86	37	48
Jabalpur	44	59	45	69	37	55	52	65	55	76	45	60
Jhabua	52	85	53	89	25	39	82	102	85	107	21	73
Katni	60	81	64	89	28	69	83	103	90	113	45	80
Mandla	61	81	63	84	-	-	79	99	83	104	-	-
Mandsaur	54	74	55	79	38	69	76	95	81	103	47	81
Morena	48	80	44	78	38	110	77	97	75	97	69	112
Narsimhapur	57	80	60	86	25	57	68	85	71	91	29	66
Neemuch	47	70	50	83	34	58	66	83	76	100	42	65
Panna	80	105	81	108	49	113	126	154	130	161	75	140
Raisen	62	94	65	101	26	87	86	112	92	122	44	89
Rajgarh	48	78	48	83	33	59	73	93	76	99	34	76
Ratlam	53	79	58	97	33	60	86	106	111	139	44	69
Rewa	62	84	64	90	38	72	91	114	97	123	43	88
Sagar	58	83	59	91	41	75	87	107	96	121	54	86
Satna	79	102	88	110	35	89	121	139	135	157	64	97
Sehore	52	87	55	95	-	-	75	99	82	111	-	-
Seoni	60	85	63	89	-	-	81	104	85	109	-	-
Shahdol	62	91	61	97	51	86	80	104	82	111	56	103
Shajapur	52	69	53	73	37	69	77	94	80	100	56	89
Sheopur	59	89	60	95	30	72	90	113	96	122	38	83
Shivpuri	59	83	56	83	57	107	95	115	93	114	87	138
Sidhi	59	84	60	88	-	-	106	130	113	140	-	-
Tikamgarh	55	78	55	80	35	92	82	100	84	104	56	101
Ujjain	44	73	45	86	30	63	66	87	74	102	42	73
Umaria	58	76	58	79	42	78	101	120	106	126	63	103
Vidisha	59	85	62	95	30	69	90	112	101	129	46	78
West Nimar	46	69	47	73	28	62	74	85	77	89	48	76

## CONFIDENCE INTERVAL (95%) FOR SOME IMPORTANT INDICATORS

State / District	Sex Ratio at Birth					
	Total		Rural		Urban	
	Lower Limit	Upper Limit	Lower Limit	Upper Limit	Lower Limit	Upper Limit
1	2	3	4	5	6	7
Madhya Pradesh	895	912	904	925	859	891
Balaghat	915	1024	922	1041	765	1055
Barwani	920	1027	902	1018	900	1175
Betul	797	894	785	890	776	1030
Bhind	837	920	810	907	841	996
Bhopal	857	970	714	950	872	1000
Chhatarpur	827	946	834	965	697	977
Chhindwara	835	965	850	1005	707	944
Damoh	873	1005	878	1029	758	1026
Datia	772	930	728	915	790	1092
Dewas	855	965	875	1012	754	934
Dhar	867	1017	919	1099	595	851
Dindori	934	1084	933	1088	708	1310
East Nimar	838	955	816	948	823	1081
Guna	784	929	791	967	666	916
Gwalior	753	865	673	854	762	906
Harda	873	979	860	979	845	1074
Hoshangabad	869	970	883	1011	782	946
Indore	822	904	818	980	804	900
Jabalpur	791	881	769	912	776	893
Jhabua	877	1011	867	1005	826	1359
Katni	912	1046	921	1076	784	1055
Mandla	924	1060	928	1073	729	1094
Mandsaur	851	973	866	1007	724	962
Morena	800	919	793	928	735	992
Narsimhapur	837	955	857	987	618	885
Neemuch	883	1005	852	1007	873	1072
Panna	895	1055	879	1051	852	1301
Raisen	852	1011	861	1046	703	1008
Rajgarh	830	966	805	951	865	1261
Ratlam	828	948	798	950	819	1016
Rewa	881	1025	886	1046	737	1067
Sagar	788	903	766	902	773	995
Satna	879	981	880	997	800	1014
Sehore	853	1011	851	1031	742	1082
Seoni	856	996	853	1002	720	1146
Shahdol	889	1053	866	1051	849	1207
Shajapur	832	942	812	937	813	1050
Sheopur	902	1048	900	1059	786	1148
Shivpuri	834	951	843	974	684	945
Sidhi	851	991	854	1004	698	1068
Tikamgarh	835	949	843	969	694	971
Ujjain	863	1008	850	1032	812	1054
Umaria	892	1003	893	1014	787	1055
Vidisha	823	951	827	982	730	950
West Nimar	833	909	833	915	762	960

## HOUSING CHARACTERISTICS

State / District	Structure of House					
	Households living in a Pucca House (%)			Households living in a Kachcha House (%)		
	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7
Madhya Pradesh	37.6	20.2	73.9	41.0	54.8	12.2
Balaghat	9.9	6.0	30.3	67.1	72.4	39.6
Barwani	17.7	10.0	47.5	55.4	64.9	18.9
Betul	24.9	17.9	54.3	54.4	62.0	22.6
Bhind	63.1	55.1	76.3	17.2	19.9	12.7
Bhopal	78.4	20.5	87.7	8.8	31.0	5.2
Chhattarpur	37.2	26.4	69.9	26.6	30.4	15.0
Chhindwara	27.0	16.4	56.7	55.1	65.3	26.5
Damoh	26.7	17.1	62.2	48.5	57.1	16.9
Datia	55.0	41.6	80.2	19.3	26.4	5.9
Dewas	44.1	32.1	66.4	28.3	37.8	10.7
Dhar	32.9	24.9	64.8	49.4	57.7	16.9
Dindori	10.2	8.7	41.9	29.0	29.8	11.1
East Nimar	35.8	22.5	69.0	41.4	52.1	14.7
Guna	27.2	12.3	63.4	40.3	50.3	16.0
Gwalior	78.7	52.5	89.2	10.9	20.5	7.0
Harda	30.0	22.5	57.2	39.8	46.2	16.5
Hoshangabad	28.0	13.3	51.5	28.2	38.3	12.1
Indore	79.6	48.7	87.1	6.6	23.2	2.7
Jabalpur	48.3	15.5	69.0	32.4	62.9	13.0
Jhabua	15.0	9.1	62.5	71.6	78.2	18.4
Katni	33.6	18.8	77.9	48.1	59.0	15.4
Mandla	10.8	5.4	55.1	56.3	60.9	18.7
Mandsaur	28.3	19.1	57.8	53.2	61.9	24.9
Morena	73.7	64.3	95.3	10.0	13.9	1.1
Narsimhapur	20.4	13.7	58.4	44.3	48.6	20.1
Neemuch	52.9	37.0	80.9	29.1	40.9	8.3
Panna	18.5	11.9	54.9	69.4	75.6	35.1
Raisen	21.9	7.8	62.6	67.2	83.3	20.8
Rajgarh	29.6	22.5	67.1	38.6	43.4	13.1
Ratlam	44.7	15.8	79.1	39.0	63.6	9.8
Rewa	16.8	7.2	59.9	76.9	87.1	31.5
Sagar	34.9	18.0	72.3	38.4	51.7	9.2
Satna	30.2	19.6	59.6	52.7	61.2	29.0
Sehore	27.9	20.5	57.3	25.8	28.6	14.5
Seoni	13.1	7.7	61.0	61.0	66.2	15.5
Shahdol	22.4	7.7	64.2	70.8	87.2	24.6
Shajapur	36.0	27.5	63.3	41.3	49.2	15.7
Sheopur	27.5	17.5	76.4	56.8	65.0	16.6
Shivpuri	40.1	32.1	85.5	37.7	43.0	8.2
Sidhi	15.3	6.4	69.1	80.2	90.3	19.5
Tikamgarh	35.9	26.9	73.8	8.2	9.0	4.9
Ujjain	50.5	23.4	84.6	27.4	45.9	4.1
Umaria	20.8	13.9	52.1	67.1	76.5	24.2
Vidisha	32.4	13.0	71.4	58.6	78.1	19.4
West Nimar	37.0	28.2	78.7	33.6	39.4	6.0

## HOUSING CHARACTERISTICS

State / District	Ownership of House					
	Households living in Owned House (%)			Households living in Rented House (%)		
	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7
Madhya Pradesh	90.6	96.2	78.9	7.5	2.3	18.5
Balaghat	92.4	95.2	77.5	4.7	2.1	18.6
Barwani	96.0	96.8	92.6	2.9	2.0	6.3
Betul	89.2	94.7	66.1	7.0	2.3	26.6
Bhind	95.4	97.9	91.3	4.0	1.5	8.0
Bhopal	75.4	91.8	72.8	22.6	2.9	25.7
Chhattarpur	93.6	97.7	81.3	4.3	0.9	14.5
Chhindwara	88.5	94.6	71.4	7.0	3.3	17.5
Damoh	95.0	96.3	89.9	3.3	2.0	8.4
Datia	92.1	94.7	87.1	7.0	4.2	12.2
Dewas	92.4	94.7	88.2	6.4	4.0	10.8
Dhar	93.0	96.2	80.2	5.9	2.5	19.2
Dindori	96.4	97.5	73.6	2.5	1.4	25.7
East Nimar	92.1	95.8	83.0	6.7	2.8	16.4
Guna	86.6	91.1	75.8	12.9	8.3	24.0
Gwalior	86.5	93.6	83.7	11.3	5.2	13.7
Harda	91.9	95.8	77.5	5.1	1.6	18.2
Hoshangabad	88.0	97.1	73.4	10.7	1.5	25.4
Indore	78.8	92.0	75.7	19.3	5.7	22.6
Jabalpur	84.6	95.7	77.6	12.8	1.5	19.9
Jhabua	95.0	96.7	81.1	3.9	2.1	18.7
Katni	91.8	97.1	75.9	6.6	2.2	19.9
Mandla	93.3	95.2	77.5	3.2	1.3	19.4
Mandsaur	89.6	95.0	72.0	8.2	2.4	27.1
Morena	90.5	95.3	79.5	9.0	4.3	19.9
Narsimhapur	93.5	96.6	76.1	4.0	2.0	15.7
Neemuch	92.5	96.8	85.0	6.1	2.7	12.2
Panna	95.4	97.9	81.6	3.3	1.2	15.0
Raisen	92.5	97.5	78.0	6.7	1.5	21.8
Rajgarh	92.2	94.0	82.3	6.0	4.6	13.5
Ratlam	91.8	97.4	85.1	6.3	1.4	12.0
Rewa	96.0	98.7	83.8	3.3	0.6	15.6
Sagar	90.5	95.9	78.6	5.8	1.6	15.3
Satna	92.7	97.8	78.7	5.4	1.1	17.5
Sehore	94.5	97.3	83.4	4.4	1.5	15.7
Seoni	92.5	95.2	68.7	5.4	2.5	30.3
Shahdol	92.3	97.7	76.8	5.9	1.6	18.2
Shajapur	95.4	98.8	84.7	3.7	0.6	13.7
Sheopur	93.0	94.8	84.1	5.8	4.5	12.6
Shivpuri	94.3	96.1	84.3	4.3	2.4	14.8
Sidhi	94.0	97.0	75.3	3.9	1.4	19.0
Tikamgarh	96.8	98.7	89.0	2.7	0.9	10.2
Ujjain	88.4	97.9	76.4	8.6	1.1	18.0
Umaria	92.9	97.4	72.3	5.1	1.3	22.7
Vidisha	90.9	98.9	74.8	6.9	0.0	20.9
West Nimar	93.3	95.0	85.3	5.4	3.7	13.7

## HOUSING CHARACTERISTICS

State / District	Source of Drinking Water					
	Households having Improved Source of Drinking Water (%)			Households treating water to make it Safer for Drinking (%)		
	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7
Madhya Pradesh	82.8	76.4	96.1	42.4	35.5	56.7
Balaghat	68.5	65.6	83.7	74.2	73.0	80.7
Barwani	86.5	83.0	99.8	71.0	67.6	83.9
Betul	86.5	83.9	97.6	24.4	19.6	44.4
Bhind	92.4	90.6	95.4	3.6	2.8	5.0
Bhopal	98.4	90.7	99.6	62.4	17.1	69.6
Chhattarpur	65.3	58.0	87.5	22.8	13.9	49.7
Chhindwara	77.5	72.3	92.3	41.9	34.1	63.7
Damoh	67.5	64.3	79.7	41.5	33.7	70.0
Datia	88.8	84.4	97.2	11.3	3.0	26.9
Dewas	89.6	86.8	94.8	53.0	41.0	75.0
Dhar	84.7	81.2	98.9	50.1	48.8	55.4
Dindori	64.0	62.9	87.5	19.1	17.9	45.3
East Nimar	90.2	87.8	96.4	28.2	21.8	44.1
Guna	83.3	79.5	92.7	18.0	10.4	36.6
Gwalior	98.7	96.2	99.7	16.4	3.1	21.7
Harda	81.6	76.7	99.3	45.8	38.2	73.7
Hoshangabad	87.1	80.6	97.5	32.2	21.7	49.0
Indore	98.4	94.7	99.2	71.8	72.2	71.8
Jabalpur	95.0	89.3	98.6	55.7	41.8	64.4
Jhabua	86.1	85.0	95.2	46.5	43.0	75.2
Katni	87.6	84.0	98.2	44.4	38.5	62.0
Mandla	61.4	56.9	98.4	35.7	32.3	63.5
Mandsaur	62.7	52.2	96.5	94.5	93.5	97.7
Morena	90.8	87.4	98.7	4.0	3.4	5.4
Narsimhapur	97.4	96.9	99.9	9.5	6.1	28.6
Neemuch	72.7	67.4	82.1	87.4	82.7	95.8
Panna	64.9	62.2	79.3	31.2	29.0	43.4
Raisen	90.6	88.1	97.8	31.8	26.0	48.6
Rajgarh	62.5	56.4	94.4	53.3	48.3	79.9
Ratlam	91.2	85.0	98.6	78.2	70.1	87.8
Rewa	81.5	79.3	91.4	37.0	31.8	60.1
Sagar	74.0	65.3	93.3	45.0	37.1	62.5
Satna	85.9	82.6	94.9	46.2	44.6	50.7
Sehore	90.1	87.7	99.4	22.5	22.9	20.7
Seoni	73.9	71.1	98.8	58.6	56.2	79.3
Shahdol	63.3	54.2	88.8	53.8	49.8	65.1
Shajapur	80.4	77.6	89.7	72.8	68.4	86.9
Sheopur	94.5	93.6	99.0	5.8	2.8	20.2
Shivpuri	81.2	79.7	89.5	4.9	2.7	17.1
Sidhi	67.2	62.7	94.6	23.9	20.1	46.8
Tikamgarh	57.7	51.8	82.6	14.1	8.4	38.1
Ujjain	90.7	84.1	99.0	48.8	51.1	45.9
Umaria	63.8	60.4	79.3	47.0	41.4	72.6
Vidisha	89.7	85.3	98.6	15.7	9.5	28.3
West Nimar	92.7	91.3	99.5	66.6	64.4	77.2



## HOUSING CHARACTERISTICS

State / District	Access to Toilet Facility						Availability of Electricity		
	Households having Access to Toilet Facility (%)			Households Sharing Toilet Facility (%)			Households having Access to Electricity (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Madhya Pradesh	37.1	16.6	79.8	9.8	4.8	20.3	83.8	78.3	95.3
Balaghat	22.9	16.4	57.1	7.6	5.8	17.0	83.8	82.1	92.6
Barwani	28.9	18.7	68.3	10.7	8.3	20.0	90.1	88.5	96.1
Betul	29.7	19.0	74.5	6.2	5.8	8.0	94.9	94.1	98.4
Bhind	33.3	13.6	65.7	12.6	4.3	26.2	66.9	52.3	91.0
Bhopal	79.3	19.5	88.9	19.2	8.4	20.9	96.8	93.5	97.4
Chhattarpur	19.8	5.9	62.1	5.1	2.0	14.4	70.3	63.8	90.0
Chhindwara	30.9	18.2	66.4	8.2	5.5	15.8	94.8	94.8	95.1
Damoh	17.1	5.2	61.0	3.7	1.5	11.9	85.5	83.3	93.7
Datia	42.4	22.0	81.0	18.4	5.6	42.6	73.7	60.8	98.1
Dewas	44.3	29.1	72.2	11.3	7.7	18.1	91.5	90.3	93.7
Dhar	44.9	38.2	71.4	11.7	7.3	29.0	91.6	90.1	97.7
Dindori	9.1	7.5	43.3	1.8	1.7	4.7	59.4	58.1	88.8
East Nimar	36.5	18.6	81.2	9.7	5.0	21.2	88.6	85.7	95.9
Guna	28.9	15.3	62.2	7.4	3.6	16.7	74.4	70.8	83.1
Gwalior	69.0	27.7	85.4	19.7	5.8	25.3	93.8	86.5	96.8
Harda	49.8	40.5	83.6	14.9	13.3	20.8	96.8	97.0	96.4
Hoshangabad	54.3	36.3	83.0	11.5	9.7	14.5	97.9	97.5	98.6
Indore	85.5	37.7	96.9	21.1	8.5	24.1	95.7	94.4	96.1
Jabalpur	66.9	30.6	89.8	16.0	6.9	21.8	93.2	88.3	96.3
Jhabua	17.3	10.8	69.4	5.9	4.5	17.2	72.0	69.6	90.8
Katni	22.6	6.8	69.7	3.8	1.3	11.2	86.5	83.3	96.1
Mandla	17.3	9.3	82.6	4.8	3.2	17.8	68.2	64.9	94.6
Mandsaur	27.9	13.8	73.4	7.5	3.6	20.3	95.0	93.7	99.1
Morena	32.7	10.3	84.5	9.4	2.8	24.8	58.2	42.2	95.1
Narsimhapur	40.1	34.2	73.4	14.5	12.3	26.8	86.7	85.8	92.2
Neemuch	37.1	19.0	69.1	6.6	5.9	7.8	95.8	94.3	98.4
Panna	13.3	6.4	50.9	4.2	2.3	14.2	61.0	55.5	91.6
Raisen	33.9	19.5	75.4	15.4	9.2	33.5	87.6	84.8	95.8
Rajgarh	23.0	13.3	74.5	4.8	3.1	13.6	89.6	88.2	97.4
Ratlam	47.8	15.3	86.5	6.8	6.2	7.6	91.4	85.1	98.9
Rewa	28.9	21.1	63.7	6.1	3.9	16.2	70.8	65.6	94.2
Sagar	27.9	6.6	74.9	8.1	1.0	23.8	96.0	95.0	98.4
Satna	34.7	26.9	56.4	7.7	6.9	10.0	84.7	82.9	89.9
Sehore	38.6	27.4	82.7	9.0	7.6	14.5	90.5	90.0	92.3
Seoni	25.7	19.8	76.8	4.5	3.9	10.1	89.2	88.8	92.5
Shahdol	22.8	6.2	69.9	4.1	1.6	11.0	63.3	51.8	95.8
Shajapur	31.0	16.3	78.8	10.5	7.0	21.8	93.2	91.6	98.2
Sheopur	18.6	9.7	62.0	8.4	3.0	35.3	62.6	55.7	96.6
Shivpuri	19.3	9.9	72.5	10.8	5.9	38.7	78.2	74.7	98.0
Sidhi	10.3	2.0	60.7	2.9	0.7	16.2	49.7	43.3	88.4
Tikamgarh	14.7	4.9	55.7	2.5	1.4	7.0	71.7	67.4	89.8
Ujjain	46.8	12.5	89.9	11.0	4.1	19.7	86.6	79.7	95.3
Umaria	18.6	9.6	59.9	5.7	2.3	21.2	68.0	62.2	94.2
Vidisha	28.2	1.8	81.0	8.3	0.9	23.3	92.2	90.6	95.3
West Nimar	33.7	23.8	80.6	10.0	6.9	25.0	92.5	91.6	97.0

## HOUSING CHARACTERISTICS

State / District	Main Source of Lighting						Availability of Kitchen		
	Households using Electricity (%)			Households using Kerosene (%)			Households having Separate Kitchen (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Madhya Pradesh	69.3	59.8	89.3	29.1	39.1	8.3	47.6	38.8	66.2
Balaghat	68.5	64.3	90.3	31.2	35.4	9.4	54.1	48.0	85.6
Barwani	51.7	46.1	73.6	45.1	52.2	17.9	39.1	34.0	58.7
Betul	62.0	55.5	89.4	34.6	41.4	6.3	72.6	68.2	91.1
Bhind	57.5	41.7	83.5	41.6	57.5	15.3	30.6	20.4	47.4
Bhopal	93.3	84.6	94.7	4.6	14.9	3.0	67.8	36.0	72.8
Chhattarpur	48.7	37.3	83.3	50.9	62.3	16.3	31.6	26.1	48.3
Chhindwara	77.9	73.8	89.4	21.0	25.2	9.3	58.5	55.6	66.6
Damoh	64.7	59.4	84.2	34.7	39.9	15.4	27.4	19.6	56.1
Datia	66.5	52.5	93.0	31.4	46.1	3.6	38.6	26.5	61.6
Dewas	82.4	77.7	90.9	16.0	21.0	6.8	52.8	45.1	67.1
Dhar	87.1	85.2	94.7	10.4	12.0	4.4	29.0	24.9	45.2
Dindori	37.4	35.2	85.4	60.6	62.8	13.4	53.1	52.2	73.4
East Nimar	81.2	78.1	88.9	17.8	21.2	9.4	24.2	15.9	45.2
Guna	59.4	52.1	77.2	39.2	47.1	20.0	29.3	22.6	45.6
Gwalior	70.8	52.6	78.0	20.3	45.2	10.3	55.3	31.2	64.9
Harda	81.8	79.9	89.0	15.8	18.5	6.0	57.6	51.4	80.2
Hoshangabad	78.3	69.8	91.8	20.3	28.8	6.8	58.6	48.3	74.9
Indore	88.8	69.1	93.5	9.0	28.5	4.3	72.8	56.3	76.8
Jabalpur	87.8	79.9	92.8	11.8	19.8	6.8	51.6	25.0	68.4
Jhabua	57.7	56.1	70.4	40.0	41.9	24.4	41.7	36.7	81.6
Katni	58.6	49.1	86.7	40.5	50.5	10.5	34.6	26.5	58.9
Mandla	56.6	52.2	93.1	40.5	44.7	5.8	70.6	68.8	84.7
Mandsaur	91.3	89.5	97.2	7.9	9.9	1.4	40.6	38.8	46.2
Morena	50.8	32.6	93.1	48.2	66.7	5.2	27.1	15.1	54.8
Narsimhapur	70.3	67.3	86.8	28.9	31.8	12.4	33.8	29.0	60.3
Neemuch	95.2	93.8	97.7	4.1	5.6	1.5	43.3	31.7	63.9
Panna	33.8	26.2	75.7	65.1	72.6	23.8	38.6	35.3	56.7
Raisen	74.6	67.5	95.1	25.2	32.3	4.8	39.6	32.7	59.5
Rajgarh	68.3	66.6	77.3	29.7	32.2	17.0	46.1	40.7	74.7
Ratlam	88.1	80.3	97.4	10.4	18.2	1.1	49.1	28.0	74.3
Rewa	47.5	40.1	80.4	51.6	59.0	18.7	70.2	70.3	69.8
Sagar	74.6	69.8	85.3	24.1	28.9	13.4	39.1	29.8	59.5
Satna	60.5	50.5	88.2	38.8	49.1	10.4	50.7	47.0	61.0
Sehore	86.9	85.9	90.5	11.6	12.6	7.6	44.7	39.7	64.4
Seoni	70.8	68.9	87.1	27.9	30.0	9.0	55.0	52.9	72.9
Shahdol	47.3	32.9	87.9	52.3	66.7	11.3	63.2	60.3	71.5
Shajapur	84.4	81.2	94.8	13.8	16.8	4.0	51.9	47.2	67.3
Sheopur	61.6	54.7	95.7	37.6	44.5	3.4	11.6	7.0	34.7
Shivpuri	74.4	70.5	96.2	24.9	28.9	2.2	28.1	23.0	56.9
Sidhi	44.6	38.0	83.8	54.6	61.5	13.0	64.7	63.1	74.5
Tikamgarh	44.2	36.0	78.5	55.4	63.6	20.8	25.4	19.9	48.5
Ujjain	70.1	53.0	91.5	28.9	46.4	7.0	50.3	33.8	71.0
Umaria	46.6	39.5	79.0	52.8	60.0	19.8	40.8	35.3	65.8
Vidisha	62.5	49.7	88.1	37.0	49.7	11.5	43.7	35.1	60.8
West Nimar	81.9	80.2	89.8	15.7	17.2	8.7	37.1	32.2	60.5



## HOUSING CHARACTERISTICS

State / District	Main Source of Fuel Used for Cooking								
	Households using Firewood/Crop residues/Cow Dung Cake (%)			Households using Kerosene (%)			Households using LPG/PNG (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Madhya Pradesh	76.5	95.9	36.1	1.0	0.2	2.6	21.6	3.2	59.8
Balaghat	90.3	97.3	54.1	0.4	0.2	1.1	8.0	1.1	43.8
Barwani	80.8	90.8	42.5	0.9	0.8	1.2	17.4	7.6	54.8
Betul	83.6	95.3	34.1	0.6	0.2	2.4	14.2	3.9	57.1
Bhind	85.7	96.5	68.0	0.5	0.2	1.0	13.1	3.0	29.9
Bhopal	26.8	96.9	15.5	9.1	0.2	10.5	63.0	2.0	72.8
Chhattarpur	87.6	99.4	51.9	0.2	0.1	0.6	11.9	0.3	47.0
Chhindwara	81.0	93.8	45.4	0.1	0.0	0.2	17.0	5.3	50.0
Damoh	89.9	98.6	57.7	0.3	0.1	1.2	9.1	0.8	39.7
Datia	76.8	96.1	40.4	0.5	0.1	1.4	22.0	3.3	57.3
Dewas	78.7	94.3	49.9	0.8	0.2	2.0	19.1	3.9	47.1
Dhar	83.5	93.6	43.2	0.8	0.4	2.6	15.2	5.5	53.5
Dindori	96.1	98.1	53.5	0.4	0.3	2.9	3.1	1.5	38.3
East Nimar	78.3	94.4	38.1	0.9	0.2	2.8	20.4	5.2	58.4
Guna	83.6	94.8	56.3	0.5	0.1	1.5	15.1	4.2	41.8
Gwalior	46.8	87.4	30.7	2.1	0.4	2.8	49.6	11.5	64.7
Harda	77.2	87.4	39.9	0.4	0.1	1.3	19.7	9.3	57.9
Hoshangabad	72.4	93.9	38.2	0.7	0.1	1.7	26.0	5.1	59.3
Indore	27.4	84.4	13.8	1.4	1.0	1.5	69.8	13.7	83.2
Jabalpur	56.8	96.7	31.6	1.9	0.1	3.1	40.6	2.9	64.4
Jhabua	93.1	97.7	56.2	0.7	0.4	3.1	5.7	1.5	38.9
Katni	83.6	97.1	43.2	0.8	0.2	2.7	15.1	2.5	52.7
Mandla	91.8	97.4	45.7	0.5	0.1	3.0	7.0	1.7	50.3
Mandsaur	82.3	94.5	42.5	1.4	0.6	4.0	15.8	4.5	52.8
Morena	79.9	96.1	42.3	0.8	0.3	1.9	18.3	2.4	55.1
Narsimhapur	87.3	94.5	46.3	0.9	0.3	4.1	10.8	4.3	47.5
Neemuch	75.1	96.7	36.9	0.5	0.2	1.1	24.1	2.8	61.6
Panna	92.4	97.9	62.3	0.1	0.1	0.2	7.0	1.6	36.3
Raisen	84.9	97.8	47.6	1.2	0.1	4.2	13.7	1.8	48.0
Rajgarh	89.1	96.9	47.7	0.5	0.3	1.9	9.9	2.5	49.4
Ratlam	65.1	96.8	27.3	0.8	0.1	1.7	33.4	2.8	70.0
Rewa	88.7	97.5	49.4	0.4	0.1	1.6	10.1	1.9	46.6
Sagar	83.0	98.6	48.6	1.1	0.1	3.5	14.9	0.8	46.0
Satna	86.2	97.6	54.4	0.2	0.2	0.4	13.1	1.8	44.5
Sehore	86.0	97.2	41.6	0.5	0.2	1.8	11.8	0.9	55.1
Seoni	89.8	95.6	38.7	0.3	0.2	1.1	8.3	2.5	59.5
Shahdol	78.8	93.7	36.9	0.2	0.0	0.8	17.0	5.7	48.7
Shajapur	87.6	96.7	58.1	0.6	0.1	2.1	11.3	2.7	39.3
Sheopur	90.0	97.6	52.5	0.5	0.3	1.3	8.9	1.7	44.2
Shivpuri	86.3	94.1	42.1	0.1	0.0	0.7	13.0	5.4	55.7
Sidhi	92.6	98.5	57.3	1.0	1.0	0.9	6.0	0.2	40.9
Tikamgarh	90.6	98.1	59.5	0.1	0.0	0.4	8.9	1.7	39.3
Ujjain	64.1	96.9	22.8	0.7	0.1	1.4	34.6	2.6	74.7
Umari	90.2	98.3	53.5	0.1	0.1	0.3	9.3	1.5	45.3
Vidisha	82.0	99.4	47.0	0.4	0.0	1.1	17.3	0.3	51.3
West Nimar	81.8	91.2	37.1	0.9	0.6	2.3	16.2	7.0	60.0

## HOUSING CHARACTERISTICS

State / District	Possession of Computer/Telephone/Mobile					
	Households having Computer/laptop with or without Internet Connectivity (%)			Households having Telephone/Mobile (%)		
	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7
Madhya Pradesh	7.4	4.6	13.2	53.8	41.8	78.7
Balaghat	3.0	2.5	5.6	30.0	23.7	62.4
Barwani	5.9	5.9	5.6	41.6	34.6	68.6
Betul	5.0	3.7	10.5	40.1	31.1	77.7
Bhind	1.9	0.6	3.9	64.1	57.4	75.0
Bhopal	17.7	1.6	20.3	80.4	61.7	83.5
Chhattarpur	3.7	2.6	6.9	50.6	40.3	81.7
Chhindwara	4.8	2.5	11.2	35.9	23.1	71.5
Damoh	2.9	2.7	3.7	37.2	30.1	63.8
Datia	6.7	6.9	6.2	56.5	53.1	62.8
Dewas	12.8	10.6	16.9	68.4	62.6	79.0
Dhar	8.1	7.9	8.9	52.9	49.5	66.3
Dindori	3.3	3.0	8.5	20.8	18.9	62.9
East Nimar	5.9	3.8	11.3	51.3	42.9	72.3
Guna	13.2	11.5	17.5	57.0	54.4	63.4
Gwalior	12.8	14.2	12.2	76.3	61.8	82.1
Harda	5.4	4.3	9.5	58.9	54.4	75.4
Hoshangabad	5.6	2.7	10.3	54.5	38.5	80.1
Indore	17.4	8.3	19.6	86.5	72.5	89.9
Jabalpur	12.2	3.9	17.4	63.0	36.2	79.8
Jhabua	7.2	7.2	7.1	46.2	45.0	55.6
Katni	3.4	1.5	9.0	39.1	26.2	77.5
Mandla	2.7	1.7	10.4	26.3	20.8	71.2
Mandsaur	4.2	3.9	5.2	57.1	51.8	74.3
Morena	9.8	8.5	12.7	58.0	51.3	73.4
Narsimhapur	4.9	4.1	9.4	38.6	33.7	66.1
Neemuch	6.5	4.8	9.4	78.0	71.3	89.9
Panna	3.0	2.7	4.5	34.7	29.7	62.4
Raisen	2.2	0.2	7.8	54.0	46.4	75.9
Rajgarh	9.5	8.9	12.4	49.5	44.4	76.4
Ratlam	10.0	5.4	15.6	63.8	43.7	87.9
Rewa	3.7	2.1	10.9	46.1	40.1	72.6
Sagar	6.2	4.5	9.8	45.4	32.3	74.4
Satna	3.9	2.2	8.6	42.8	34.0	67.1
Sehore	16.1	16.3	15.3	66.3	65.1	71.3
Seoni	2.4	1.4	11.7	32.8	28.2	72.8
Shahdol	4.7	2.5	10.9	33.4	18.7	75.0
Shajapur	4.3	3.8	5.8	72.1	68.5	83.6
Sheopur	5.9	6.0	5.3	46.1	41.0	71.2
Shivpuri	6.2	4.5	16.2	60.4	55.8	86.5
Sidhi	3.9	1.8	16.3	35.6	30.5	66.5
Tikamgarh	4.7	3.7	9.0	48.6	43.5	69.8
Ujjain	7.7	6.9	8.7	64.8	47.1	87.0
Umaria	5.5	4.1	11.9	30.2	20.4	74.8
Vidisha	4.4	2.3	8.6	66.7	62.8	74.7
West Nimar	7.9	6.3	15.3	62.8	58.6	82.7

# HOUSELISTING SCHEDULE

To be listed as on date of survey	Existing as on 01.01.2010	Response to be recorded with reference to the date of survey	Type of facilities used by Household

Code for Col. (4)	
Item	Code
Residential/Partly residential	1
Non-residential	2
Vacant	3

# (Col. 17) = Do not include kitchen, bathroom, latrine, store room, passageway and verandah. Include living room, bedroom, dining room, drawing room, study room, servant's room and other similar rooms.

Code for Col. (7)	
Item	Code
Pucca	1
Semi Pucca	2
Kutcha	3
Others	4

Code for Col. (8)	
Item	Code
Owmed	1
Rented	2
Others	3

Code for Col. (9)	
Item	Code
Piped water into dwelling / yard / plot	1
Public tap / standpipe	2
Hand pump	3
Tube well or borehole	4
Protected dug well	5
Unprotected dug well	6
Tanker / truck / cart with small tank	7
Surface water	8
Other sources	9

Code for Col. (11)	
Item	Code
Boil	1
Add bleach / chlorine tablets	2
Use alum	3
Strain it through a cloth	4
Use of water filter (ceramics, sand, composite etc.)	5
Use of electronic purifier (RO, UV, etc.)	6
Let it stand and settle down	7
Others	8

Code for Col. (12)	
Item	Code
<b>Flush/Pour flush latrine- Connected</b>	
To piped sewer system	1
To septic tank	2
To pit latrine	3
To somewhere else	4
<b>Pit latrine (without flush/pour flush)</b>	
Ventilated improved pit	5
Pit latrine with slab	6
Open pit / pit latrine without slab	7
<b>Service latrine</b>	8
<b>Community toilet</b>	9
<b>Open defecation (field, bush, jungle etc.)</b>	0

Code for Col. (15)	
Item	Code
Electricity	1
Kerosene	2
Solar	3
Other oils	4
Any other	5
No lighting	6

Code for Col. (18)	
Item	Code
<b>Cooking inside house</b>	
Has kitchen	1
Does not have kitchen	2
<b>Cooking outside house</b>	
Has kitchen	3
Does not have kitchen	4
<b>No Cooking</b>	5

Code for Col. (16)	
Item	Code
Firewood	1
Crop residue	2
Cow dung cake	3
Coal/lignite/ charcoal	4
Kerosene	5
LPG / PNG	6
Electricity	7
Bogas	8
Any other	9
No cooking	0

Code for Col. (15)	
Item	Code
Electricity	1
Kerosene	2
Solar	3
Other oils	4
Any other	5
No lighting	6

Code for Col. (18)	
Item	Code
<b>Cooking inside house</b>	
Has kitchen	1
Does not have kitchen	2
<b>Cooking outside house</b>	
Has kitchen	3
Does not have kitchen	4
<b>No Cooking</b>	5

Code for Col. (12)		Code
Item		
Flush/Pour flush latrine- Connected		
To piped sewer system	1	
To septic tank	2	
To pit latrine	3	
To somewhere else	4	
Pit latrine (without flush/pour flush)		
Ventilated improved pit	5	
Pit latrine with slab	6	
Open pit / pit latrine without slab	7	
Service latrine	8	
Community toilet	9	
Open defecation (field, bush, jungle etc.)	0	

Code for Col. (11)	
Item	Code
Boil	1
Add bleach / chlorine tablets	2
Use alum	3
Strain it through a cloth	4
Use of water filter (ceramics, sand, composite etc.)	5
Use of electronic purifier (RO, UV, etc.)	6
Let it stand and settle down	7
Others	8

Code for Col. (9)	Item	Code
1	Piped water into dwelling / yard / plot	1
2	Public tap / standpipe	2
3	Hand pump	3
4	Tube well or borehole	4
5	Protected dug well	5
6	Unprotected dug well	6
7	Tanker / truck / cart with small tank	7
8	Surface water	8
9	Other sources	9

Code for Col. (7)	
Item	Code
Pucca	1
Semi Pucca	2
Kutchra	3
Others	4

Code for Col. (8)	Item	Code
	Owned	1
	Rented	2
	Others	3

(Col. 17) = Do not include kitchen, bathroom, latrine, store room, passageway and verandah. Include living room, bedroom, dining room, drawing room, study room, servant's room and other similar rooms



# HOUSEHOLD SCHEDULE

State				Zone			District			Rural-1, Urban-2			Stratum		Sample Unit		House No. *			Household No. *		
-------	--	--	--	------	--	--	----------	--	--	---------------------	--	--	---------	--	----------------	--	----------------	--	--	--------------------	--	--

Columns 1-3 are to be filled for all usual residents" of household as on date of survey. Column 5 onwards to be filled only in respect of usual residents as on 01.01.2010 (i.e. Code 1 in Col. 4).

[illegible]

Code for Col. (5)	Code
Item	
Head	01
Wife or Husband	02
Son or Daughter	03
Son-in-law or Daughter-in-law	04
Grandchild	05
Parent	06
Parent-in-law	07
Brother or Sister	08
Brother-in-law or Sister-in-law	09
Niece or Nephew	10
Other relatives	11
Adopted / foster child	12
Not related	13

Code for Col. (10)	
Item	Code
Hindu	1
Muslim	2
Christian	3
Sikh	4
Buddhist	5
Jain	6
Others	7
No religion	8

Code for Col. (12)	Code
Item	
Never married	1
Married but, Gauna not performed	2
Married and, Gauna performed	3
Remarried	4
Widow / Widower	5
Divorced	6
Separated	7
Not stated	8

\*# = To be copied from House Listing Schedule

# = Also include those who have out-migrated or died after 01.01.2010.

Code for Col. (15)	Code
Item	
School too far	1
Further education not considered necessary	2
Required for work in Household activities / Farm / Family business	3
Required for outside work	4
Not interested in studies	5
Cost too much	6
Repeated failures	7
Got married	8
Others	9

Code for Col. (16)		Code
Item		
Illiterate		0
Literate without Formal education		1
<b>Literate with Formal education</b>		
Below Primary		2
Primary		3
Middle		4
Secondary / Matric Class-X		5
Hr. Secondary / Sr. Secondary / Pre-University / Class XII		6
Graduate / B. Tech / BBA / MBBS / Equivalent		7
Post Graduate / M.Tech / MBA / MD / Equivalent or higher		8
Non-Technical / Technical diploma or certificate not equivalent to degree		9

Code	Item	Code for Col. (17)
01	Cultivator	
02	Agricultural Wage Labourer	
03	Non-agricultural Wage Labourer	
04	Self Employed (excluding Cultivators) :	
05	Own Account Worker	
06	Employer	
07	Unpaid Family Labourer	
08	Regular Salaried / Wage Employee	
09	Did not work but was seeking and / or available for work	
10	Attending educational institution	
11	Attending routine domestic chores, etc.	
12	Beggar	
13	Prostitute / Sex Worker	
14	Rentier, pensioner, other rentiance recipient	
15	Not able to work due to disability	
16	Too old to work	
	Others	

# HOUSEHOLD SCHEDULE

Code for Col. (18)	
Item	Code
Mental	1
Visual	2
Hearing	3
Speech	4
Locomotor	5
Multiple	6
No Disability	0

Code for Col. (19)	
Item	Code
Treated in intensive care unit for any time	1
Treated as in-patient with stay > 2 weeks	2
Treated as in-patient with stay 1 to 2 weeks	3
Treated as in-patient with stay < 1 week	4
Treated as out-patient	5
Treated by traditional healers	6
Treated at home	7
No injury	0

Code for Col. (20)	
Item	Code
Acute illnesses	1
Diarrhoea	2
Dysentery	3
Acute respiratory infection	4
Jandice with fever	5
Fever with chill / rigors (malaria etc.)	6
Fever of short duration with rashes	7
Other types of fever	8
Reproductive tract infections (RTI)	9
Others	0

Code for Col. (21, 25, 27)	
Item	Code
GOVERNMENT	01
Sub Center	02
PHC	03
CHC	04
UHC/UHP/UFWC	05
Dispensary/Clinic Hospital	06
AYUSH Hospital/Clinic	07
PRIVATE	08
Dispensary/Clinic Hospital	09
AYUSH Hospital/Clinic	10
NGO or Trust	11
Hospital/Clinic	12
DOT Center (only for col. 27)	13
At Home	99
Others	00

Code for Col. (22)	
Item	Code
Chronic Illness Symptoms	01
Diseases of respiratory system	02
Diseases of cardiovascular system	03
Diseases of central nervous system	04
Diseases of musculo-skeletal system	05
Diseases of gastrointestinal system	06
Diseases of genitourinary system	07
Skin diseases	08
Gonorrhea	09
Epileptiasis	10
Others	11
Asymptomatic	12

Code for Col. (23)	
Item	Code
Details of diagnosis/treatment available	1
Yes	2
No	3

Code for Col. (24)	
Item	Code
Diabetes	01
Hypertension	02
Chronic heart disease / failure	03
Myocardial infarction / Heart attack	04
Gonorrhea	05
Stroke / Cerebrovascular accident	06
Epilepsy	07
Asthma / Chronic respiratory failure	08
Gonorrhea / Thyroid disorder	09
Tuberculosis	10
Leprosy	11
Cancer-Respiratory system	12

Code for Col. (25)	
Item	Code
Details of diagnosis/treatment available	1
Yes	2
No	3

Code for Col. (26)	
Item	Code
Not diagnosed	00
Usual drinker	1
Occasional drinker	2
Ex-drinker	3
Never drank	4
Not known	0

Code for Col. (27)	
Item	Code
Usual smoker	1
Occasional smoker	2
Ex-smoker	3
Never smoked	4
Not known	0

Code for Col. (28)	
Item	Code
Pan with tobacco	1
Pan without tobacco	2
Gutka/Pan masala	3
With tobacco	4
Gutka/Pan masala Without tobacco	5
Tobacco only	6
Ex-chewer	7
Never chewed	8
Not known	0

Code for Col. (29)	
Item	Code
Usual smoker	1
Occasional smoker	2
Ex-smoker	3
Never smoked	4
Not known	0

Code for Col. (30)	
Item	Code
Usual drinker	1
Occasional drinker	2
Ex-drinker	3
Never drank	4
Not known	0

Confidential when filled

## ANNUAL HEALTH SURVEY

## WOMAN SCHEDULE

State					Zone						
District					Rural - 1/Urban - 2						
Stratum											
Sample Unit											
House No.					Household No.						
Result of Interview	CODE	Name & Signature of the Enumerator		Name & Signature/Thumb Impression of the Respondent							
Completed	1										
Not completed :											
Refused	2										
Incapacitated	3										
Partly completed	4										
Not at Home	5	Date of Interview		D	D	M	M	Y	Y	Y	Y
Others (please specify)	6										

## Section I – Ever Married Woman (Aged 15–49 years)

SI.No., Name, Identification Code, Age and Marital Status to be copied from Col. 1, 2, 6, 9 &amp; 12 respectively of Household Schedule

SI.No.	Name	Identification Code	Age	Marital Status (Code) *

\*\* If Code 2 (Married but, Gauna not Performed), Go to Section II of the Schedule.

Q. No.	Questions and Codes	Responses									
Q.1	Have you delivered a live baby before 01.01.2010?	Yes-1, No-2 <div style="display: flex; align-items: center;"> <input style="width: 40px; height: 20px; margin-right: 10px;" type="checkbox"/> <div> <p>If code '2', go to Q.4</p> </div> </div>									
Q.2	How many children have been born alive ever before 01.01.2010 and out of them how many are surviving as on 01.01.2010?	Record the number <div style="display: flex; align-items: center;"> <div style="margin-right: 10px;">Born Alive Surviving</div> <table border="1"> <tr> <th>Male</th><th>Female</th><th>Total</th></tr> <tr> <td></td><td></td><td></td></tr> <tr> <td></td><td></td><td></td></tr> </table> </div>	Male	Female	Total						
Male	Female	Total									
Q.3	What was your age at first live birth ? (in completed years)	<div style="display: flex; align-items: center;"> <input style="width: 40px; height: 20px; margin-right: 10px;" type="text"/> <input style="width: 40px; height: 20px;" type="text"/> </div>									
Q.4	Has the outcome of any pregnancy(s) resulted in live birth/still birth/abortion during 01.01.2007 to 31.12.2009?	Yes-1, No-2 <div style="display: flex; align-items: center;"> <input style="width: 40px; height: 20px; margin-right: 10px;" type="checkbox"/> <div> <p>If code '2', go to Section II of the Schedule</p> </div> </div>									



Q.5

If code 1 in Q.4, record the history of outcome(s) of pregnancy(s). Start with the last pregnancy excluding the current one. Use separate lines for twins/triplets. Same pregnancy no. to be recorded for twins/triplets.

Pregnancy Number (to be recorded)	Outcome of Pregnancy		To be filled for Induced or Spontaneous abortions (Code '3' or '4' in Col. 2)						
			In which month & year, you had abortion?	At what month of pregnancy did abortion happen?	Did you receive any ANC? (Yes-1, No-2)	Did you go for ultrasound before this abortion? (Yes-1, No-2)	Where was the abortion performed/ completed? (Code)	Who performed/ completed the abortion? (Code)	For induced abortion only Why did you abort the pregnancy? (Code)
1	2		3	4	5	6	7	8	9
(.....) Last pregnancy	Live Birth-1 Still Birth-2 Induced Abr.-3 Spont Abr.-4	<input type="checkbox"/>	Month <input type="text"/> Year <input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
(.....) Previous to last pregnancy	Live Birth-1 Still Birth-2 Induced Abr.-3 Spont Abr.-4	<input type="checkbox"/>	Month <input type="text"/> Year <input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
(.....) Second from last pregnancy	Live Birth-1 Still Birth-2 Induced Abr.-3 Spont Abr.-4	<input type="checkbox"/>	Month <input type="text"/> Year <input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
(.....) Third from last pregnancy	Live Birth-1 Still Birth-2 Induced Abr.-3 Spont Abr.-4	<input type="checkbox"/>	Month <input type="text"/> Year <input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

**Note:** If outcome(s) of pregnancy(s) resulted in 'only' Abortion(s), go to Section-II of Schedule after filling Columns 3 to 9 of Q.5.

Code for Col.7 (Q.5)		
Item		Code
<b>GOVERNMENT</b>		
Sub - Center		01
PHC		02
CHC		03
UHC/UHP/UFWC		04
Dispensary/Clinic		05
Hospital		06
AYUSH Hospital/Clinic		07
<b>PRIVATE</b>		
Dispensary/Clinic		08
Hospital		09
AYUSH Hospital/Clinic		10
<b>NGO or Trust Hosp./Clinic</b>		11
<b>At Home</b>	Self	12
	Elsewhere	13
<b>Others</b>		99

Code for Col.8 (Q.5)	
Item	Code
Doctor	1
Nurse/ANM/LHV	2
Trained dai	3
Untrained dai	4
Family members/Relatives/Friends	5
None/Self	6
Others	7

Code for Col.9 (Q.5)	
Item	Code
Unplanned pregnancy	1
Due to contraceptive failure	2
Complication(s) in pregnancy	3
Health did not permit	4
Female foetus	5
Economic reason(s)	6
Last child too young	7
Foetus had congenital abnormality	8
Others	9



**Q.6 Details about the last two outcome of pregnancies which resulted in live birth (surviving/not surviving)/still birth during 1.1.2007 to 31.12.2009. Begin with last birth. Survival status to be assessed as on 01.01.2010.**

Questions 6 (1) to 6 (26) are to be probed for live births (surviving/not surviving) as well as still births unless otherwise specified.

Q. No.	Questions and Codes	Responses																																						
Q.6 (1)	Pregnancy number of last two live/ still birth(s) in Chronological order (Copy from Col. 1 of Q.5)	<table border="1"> <tr> <th>Pregnancy Number</th><th>Last birth</th><th>Previous to last birth</th></tr> <tr> <td></td><td><input type="text"/></td><td><input type="text"/></td></tr> </table>	Pregnancy Number	Last birth	Previous to last birth		<input type="text"/>	<input type="text"/>																																
Pregnancy Number	Last birth	Previous to last birth																																						
	<input type="text"/>	<input type="text"/>																																						
Q.6 (2)	What kind of birth is/was it? <table border="1"> <thead> <tr> <th>Item</th><th>Code</th></tr> </thead> <tbody> <tr> <td>Live birth surviving</td><td>1</td></tr> <tr> <td>Live birth not surviving</td><td>2</td></tr> <tr> <td>Still birth</td><td>3</td></tr> </tbody> </table> (If code '3' is recorded for any of the births, go to Q.6 (6) for that particular birth)	Item	Code	Live birth surviving	1	Live birth not surviving	2	Still birth	3	<table border="1"> <tr> <th>Last birth</th><th>Previous to last birth</th></tr> <tr> <td><input type="text"/></td><td><input type="text"/></td></tr> </table>	Last birth	Previous to last birth	<input type="text"/>	<input type="text"/>																										
Item	Code																																							
Live birth surviving	1																																							
Live birth not surviving	2																																							
Still birth	3																																							
Last birth	Previous to last birth																																							
<input type="text"/>	<input type="text"/>																																							
Q.6 (3)	What is the order of live birth?	<table border="1"> <tr> <th>Order of live birth</th><th>Last birth</th><th>Previous to last birth</th></tr> <tr> <td></td><td><input type="text"/></td><td><input type="text"/></td></tr> </table>	Order of live birth	Last birth	Previous to last birth		<input type="text"/>	<input type="text"/>																																
Order of live birth	Last birth	Previous to last birth																																						
	<input type="text"/>	<input type="text"/>																																						
Q.6 (4)	Only if birth order $\geq 2$  What is the interval between the previous and the current live birth?  (If more than 99 months, record '99' only)	<table border="1"> <tr> <th>Interval (in completed months)</th><th>Last birth</th><th>Previous to last birth</th></tr> <tr> <td></td><td><input type="text"/><input type="text"/></td><td><input type="text"/><input type="text"/></td></tr> </table>	Interval (in completed months)	Last birth	Previous to last birth		<input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/>																																
Interval (in completed months)	Last birth	Previous to last birth																																						
	<input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/>																																						
Q.6 (5)	Identification code (only for live birth surviving) – To be copied from Col. 6 of the Household Schedule	<table border="1"> <tr> <th>Identification code</th><th>Last birth</th><th>Previous to last birth</th></tr> <tr> <td></td><td><input type="text"/><input type="text"/><input type="text"/><input type="text"/></td><td><input type="text"/><input type="text"/><input type="text"/><input type="text"/></td></tr> </table>	Identification code	Last birth	Previous to last birth		<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>																																
Identification code	Last birth	Previous to last birth																																						
	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>																																						
Q.6 (6)	What is/was the date of birth of the baby?  (In case of still birth, record only month and year)	<table border="1"> <tr> <th>Date of Birth</th><th>Last birth</th><th>Previous to last birth</th></tr> <tr> <td></td><td> <table border="1"> <tr> <td>D</td><td>D</td><td>M</td><td>M</td><td>Y</td><td>Y</td><td>Y</td><td>Y</td> </tr> <tr> <td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td> </tr> </table> </td><td> <table border="1"> <tr> <td>D</td><td>D</td><td>M</td><td>M</td><td>Y</td><td>Y</td><td>Y</td><td>Y</td> </tr> <tr> <td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td> </tr> </table> </td></tr> </table>	Date of Birth	Last birth	Previous to last birth		<table border="1"> <tr> <td>D</td><td>D</td><td>M</td><td>M</td><td>Y</td><td>Y</td><td>Y</td><td>Y</td> </tr> <tr> <td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td> </tr> </table>	D	D	M	M	Y	Y	Y	Y	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<table border="1"> <tr> <td>D</td><td>D</td><td>M</td><td>M</td><td>Y</td><td>Y</td><td>Y</td><td>Y</td> </tr> <tr> <td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td> </tr> </table>	D	D	M	M	Y	Y	Y	Y	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Date of Birth	Last birth	Previous to last birth																																						
	<table border="1"> <tr> <td>D</td><td>D</td><td>M</td><td>M</td><td>Y</td><td>Y</td><td>Y</td><td>Y</td> </tr> <tr> <td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td> </tr> </table>	D	D	M	M	Y	Y	Y	Y	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<table border="1"> <tr> <td>D</td><td>D</td><td>M</td><td>M</td><td>Y</td><td>Y</td><td>Y</td><td>Y</td> </tr> <tr> <td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td> </tr> </table>	D	D	M	M	Y	Y	Y	Y	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>						
D	D	M	M	Y	Y	Y	Y																																	
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>																																	
D	D	M	M	Y	Y	Y	Y																																	
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>																																	
Q.6 (7)	What is/was the sex of the baby/ still birth?  <table border="1"> <thead> <tr> <th>Item</th><th>Code</th></tr> </thead> <tbody> <tr> <td>Male</td><td>1</td></tr> <tr> <td>Female</td><td>2</td></tr> </tbody> </table>	Item	Code	Male	1	Female	2	<table border="1"> <tr> <th>Last birth</th><th>Previous to last birth</th></tr> <tr> <td><input type="text"/></td><td><input type="text"/></td></tr> </table>	Last birth	Previous to last birth	<input type="text"/>	<input type="text"/>																												
Item	Code																																							
Male	1																																							
Female	2																																							
Last birth	Previous to last birth																																							
<input type="text"/>	<input type="text"/>																																							
Q.6 (8)	What type of birth was it?  <table border="1"> <thead> <tr> <th>Item</th><th>Code</th></tr> </thead> <tbody> <tr> <td>Single</td><td>1</td></tr> <tr> <td>Multiple</td><td>2</td></tr> </tbody> </table>	Item	Code	Single	1	Multiple	2	<table border="1"> <tr> <th>Last birth</th><th>Previous to last birth</th></tr> <tr> <td><input type="text"/></td><td><input type="text"/></td></tr> </table>	Last birth	Previous to last birth	<input type="text"/>	<input type="text"/>																												
Item	Code																																							
Single	1																																							
Multiple	2																																							
Last birth	Previous to last birth																																							
<input type="text"/>	<input type="text"/>																																							

Ante Natal Care																																							
Q.6 (9)	How many ANC's did you receive during pregnancy associated with each birth? (If '0' is recorded for any of the births, go to Q.6 (15) for that particular birth. If more than 9 ANC's, record '9' only.)	<table border="1"> <tr> <th>Number of ANC's</th> <th>Last birth</th> <th>Previous to last birth</th> </tr> <tr> <td></td> <td><input type="text"/></td> <td><input type="text"/></td> </tr> </table>	Number of ANC's	Last birth	Previous to last birth		<input type="text"/>	<input type="text"/>																															
Number of ANC's	Last birth	Previous to last birth																																					
	<input type="text"/>	<input type="text"/>																																					
Q.6 (10)	How many months were you pregnant at the time of first ANC ?	<table border="1"> <tr> <th>Number of completed months</th> <th>Last birth</th> <th>Previous to last birth</th> </tr> <tr> <td></td> <td><input type="text"/></td> <td><input type="text"/></td> </tr> </table>	Number of completed months	Last birth	Previous to last birth		<input type="text"/>	<input type="text"/>																															
Number of completed months	Last birth	Previous to last birth																																					
	<input type="text"/>	<input type="text"/>																																					
Q.6 (11)	What was the main source of ANC ? <table border="1"> <thead> <tr> <th>Item</th> <th>Code</th> </tr> </thead> <tbody> <tr> <td colspan="2"><b>GOVERNMENT</b></td> </tr> <tr> <td>Anganwadi</td> <td>00</td> </tr> <tr> <td>Sub - Center</td> <td>01</td> </tr> <tr> <td>PHC</td> <td>02</td> </tr> <tr> <td>CHC</td> <td>03</td> </tr> <tr> <td>UHC/UHP/UFWC</td> <td>04</td> </tr> <tr> <td>Dispensary/Clinic</td> <td>05</td> </tr> <tr> <td>Hospital</td> <td>06</td> </tr> <tr> <td>AYUSH Hospital/Clinic</td> <td>07</td> </tr> <tr> <td colspan="2"><b>PRIVATE</b></td> </tr> <tr> <td>Dispensary/Clinic</td> <td>08</td> </tr> <tr> <td>Hospital</td> <td>09</td> </tr> <tr> <td>AYUSH Hospital/Clinic</td> <td>10</td> </tr> <tr> <td>NGO or Trust Hosp/Clinic</td> <td>11</td> </tr> <tr> <td><b>Others</b></td> <td>99</td> </tr> </tbody> </table>	Item	Code	<b>GOVERNMENT</b>		Anganwadi	00	Sub - Center	01	PHC	02	CHC	03	UHC/UHP/UFWC	04	Dispensary/Clinic	05	Hospital	06	AYUSH Hospital/Clinic	07	<b>PRIVATE</b>		Dispensary/Clinic	08	Hospital	09	AYUSH Hospital/Clinic	10	NGO or Trust Hosp/Clinic	11	<b>Others</b>	99	<table border="1"> <tr> <th>Last birth</th> <th>Previous to last birth</th> </tr> <tr> <td><input type="text"/><input type="text"/></td> <td><input type="text"/><input type="text"/></td> </tr> </table>	Last birth	Previous to last birth	<input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/>	
Item	Code																																						
<b>GOVERNMENT</b>																																							
Anganwadi	00																																						
Sub - Center	01																																						
PHC	02																																						
CHC	03																																						
UHC/UHP/UFWC	04																																						
Dispensary/Clinic	05																																						
Hospital	06																																						
AYUSH Hospital/Clinic	07																																						
<b>PRIVATE</b>																																							
Dispensary/Clinic	08																																						
Hospital	09																																						
AYUSH Hospital/Clinic	10																																						
NGO or Trust Hosp/Clinic	11																																						
<b>Others</b>	99																																						
Last birth	Previous to last birth																																						
<input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/>																																						
Q.6 (12)	What were the type of tests performed during the ANC?  (Record the total number of tests performed across all ANC's. If any of the tests were performed more than 9 times, record 9 only.)	<table border="1"> <tr> <th>Type of tests performed</th> <th>Last birth (in numbers)</th> <th>Previous to last birth (in numbers)</th> </tr> <tr> <td>Abdominal Examination</td> <td><input type="text"/></td> <td><input type="text"/></td> </tr> <tr> <td>Blood Pressure</td> <td><input type="text"/></td> <td><input type="text"/></td> </tr> <tr> <td>Weight</td> <td><input type="text"/></td> <td><input type="text"/></td> </tr> <tr> <td>Urine</td> <td><input type="text"/></td> <td><input type="text"/></td> </tr> <tr> <td>Blood (for Hb)</td> <td><input type="text"/></td> <td><input type="text"/></td> </tr> <tr> <td>Blood (for other tests)</td> <td><input type="text"/></td> <td><input type="text"/></td> </tr> <tr> <td>Ultrasound</td> <td><input type="text"/></td> <td><input type="text"/></td> </tr> </table>	Type of tests performed	Last birth (in numbers)	Previous to last birth (in numbers)	Abdominal Examination	<input type="text"/>	<input type="text"/>	Blood Pressure	<input type="text"/>	<input type="text"/>	Weight	<input type="text"/>	<input type="text"/>	Urine	<input type="text"/>	<input type="text"/>	Blood (for Hb)	<input type="text"/>	<input type="text"/>	Blood (for other tests)	<input type="text"/>	<input type="text"/>	Ultrasound	<input type="text"/>	<input type="text"/>													
Type of tests performed	Last birth (in numbers)	Previous to last birth (in numbers)																																					
Abdominal Examination	<input type="text"/>	<input type="text"/>																																					
Blood Pressure	<input type="text"/>	<input type="text"/>																																					
Weight	<input type="text"/>	<input type="text"/>																																					
Urine	<input type="text"/>	<input type="text"/>																																					
Blood (for Hb)	<input type="text"/>	<input type="text"/>																																					
Blood (for other tests)	<input type="text"/>	<input type="text"/>																																					
Ultrasound	<input type="text"/>	<input type="text"/>																																					

Q.6 (13)	<p>(i) How many TT injections did you receive?</p> <p>(ii) How many months were you pregnant at the time of 2nd TT injection?</p>	<table border="1"> <tr> <td data-bbox="740 197 954 353" rowspan="2">Number of TT injections</td> <td data-bbox="963 197 1171 271">Last birth</td> <td data-bbox="1181 197 1437 271">Previous to last birth</td> </tr> <tr> <td data-bbox="963 271 1171 353"><input type="text"/></td> <td data-bbox="1181 271 1437 353"><input type="text"/></td> </tr> <tr> <td data-bbox="740 367 954 524" rowspan="2">Number of completed months</td> <td data-bbox="963 367 1171 441">Last birth</td> <td data-bbox="1181 367 1437 441">Previous to last birth</td> </tr> <tr> <td data-bbox="963 441 1171 524"><input type="text"/></td> <td data-bbox="1181 441 1437 524"><input type="text"/></td> </tr> </table>	Number of TT injections	Last birth	Previous to last birth	<input type="text"/>	<input type="text"/>	Number of completed months	Last birth	Previous to last birth	<input type="text"/>	<input type="text"/>																										
Number of TT injections	Last birth	Previous to last birth																																				
	<input type="text"/>	<input type="text"/>																																				
Number of completed months	Last birth	Previous to last birth																																				
	<input type="text"/>	<input type="text"/>																																				
Q.6 (14)	<p>For how many days did you consume Iron &amp; Folic Acid (IFA) tablets/tablespoons of IFA syrup during pregnancy?</p> <table border="1"> <thead> <tr> <th>Item</th> <th>Code</th> </tr> </thead> <tbody> <tr> <td>Less than 100 days</td> <td>1</td> </tr> <tr> <td>100 days or more</td> <td>2</td> </tr> <tr> <td>Not at all</td> <td>3</td> </tr> </tbody> </table>	Item	Code	Less than 100 days	1	100 days or more	2	Not at all	3	<table border="1"> <tr> <td data-bbox="963 622 1171 696">Last birth</td> <td data-bbox="1181 622 1437 696">Previous to last birth</td> </tr> <tr> <td data-bbox="963 696 1171 770"><input type="text"/></td> <td data-bbox="1181 696 1437 770"><input type="text"/></td> </tr> </table>	Last birth	Previous to last birth	<input type="text"/>	<input type="text"/>																								
Item	Code																																					
Less than 100 days	1																																					
100 days or more	2																																					
Not at all	3																																					
Last birth	Previous to last birth																																					
<input type="text"/>	<input type="text"/>																																					
Q.6 (15)	<p>If '0' is recorded for any of the births in Q.6 (9), what was the main reason of not going for any ANC for that particular birth?</p> <table border="1"> <thead> <tr> <th>Item</th> <th>Code</th> </tr> </thead> <tbody> <tr> <td>Not needed</td> <td>1</td> </tr> <tr> <td>Not customary</td> <td>2</td> </tr> <tr> <td>Cost too much</td> <td>3</td> </tr> <tr> <td>Too far/no transport</td> <td>4</td> </tr> <tr> <td>Poor quality service</td> <td>5</td> </tr> <tr> <td>Family did not allow</td> <td>6</td> </tr> <tr> <td>No time to go</td> <td>7</td> </tr> <tr> <td>Lack of knowledge</td> <td>8</td> </tr> <tr> <td>Others</td> <td>9</td> </tr> </tbody> </table>	Item	Code	Not needed	1	Not customary	2	Cost too much	3	Too far/no transport	4	Poor quality service	5	Family did not allow	6	No time to go	7	Lack of knowledge	8	Others	9	<table border="1"> <tr> <td data-bbox="963 1048 1171 1122">Last birth</td> <td data-bbox="1181 1048 1437 1122">Previous to last birth</td> </tr> <tr> <td data-bbox="963 1122 1171 1196"><input type="text"/></td> <td data-bbox="1181 1122 1437 1196"><input type="text"/></td> </tr> </table>	Last birth	Previous to last birth	<input type="text"/>	<input type="text"/>												
Item	Code																																					
Not needed	1																																					
Not customary	2																																					
Cost too much	3																																					
Too far/no transport	4																																					
Poor quality service	5																																					
Family did not allow	6																																					
No time to go	7																																					
Lack of knowledge	8																																					
Others	9																																					
Last birth	Previous to last birth																																					
<input type="text"/>	<input type="text"/>																																					
<b>Natal Care</b>																																						
Q.6 (16)	<p>Where did your delivery take place?</p> <table border="1"> <thead> <tr> <th>Item</th> <th>Code</th> </tr> </thead> <tbody> <tr> <td colspan="2"><b>GOVERNMENT</b></td></tr> <tr> <td>Sub - Center</td> <td>01</td> </tr> <tr> <td>PHC</td> <td>02</td> </tr> <tr> <td>CHC</td> <td>03</td> </tr> <tr> <td>UHC/UHP/UFWC</td> <td>04</td> </tr> <tr> <td>Dispensary/Clinic</td> <td>05</td> </tr> <tr> <td>Hospital</td> <td>06</td> </tr> <tr> <td>AYUSH Hospital/Clinic</td> <td>07</td> </tr> <tr> <td colspan="2"><b>PRIVATE</b></td></tr> <tr> <td>Dispensary/Clinic</td> <td>08</td> </tr> <tr> <td>Hospital</td> <td>09</td> </tr> <tr> <td>AYUSH Hospital/Clinic</td> <td>10</td> </tr> <tr> <td>NGO or Trust Hosp./Clinic</td> <td>11</td> </tr> <tr> <td>At Home</td> <td>12</td> </tr> <tr> <td>Others</td> <td>99</td> </tr> </tbody> </table>	Item	Code	<b>GOVERNMENT</b>		Sub - Center	01	PHC	02	CHC	03	UHC/UHP/UFWC	04	Dispensary/Clinic	05	Hospital	06	AYUSH Hospital/Clinic	07	<b>PRIVATE</b>		Dispensary/Clinic	08	Hospital	09	AYUSH Hospital/Clinic	10	NGO or Trust Hosp./Clinic	11	At Home	12	Others	99	<table border="1"> <tr> <td data-bbox="963 1639 1171 1713">Last birth</td> <td data-bbox="1181 1639 1437 1713">Previous to last birth</td> </tr> <tr> <td data-bbox="963 1713 1171 1787"><input type="text"/></td> <td data-bbox="1181 1713 1437 1787"><input type="text"/></td> </tr> </table>	Last birth	Previous to last birth	<input type="text"/>	<input type="text"/>
Item	Code																																					
<b>GOVERNMENT</b>																																						
Sub - Center	01																																					
PHC	02																																					
CHC	03																																					
UHC/UHP/UFWC	04																																					
Dispensary/Clinic	05																																					
Hospital	06																																					
AYUSH Hospital/Clinic	07																																					
<b>PRIVATE</b>																																						
Dispensary/Clinic	08																																					
Hospital	09																																					
AYUSH Hospital/Clinic	10																																					
NGO or Trust Hosp./Clinic	11																																					
At Home	12																																					
Others	99																																					
Last birth	Previous to last birth																																					
<input type="text"/>	<input type="text"/>																																					

**Q.6 (17)** In case of institutional delivery [for code 1-11 in Q.6 (16)], what was the source of transport provided/availed by you for reaching the institution?

Item	Code
Arranged by family	1
Arranged by ASHA	2
Provided by Panchayat/ Other Govt. sources	3
Provided by Others	4
Not Required (< 1 km)	5
Not Provided	6

Last birth	Previous to last birth
<input type="text"/>	<input type="text"/>

**Q.6 (18)** In case of institutional delivery [for code 1-11 in Q.6 (16)], how long did you stay in the institution after delivery?

(Record in Hours, if stay <= 48 hrs, in Days otherwise)

Unit	Code
Hours	H
Days	D

Last birth	Previous to last birth
H/D No.	H/D No.
<input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/>

**Q.6 (19)** Was the delivery normal, caesarean or assisted?

Item	Code
Normal	1
Caesarean	2
Assisted	3

Last birth	Previous to last birth
<input type="text"/>	<input type="text"/>

**Q.6 (20)** In case of delivery at home, (Code 12 in Q. 6(16) who conducted your delivery?

Item	Code
Doctor	1
Nurse/ANM/LHV	2
Trained dai	3
Untrained dai	4
Family members/ Relatives/Friends	5
None	6

Last birth	Previous to last birth
<input type="text"/>	<input type="text"/>

#### Post Natal Care

**Q.6 (21)** Did you have any check- up within 48 hours of delivery?

Item	Code
Yes	1
No	2

Last birth	Previous to last birth
<input type="text"/>	<input type="text"/>

Q.6 (22)	<p>If code 2 in Q.6 (21), after how many days of delivery, the first check up took place?</p> <p>(If no check up was done at all for any of the births, record '00' for that particular birth.)</p>	<table border="1"> <tr> <th data-bbox="735 239 954 309">Number of Days</th> <th data-bbox="959 239 1171 309">Last birth</th> <th data-bbox="1176 239 1437 309">Previous to last birth</th> </tr> <tr> <td></td> <td data-bbox="991 315 1118 376"> <input type="text"/> <input type="text"/> </td> <td data-bbox="1246 315 1374 376"> <input type="text"/> <input type="text"/> </td> </tr> </table>	Number of Days	Last birth	Previous to last birth		<input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/>																																
Number of Days	Last birth	Previous to last birth																																						
	<input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/>																																						
Q.6 (23)	<p>When was the new born baby checked up after birth?</p> <p>(To be asked only in respect of live births surviving or not surviving.)</p> <table border="1"> <thead> <tr> <th data-bbox="245 584 389 622"></th> <th data-bbox="405 584 612 622">Item</th> <th data-bbox="628 584 692 622">Code</th> </tr> </thead> <tbody> <tr> <td rowspan="4">Checked Up</td> <td>Within 24 hrs</td> <td>1</td> </tr> <tr> <td>24 hrs to 72 hrs</td> <td>2</td> </tr> <tr> <td>4th day to 7th day</td> <td>3</td> </tr> <tr> <td>After the 7th day</td> <td>4</td> </tr> <tr> <td></td> <td>Not checked up</td> <td>5</td> </tr> </tbody> </table>		Item	Code	Checked Up	Within 24 hrs	1	24 hrs to 72 hrs	2	4th day to 7th day	3	After the 7th day	4		Not checked up	5	<table border="1"> <tr> <th data-bbox="959 573 1171 642">Last birth</th> <th data-bbox="1176 573 1437 642">Previous to last birth</th> </tr> <tr> <td data-bbox="991 649 1118 710"> <input type="text"/> </td> <td data-bbox="1246 649 1374 710"> <input type="text"/> </td> </tr> </table>	Last birth	Previous to last birth	<input type="text"/>	<input type="text"/>																			
	Item	Code																																						
Checked Up	Within 24 hrs	1																																						
	24 hrs to 72 hrs	2																																						
	4th day to 7th day	3																																						
	After the 7th day	4																																						
	Not checked up	5																																						
Last birth	Previous to last birth																																							
<input type="text"/>	<input type="text"/>																																							
Q.6 (24)	<p>If code 1 – 4 in Q.6 (23), where was the baby's first check up done?</p> <table border="1"> <thead> <tr> <th data-bbox="245 943 612 981">Item</th> <th data-bbox="628 943 692 981">Code</th> </tr> </thead> <tbody> <tr> <td colspan="2"><b>GOVERNMENT</b></td> </tr> <tr> <td>Anganwadi</td> <td>00</td> </tr> <tr> <td>Sub-Center</td> <td>01</td> </tr> <tr> <td>PHC</td> <td>02</td> </tr> <tr> <td>CHC</td> <td>03</td> </tr> <tr> <td>UHC/UHP/UFWC</td> <td>04</td> </tr> <tr> <td>Dispensary/Clinic</td> <td>05</td> </tr> <tr> <td>Hospital</td> <td>06</td> </tr> <tr> <td>AYUSH Hospital/Clinic</td> <td>07</td> </tr> <tr> <td colspan="2"><b>PRIVATE</b></td> </tr> <tr> <td>Dispensary/Clinic</td> <td>08</td> </tr> <tr> <td>Hospital</td> <td>09</td> </tr> <tr> <td>AYUSH Hospital/Clinic</td> <td>10</td> </tr> <tr> <td>NGO or Trust Hosp/Clinic</td> <td>11</td> </tr> <tr> <td>At Home</td> <td>12</td> </tr> <tr> <td>Others</td> <td>99</td> </tr> </tbody> </table>	Item	Code	<b>GOVERNMENT</b>		Anganwadi	00	Sub-Center	01	PHC	02	CHC	03	UHC/UHP/UFWC	04	Dispensary/Clinic	05	Hospital	06	AYUSH Hospital/Clinic	07	<b>PRIVATE</b>		Dispensary/Clinic	08	Hospital	09	AYUSH Hospital/Clinic	10	NGO or Trust Hosp/Clinic	11	At Home	12	Others	99	<table border="1"> <tr> <th data-bbox="959 1093 1171 1162">Last birth</th> <th data-bbox="1176 1093 1437 1162">Previous to last birth</th> </tr> <tr> <td data-bbox="991 1169 1118 1229"> <input type="text"/> <input type="text"/> </td> <td data-bbox="1246 1169 1374 1229"> <input type="text"/> <input type="text"/> </td> </tr> </table>	Last birth	Previous to last birth	<input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/>
Item	Code																																							
<b>GOVERNMENT</b>																																								
Anganwadi	00																																							
Sub-Center	01																																							
PHC	02																																							
CHC	03																																							
UHC/UHP/UFWC	04																																							
Dispensary/Clinic	05																																							
Hospital	06																																							
AYUSH Hospital/Clinic	07																																							
<b>PRIVATE</b>																																								
Dispensary/Clinic	08																																							
Hospital	09																																							
AYUSH Hospital/Clinic	10																																							
NGO or Trust Hosp/Clinic	11																																							
At Home	12																																							
Others	99																																							
Last birth	Previous to last birth																																							
<input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/>																																							
Q.6 (25)	<p>Did you avail any maternity financial assistance?</p> <table border="1"> <thead> <tr> <th data-bbox="245 1727 357 1765"></th> <th data-bbox="373 1727 612 1765">Item</th> <th data-bbox="628 1727 692 1765">Code</th> </tr> </thead> <tbody> <tr> <td rowspan="3">Availed</td> <td>Janani Suraksha Yojana (JSY)</td> <td>1</td> </tr> <tr> <td>Other Govt schemes (Other than JSY)</td> <td>2</td> </tr> <tr> <td>Any Other</td> <td>3</td> </tr> <tr> <td></td> <td>Not Availed</td> <td>4</td> </tr> </tbody> </table>		Item	Code	Availed	Janani Suraksha Yojana (JSY)	1	Other Govt schemes (Other than JSY)	2	Any Other	3		Not Availed	4	<table border="1"> <tr> <th data-bbox="959 1771 1171 1841">Last birth</th> <th data-bbox="1176 1771 1437 1841">Previous to last birth</th> </tr> <tr> <td data-bbox="991 1848 1118 1908"> <input type="text"/> </td> <td data-bbox="1246 1848 1374 1908"> <input type="text"/> </td> </tr> </table>	Last birth	Previous to last birth	<input type="text"/>	<input type="text"/>																					
	Item	Code																																						
Availed	Janani Suraksha Yojana (JSY)	1																																						
	Other Govt schemes (Other than JSY)	2																																						
	Any Other	3																																						
	Not Availed	4																																						
Last birth	Previous to last birth																																							
<input type="text"/>	<input type="text"/>																																							

Q.6 (26)	If code 1 in Q.6 (25), then (i) How many days after the delivery, did you receive financial assistance?  (ii) What was the total amount received by you during pregnancy and/or after delivery?			<table border="1"> <tr> <th>Last birth</th> <th>Previous to last birth</th> </tr> <tr> <td><input type="text"/></td> <td><input type="text"/></td> </tr> </table>		Last birth	Previous to last birth	<input type="text"/>	<input type="text"/>											
		Last birth	Previous to last birth																	
		<input type="text"/>	<input type="text"/>																	
				<table border="1"> <tr> <th>Last birth (Amount in Rs.)</th> <th>Previous to last birth (Amount in Rs.)</th> </tr> <tr> <td><input type="text"/></td> <td><input type="text"/></td> </tr> </table>		Last birth (Amount in Rs.)	Previous to last birth (Amount in Rs.)	<input type="text"/>	<input type="text"/>											
Last birth (Amount in Rs.)	Previous to last birth (Amount in Rs.)																			
<input type="text"/>	<input type="text"/>																			
The following questions are to be filled only for live births and surviving.																				
Q.6 (27)	Was birth weight of the baby taken?  <table border="1"> <tr> <th>Item</th> <th>Code</th> </tr> <tr> <td>Yes</td> <td>1</td> </tr> <tr> <td>No</td> <td>2</td> </tr> <tr> <td>Don't Know</td> <td>3</td> </tr> </table>	Item	Code	Yes	1	No	2	Don't Know	3	<table border="1"> <tr> <th>Baby's Name</th> <td><input type="text"/></td> <td><input type="text"/></td> </tr> </table>		Baby's Name	<input type="text"/>	<input type="text"/>						
		Item	Code																	
		Yes	1																	
		No	2																	
Don't Know	3																			
Baby's Name	<input type="text"/>	<input type="text"/>																		
		<table border="1"> <tr> <th>Last birth</th> <th>Previous to last birth</th> </tr> <tr> <td><input type="text"/></td> <td><input type="text"/></td> </tr> </table>		Last birth	Previous to last birth	<input type="text"/>	<input type="text"/>													
Last birth	Previous to last birth																			
<input type="text"/>	<input type="text"/>																			
Q.6 (28)	If code 1 in Q.6 (27), what was the birth weight of the baby?	<table border="1"> <tr> <th rowspan="3">Birth weight</th> <th colspan="2">Last birth</th> <th colspan="2">Previous to last birth</th> </tr> <tr> <th>Kg</th> <th>gms</th> <th>Kg</th> <th>gms</th> </tr> <tr> <td><input type="text"/></td> <td><input type="text"/></td> <td><input type="text"/></td> <td><input type="text"/></td> </tr> </table>		Birth weight	Last birth		Previous to last birth		Kg	gms	Kg	gms	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>				
		Birth weight	Last birth		Previous to last birth															
			Kg		gms	Kg	gms													
			<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>														
Immunization																				
Q.6 (29)	Do you have an Immunization/MCH card for your baby?  <table border="1"> <tr> <th>Item</th> <th>Code</th> </tr> <tr> <td>Yes</td> <td>1</td> </tr> <tr> <td>No</td> <td>2</td> </tr> </table>	Item	Code	Yes	1	No	2			<table border="1"> <tr> <th>Last birth</th> <th>Previous to last birth</th> </tr> <tr> <td><input type="text"/></td> <td><input type="text"/></td> </tr> </table>		Last birth	Previous to last birth	<input type="text"/>	<input type="text"/>					
		Item	Code																	
		Yes	1																	
		No	2																	
Last birth	Previous to last birth																			
<input type="text"/>	<input type="text"/>																			
Q.6 (30)	Has the baby ever received any vaccination?  <table border="1"> <tr> <th>Item</th> <th>Code</th> </tr> <tr> <td>Yes</td> <td>1</td> </tr> <tr> <td>No</td> <td>2</td> </tr> </table> (If code 2 for any birth, go to Q.6 (33) for that particular birth.)	Item	Code	Yes	1	No	2			<table border="1"> <tr> <th>Last birth</th> <th>Previous to last birth</th> </tr> <tr> <td><input type="text"/></td> <td><input type="text"/></td> </tr> </table>		Last birth	Previous to last birth	<input type="text"/>	<input type="text"/>					
		Item	Code																	
		Yes	1																	
		No	2																	
Last birth	Previous to last birth																			
<input type="text"/>	<input type="text"/>																			
Q.6 (31)	Was the baby given BCG vaccine?  <table border="1"> <tr> <th>Item</th> <th>Code</th> </tr> <tr> <td rowspan="3">Yes</td> <td>At birth</td> <td>1</td> </tr> <tr> <td>Within 6 weeks</td> <td>2</td> </tr> <tr> <td>Thereafter</td> <td>3</td> </tr> <tr> <td>No</td> <td>4</td> </tr> </table>	Item	Code	Yes	At birth	1	Within 6 weeks	2	Thereafter	3	No	4			<table border="1"> <tr> <th>Last birth</th> <th>Previous to last birth</th> </tr> <tr> <td><input type="text"/></td> <td><input type="text"/></td> </tr> </table>		Last birth	Previous to last birth	<input type="text"/>	<input type="text"/>
		Item	Code																	
		Yes	At birth		1															
			Within 6 weeks	2																
Thereafter	3																			
No	4																			
Last birth	Previous to last birth																			
<input type="text"/>	<input type="text"/>																			

Q.6 (32)	<p><b>Were the following vaccines administered to your baby?</b></p> <p># If more than 9 doses, record '9' only for that particular birth. * If no vaccination received, record '0' for that particular birth.</p>	<table border="1"> <thead> <tr> <th>Type of Vaccine</th> <th>Last birth</th> <th>Previous to last birth</th> </tr> </thead> <tbody> <tr> <td>Polio birth dose? (Yes-1, No-2, Don't know-3)</td> <td><input type="text"/></td> <td><input type="text"/></td> </tr> <tr> <td>* No. of Polio doses in Routine Immunization (RI) other than the birth dose</td> <td><input type="text"/></td> <td><input type="text"/></td> </tr> <tr> <td># No. of polio doses in PP (Pulse Polio) immunization during last 1 year</td> <td><input type="text"/></td> <td><input type="text"/></td> </tr> <tr> <td>* No. of DPT injections</td> <td><input type="text"/></td> <td><input type="text"/></td> </tr> <tr> <td>Measles (Yes-1, No-2)</td> <td><input type="text"/></td> <td><input type="text"/></td> </tr> <tr> <td>* No. of doses of Hepatitis B during last one year</td> <td><input type="text"/></td> <td><input type="text"/></td> </tr> </tbody> </table>	Type of Vaccine	Last birth	Previous to last birth	Polio birth dose? (Yes-1, No-2, Don't know-3)	<input type="text"/>	<input type="text"/>	* No. of Polio doses in Routine Immunization (RI) other than the birth dose	<input type="text"/>	<input type="text"/>	# No. of polio doses in PP (Pulse Polio) immunization during last 1 year	<input type="text"/>	<input type="text"/>	* No. of DPT injections	<input type="text"/>	<input type="text"/>	Measles (Yes-1, No-2)	<input type="text"/>	<input type="text"/>	* No. of doses of Hepatitis B during last one year	<input type="text"/>	<input type="text"/>			
Type of Vaccine	Last birth	Previous to last birth																								
Polio birth dose? (Yes-1, No-2, Don't know-3)	<input type="text"/>	<input type="text"/>																								
* No. of Polio doses in Routine Immunization (RI) other than the birth dose	<input type="text"/>	<input type="text"/>																								
# No. of polio doses in PP (Pulse Polio) immunization during last 1 year	<input type="text"/>	<input type="text"/>																								
* No. of DPT injections	<input type="text"/>	<input type="text"/>																								
Measles (Yes-1, No-2)	<input type="text"/>	<input type="text"/>																								
* No. of doses of Hepatitis B during last one year	<input type="text"/>	<input type="text"/>																								
Q.6 (33)	<p><b>If no vaccination was received by your baby, what was the main reason thereof?</b></p> <table border="1"> <thead> <tr> <th>Item</th> <th>Code</th> </tr> </thead> <tbody> <tr><td>Child is weak/sick</td><td>1</td></tr> <tr><td>Not aware of the need</td><td>2</td></tr> <tr><td>Place of immunization not known</td><td>3</td></tr> <tr><td>Session site too far</td><td>4</td></tr> <tr><td>Fear of side effects</td><td>5</td></tr> <tr><td>Nobody to take child to session site</td><td>6</td></tr> <tr><td>Not customary</td><td>7</td></tr> <tr><td>Child too young</td><td>8</td></tr> <tr><td>Others</td><td>9</td></tr> </tbody> </table>	Item	Code	Child is weak/sick	1	Not aware of the need	2	Place of immunization not known	3	Session site too far	4	Fear of side effects	5	Nobody to take child to session site	6	Not customary	7	Child too young	8	Others	9	<table border="1"> <thead> <tr> <th>Last birth</th> <th>Previous to last birth</th> </tr> </thead> <tbody> <tr> <td><input type="text"/></td> <td><input type="text"/></td> </tr> </tbody> </table>	Last birth	Previous to last birth	<input type="text"/>	<input type="text"/>
Item	Code																									
Child is weak/sick	1																									
Not aware of the need	2																									
Place of immunization not known	3																									
Session site too far	4																									
Fear of side effects	5																									
Nobody to take child to session site	6																									
Not customary	7																									
Child too young	8																									
Others	9																									
Last birth	Previous to last birth																									
<input type="text"/>	<input type="text"/>																									
Q.6 (34)	<p><b>Was at least one dose of "Vitamin A" received by your baby during the last six months?</b></p> <table border="1"> <thead> <tr> <th>Item</th> <th>Code</th> </tr> </thead> <tbody> <tr><td>Yes</td><td>1</td></tr> <tr><td>No</td><td>2</td></tr> </tbody> </table>	Item	Code	Yes	1	No	2	<table border="1"> <thead> <tr> <th>Last birth</th> <th>Previous to last birth</th> </tr> </thead> <tbody> <tr> <td><input type="text"/></td> <td><input type="text"/></td> </tr> </tbody> </table>	Last birth	Previous to last birth	<input type="text"/>	<input type="text"/>														
Item	Code																									
Yes	1																									
No	2																									
Last birth	Previous to last birth																									
<input type="text"/>	<input type="text"/>																									
Q.6 (35)	<p><b>Was IFA tablet/syrup administered to your baby in the last 3 months? (To be asked for babies older than 6 months)</b></p> <table border="1"> <thead> <tr> <th colspan="2">Item</th> <th>Code</th> </tr> </thead> <tbody> <tr> <td rowspan="2">Yes</td> <td>Tablet</td> <td>1</td> </tr> <tr> <td>Syrup</td> <td>2</td> </tr> <tr> <td colspan="2">No</td> <td>3</td> </tr> </tbody> </table>	Item		Code	Yes	Tablet	1	Syrup	2	No		3	<table border="1"> <thead> <tr> <th>Last birth</th> <th>Previous to last birth</th> </tr> </thead> <tbody> <tr> <td><input type="text"/></td> <td><input type="text"/></td> </tr> </tbody> </table>	Last birth	Previous to last birth	<input type="text"/>	<input type="text"/>									
Item		Code																								
Yes	Tablet	1																								
	Syrup	2																								
No		3																								
Last birth	Previous to last birth																									
<input type="text"/>	<input type="text"/>																									
Q.6 (36)	<p><b>If code 1 or 2 in Q.6 (35), then for how many days was it given in the last 3 months?</b></p>	<table border="1"> <thead> <tr> <th>No. of Days</th> <th>Last birth</th> <th>Previous to last birth</th> </tr> </thead> <tbody> <tr> <td></td> <td><input type="text"/><input type="text"/></td> <td><input type="text"/><input type="text"/></td> </tr> </tbody> </table>	No. of Days	Last birth	Previous to last birth		<input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/>																		
No. of Days	Last birth	Previous to last birth																								
	<input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/>																								

Q.6 (37)	When did you first breast-feed your baby?	<table border="1"> <tr> <th data-bbox="976 340 1193 407">Last birth</th> <th data-bbox="1200 340 1455 407">Previous to last birth</th> </tr> <tr> <td data-bbox="976 416 1193 488"><input type="text"/></td> <td data-bbox="1200 416 1455 488"><input type="text"/></td> </tr> </table>				Last birth	Previous to last birth	<input type="text"/>	<input type="text"/>														
Last birth	Previous to last birth																						
<input type="text"/>	<input type="text"/>																						
	<table border="1"> <tr> <th data-bbox="261 295 625 327">Item</th> <th data-bbox="632 295 715 327">Code</th> </tr> <tr> <td data-bbox="261 336 625 398">Immediately within 1 hour of birth</td> <td data-bbox="632 336 715 398">1</td> </tr> <tr> <td data-bbox="261 407 625 439">1 hour to 24 hours of birth</td> <td data-bbox="632 407 715 439">2</td> </tr> <tr> <td data-bbox="261 448 625 479">2-3 days</td> <td data-bbox="632 448 715 479">3</td> </tr> <tr> <td data-bbox="261 488 625 519">After 3 days</td> <td data-bbox="632 488 715 519">4</td> </tr> <tr> <td data-bbox="261 528 625 564">Never Breast-fed</td> <td data-bbox="632 528 715 564">5</td> </tr> </table>	Item	Code	Immediately within 1 hour of birth	1	1 hour to 24 hours of birth	2	2-3 days	3	After 3 days	4	Never Breast-fed	5										
Item	Code																						
Immediately within 1 hour of birth	1																						
1 hour to 24 hours of birth	2																						
2-3 days	3																						
After 3 days	4																						
Never Breast-fed	5																						
Q.6 (38)	Are you currently breast-feeding your baby?	<table border="1"> <tr> <th data-bbox="976 645 1193 712">Last birth</th> <th data-bbox="1200 645 1455 712">Previous to last birth</th> </tr> <tr> <td data-bbox="976 721 1193 792"><input type="text"/></td> <td data-bbox="1200 721 1455 792"><input type="text"/></td> </tr> </table>				Last birth	Previous to last birth	<input type="text"/>	<input type="text"/>														
Last birth	Previous to last birth																						
<input type="text"/>	<input type="text"/>																						
	<table border="1"> <tr> <th data-bbox="261 685 625 716">Item</th> <th data-bbox="632 685 715 716">Code</th> </tr> <tr> <td data-bbox="261 725 625 757">Yes</td> <td data-bbox="632 725 715 757">1</td> </tr> <tr> <td data-bbox="261 766 625 797">No</td> <td data-bbox="632 766 715 797">2</td> </tr> </table>	Item	Code	Yes	1	No	2																
Item	Code																						
Yes	1																						
No	2																						
Q.6 (39)	<p>How many days/months did you exclusively breast-feed your baby?</p> <p>(If duration of breast-feeding is less than one month, record no. of days and if duration is in months, record no. of months)</p>	<table border="1"> <tr> <th data-bbox="976 945 1193 976">Last birth</th> <th data-bbox="1200 945 1455 976">Previous to last birth</th> </tr> <tr> <td data-bbox="976 985 1193 1016">D/M      No.</td> <td data-bbox="1200 985 1455 1016">D/M      No.</td> </tr> <tr> <td data-bbox="976 1025 1193 1093"><input type="text"/></td> <td data-bbox="1200 1025 1455 1093"><input type="text"/></td> </tr> </table>				Last birth	Previous to last birth	D/M      No.	D/M      No.	<input type="text"/>	<input type="text"/>												
Last birth	Previous to last birth																						
D/M      No.	D/M      No.																						
<input type="text"/>	<input type="text"/>																						
	<table border="1"> <tr> <th data-bbox="261 1043 625 1075">Unit</th> <th data-bbox="632 1043 715 1075">Code</th> </tr> <tr> <td data-bbox="261 1084 625 1124">Days</td> <td data-bbox="632 1084 715 1124">D</td> </tr> <tr> <td data-bbox="261 1133 625 1169">Months</td> <td data-bbox="632 1133 715 1169">M</td> </tr> </table>	Unit	Code	Days	D	Months	M																
Unit	Code																						
Days	D																						
Months	M																						
Q.6 (40)	<p>At what age (in months) did you start feeding the baby, food other than breast milk?</p> <p>(If only breast-feeding, record '00')</p>	<table border="1"> <tr> <th data-bbox="746 1209 976 1272">Type of food</th> <th data-bbox="983 1209 1193 1272">Last birth (in months)</th> <th data-bbox="1200 1209 1455 1272">Previous to last birth (in months)</th> </tr> <tr> <td data-bbox="746 1281 976 1344">Water</td> <td data-bbox="983 1281 1193 1344"><input type="text"/></td> <td data-bbox="1200 1281 1455 1344"><input type="text"/></td> </tr> <tr> <td data-bbox="746 1352 976 1415">Animal Milk/ Formula Milk</td> <td data-bbox="983 1352 1193 1415"><input type="text"/></td> <td data-bbox="1200 1352 1455 1415"><input type="text"/></td> </tr> <tr> <td data-bbox="746 1424 976 1487">Semi Solid Mashed</td> <td data-bbox="983 1424 1193 1487"><input type="text"/></td> <td data-bbox="1200 1424 1455 1487"><input type="text"/></td> </tr> <tr> <td data-bbox="746 1496 976 1559">Solid (Adult food)</td> <td data-bbox="983 1496 1193 1559"><input type="text"/></td> <td data-bbox="1200 1496 1455 1559"><input type="text"/></td> </tr> <tr> <td data-bbox="746 1568 976 1630">Vegetables/Fruits</td> <td data-bbox="983 1568 1193 1630"><input type="text"/></td> <td data-bbox="1200 1568 1455 1630"><input type="text"/></td> </tr> </table>				Type of food	Last birth (in months)	Previous to last birth (in months)	Water	<input type="text"/>	<input type="text"/>	Animal Milk/ Formula Milk	<input type="text"/>	<input type="text"/>	Semi Solid Mashed	<input type="text"/>	<input type="text"/>	Solid (Adult food)	<input type="text"/>	<input type="text"/>	Vegetables/Fruits	<input type="text"/>	<input type="text"/>
Type of food	Last birth (in months)	Previous to last birth (in months)																					
Water	<input type="text"/>	<input type="text"/>																					
Animal Milk/ Formula Milk	<input type="text"/>	<input type="text"/>																					
Semi Solid Mashed	<input type="text"/>	<input type="text"/>																					
Solid (Adult food)	<input type="text"/>	<input type="text"/>																					
Vegetables/Fruits	<input type="text"/>	<input type="text"/>																					
Q.6 (41)	<p>Did the baby suffer from Acute Respiratory Infection (ARI) during last 15 days?</p>	<table border="1"> <tr> <th data-bbox="976 1823 1193 1890">Last birth</th> <th data-bbox="1200 1823 1455 1890">Previous to last birth</th> </tr> <tr> <td data-bbox="976 1899 1193 1971"><input type="text"/></td> <td data-bbox="1200 1899 1455 1971"><input type="text"/></td> </tr> </table>				Last birth	Previous to last birth	<input type="text"/>	<input type="text"/>														
Last birth	Previous to last birth																						
<input type="text"/>	<input type="text"/>																						
	<table border="1"> <tr> <th data-bbox="261 1841 625 1872">Item</th> <th data-bbox="632 1841 715 1872">Code</th> </tr> <tr> <td data-bbox="261 1881 625 1912">Yes</td> <td data-bbox="632 1881 715 1912">1</td> </tr> <tr> <td data-bbox="261 1921 625 1953">No</td> <td data-bbox="632 1921 715 1953">2</td> </tr> </table>	Item	Code	Yes	1	No	2																
Item	Code																						
Yes	1																						
No	2																						



Q.6 (42)	<p>If code 1 in Q.6 (41), was the baby given any treatment?</p> <table border="1"> <thead> <tr> <th>Item</th> <th>Code</th> </tr> </thead> <tbody> <tr> <td>Antibiotic</td> <td>1</td> </tr> <tr> <td>Other treatment</td> <td>2</td> </tr> <tr> <td>No treatment</td> <td>3</td> </tr> </tbody> </table>	Item	Code	Antibiotic	1	Other treatment	2	No treatment	3	<table border="1"> <thead> <tr> <th>Last birth</th> <th>Previous to last birth</th> </tr> </thead> <tbody> <tr> <td><input type="text"/></td> <td><input type="text"/></td> </tr> </tbody> </table>	Last birth	Previous to last birth	<input type="text"/>	<input type="text"/>		
Item	Code															
Antibiotic	1															
Other treatment	2															
No treatment	3															
Last birth	Previous to last birth															
<input type="text"/>	<input type="text"/>															
Q.6 (43)	<p>Did the baby suffer from Fever during last 15 days?</p> <table border="1"> <thead> <tr> <th>Item</th> <th>Code</th> </tr> </thead> <tbody> <tr> <td>Yes</td> <td>1</td> </tr> <tr> <td>No</td> <td>2</td> </tr> </tbody> </table>	Item	Code	Yes	1	No	2	<table border="1"> <thead> <tr> <th>Last birth</th> <th>Previous to last birth</th> </tr> </thead> <tbody> <tr> <td><input type="text"/></td> <td><input type="text"/></td> </tr> </tbody> </table>	Last birth	Previous to last birth	<input type="text"/>	<input type="text"/>				
Item	Code															
Yes	1															
No	2															
Last birth	Previous to last birth															
<input type="text"/>	<input type="text"/>															
Q.6 (44)	<p>If code 1 in Q.6 (43), was the baby given any treatment?</p> <table border="1"> <thead> <tr> <th>Item</th> <th>Code</th> </tr> </thead> <tbody> <tr> <td>Yes</td> <td>1</td> </tr> <tr> <td>No</td> <td>2</td> </tr> </tbody> </table>	Item	Code	Yes	1	No	2	<table border="1"> <thead> <tr> <th>Last birth</th> <th>Previous to last birth</th> </tr> </thead> <tbody> <tr> <td><input type="text"/></td> <td><input type="text"/></td> </tr> </tbody> </table>	Last birth	Previous to last birth	<input type="text"/>	<input type="text"/>				
Item	Code															
Yes	1															
No	2															
Last birth	Previous to last birth															
<input type="text"/>	<input type="text"/>															
Q.6 (45)	<p>Did the baby suffer from Diarrhoea during last 15 days?</p> <table border="1"> <thead> <tr> <th>Item</th> <th>Code</th> </tr> </thead> <tbody> <tr> <td>Yes</td> <td>1</td> </tr> <tr> <td>No</td> <td>2</td> </tr> </tbody> </table>	Item	Code	Yes	1	No	2	<table border="1"> <thead> <tr> <th>Last birth</th> <th>Previous to last birth</th> </tr> </thead> <tbody> <tr> <td><input type="text"/></td> <td><input type="text"/></td> </tr> </tbody> </table>	Last birth	Previous to last birth	<input type="text"/>	<input type="text"/>				
Item	Code															
Yes	1															
No	2															
Last birth	Previous to last birth															
<input type="text"/>	<input type="text"/>															
Q.6 (46)	<p>If code 1 in Q.6 (45), did you administer HAF/ORT/ORS to the baby?</p> <table border="1"> <thead> <tr> <th>Item</th> <th>Code</th> </tr> </thead> <tbody> <tr> <td>Yes</td> <td>1</td> </tr> <tr> <td>Home available fluids (HAF)</td> <td>2</td> </tr> <tr> <td>Fluids prepared from ORS packet</td> <td>3</td> </tr> <tr> <td>No</td> <td>3</td> </tr> </tbody> </table>	Item	Code	Yes	1	Home available fluids (HAF)	2	Fluids prepared from ORS packet	3	No	3	<table border="1"> <thead> <tr> <th>Last birth</th> <th>Previous to last birth</th> </tr> </thead> <tbody> <tr> <td><input type="text"/></td> <td><input type="text"/></td> </tr> </tbody> </table>	Last birth	Previous to last birth	<input type="text"/>	<input type="text"/>
Item	Code															
Yes	1															
Home available fluids (HAF)	2															
Fluids prepared from ORS packet	3															
No	3															
Last birth	Previous to last birth															
<input type="text"/>	<input type="text"/>															
Registration of Births																
Q.6 (47)	<p>Is the birth of your baby registered ?</p> <table border="1"> <thead> <tr> <th>Item</th> <th>Code</th> </tr> </thead> <tbody> <tr> <td>Yes</td> <td>1</td> </tr> <tr> <td>No</td> <td>2</td> </tr> <tr> <td>Don't know</td> <td>3</td> </tr> </tbody> </table>	Item	Code	Yes	1	No	2	Don't know	3	<table border="1"> <thead> <tr> <th>Last birth</th> <th>Previous to last birth</th> </tr> </thead> <tbody> <tr> <td><input type="text"/></td> <td><input type="text"/></td> </tr> </tbody> </table>	Last birth	Previous to last birth	<input type="text"/>	<input type="text"/>		
Item	Code															
Yes	1															
No	2															
Don't know	3															
Last birth	Previous to last birth															
<input type="text"/>	<input type="text"/>															
Q.6 (48)	<p>If code 1 in Q.6 (47), did you receive Birth Certificate for your baby ?</p> <table border="1"> <thead> <tr> <th>Item</th> <th>Code</th> </tr> </thead> <tbody> <tr> <td>Yes</td> <td>1</td> </tr> <tr> <td>No</td> <td>2</td> </tr> </tbody> </table>	Item	Code	Yes	1	No	2	<table border="1"> <thead> <tr> <th>Last birth</th> <th>Previous to last birth</th> </tr> </thead> <tbody> <tr> <td><input type="text"/></td> <td><input type="text"/></td> </tr> </tbody> </table>	Last birth	Previous to last birth	<input type="text"/>	<input type="text"/>				
Item	Code															
Yes	1															
No	2															
Last birth	Previous to last birth															
<input type="text"/>	<input type="text"/>															

## Section II – Currently Married Woman (Aged 15 – 49 years)

Q.1	Which of the family planning method (s) are you aware of?	<table border="1"> <thead> <tr> <th data-bbox="676 253 762 304">Codes</th><th data-bbox="762 253 1222 304">Family Planning Methods</th><th data-bbox="1222 253 1466 304">Yes - 1/No - 2</th></tr> </thead> <tbody> <tr> <td colspan="3" style="text-align: center;"><b>Modern</b></td></tr> <tr> <td>01</td><td>Tubectomy</td><td><input type="checkbox"/></td></tr> <tr> <td>02</td><td>Vasectomy</td><td><input type="checkbox"/></td></tr> <tr> <td>03</td><td>Copper-T/IUD</td><td><input type="checkbox"/></td></tr> <tr> <td>04</td><td>Pills (Daily)</td><td><input type="checkbox"/></td></tr> <tr> <td>05</td><td>Pills (Weekly)</td><td><input type="checkbox"/></td></tr> <tr> <td>06</td><td>Emergency Contraceptive Pill</td><td><input type="checkbox"/></td></tr> <tr> <td>07</td><td>Condom/Nirodh</td><td><input type="checkbox"/></td></tr> <tr> <td>08</td><td>Other modern method</td><td><input type="checkbox"/></td></tr> <tr> <td colspan="3" style="text-align: center;"><b>Traditional</b></td></tr> <tr> <td>09</td><td>Contraceptive Herbs</td><td><input type="checkbox"/></td></tr> <tr> <td>10</td><td>Rhythm/Periodic Abstinence</td><td><input type="checkbox"/></td></tr> <tr> <td>11</td><td>Withdrawal</td><td><input type="checkbox"/></td></tr> <tr> <td>12</td><td>Lactational Amenorrhoea Method (LAM)</td><td><input type="checkbox"/></td></tr> <tr> <td>13</td><td>Other traditional method</td><td><input type="checkbox"/></td></tr> </tbody> </table>	Codes	Family Planning Methods	Yes - 1/No - 2	<b>Modern</b>			01	Tubectomy	<input type="checkbox"/>	02	Vasectomy	<input type="checkbox"/>	03	Copper-T/IUD	<input type="checkbox"/>	04	Pills (Daily)	<input type="checkbox"/>	05	Pills (Weekly)	<input type="checkbox"/>	06	Emergency Contraceptive Pill	<input type="checkbox"/>	07	Condom/Nirodh	<input type="checkbox"/>	08	Other modern method	<input type="checkbox"/>	<b>Traditional</b>			09	Contraceptive Herbs	<input type="checkbox"/>	10	Rhythm/Periodic Abstinence	<input type="checkbox"/>	11	Withdrawal	<input type="checkbox"/>	12	Lactational Amenorrhoea Method (LAM)	<input type="checkbox"/>	13	Other traditional method	<input type="checkbox"/>
Codes	Family Planning Methods	Yes - 1/No - 2																																																
<b>Modern</b>																																																		
01	Tubectomy	<input type="checkbox"/>																																																
02	Vasectomy	<input type="checkbox"/>																																																
03	Copper-T/IUD	<input type="checkbox"/>																																																
04	Pills (Daily)	<input type="checkbox"/>																																																
05	Pills (Weekly)	<input type="checkbox"/>																																																
06	Emergency Contraceptive Pill	<input type="checkbox"/>																																																
07	Condom/Nirodh	<input type="checkbox"/>																																																
08	Other modern method	<input type="checkbox"/>																																																
<b>Traditional</b>																																																		
09	Contraceptive Herbs	<input type="checkbox"/>																																																
10	Rhythm/Periodic Abstinence	<input type="checkbox"/>																																																
11	Withdrawal	<input type="checkbox"/>																																																
12	Lactational Amenorrhoea Method (LAM)	<input type="checkbox"/>																																																
13	Other traditional method	<input type="checkbox"/>																																																
Q.2	Are you currently Pregnant?	<table border="1"> <tr> <td data-bbox="676 1173 1222 1225"><b>Yes-1, No-2, Not sure-3</b></td><td data-bbox="1222 1173 1347 1225"><input type="checkbox"/></td><td data-bbox="1347 1173 1466 1225" rowspan="2">If code 2 or 3, go to Q.5</td></tr> <tr> <td data-bbox="676 1225 1222 1285">If code 1, record number of completed months of pregnancy.</td><td data-bbox="1222 1225 1347 1285"><input type="text"/></td></tr> </table>	<b>Yes-1, No-2, Not sure-3</b>	<input type="checkbox"/>	If code 2 or 3, go to Q.5	If code 1, record number of completed months of pregnancy.	<input type="text"/>																																											
<b>Yes-1, No-2, Not sure-3</b>	<input type="checkbox"/>	If code 2 or 3, go to Q.5																																																
If code 1, record number of completed months of pregnancy.	<input type="text"/>																																																	
Q.3	Are you registered for ANC?	<table border="1"> <tr> <td data-bbox="676 1319 1222 1379"><b>Yes-1, No-2</b></td><td data-bbox="1222 1319 1466 1379"><input type="checkbox"/></td></tr> </table>	<b>Yes-1, No-2</b>	<input type="checkbox"/>																																														
<b>Yes-1, No-2</b>	<input type="checkbox"/>																																																	
Q.4	When you became pregnant this time (i.e., current pregnancy), did you want to become pregnant now, did you want to wait until later, or did you not want to have any (more) children at all? (After recording the response go to Q.11)	<table border="1"> <tr> <td data-bbox="676 1402 1222 1433">Now</td><td data-bbox="1222 1402 1347 1433">1</td><td data-bbox="1347 1402 1466 1433" rowspan="5">Go to Q.11</td></tr> <tr> <td data-bbox="676 1433 1222 1464">Later</td><td data-bbox="1222 1433 1347 1464">2</td></tr> <tr> <td data-bbox="676 1464 1222 1496">Within 2 years</td><td data-bbox="1222 1464 1347 1496">3</td></tr> <tr> <td data-bbox="676 1496 1222 1527">2 years or more</td><td data-bbox="1222 1496 1347 1527">4</td></tr> <tr> <td data-bbox="676 1527 1222 1559">Did not want any (more) children at all</td><td data-bbox="1222 1527 1347 1559">4</td></tr> <tr> <td colspan="2" data-bbox="676 1559 1222 1590"><b>CODE</b></td><td data-bbox="1222 1559 1347 1590"><input type="text"/></td><td data-bbox="1347 1559 1466 1590"></td></tr> </table>	Now	1	Go to Q.11	Later	2	Within 2 years	3	2 years or more	4	Did not want any (more) children at all	4	<b>CODE</b>		<input type="text"/>																																		
Now	1	Go to Q.11																																																
Later	2																																																	
Within 2 years	3																																																	
2 years or more	4																																																	
Did not want any (more) children at all	4																																																	
<b>CODE</b>		<input type="text"/>																																																
Q.5	Are you currently menstruating?	<table border="1"> <tr> <td data-bbox="676 1619 1222 1650">Yes</td><td data-bbox="1222 1619 1347 1650">1</td><td data-bbox="1347 1619 1466 1650" rowspan="3">Go to Q.6</td></tr> <tr> <td data-bbox="676 1650 1222 1682" rowspan="5">No</td><td data-bbox="1222 1650 1347 1682">2</td></tr> <tr> <td data-bbox="1222 1682 1347 1713">3</td></tr> <tr> <td data-bbox="1222 1713 1347 1744">4</td></tr> <tr> <td data-bbox="1222 1744 1347 1776">5</td></tr> <tr> <td data-bbox="676 1776 1222 1807">Never Menstruated</td><td data-bbox="1222 1776 1347 1807">6</td><td data-bbox="1347 1776 1466 1807" rowspan="2">Go to Q.20</td></tr> <tr> <td colspan="2" data-bbox="676 1807 1222 1839"><b>CODE</b></td><td data-bbox="1222 1807 1347 1839"><input type="text"/></td><td data-bbox="1347 1807 1466 1839"></td></tr> </table>	Yes	1	Go to Q.6	No	2	3	4	5	Never Menstruated	6	Go to Q.20	<b>CODE</b>		<input type="text"/>																																		
Yes	1	Go to Q.6																																																
No	2																																																	
	3																																																	
	4																																																	
	5																																																	
	Never Menstruated	6	Go to Q.20																																															
<b>CODE</b>		<input type="text"/>																																																
Q.6	When you became mother last time, did you want this child then, did you want to wait until later or did you not want to have any (more) children at all?	<table border="1"> <tr> <td data-bbox="676 1883 1222 1915">Then</td><td data-bbox="1222 1883 1347 1915">1</td><td data-bbox="1347 1883 1466 1915" rowspan="5"></td></tr> <tr> <td data-bbox="676 1915 1222 1946">Later</td><td data-bbox="1222 1915 1347 1946">2</td></tr> <tr> <td data-bbox="676 1946 1222 1977">Within 2 years</td><td data-bbox="1222 1946 1347 1977">3</td></tr> <tr> <td data-bbox="676 1977 1222 2009">2 years or more</td><td data-bbox="1222 1977 1347 2009">4</td></tr> <tr> <td data-bbox="676 2009 1222 2040">Did not want any (more) children at all</td><td data-bbox="1222 2009 1347 2040">4</td></tr> <tr> <td colspan="2" data-bbox="676 2040 1222 2072"><b>CODE</b></td><td data-bbox="1222 2040 1347 2072"><input type="text"/></td><td data-bbox="1347 2040 1466 2072"></td></tr> </table>	Then	1		Later	2	Within 2 years	3	2 years or more	4	Did not want any (more) children at all	4	<b>CODE</b>		<input type="text"/>																																		
Then	1																																																	
Later	2																																																	
Within 2 years	3																																																	
2 years or more	4																																																	
Did not want any (more) children at all	4																																																	
<b>CODE</b>		<input type="text"/>																																																

Q.7	<p>(i) Are you or your husband currently using any method(s) of family planning?</p> <p>(ii) If code 1 in Q.7 (i), specify the most used method</p> <p>(iii) If code 01 or 02 in Q.7 (ii), where did you or your husband got the operation done?</p>	<table border="1"> <tr> <td>Yes-1, No-2</td> <td><input type="text"/></td> </tr> <tr> <td>(Use codes from Q.1)</td> <td><input type="text"/></td> </tr> <tr> <td colspan="2"><b>GOVERNMENT</b></td> </tr> <tr> <td>Govt./Municipal hospital</td> <td>1</td> </tr> <tr> <td>Govt. Dispensary</td> <td>2</td> </tr> <tr> <td>UHC/UHP/UFWC</td> <td>3</td> </tr> <tr> <td>CHC</td> <td>4</td> </tr> <tr> <td>PHC</td> <td>5</td> </tr> <tr> <td>Camp</td> <td>6</td> </tr> <tr> <td colspan="2"><b>PRIVATE</b></td> </tr> <tr> <td>Hospital</td> <td>7</td> </tr> <tr> <td>Dispensary/Clinic</td> <td>8</td> </tr> <tr> <td>Others</td> <td>9</td> </tr> <tr> <td><b>CODE</b></td> <td><input type="text"/></td> </tr> </table>	Yes-1, No-2	<input type="text"/>	(Use codes from Q.1)	<input type="text"/>	<b>GOVERNMENT</b>		Govt./Municipal hospital	1	Govt. Dispensary	2	UHC/UHP/UFWC	3	CHC	4	PHC	5	Camp	6	<b>PRIVATE</b>		Hospital	7	Dispensary/Clinic	8	Others	9	<b>CODE</b>	<input type="text"/>	<p>If code 2, Go to Q.10</p> <p>Go to Q.19</p>																				
Yes-1, No-2	<input type="text"/>																																																		
(Use codes from Q.1)	<input type="text"/>																																																		
<b>GOVERNMENT</b>																																																			
Govt./Municipal hospital	1																																																		
Govt. Dispensary	2																																																		
UHC/UHP/UFWC	3																																																		
CHC	4																																																		
PHC	5																																																		
Camp	6																																																		
<b>PRIVATE</b>																																																			
Hospital	7																																																		
Dispensary/Clinic	8																																																		
Others	9																																																		
<b>CODE</b>	<input type="text"/>																																																		
Q.8	How long have you or your husband been using this method continuously?	<table border="1"> <tr> <td>Less than 6 months</td> <td>1</td> </tr> <tr> <td>6 months to &lt; 1 year</td> <td>2</td> </tr> <tr> <td>1 year to &lt; 2 years</td> <td>3</td> </tr> <tr> <td>2 years or more</td> <td>4</td> </tr> <tr> <td>Not remember</td> <td>5</td> </tr> <tr> <td><b>CODE</b></td> <td><input type="text"/></td> </tr> </table>	Less than 6 months	1	6 months to < 1 year	2	1 year to < 2 years	3	2 years or more	4	Not remember	5	<b>CODE</b>	<input type="text"/>																																					
Less than 6 months	1																																																		
6 months to < 1 year	2																																																		
1 year to < 2 years	3																																																		
2 years or more	4																																																		
Not remember	5																																																		
<b>CODE</b>	<input type="text"/>																																																		
Q.9	<p>From where did you obtain this method last time?</p> <p>(Not applicable for code 10 or 11 or 12 if recorded in Q.7 (ii) )</p> <p>(After recording the response go to Q.15)</p>	<table border="1"> <tr> <td colspan="2"><b>PUBLIC MEDICAL SECTOR</b></td> </tr> <tr> <td>Govt./Municipal hospital</td> <td>01</td> </tr> <tr> <td>Govt. Dispensary</td> <td>02</td> </tr> <tr> <td>UHC/UHP/UFWC</td> <td>03</td> </tr> <tr> <td>CHC</td> <td>04</td> </tr> <tr> <td>PHC</td> <td>05</td> </tr> <tr> <td>Sub-center</td> <td>06</td> </tr> <tr> <td>Govt. AYUSH hospital/clinic</td> <td>07</td> </tr> <tr> <td>Govt. Mobile clinic</td> <td>08</td> </tr> <tr> <td>Camp</td> <td>09</td> </tr> <tr> <td>Anganwadi/ICDS Centre</td> <td>10</td> </tr> <tr> <td>ASHA/ANM</td> <td>11</td> </tr> <tr> <td>Other community based worker</td> <td>12</td> </tr> <tr> <td>Other public sector health facility (NGO)</td> <td>13</td> </tr> <tr> <td colspan="2"><b>PRIVATE MEDICAL SECTOR</b></td> </tr> <tr> <td>Pvt. Hospital/clinic</td> <td>14</td> </tr> <tr> <td>Pvt. AYUSH Hospital/clinic</td> <td>15</td> </tr> <tr> <td colspan="2"><b>OTHER SOURCE</b></td> </tr> <tr> <td>Pharmacy/Shop</td> <td>16</td> </tr> <tr> <td>Husband</td> <td>17</td> </tr> <tr> <td>Friends/Relatives</td> <td>18</td> </tr> <tr> <td>Vending machine</td> <td>19</td> </tr> <tr> <td>Others</td> <td>20</td> </tr> <tr> <td><b>CODE</b></td> <td><input type="text"/></td> </tr> </table>	<b>PUBLIC MEDICAL SECTOR</b>		Govt./Municipal hospital	01	Govt. Dispensary	02	UHC/UHP/UFWC	03	CHC	04	PHC	05	Sub-center	06	Govt. AYUSH hospital/clinic	07	Govt. Mobile clinic	08	Camp	09	Anganwadi/ICDS Centre	10	ASHA/ANM	11	Other community based worker	12	Other public sector health facility (NGO)	13	<b>PRIVATE MEDICAL SECTOR</b>		Pvt. Hospital/clinic	14	Pvt. AYUSH Hospital/clinic	15	<b>OTHER SOURCE</b>		Pharmacy/Shop	16	Husband	17	Friends/Relatives	18	Vending machine	19	Others	20	<b>CODE</b>	<input type="text"/>	Go to Q.15
<b>PUBLIC MEDICAL SECTOR</b>																																																			
Govt./Municipal hospital	01																																																		
Govt. Dispensary	02																																																		
UHC/UHP/UFWC	03																																																		
CHC	04																																																		
PHC	05																																																		
Sub-center	06																																																		
Govt. AYUSH hospital/clinic	07																																																		
Govt. Mobile clinic	08																																																		
Camp	09																																																		
Anganwadi/ICDS Centre	10																																																		
ASHA/ANM	11																																																		
Other community based worker	12																																																		
Other public sector health facility (NGO)	13																																																		
<b>PRIVATE MEDICAL SECTOR</b>																																																			
Pvt. Hospital/clinic	14																																																		
Pvt. AYUSH Hospital/clinic	15																																																		
<b>OTHER SOURCE</b>																																																			
Pharmacy/Shop	16																																																		
Husband	17																																																		
Friends/Relatives	18																																																		
Vending machine	19																																																		
Others	20																																																		
<b>CODE</b>	<input type="text"/>																																																		

Q.10	What is the main reason for currently not using any method of family planning?	<table border="1"> <tr><td>Wanted child now/soon</td><td>01</td></tr> <tr><td>Lack of knowledge about family planning</td><td>02</td></tr> <tr><td>Against the religion</td><td>03</td></tr> <tr><td>Opposed to family planning</td><td>04</td></tr> <tr><td>Husband opposed</td><td>05</td></tr> <tr><td>Other family members opposed</td><td>06</td></tr> <tr><td>Not liking existing methods</td><td>07</td></tr> <tr><td>Afraid of sterilization/operation</td><td>08</td></tr> <tr><td>Cannot work after sterilization/operation</td><td>09</td></tr> <tr><td>Worry about side effects</td><td>10</td></tr> <tr><td>Costs too much</td><td>11</td></tr> <tr><td>Health does not permit</td><td>12</td></tr> <tr><td>Difficult/inconvenient to get method</td><td>13</td></tr> <tr><td>Inconvenient to use method</td><td>14</td></tr> <tr><td>Lack of access/Too far</td><td>15</td></tr> <tr><td>Not living with husband presently</td><td>16</td></tr> <tr><td>Others</td><td>17</td></tr> <tr> <td>CODE</td> <td><input type="text"/><input type="text"/></td> </tr> </table>	Wanted child now/soon	01	Lack of knowledge about family planning	02	Against the religion	03	Opposed to family planning	04	Husband opposed	05	Other family members opposed	06	Not liking existing methods	07	Afraid of sterilization/operation	08	Cannot work after sterilization/operation	09	Worry about side effects	10	Costs too much	11	Health does not permit	12	Difficult/inconvenient to get method	13	Inconvenient to use method	14	Lack of access/Too far	15	Not living with husband presently	16	Others	17	CODE	<input type="text"/> <input type="text"/>			
Wanted child now/soon	01																																								
Lack of knowledge about family planning	02																																								
Against the religion	03																																								
Opposed to family planning	04																																								
Husband opposed	05																																								
Other family members opposed	06																																								
Not liking existing methods	07																																								
Afraid of sterilization/operation	08																																								
Cannot work after sterilization/operation	09																																								
Worry about side effects	10																																								
Costs too much	11																																								
Health does not permit	12																																								
Difficult/inconvenient to get method	13																																								
Inconvenient to use method	14																																								
Lack of access/Too far	15																																								
Not living with husband presently	16																																								
Others	17																																								
CODE	<input type="text"/> <input type="text"/>																																								
Q.11*	(i) Have you or your husband used any method in the past (last 5 years) and discontinued?  (ii) If code 1 in Q.11(i), specify the most used method?	<table border="1"> <tr> <td>Yes-1, No-2</td> <td><input type="text"/></td> <td>If code 2, go to Q.13</td> </tr> <tr> <td>(Use codes from Q.1)</td> <td><input type="text"/><input type="text"/></td> <td>If code 01 or 02, go to Q.19</td> </tr> </table>	Yes-1, No-2	<input type="text"/>	If code 2, go to Q.13	(Use codes from Q.1)	<input type="text"/> <input type="text"/>	If code 01 or 02, go to Q.19																																	
Yes-1, No-2	<input type="text"/>	If code 2, go to Q.13																																							
(Use codes from Q.1)	<input type="text"/> <input type="text"/>	If code 01 or 02, go to Q.19																																							
Q.12*	What was the main reason for discontinuing the use of the method in the past?  <u>* For Code '4' or '5' in Q.5, skip and go to Q.19 after recording the response(s) in Q. 11/Q.12</u>	<table border="1"> <tr><td>Wanted child</td><td>01</td></tr> <tr><td>Method failed/became pregnant</td><td>02</td></tr> <tr><td>Supply not available</td><td>03</td></tr> <tr><td>Difficult/inconvenient to get method</td><td>04</td></tr> <tr><td>Weakness/inability to work</td><td>05</td></tr> <tr><td>Body ache/back ache</td><td>06</td></tr> <tr><td>Cramps</td><td>07</td></tr> <tr><td>Weight gain</td><td>08</td></tr> <tr><td>Dizziness</td><td>09</td></tr> <tr><td>Nausea/Vomiting</td><td>10</td></tr> <tr><td>Breast tenderness</td><td>11</td></tr> <tr><td>Irregular periods</td><td>12</td></tr> <tr><td>Excessive bleeding</td><td>13</td></tr> <tr><td>Spotting</td><td>14</td></tr> <tr><td>White discharge</td><td>15</td></tr> <tr><td>Lack of pleasure</td><td>16</td></tr> <tr><td>Method was inconvenient</td><td>17</td></tr> <tr><td>Others</td><td>18</td></tr> <tr> <td>CODE</td> <td><input type="text"/><input type="text"/></td> </tr> </table>	Wanted child	01	Method failed/became pregnant	02	Supply not available	03	Difficult/inconvenient to get method	04	Weakness/inability to work	05	Body ache/back ache	06	Cramps	07	Weight gain	08	Dizziness	09	Nausea/Vomiting	10	Breast tenderness	11	Irregular periods	12	Excessive bleeding	13	Spotting	14	White discharge	15	Lack of pleasure	16	Method was inconvenient	17	Others	18	CODE	<input type="text"/> <input type="text"/>	
Wanted child	01																																								
Method failed/became pregnant	02																																								
Supply not available	03																																								
Difficult/inconvenient to get method	04																																								
Weakness/inability to work	05																																								
Body ache/back ache	06																																								
Cramps	07																																								
Weight gain	08																																								
Dizziness	09																																								
Nausea/Vomiting	10																																								
Breast tenderness	11																																								
Irregular periods	12																																								
Excessive bleeding	13																																								
Spotting	14																																								
White discharge	15																																								
Lack of pleasure	16																																								
Method was inconvenient	17																																								
Others	18																																								
CODE	<input type="text"/> <input type="text"/>																																								
Q.13	Do you intend to use any method of family planning, any time in the future?	<table border="1"> <tr> <td>Yes-1, No-2</td> <td><input type="text"/></td> <td>If code 2, go to Q.15</td> </tr> </table>	Yes-1, No-2	<input type="text"/>	If code 2, go to Q.15																																				
Yes-1, No-2	<input type="text"/>	If code 2, go to Q.15																																							
Q.14	If Code 1 in Q.13, then  (i) When do you want to use?  (ii) Which method would you prefer to use?	<table border="1"> <tr><td>Within 6 months</td><td>1</td></tr> <tr><td>6 months to &lt; 1 year</td><td>2</td></tr> <tr><td>1 year to &lt; 2 years</td><td>3</td></tr> <tr><td>2 years or after</td><td>4</td></tr> <tr> <td>CODE</td> <td><input type="text"/><input type="text"/></td> </tr> <tr> <td>CODE (Use Codes from Q.1)</td> <td><input type="text"/><input type="text"/></td> </tr> </table>	Within 6 months	1	6 months to < 1 year	2	1 year to < 2 years	3	2 years or after	4	CODE	<input type="text"/> <input type="text"/>	CODE (Use Codes from Q.1)	<input type="text"/> <input type="text"/>																											
Within 6 months	1																																								
6 months to < 1 year	2																																								
1 year to < 2 years	3																																								
2 years or after	4																																								
CODE	<input type="text"/> <input type="text"/>																																								
CODE (Use Codes from Q.1)	<input type="text"/> <input type="text"/>																																								

Q.15	Would you like to have another child?	Want more children	1	If code 2, go to Q. 18	
		Want no more children	2		
		Not decided	3		
		CODE	<input type="text"/>		
Q.16	What would you prefer as your next child?	Boy	1		
		Girl	2		
		Doesn't matter	3		
		CODE	<input type="text"/>		
Q.17	How long would you like to wait to have another child?	Soon/Now/Less than 1 year	1		
		1 year to < 2 years	2		
		2 years to < 3 years	3		
		3 years or more	4		
		Not decided	5		
		CODE	<input type="text"/>		
Q.18	Did an ANM/ASHA/LHV visit you during the last three months?  (Applicable only for Currently pregnant women/lactating mother)	Yes-1, No-2	<input type="text"/>		
Q.19	Have you availed Anganwadi services during the pregnancy and/or lactation for the last surviving child born during 1.1.2007 to 31.12.2009?	During pregnancy (Yes-1, No-2)	<input type="text"/>		
		During Lactation (Yes-1, No-2)	<input type="text"/>		
Q.20	Have you heard of RTI/STI?	Yes-1, No-2	<input type="text"/>		
Q.21	Have you heard of HIV/AIDS?	Yes-1, No-2	<input type="text"/>		
Q.22	Are you aware about the administration of HAF/ORT/ORS during diarrhoea?	Yes	Home available fluids (HAF)	1	
			Fluids prepared from ORS packets	2	
		No		3	
		CODE	<input type="text"/>		
Q.23	Are you aware of the danger signs of Acute Respiratory Infection (ARI)/Pneumonia?	Yes-1, No-2	<input type="text"/>		

## Remarks of Enumerator

Name & Signature with Date :

## Remarks of Supervisor

Name & Signature with Date :

# ANNUAL HEALTH SURVEY

State	Zone		District	Rural -1, Urban-2		Stratum	Sample Unit

Col. 1 to 3 to be filled for all Households & Col. 4 to 23 for deaths occurred to the usual residents of the sample unit during 01.01.2007 to 31.12.2009. Still births not to be included.

[illegible]

Code for Col. (10)		Code for Col. (11)	
Item	Code	Item	Code
<b>GOVERNMENT</b>		At home	1
Sub Center	01	In-transit	2
PHC	02	In health facility	3
CHC	03	Other Places	4
UHC/UHP/UFWC	04		
Dispensary/Clinic	05		
Hospital	06		
AYUSH Hospital/Clinic	07		
<b>PRIVATE</b>			
Dispensary/Clinic	08		
Hospital	09		
AYUSH Hospital/Clinic	10		
NGO or Trust Hosp/Clinic	11		
<b>At Home</b>	12		
<b>Others</b>			
	99		
<b>No Medical Attention</b>	00		

Code for Col. (16)		Code for Col. (17)	
Item	Code	Item	Code
Asphyxia	01		
Hypothermia	02		
Infections	03		
Birth injuries	04		
Convulsions soon after birth	05		
Jaundice	06		
Bleeding from umbilicus & elsewhere	07		
Congenital / Birth defects	08		
Pre-term / Low birth weight baby not thriving	09		

Code for Col. (16) – Contd.	Item	Code
	Respiratory infection	10
	Diarrhoea / Dysentery	11
	Fever with rash	12
	Fever with convulsions	13
	Fever with Jaundice	14
	Others	15
Neonatal mortality (0-28 days) :		
Codes 01-09 & 15		
Post neonatal mortality		
(29-365 days): Codes 08-15		

Code for Col. (18)	Item	Code
1	During antenatal period	1
2	During delivery	2
3	During abortion	3
4	Within 42 days of delivery	4
5	After 42 days of delivery	5
6	Within 42 days of abortion	6
7	After 42 days of abortion	7

Code for Col. (20)	Item
1	Delay in receiving health care at facility
2	Inadequate care at health facility
3	Lack of transport in shifting to facility
4	Lack of funds
5	Seriousness of the condition not realised
6	Seriousness of the condition realized but decision not made by family members
7	Others


Code for Col. (21)		Code
Item		
Excess bleeding		1
Sepsis		2
Pregnancy Induced Hypertension (PIH)		3
Prolonged labour / obstructed labour		4
Injury to uterus & other organs		5
Anaemia		6
Jaundice		7
Malaria		8
Other medical conditions in pregnancy		9
Other conditions not related to pregnancy		0


“\*” = To be copied from Household Schedule





## Madhya Pradesh: Coverage along the continuum of care





The responsibility for the correctness of internal details rests with the publisher.

The territorial waters of India extend into the sea to a distance of twelve nautical miles measured from the appropriate base line.

The external boundaries and coastlines of India agree with the Record/Master Copy certified by Survey of India.

The state boundaries between Uttarakhnad & Uttar Pradesh, Bihar & Jharkhand and Chattisgarh & Madhya Pradesh have not been verified by the Governments concerned.

The administrative headquarters of Chandigarh, Haryana and Punjab are at Chandigarh.

The interstate boundaries amongst Arunachal Pradesh, Assam and Meghalaya shown on the map are as interpreted from the North-Eastern Areas (Reorganisation) Act, 1971, but have yet to be verified.

© Government of India Copyright, 2011

Enquiries should be directed to:  
Vital Statistics Division  
Office of the Registrar General & Census Commissioner, India  
Ministry of Home Affairs  
Government of India

Email : [bmishra97.rgi@censusindia.gov.in](mailto:bmishra97.rgi@censusindia.gov.in)  
Website: [www.censusindia.gov.in](http://www.censusindia.gov.in)